B4465-2.14

LOS

PSYCHIATRIC

LENGTH OF STAY

HKS PUBLICATIONS

by Diagnosis
United States, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
November, 1989

PSYCHIATRIC LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This publication represents one volume in the third annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1988
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1988
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1988
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1988
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1988
ISSN 0898-0535

The Length of Stay series has been published annually since 1963. In addition to *Psychiatric Length of Stay*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Description of the Database

Data Collection v
Data Quality v
Database Characteristics vi

Organization of Psychiatric Length of Stay Tables x

Explanation of Psychiatric Length of Stay Statistics xii

Application of Psychiatric Length of Stay Tables xiii

Trends in Psychiatric Length of Stay xiv

Length of Stay Tables 1

APPENDIX:

1: State Inclusions and Hospital Counts by Region 175

2: Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 176

3: Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 184

4: Crosswalk From *DSM-III-R* to *ICD-9-CM* 192

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Psychiatric Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available, and to Philip M. Margolis, Professor of Psychiatry, University of Michigan Medical Center and Professor of Community Mental Health, School of Public Health, University of Michigan.

1988 PSYCHIATRIC LENGTH OF STAY BOOKS

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS
Linda E. Vanek, Assistant Manager, Normative Publications

INFORMATION SERVICES
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Stacey Koepke, Customer Service Represenitive,
Mary Kay Murray, Marketing Specialist,
Tracey Stewart, Publication Specialist,
Robert Travis, Librarian.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer disk, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports.

5. Data are standardized to create an aggregated patient record base.

   This annually updated database is used to create the Psychiatric Length of Stay (LOS) series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specifc diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40% of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,068 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages vii-ix. Table definitions are as follows:

Hospitals with or without a Psychiatric Unit or Beds

The 1987 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Average Occupancy

According to *AHA Guide*, 1989, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."[2]

Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

---

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.
[2] *American Hospital Association Guide to the Health Care Field*, American Hospital Association, Chicago, Illinois, 1989.

Table 1
1988 PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[*]

	Hospitals with Psychiatric Unit/Beds	Hospitals without Psychiatric Unit/Beds	Total
Number of Hospitals			
Universe[**]	1,322	4,198	5,520
Sample	315	753	1,068
Hospitals as Percent of Universe			
Universe	100.0	100.0	100.0
Sample	23.8	17.9	19.3
Number of Urban Hospitals			
Universe	1,061	1,839	2,900
Sample	237	359	596
Urban Hospitals as Percent of Universe			
Universe	80.3	43.8	52.5
Sample	17.9	8.6	10.8
Number of High/Medium Teaching Intensity Hospitals			
Universe	601	329	930
Sample	124	90	214
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe			
Universe	45.5	7.8	16.8
Sample	9.4	2.1	3.9
Average Occupancy as Percent of Universe			
Universe	66.3	51.6	55.1
Sample	66.3	55.5	58.6

---

[*] Hospitals with average stay less than 30 days.

[**] The Universe means all hospitals recording facility information on the 1987 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	315	100.0	183,184	100.0
Control				
Public	39	12.4	19,263	10.5
Private	251	79.7	150,721	82.3
Unknown	25	7.9	13,200	7.2
Bedsize				
<100 Beds	27	8.6	6,079	3.3
100-199	71	22.5	31,592	17.2
200-299	70	22.2	35,744	19.5
300-399	64	20.3	46,289	25.3
400-499	35	11.1	24,542	13.4
500+	48	15.2	38,938	21.3
Teaching Intensity				
Low	191	60.6	96,313	52.6
Medium	77	24.4	51,963	28.4
High	47	14.9	34,908	19.1
Location				
Rural	78	24.8	30,143	16.5
Urban	237	75.2	153,041	83.5

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3

PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	753	100.0	71,592	100.0
Control				
Public	167	22.2	8,669	12.1
Private	566	75.2	60,350	84.3
Private	20	2.7	2,573	3.6
Bedsize				
<100 Beds	409	54.3	19,894	27.8
100-199	187	24.8	17,638	24.6
200-299	88	11.7	16,615	23.2
300-399	37	4.9	7,242	10.1
400-499	15	2.0	7,357	10.3
500+	17	2.3	2,846	4.0
Teaching Intensity				
Low	663	88.0	54,509	76.1
Medium	71	9.4	15,150	21.2
High	19	2.5	1,933	2.7
Location				
Rural	394	52.3	20,518	28.7
Urban	359	47.7	51,074	71.3

---

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the four census regions. Appendix 1 lists the states comprising each region, and the number of hospitals and patients included in each volume.



Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included at the end of the Appendix.) The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 2 lists, in numerical order, the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying description, and the page number in the particular volume where a table is located. Appendix 3 lists, in alphabetical order, the psychiatric diagnoses and accompanying numerical codes.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

a. Hospitals with a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.

b. Hospitals without a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 2 or 3 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The 1988 Psychiatric Length of Stay series represents the third annual edition of this publication. The series provides a comparative view of inpatient psychiatric patterns in short-term general hospitals throughout the United States.

Profile of Psychiatric Database

For each of the three years (1986-1988), 4% of the patient records included in the standard length of stay database list a psychiatric disorder as a principal diagnosis. Approximately 72% percent of the discharge records included in the 1988 tables are from hospitals with psychiatric units or beds, with the remaining 28% from hospitals without psychiatric units.

Diagnoses most often reported for patients in hospitals with psychiatric unit/beds, along with the frequency and length of stay for each, are shown in TABLE 4. These can be compared to the most frequently reported diagnoses in hospitals without psychiatric units in TABLE 5. Hospitals with psychiatric units are more likely to report adjustment reactions (ICD-9-CM 309) for younger age groups and affective psychoses (ICD-9-CM 296) for older ages, whereas diagnoses in hospitals without psychiatric units are more often substance abuse related (ICD-9-CM codes 303-305). The prevalence of substance abuse problems with psychiatric patients is further evidenced when secondary diagnoses are examined. Alcohol dependence (ICD-9-CM 303) is found as a secondary diagnosis in 24% of the patients with a psychiatric principal diagnosis in hospitals with psychiatric units and in 50% of the same patients in hospitals without units.

Table 4
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITH PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	309 Adjustment Reaction	21%	14.2
	296 Affective Psychoses	17%	24.6
	300 Neurotic Disorders	14%	21.9
18-24	296 Affective Psychoses	20%	15.7
	309 Adjustment Reaction	16%	7.6
	295 Schizophrenic Disorders	14%	17.4
25-54	296 Affective Psychoses	27%	15.2
	303 Alcohol Dependence Syndrome	18%	12.7
	295 Schizophrenic Disorders	17%	15.8
55-74	296 Affective Psychoses	40%	19.1
	303 Alcohol Dependence Syndrome	14%	12.7
	295 Schizophrenic Disorders	11%	19.2
75+	296 Affective Psychoses	32%	21.4
	290 Senile/Presenile Psychoses	23%	13.3
	293 Transient Org. Mental Disorders	7%	11.9
All Ages	296 Affective Psychoses	27%	17.2
	303 Alcohol Dependence Syndrome	14%	13.6
	295 Schizophrenic Disorders	13%	16.7

Table 5
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITHOUT PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	303 Alcohol Dependence Syndrome	15%	24.2
	296 Affective Psychoses	13%	25.8
	305 Nondependent Drug Abuse	11%	6.4
18-24	303 Alcohol Dependence Syndrome	27%	16.2
	304 Drug Dependence	20%	15.9
	296 Affective Psychoses	8%	11.4
25-54	303 Alcohol Dependence Syndrome	35%	13.0
	291 Alcohol Psychoses	14%	5.2
	304 Drug Dependence	12%	14.3
55-74	303 Alcohol Dependence Syndrome	29%	11.5
	291 Alcohol Psychoses	14%	6.9
	296 Affective Psychoses	13%	13.2
75+	290 Senile/Presenile Psychoses	28%	11.5
	296 Affective Psychoses	9%	14.7
	300 Neurotic Disorders	8%	6.7
All Ages	303 Alcohol Dependence Syndrome	29%	13.5
	291 Alcohol Psychoses	11%	5.6
	304 Drug Dependence	10%	15.5

Psychiatric drug therapy (ICD-9-CM 94.25) and CAT scan of head (ICD-9-CM 87.03) are procedures most frequently recorded for patients with a principal psychiatric diagnosis code. The incidence of drug therapy is higher (33%) in hospitals without psychiatric units/beds, than hospitals with psychiatric units (17%).

Psychiatric Length of Stay

In the United States, the average stay for psychiatric patients in short-term general hospitals with a psychiatric unit is 30% longer (14.4 days) than in hospitals without units (11.0 days). This ratio has remained constant over three years. Recent research indicates an even larger difference between the length of stay in the two types of hospitals, suggesting that many of the patients in hospitals without units are transferred to other hospitals to be treated by a psychiatrist. Since patients transferred to other acute care facilities are excluded from our data, this would explain the longer stays.

Age and sex differences are noted in length of stay for both types of hospitals. Children under the age of 18, constituting 10% of the discharges with a psychiatric principal diagnosis, have the longest length of stay of any age group. Generally, females of any age have longer stays than males.

TABLE 6 displays three years of hospital stay trends in the United States and four regions for all psychiatric codes (290.0-314.9) in hospitals with a psychiatric unit.

Table 6
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88
ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITH PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	13.9	14.8	15.4
North Central	14.9	14.7	14.9
South	13.2	14.1	14.6
West	11.8	12.3	12.4
U.S.	13.7	14.1	14.4

A continuing increase in length of stay for psychiatric inpatient care is evident for U.S. hospitals with psychiatric units; from 1986 to 1988 there is a 5% increase in stay (.7 days). The established pattern of high lengths of stay in the northeast and low stays in the west remains constant in 1988, as it did in 1987. For all psychiatric diagnoses, the difference between the northeastern and western regions in 1988 is 3 days.

One possible explanation for the increasing days of inpatient stay may relate to the fact that patients staying over 99 days are excluded from the computation of the average length of stay. If there has been a decrease in total days for the outliers, for example, from 120 to 94 days, their stay would now be included in the average, causing that figure to be higher This theory needs to be tested out in future studies.

Differences in average length of stay from 1986-1988 are not as steady in hospitals without psychiatric units/beds. As Table 7 shows below, there has been a 6% increase in stay (.6 days) throughout the United States, but regional differences are not consistent with the usual pattern. Length of stay increases in the northeast, north central and southern regions, but continues to decline in the west. Despite the increase, hospitals without psychiatric units/beds in the northeast continue to have a considerably shorter hospital stay for psychiatric patients than any other region.

Table 7
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88
ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITHOUT PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	7.6	8.7	9.2
North Central	10.9	11.9	12.3
South	9.7	10.3	11.4
West	11.6	11.4	11.2
U.S.	10.4	10.7	11.0

In summary, this analysis of the 1988 Psychiatric Length of Stay data reveals:

1. In the United States, for all psychiatric codes, the average length of stay continues to increase in short-term hospitals either with or without a psychiatric unit.

2. For hospitals with a psychiatric unit or beds regional variations in length of stay are consistent with the widely acknowledged patterns, high length of stays in the northeast and north central and low stays in the south and west region.

3. For the same group of diagnoses in hospitals without a psychiatric unit/beds, although length of stay generally increases, the above mentioned regional patterns do not hold.

This discussion introduces a few of the analyses possible using the Psychiatric Length of Stay series. As readers conduct their own inquiries, it is essential to remember that the statistics in this section are merely descriptive, drawn from the discharge records of 1,068 short-term general hospitals in the United States. In the course of using psychiatric length of stay data it is important that readers routinely:

1. examine the characteristics of the database;
2. look at the patient counts in each diagnosis table; and
3. consider any clinical, financial, legal, and social issues which might affect the data.

Such caution, paired with expertise, will make the statistics and tables presented in the next section an appropriate tool for developing cost and quality of care guidelines for patients with psychiatric conditions.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1225	18.9	318	1	4	14	29	44	60	99+	342	14.8	502	1	1	3	28	63	86	99+
13-17	2665	17.8	285	1	4	13	28	42	50	94	830	13.0	278	1	1	4	21	38	48	79
18-24	4179	13.3	187	1	3	9	21	30	38	71	1417	11.1	136	1	2	6	21	28	30	44
25-34	9167	13.1	143	2	4	9	20	28	34	55	3721	11.5	121	1	3	6	21	28	30	41
35-54	11608	12.5	124	2	4	9	19	28	31	52	5321	10.6	112	2	3	6	18	28	30	39
55-74	5377	14.4	155	2	5	11	21	30	37	61	2662	9.6	101	2	3	5	13	27	30	46
75 +	2158	13.6	171	3	5	10	18	29	40	91	1357	9.7	128	2	3	6	11	23	34	98
ALL AGES	36379	13.7	164	2	4	10	21	29	38	66	15650	10.8	135	1	3	6	17	28	31	55
B. FEMALE																				
0-12 YRS.	666	17.7	314	2	4	13	28	44	59	99+	260	13.9	449	1	1	3	18	51	65	99
13-17	3843	16.7	274	2	4	12	25	41	51	90	969	13.5	296	1	1	5	22	41	52	98
18-24	4065	12.3	175	1	3	8	17	29	39	74	1165	9.9	151	1	2	5	13	28	34	55
25-34	8898	12.7	144	2	4	9	18	28	35	58	2640	10.1	119	1	3	6	14	28	30	46
35-54	13633	13.9	147	2	5	11	19	29	37	58	3957	9.8	116	1	3	5	13	27	30	51
55-74	9413	16.6	186	3	7	14	23	34	44	69	2876	9.7	105	2	3	6	13	24	30	58
75 +	4531	15.6	196	3	6	12	21	34	45	78	2394	9.7	137	2	3	6	11	23	38	99+
ALL AGES	45049	14.6	177	2	5	11	20	31	41	69	14261	10.2	139	1	3	6	13	28	33	67
SUBTOTAL	**81428**	**14.2**	**171**	**2**	**4**	**10**	**21**	**30**	**40**	**67**	**29911**	**10.5**	**137**	**1**	**3**	**6**	**15**	**28**	**32**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1207	30.0	448	5	14	28	43	64	86	99+	178	22.0	342	2	5	19	34	51	62	95
13-17	3673	23.3	324	3	8	21	35	46	60	99+	1028	22.8	318	2	6	22	35	46	58	99+
18-24	5521	13.8	155	2	4	10	21	29	35	63	2226	14.4	139	2	4	11	24	29	32	44
25-34	12509	12.8	118	2	4	9	21	28	30	47	6546	12.0	118	2	3	6	21	28	30	42
35-54	12886	11.9	116	2	4	8	18	27	30	51	7819	9.1	85	2	3	5	11	25	28	39
55-74	3978	13.2	144	2	4	9	19	26	36	61	2374	8.6	79	2	3	5	10	22	28	42
75 +	993	14.7	185	3	5	11	20	32	42	82	526	9.6	120	2	3	6	11	22	32	73
ALL AGES	40767	14.2	172	2	4	10	21	30	39	67	20697	11.3	127	2	3	6	20	28	31	47
B. FEMALE																				
0-12 YRS.	484	27.0	414	5	11	24	42	67	93	99+	103	18.0	303	1	3	13	29	42	74	99+
13-17	3988	21.8	351	3	7	17	34	48	63	99+	867	21.8	320	2	5	21	33	46	57	99+
18-24	4741	14.1	188	2	4	9	21	31	42	76	1327	13.3	164	1	3	8	22	30	36	59
25-34	10055	13.2	148	2	4	9	19	28	36	61	3363	11.3	119	2	3	6	19	28	30	42
35-54	11191	13.7	150	2	5	10	20	29	37	60	3442	9.6	99	2	3	5	12	26	29	44
55-74	5121	16.5	173	3	7	14	22	33	43	69	1686	10.1	110	2	3	6	13	26	30	54
75 +	1982	16.7	179	4	7	14	22	35	44	78	846	10.2	131	2	3	6	13	24	36	97
ALL AGES	37562	15.2	192	2	5	11	21	33	43	75	11634	11.6	145	2	3	6	18	28	35	57
SUBTOTAL	**78329**	**14.7**	**181**	**2**	**5**	**11**	**21**	**31**	**42**	**70**	**32331**	**11.4**	**134**	**2**	**3**	**6**	**19**	**28**	**32**	**52**
GRAND TOTAL	**159757**	**14.4**	**177**	**2**	**5**	**10**	**21**	**31**	**41**	**69**	**62242**	**11.0**	**135**	**2**	**3**	**6**	**17**	**28**	**32**	**56**

Total U.S., January-December 1988

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	28	11.8	138	2	3	8	15	33	39	40	20	11.2	83	3	5	9	15	31	66	99 +
75 +	146	13.5	218	3	5	9	17	29	55	99 +	98	11.1	156	2	4	7	15	21	43	63
ALL AGES	174	13.2	206	3	5	9	17	29	52	99	119	11.0	143	2	4	7	15	21	43	75
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	52	15.0	222	3	5	9	20	33	44	66	23	10.7	66	3	5	8	15	28	50	99 +
75 +	248	11.6	163	2	4	8	15	28	50	99 +	148	8.0	103	2	3	5	10	20	45	99 +
ALL AGES	302	12.1	175	2	4	8	15	29	46	99 +	171	8.4	98	2	3	6	10	22	43	99 +
SUBTOTAL	**476**	**12.5**	**186**	**2**	**4**	**8**	**16**	**29**	**48**	**99 +**	**290**	**9.5**	**117**	**2**	**3**	**6**	**12**	**21**	**43**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74	11	22.5	410	7	8	16	30	59	65	66	4	23.3	372	7	10	17	36	51	51	51
75 +	30	13.4	137	3	5	10	20	26	44	50	17	8.6	73	3	4	5	9	23	30	33
ALL AGES	42	15.7	214	4	6	11	21	36	52	66	21	11.4	149	3	4	5	15	28	41	51
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	17	17.5	122	6	8	15	29	31	38	41	9	9.7	79	1	4	7	24	62	99 +	99 +
75 +	48	13.5	106	3	7	11	18	26	48	99 +	30	11.0	125	3	4	7	13	31	42	42
ALL AGES	65	14.6	110	3	7	12	19	31	42	92	39	10.7	112	2	4	7	13	31	42	99 +
SUBTOTAL	**107**	**15.0**	**151**	**4**	**7**	**12**	**20**	**31**	**46**	**80**	**60**	**10.9**	**124**	**3**	**4**	**6**	**14**	**29**	**42**	**95**
GRAND TOTAL	**583**	**13.0**	**179**	**3**	**5**	**9**	**17**	**29**	**47**	**99 +**	**350**	**9.7**	**119**	**2**	**4**	**6**	**12**	**25**	**42**	**99 +**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	12	11.9	107	3	4	9	16	27	36	38	1	8.0		8	8	8	8	8	8	8
55-74	77	10.4	59	2	6	9	13	21	24	40	52	11.3	178	3	5	7	15	28	70	99 +
75 +	158	11.2	90	3	5	8	15	25	31	60	134	13.7	301	3	4	8	15	44	87	99 +
ALL AGES	248	10.9	82	3	5	8	14	23	28	45	187	13.0	266	3	4	8	15	39	83	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	11	17.4	215	4	4	11	30	39	45	46	3	9.0	9	6	7	10	56	99 +	99 +	99 +
55-74	107	11.9	159	3	5	8	14	30	43	89	67	9.0	59	3	4	7	15	48	99 +	99 +
75 +	221	12.0	143	3	4	8	14	27	42	91	210	13.4	331	2	4	7	16	55	89	99 +
ALL AGES	339	12.2	149	3	5	8	14	29	43	89	281	12.2	267	2	4	7	16	56	99 +	99 +
SUBTOTAL	**587**	**11.6**	**122**	**3**	**5**	**8**	**14**	**25**	**36**	**73**	**468**	**12.6**	**264**	**2**	**4**	**7**	**15**	**46**	**93**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	8.5	61	3	3	8	14	14	14	14	2	7.0	8	5	5	7	9	9	9	9
55-74	25	12.0	81	3	5	11	18	29	52	99 +	16	12.8	340	2	3	6	11	54	59	60
75 +	25	10.1	67	2	5	8	14	18	26	39	20	15.8	402	3	3	8	17	44	66	79
ALL AGES	53	10.9	71	2	5	10	14	22	37	98	39	13.7	346	2	3	6	13	46	59	79
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	31.5	221	21	21	31	42	42	42	42	2	6.5	1	6	6	6	7	7	7	7
55-74	29	12.7	92	3	6	11	16	26	33	44	14	16.6	131	5	11	14	19	37	43	45
75 +	54	14.4	151	4	6	10	19	34	42	55	29	16.1	382	2	4	9	22	38	48	96
ALL AGES	85	14.2	137	4	6	10	19	32	42	51	45	15.8	287	3	5	12	20	36	45	96
SUBTOTAL	**138**	**12.9**	**114**	**3**	**6**	**10**	**16**	**30**	**40**	**60**	**84**	**14.9**	**309**	**3**	**4**	**8**	**18**	**37**	**55**	**90**
GRAND TOTAL	**725**	**11.9**	**120**	**3**	**5**	**9**	**15**	**26**	**37**	**66**	**552**	**12.9**	**272**	**3**	**4**	**7**	**15**	**45**	**88**	**99 +**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	29.0		29	29	29	29	29	29	29										
35-54																				
55-74	37	19.3	120	7	10	17	29	37	43	99 +	10	22.5	358	2	4	22	34	50	53	53
75 +	84	16.1	191	3	7	14	21	31	64	99 +	23	18.3	239	3	6	11	28	45	49	54
ALL AGES	122	17.2	169	5	8	15	23	33	57	99 +	33	19.6	268	3	5	18	31	46	52	54
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	33.5	221	23	23	33	44	44	44	44										
55-74	68	16.7	139	4	9	14	21	38	47	91	14	17.6	500	5	7	10	19	30	78	92
75 +	225	15.3	119	5	8	13	18	32	41	61	67	14.0	201	3	5	8	22	35	45	95
ALL AGES	295	15.8	124	5	9	13	20	34	42	66	81	14.6	250	3	5	8	22	34	51	97
SUBTOTAL	**417**	**16.2**	**138**	**5**	**8**	**14**	**21**	**34**	**43**	**99 +**	**114**	**16.0**	**259**	**3**	**5**	**9**	**23**	**38**	**51**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	14	14.9	61	5	8	15	18	29	29	29	2	18.5	313	6	6	18	31	31	31	31
75 +	20	16.6	171	5	8	11	20	40	43	45	6	6.0	10	3	4	5	9	11	11	11
ALL AGES	35	15.7	123	5	8	12	19	35	41	45	8	9.1	86	3	4	5	10	25	31	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	23	24.5	246	9	14	22	28	40	58	79	4	14.0	99	4	6	13	22	26	26	26
75 +	49	13.9	77	4	7	13	18	23	27	45	22	12.5	94	4	5	11	17	21	34	45
ALL AGES	72	17.3	153	5	9	15	22	31	39	72	26	12.8	89	4	5	11	17	25	31	45
SUBTOTAL	**107**	**16.8**	**141**	**5**	**8**	**14**	**22**	**34**	**40**	**60**	**34**	**11.9**	**89**	**4**	**5**	**9**	**17**	**26**	**30**	**45**
GRAND TOTAL	**524**	**16.3**	**139**	**5**	**8**	**14**	**21**	**34**	**43**	**99 +**	**148**	**15.1**	**221**	**3**	**5**	**9**	**22**	**35**	**46**	**92**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS												HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS											
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES									TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES								
				10TH	25TH	50TH	75TH	90TH	95TH	99TH						10TH	25TH	50TH	75TH	90TH	95TH	99TH		
1. PSYCH PRIN, NO 2ND PSYCH DX																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	40	18.7	455	4	7	12	18	71	84	99+			19	8.1	41	2	3	6	12	18	22	23		
75 +	125	13.0	202	3	6	10	14	27	46	99+			109	9.0	92	2	4	6	10	20	25	53		
ALL AGES	165	14.4	267	3	6	10	15	31	71	99+			128	8.9	83	2	4	6	11	19	23	49		
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	53	11.5	57	4	7	10	14	21	24	42			35	9.5	113	3	3	6	13	18	19	62		
75 +	237	13.4	205	3	5	9	16	32	57	99+			194	10.1	152	3	4	6	12	22	48	99+		
ALL AGES	290	13.0	180	3	6	9	15	26	49	99+			229	10.0	146	3	4	6	12	21	48	99+		
SUBTOTAL	**455**	**13.5**	**211**	**3**	**6**	**9**	**15**	**28**	**56**	**99+**			**357**	**9.6**	**123**	**2**	**4**	**6**	**12**	**20**	**35**	**99+**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	10	15.0	181	4	7	10	31	65	97	99+			4	10.0	65	1	3	10	16	19	19	19		
75 +	31	15.7	127	4	7	14	20	31	42	49			13	6.9	33	1	2	6	9	16	18	19		
ALL AGES	41	15.5	137	4	7	14	20	38	45	99+			17	7.6	39	1	2	6	13	18	19	19		
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	10	16.9	105	9	10	13	23	33	42	42			1	10.0		10	10	10	10	10	10	10		
75 +	42	15.5	198	4	8	13	18	31	55	99+			29	8.1	31	3	4	7	10	17	20	21		
ALL AGES	52	15.7	180	6	9	13	19	31	41	99+			30	8.2	29	3	4	7	10	17	20	21		
SUBTOTAL	**93**	**15.6**	**160**	**4**	**8**	**13**	**19**	**36**	**42**	**99+**			**47**	**8.0**	**32**	**1**	**4**	**6**	**11**	**18**	**19**	**21**		
GRAND TOTAL	**548**	**13.9**	**202**	**3**	**6**	**10**	**16**	**29**	**51**	**99+**			**404**	**9.4**	**113**	**2**	**4**	**6**	**11**	**19**	**31**	**99+**		

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	8.0	50	3	3	8	13	13	13	13	3	5.7	10	2	3	7	8	8	8	8
55-74	75	13.1	137	4	6	9	17	30	44	90	46	10.1	98	2	3	7	14	27	32	99 +
75 +	152	14.2	177	4	6	10	19	30	57	99 +	100	10.0	70	3	4	8	12	21	38	99 +
ALL AGES	229	13.8	162	4	6	10	19	30	47	99 +	149	9.9	78	2	4	8	13	25	38	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	81	15.0	230	3	6	10	21	38	72	99 +	43	10.5	68	3	6	7	13	28	30	32
75 +	217	12.8	140	4	5	9	17	26	39	87	145	12.6	206	3	5	8	15	29	52	99 +
ALL AGES	299	13.4	164	4	5	9	18	29	48	99 +	188	12.1	175	3	5	8	15	28	42	99 +
SUBTOTAL	**528**	**13.5**	**164**	**4**	**6**	**10**	**18**	**30**	**47**	**99 +**	**337**	**11.1**	**134**	**3**	**5**	**8**	**13**	**27**	**39**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	40.0	162	31	31	40	49	49	49	49	1	17.0		17	17	17	17	17	17	17
55-74	30	18.2	134	6	8	16	27	41	46	99 +	11	10.5	122	3	4	7	15	59	94	99 +
75 +	29	18.6	305	3	6	11	27	48	54	59	12	8.3	46	2	3	7	12	40	89	99 +
ALL AGES	61	19.1	225	4	7	15	28	45	52	95	24	9.6	80	3	4	8	17	39	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	1	33.0		33	33	33	33	33	33	33
55-74	33	16.4	129	6	7	14	24	31	53	99 +	10	12.0	123	2	7	8	14	31	38	38
75 +	43	13.5	110	3	5	12	17	26	38	45	25	13.6	100	5	8	11	15	30	35	47
ALL AGES	77	14.7	118	3	7	12	21	30	40	88	36	13.7	112	4	7	10	15	31	36	47
SUBTOTAL	**138**	**16.7**	**167**	**4**	**7**	**13**	**24**	**41**	**47**	**99 +**	**60**	**12.1**	**101**	**3**	**6**	**9**	**15**	**32**	**43**	**99 +**
GRAND TOTAL	**666**	**14.2**	**165**	**4**	**6**	**10**	**19**	**31**	**47**	**99 +**	**397**	**11.3**	**128**	**3**	**5**	**8**	**14**	**28**	**40**	**99 +**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	3	7.7	14	5	5	6	10	12	12	12	1	10.0		10	10	10	10	10	10	10
ALL AGES	4	7.0	11	5	5	6	9	12	12	12	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	5.5	13	3	3	5	8	8	8	8	1	12.0		12	12	12	12	12	12	12
ALL AGES	2	5.5	13	3	3	5	8	8	8	8	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**6**	**6.5**	**10**	**3**	**5**	**6**	**8**	**12**	**12**	**12**	**2**	**11.0**	**2**	**10**	**10**	**11**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**2**	**5.5**	**5**	**4**	**4**	**5**	**7**	**7**	**7**	**7**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**8**	**6.3**	**7**	**3**	**4**	**6**	**7**	**11**	**12**	**12**	**3**	**10.0**	**4**	**8**	**8**	**10**	**11**	**12**	**12**	**12**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	76.0		76	76	76	76	76	76	76										
75 +	1	6.0		6	6	6	6	6	6	6	1	15.0		15	15	15	15	15	15	15
ALL AGES	2	41.0	2450	6	6	41	76	76	76	76	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											4	9.5	108	3	3	5	15	25	25	25
75 +	7	6.0	15	1	3	5	9	12	12	12	3	22.3	803	6	6	6	43	55	55	55
ALL AGES	7	6.0	15	1	3	5	9	12	12	12	7	15.0	368	3	4	6	20	49	55	55
SUBTOTAL	**9**	**13.8**	**555**	**2**	**4**	**6**	**10**	**50**	**76**	**76**	**8**	**15.0**	**315**	**3**	**5**	**6**	**20**	**46**	**55**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	7.5	1	7	7	7	8	8	8	8	1	8.0		8	8	8	8	8	8	8
ALL AGES	2	7.5	1	7	7	7	8	8	8	8	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES											1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**2**	**7.5**	**1**	**7**	**7**	**7**	**8**	**8**	**8**	**8**	**2**	**11.0**	**18**	**8**	**8**	**11**	**14**	**14**	**14**	**14**
GRAND TOTAL	**11**	**12.6**	**452**	**2**	**4**	**7**	**9**	**38**	**73**	**76**	**10**	**14.2**	**250**	**3**	**6**	**7**	**15**	**40**	**55**	**55**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	2	3.5	1	3	3	3	4	4	4	4
25-34	27	6.1	20	2	3	5	8	12	15	22	15	4.5	13	1	3	3	6	7	14	16
35-54	67	5.3	14	2	3	5	6	11	15	17	76	5.6	31	1	3	4	6	10	16	31
55-74	46	8.6	41	2	3	7	12	18	22	25	49	9.4	137	3	4	6	10	15	37	66
75 +	4	7.8	23	4	5	6	11	15	15	15	5	11.0	4	9	10	10	13	13	13	13
ALL AGES	145	6.6	25	2	3	5	9	15	17	24	147	6.9	67	2	3	5	8	12	18	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	5	7.0	82	2	2	3	9	23	23	23	6	2.7	2	1	1	3	3	5	5	5
35-54	13	7.4	34	2	2	8	10	15	20	21	22	4.1	4	2	2	4	6	7	7	7
55-74	13	9.3	95	3	4	5	10	24	35	37	8	4.6	6	2	2	5	7	8	8	8
75 +	2	6.5	1	6	6	6	7	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	35	7.8	57	2	3	5	10	21	23	37	37	4.0	4	2	2	4	6	7	7	8
SUBTOTAL	**180**	**6.8**	**32**	**2**	**3**	**5**	**9**	**15**	**18**	**25**	**184**	**6.3**	**56**	**2**	**3**	**4**	**7**	**12**	**16**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	18	6.2	49	1	2	4	8	17	25	27	3	11.0	148	3	3	5	20	25	25	25
25-34	138	6.5	43	2	2	4	8	14	22	33	127	7.3	63	2	3	5	7	25	29	31
35-54	431	6.4	36	2	3	4	7	13	20	31	403	6.7	42	2	3	5	7	13	23	30
55-74	165	7.8	56	3	4	5	9	16	22	36	188	7.6	52	2	3	5	9	18	28	37
75 +	13	12.8	223	2	3	5	16	36	47	50	20	9.3	56	2	4	7	13	21	25	28
ALL AGES	765	6.8	46	2	3	5	8	14	22	33	741	7.1	49	2	3	5	8	16	27	32
B. FEMALE																				
0-12 YRS.																				
13-17	2	2.0	2	1	1	2	3	3	3	3										
18-24	3	3.7	1	3	3	3	5	5	5	5	4	9.5	188	1	2	3	17	30	30	30
25-34	35	9.1	110	2	2	5	12	27	31	44	29	5.3	26	2	3	4	5	9	18	26
35-54	77	6.9	49	2	3	5	8	13	26	35	83	6.3	33	2	3	5	7	11	20	30
55-74	46	7.5	48	2	3	5	8	15	28	31	41	8.5	46	3	4	6	10	17	26	31
75 +	10	10.1	195	3	5	5	6	31	49	49	6	5.8	25	1	3	4	7	14	15	15
ALL AGES	173	7.6	67	2	3	5	8	15	29	42	163	6.7	39	2	3	5	7	14	24	31
SUBTOTAL	**938**	**7.0**	**49**	**2**	**3**	**5**	**8**	**14**	**23**	**33**	**904**	**7.1**	**46**	**2**	**3**	**5**	**8**	**15**	**27**	**31**
GRAND TOTAL	**1116**	**6.9**	**47**	**2**	**3**	**5**	**8**	**14**	**22**	**33**	**1088**	**6.9**	**49**	**2**	**3**	**5**	**7**	**14**	**26**	**32**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	2	14.0	8	12	12	14	16	16	16	16										
55-74	8	23.5	945	2	4	15	26	76	95	95	5	17.6	242	4	8	17	41	94	99 +	99 +
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	11	22.3	680	3	6	16	27	57	92	95	6	14.8	241	2	5	9	37	88	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	9.0	98	2	2	9	16	16	16	16										
55-74	2	39.0	128	31	31	39	47	47	47	47	4	14.8	130	4	10	12	48	99 +	99 +	99 +
75 +	2	4.0	2	3	3	4	5	5	5	5										
ALL AGES	6	17.3	334	2	3	10	31	45	47	47	4	14.8	130	4	10	12	48	99 +	99 +	99 +
SUBTOTAL	**17**	**20.5**	**537**	**2**	**4**	**16**	**29**	**44**	**78**	**95**	**10**	**14.8**	**177**	**3**	**6**	**12**	**36**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	9	12.4	74	4	5	10	18	26	28	28	5	9.4	65	1	4	5	17	19	19	19
55-74	21	17.0	485	2	4	8	32	94	99 +	99 +	16	9.6	150	2	3	5	10	26	42	49
75 +	3	24.0	229	7	12	29	34	36	36	36	2	14.0	72	8	11	20	80	99 +	99 +	99 +
ALL AGES	33	16.4	346	3	4	10	29	47	98	99 +	23	10.0	118	2	4	6	15	29	64	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	4	6.0	7	3	4	6	8	9	9	9										
55-74	7	20.6	519	4	5	12	24	60	69	69	6	15.0	158	3	5	10	28	32	33	33
75 +	3	22.0	532	4	6	14	39	48	48	48	2	23.0	800	3	3	23	43	43	43	43
ALL AGES	15	15.9	357	4	4	9	19	48	64	69	8	17.0	241	3	4	10	30	40	43	43
SUBTOTAL	**48**	**16.2**	**343**	**3**	**4**	**9**	**25**	**47**	**92**	**99 +**	**31**	**11.8**	**152**	**2**	**4**	**7**	**18**	**36**	**48**	**99 +**
GRAND TOTAL	**65**	**17.4**	**387**	**3**	**4**	**10**	**27**	**47**	**92**	**99 +**	**41**	**12.5**	**157**	**3**	**4**	**8**	**23**	**44**	**99 +**	**99 +**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	7	11.4	58	4	5	13	20	76	99 +	99 +	5	2.4	2	1	1	2	3	5	5	5
55-74	28	17.3	289	4	5	16	21	37	90	99 +	19	10.9	77	2	4	8	16	27	28	29
75 +	5	26.2	242	12	13	23	38	49	49	49	3	7.0	4	5	5	7	8	9	9	9
ALL AGES	40	17.4	250	4	6	16	22	43	93	99 +	28	8.6	66	2	3	6	11	24	27	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54	7	9.9	32	5	6	9	10	20	22	22	5	9.0	59	3	3	5	15	20	20	20
55-74	8	11.6	89	4	5	6	20	25	27	27	8	7.6	29	2	3	8	14	66	99 +	99 +
75 +	1	13.0		13	13	13	13	13	13	13	4	6.5	28	2	3	5	10	14	14	14
ALL AGES	16	10.9	56	4	5	9	16	22	25	27	18	7.6	31	2	3	5	14	18	64	99 +
SUBTOTAL	**56**	**15.5**	**203**	**4**	**5**	**12**	**21**	**33**	**73**	**99 +**	**46**	**8.2**	**52**	**2**	**3**	**6**	**13**	**20**	**27**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22	3	16.7	7	15	15	15	19	20	20	20
25-34	8	8.9	102	1	2	4	16	25	25	25	19	13.1	50	2	6	15	15	22	24	25
35-54	37	13.5	235	3	5	9	16	31	41	82	58	12.9	125	3	4	15	16	21	32	62
55-74	56	12.3	103	2	5	9	18	26	29	54	56	14.2	138	3	5	15	19	36	57	99 +
75 +	15	15.7	126	4	8	14	23	43	83	99 +	17	9.5	75	2	4	6	12	24	31	34
ALL AGES	117	13.0	145	2	5	9	19	27	32	88	153	13.1	113	3	4	14	17	22	37	98
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	9.0		9	9	9	9	9	9	9
25-34	2	6.0		6	6	6	6	6	6	6	6	10.8	33	3	4	14	15	15	15	15
35-54	13	12.6	82	2	6	8	21	25	28	29	20	13.6	160	2	3	13	19	25	41	55
55-74	26	18.5	432	4	7	13	17	38	71	94	18	11.4	50	4	7	10	16	21	25	27
75 +	7	9.1	24	5	6	7	10	17	19	19	5	22.0	1036	3	4	10	30	79	79	79
ALL AGES	48	15.0	271	4	6	9	18	30	41	94	50	13.2	178	3	4	11	16	21	28	79
SUBTOTAL	**165**	**13.6**	**181**	**3**	**6**	**9**	**18**	**29**	**36**	**92**	**203**	**13.1**	**129**	**3**	**4**	**13**	**17**	**22**	**35**	**88**
GRAND TOTAL	**221**	**14.1**	**186**	**3**	**6**	**10**	**20**	**29**	**42**	**99 +**	**249**	**12.2**	**118**	**2**	**4**	**11**	**16**	**22**	**34**	**99**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	4	3.5	2	2	2	3	4	5	5	5	4	3.3	2	2	2	3	4	5	5	5
35-54	20	5.2	9	1	3	5	7	10	10	11	13	3.0	2	1	2	3	4	5	5	5
55-74	2	9.0	32	5	5	9	13	13	13	13	2	5.0	18	2	2	5	8	8	8	8
75 +																				
ALL AGES	29	4.9	10	2	2	4	6	10	11	13	19	3.3	3	1	2	3	5	5	7	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-54	2	3.0		3	3	3	3	3	3	3	2	3.0		3	3	3	3	3	3	3
55-74											3	11.0	217	2	2	3	22	28	28	28
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	4	5.3	26	2	2	3	8	13	13	13	6	6.8	108	2	2	3	3	26	28	28
SUBTOTAL	**33**	**4.9**	**11**	**2**	**2**	**4**	**6**	**10**	**12**	**13**	**25**	**4.1**	**27**	**2**	**2**	**3**	**4**	**5**	**13**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.0		2	2	2	2	2	2	2	3	3.7	5	1	2	5	5	5	5	5
25-34	28	6.5	63	1	2	4	6	18	28	32	30	4.2	3	2	3	5	5	5	7	8
35-54	74	5.5	35	2	2	4	6	14	19	30	109	6.2	34	2	4	5	6	8	16	35
55-74	23	7.4	34	2	3	5	12	16	20	20	31	7.7	45	3	5	5	7	16	20	34
75 +	1	3.0		3	3	3	3	3	3	3	8	7.4	50	2	2	3	13	18	19	19
ALL AGES	128	6.0	40	1	2	4	6	14	20	31	181	6.1	32	2	4	5	6	10	17	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	7.6	25	3	4	5	13	13	13	13	1	5.0		5	5	5	5	5	5	5
25-34	11	5.8	32	1	2	3	10	15	17	17	6	4.0	2	2	3	4	5	5	5	5
35-54	24	7.1	21	2	3	5	11	14	15	15	23	5.0	7	2	4	5	5	8	11	13
55-74	14	9.5	50	4	5	8	12	17	27	30	9	5.2	11	1	3	5	7	10	11	11
75 +	1	10.0		10	10	10	10	10	10	10	2	3.0		3	3	3	3	3	3	3
ALL AGES	55	7.6	30	2	3	5	12	15	15	29	41	4.8	6	2	3	5	5	8	10	13
SUBTOTAL	**183**	**6.5**	**37**	**2**	**3**	**4**	**8**	**14**	**19**	**30**	**222**	**5.9**	**27**	**2**	**4**	**5**	**6**	**9**	**15**	**32**
GRAND TOTAL	**216**	**6.2**	**34**	**2**	**3**	**4**	**8**	**14**	**18**	**30**	**247**	**5.7**	**27**	**2**	**3**	**5**	**5**	**8**	**15**	**31**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	2	2.0		2	2	2	2	2	2	2										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	5	2.0	1	1	1	2	2	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17											3	1.3		1	1	1	2	2	2	2
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	3	2.7	1	2	2	2	4	4	4	4										
75 +																				
ALL AGES	4	2.3	1	1	1	2	3	4	4	4	3	1.3		1	1	1	2	2	2	2
SUBTOTAL	**9**	**2.1**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	3.3	1	3	3	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34	7	2.3	2	1	1	2	4	4	4	4										
35-54	4	3.3	10	1	1	2	5	8	8	8	1	17.0		17	17	17	17	17	17	17
55-74																				
75 +																				
ALL AGES	14	2.8	4	1	1	3	4	5	7	8	2	9.5	113	2	2	9	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	2.0		2	2	2	2	2	2	2	2	3.0		3	3	3	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	4	2.0	2	1	1	2	3	4	4	4	3	2.7		2	2	3	3	3	3	3
SUBTOTAL	**18**	**2.6**	**3**	**1**	**1**	**2**	**4**	**4**	**7**	**8**	**5**	**5.4**	**42**	**2**	**2**	**3**	**7**	**17**	**17**	**17**
GRAND TOTAL	**27**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**	**8**	**3.9**	**28**	**1**	**1**	**2**	**3**	**13**	**17**	**17**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7	2	8.5	1	8	8	8	9	9	9	9
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	2	11.0	32	7	7	11	15	15	15	15	2	8.5	1	8	8	8	9	9	9	9
SUBTOTAL	**3**	**12.7**	**23**	**7**	**9**	**15**	**16**	**16**	**16**	**16**	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	3	14.7		14	14	14	16	16	16	16	1	28.0		28	28	28	28	28	28	28
35-54	9	12.4	299	2	3	5	14	41	56	56	2	8.0	98	1	1	8	15	15	15	15
55-74	4	13.5	206	5	6	7	21	35	35	35	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	17	12.6	193	2	4	7	15	32	49	56	4	13.5	127	1	5	12	21	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	4	4.5	26	1	1	2	7	12	12	12	1	9.0		9	9	9	9	9	9	9
55-74	1	77.0		77	77	77	77	77	77	77										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	7	17.6	745	1	2	5	20	66	77	77	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**24**	**14.0**	**336**	**2**	**4**	**7**	**15**	**37**	**62**	**77**	**5**	**12.6**	**99**	**1**	**7**	**10**	**18**	**28**	**28**	**28**
GRAND TOTAL	**27**	**13.9**	**298**	**2**	**4**	**7**	**16**	**33**	**59**	**77**	**7**	**11.4**	**71**	**2**	**8**	**9**	**14**	**25**	**28**	**28**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
18-24	13	3.8	2	2	3	4	5	5	5	5	11	2.5	2	1	1	2	3	5	5	5
25-34	165	4.4	4	2	3	5	5	5	7	13	67	3.7	6	1	3	3	4	6	7	16
35-54	384	4.9	9	2	3	5	5	7	10	19	231	4.7	17	1	2	3	6	9	13	22
55-74	120	6.2	38	2	4	5	6	10	16	38	103	5.5	27	2	2	4	7	11	14	33
75 +	13	8.4	91	2	3	5	9	22	33	36	7	5.4	5	3	4	6	8	73	99 +	99 +
ALL AGES	696	5.0	15	2	3	5	5	7	10	26	421	4.7	17	1	2	4	6	8	13	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	3.8	3	1	2	4	5	5	5	5	2	5.0		5	5	5	5	5	5	5
25-34	37	5.9	127	2	3	5	5	6	7	72	33	3.5	2	2	3	3	4	5	7	7
35-54	107	4.4	5	2	3	5	5	6	7	15	60	4.8	18	2	2	4	5	8	12	27
55-74	39	6.2	18	3	4	5	6	11	17	23	40	4.4	9	1	2	3	6	9	10	13
75 +	1	5.0		5	5	5	5	5	5	5	3	5.7	2	4	4	6	7	7	7	7
ALL AGES	188	5.1	31	2	3	5	5	6	9	21	138	4.4	11	2	2	4	5	8	10	19
SUBTOTAL	**884**	**5.0**	**19**	**2**	**3**	**5**	**5**	**7**	**10**	**25**	**559**	**4.6**	**16**	**1**	**2**	**4**	**5**	**8**	**12**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	5.3	1	5	5	5	6	6	6	6
13-17											1	1.0		1	1	1	1	1	1	1
18-24	57	9.7	100	1	2	5	21	28	30	94	84	5.4	46	1	2	3	5	8	27	31
25-34	402	7.6	60	2	3	5	8	22	26	32	867	4.5	16	2	3	4	5	6	7	28
35-54	855	6.8	49	2	3	5	7	15	24	33	2165	4.9	18	2	3	5	5	6	9	28
55-74	312	7.5	82	2	3	5	8	16	24	61	629	5.7	50	2	3	5	6	8	13	30
75 +	33	9.1	53	3	4	7	11	19	24	35	22	8.3	40	2	4	5	12	20	20	20
ALL AGES	1659	7.3	59	2	3	5	7	18	25	35	3771	5.0	23	2	3	5	5	7	10	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-24	13	14.2	71	3	5	14	21	25	27	28	38	6.4	54	2	3	4	6	12	28	32
25-34	107	6.7	60	2	3	4	6	14	25	41	200	4.8	26	2	3	4	5	6	8	31
35-54	224	6.7	47	2	3	4	7	14	27	31	496	4.8	16	2	3	5	5	7	9	28
55-74	96	8.7	89	3	4	6	10	19	25	57	154	6.3	38	2	3	5	6	10	26	29
75 +	5	17.6	122	7	7	17	27	32	32	32	14	6.9	13	4	5	6	8	10	16	18
ALL AGES	447	7.4	64	2	3	5	8	18	27	36	902	5.2	23	2	3	5	5	7	11	29
SUBTOTAL	**2106**	**7.3**	**61**	**2**	**3**	**5**	**8**	**18**	**25**	**35**	**4673**	**5.0**	**24**	**2**	**3**	**5**	**5**	**7**	**10**	**28**
GRAND TOTAL	**2990**	**6.6**	**50**	**2**	**3**	**5**	**6**	**14**	**23**	**33**	**5232**	**5.0**	**23**	**2**	**3**	**5**	**5**	**7**	**11**	**28**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	3	7.7	44	2	3	6	13	15	15	15										
35-54	4	16.0	190	2	7	13	24	35	35	35	1	5.0		5	5	5	5	5	5	5
55-74	2	23.5	1013	1	1	23	46	46	46	46	3	5.0	12	3	3	3	8	9	9	9
75 +																				
ALL AGES	9	14.9	247	1	2	13	20	42	46	46	5	4.2	9	1	2	3	6	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2	1	13.0		13	13	13	13	13	13	13
35-54	1	8.0		8	8	8	8	8	8	8	2	2.0		2	2	2	2	2	2	2
55-74	1	6.0		6	6	6	6	6	6	6										
75 +											1	24.0		24	24	24	24	24	24	24
ALL AGES	3	5.3	10	2	3	6	7	8	8	8	5	8.4	100	1	1	2	16	24	24	24
SUBTOTAL	**12**	**12.5**	**200**	**1**	**2**	**7**	**14**	**38**	**45**	**46**	**10**	**6.3**	**54**	**1**	**2**	**3**	**9**	**18**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.0	32	1	1	5	9	9	9	9										
25-34	7	14.0	177	2	3	7	21	35	38	38	1	15.0		15	15	15	15	15	15	15
35-54	13	9.2	128	2	2	4	11	29	35	37	2	8.0	18	5	5	8	11	11	11	11
55-74	8	12.3	75	2	5	11	19	25	25	25	2	13.0	8	11	11	13	15	15	15	15
75 +																				
ALL AGES	30	10.9	114	2	2	7	19	26	37	38	5	11.4	17	5	9	11	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	6	8.8	96	2	3	3	17	24	25	25	1	2.0		2	2	2	2	2	2	2
35-54	2	6.0	8	4	4	6	8	8	8	8	2	9.5	13	7	7	9	12	12	12	12
55-74	3	23.0	175	8	13	28	32	33	33	33										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	13	12.0	113	3	3	8	19	29	32	33	3	7.0	25	2	3	7	11	12	12	12
SUBTOTAL	**43**	**11.2**	**112**	**2**	**3**	**7**	**18**	**27**	**34**	**38**	**8**	**9.8**	**21**	**3**	**6**	**11**	**13**	**15**	**15**	**15**
GRAND TOTAL	**55**	**11.5**	**128**	**2**	**3**	**7**	**17**	**28**	**36**	**46**	**18**	**7.8**	**41**	**1**	**2**	**6**	**12**	**15**	**20**	**24**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	19.0	242	8	8	19	30	30	30	30
13-17	3	3.0	4	1	1	3	4	5	5	5	2	7.0		7	7	7	7	7	7	7
18-24	2	4.0		4	4	4	4	4	4	4	16	4.8	1	3	4	5	5	7	8	8
25-34	8	3.3	2	1	2	3	4	5	5	5	62	5.1	6	3	4	5	6	8	9	13
35-54	12	5.3	20	1	2	3	8	12	15	16	77	5.8	10	3	4	5	7	11	12	14
55-74	9	4.1	4	1	2	4	6	7	7	7	12	4.8	7	2	3	4	6	9	10	10
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	35	4.1	10	1	2	4	5	8	10	16	172	5.6	10	3	4	5	7	10	11	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	3.0	2	2	2	3	4	4	4	4	7	4.6	7	1	2	6	7	7	7	7
25-34	13	3.5	8	1	2	3	5	6	10	11	41	4.8	7	1	3	4	6	9	10	12
35-54	23	5.6	31	1	2	3	8	11	17	27	21	6.5	8	3	5	6	8	11	11	11
55-74	12	7.8	88	2	3	6	8	18	33	36	12	7.3	33	2	3	5	10	18	19	19
75 +	7	4.4	8	2	2	3	6	9	9	9	6	9.5	135	2	3	3	15	29	31	31
ALL AGES	58	5.3	34	1	2	4	7	10	12	35	87	5.8	21	2	3	5	7	11	12	27
SUBTOTAL	**93**	**4.8**	**25**	**1**	**2**	**4**	**6**	**9**	**11**	**32**	**259**	**5.7**	**13**	**2**	**4**	**5**	**7**	**10**	**11**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											23	8.7	114	2	4	5	6	22	35	47
18-24	16	8.9	60	2	3	6	14	22	26	28	145	6.5	45	2	3	5	6	10	28	30
25-34	65	9.4	81	1	3	5	15	25	27	31	526	5.2	26	2	3	4	6	8	15	29
35-54	52	7.7	55	2	3	5	11	20	25	30	353	5.2	34	2	3	4	6	8	13	29
55-74	15	7.3	35	2	4	6	7	14	23	26	41	5.4	34	2	3	3	5	11	13	36
75 +	1	9.0		9	9	9	9	9	9	9	7	5.3	33	1	2	4	4	15	18	18
ALL AGES	150	8.5	64	2	3	5	14	23	26	30	1095	5.5	33	2	3	4	6	8	16	29
B. FEMALE																				
0-12 YRS.																				
13-17	4	28.8	1917	1	3	10	54	94	94	94	4	3.3	4	1	2	3	5	6	6	6
18-24	16	9.7	88	2	3	5	14	24	29	31	79	6.7	60	1	2	4	6	21	28	30
25-34	57	9.2	70	2	3	6	14	23	27	34	241	5.4	30	2	3	4	6	9	18	29
35-54	59	10.6	79	2	5	8	14	26	28	42	146	5.9	32	2	3	4	7	10	12	34
55-74	25	14.6	148	4	5	10	21	33	37	50	39	7.3	57	2	3	5	8	18	28	33
75 +	9	12.3	92	3	7	10	15	27	35	35	11	7.5	44	3	3	5	8	17	25	26
ALL AGES	170	11.1	130	2	4	7	15	26	31	48	520	5.9	37	2	3	4	6	10	23	30
SUBTOTAL	**320**	**9.9**	**100**	**2**	**3**	**6**	**14**	**25**	**28**	**38**	**1615**	**5.6**	**35**	**2**	**3**	**4**	**6**	**9**	**19**	**29**
GRAND TOTAL	**413**	**8.8**	**87**	**2**	**3**	**5**	**11**	**23**	**27**	**36**	**1874**	**5.6**	**32**	**2**	**3**	**4**	**6**	**9**	**15**	**29**

Total U.S., January-December 1988

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	3	5.0	27	2	2	2	9	11	11	11	1	1.0		1	1	1	1	1	1	1
13-17	2	14.0	338	1	1	14	27	27	27	27	1	1.0		1	1	1	1	1	1	1
18-24	8	4.9	17	1	2	4	6	12	14	14	4	3.0	11	1	1	2	5	8	8	8
25-34	9	6.0	39	1	2	4	8	16	21	21	7	3.0	5	1	1	2	4	7	7	7
35-54	5	6.0	18	1	3	5	9	12	12	12	2	6.0	32	2	2	6	10	10	10	10
55-74	12	6.8	27	3	3	5	8	15	19	20	8	4.3	5	1	2	4	6	7	8	8
75 +	12	6.3	25	3	3	5	7	13	20	21	9	10.2	138	2	4	6	11	29	40	40
ALL AGES	51	6.3	33	1	3	5	8	13	21	27	32	5.4	50	1	2	4	7	10	12	40
B. FEMALE																						
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	2	5.0	18	2	2	5	8	8	8	8
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	4	7.0	39	2	3	5	11	16	16	16	2	4.5	13	2	2	4	7	7	7	7
25-34	9	6.3	12	2	4	5	9	11	12	12	6	4.8	23	1	2	3	5	13	14	14
35-54	10	6.0	11	2	4	5	8	11	11	11	4	8.0	41	2	4	6	12	17	17	17
55-74	17	9.8	115	3	4	8	10	15	37	49	14	8.9	54	2	3	5	15	22	23	23
75 +	23	5.8	13	2	4	5	7	11	13	15	15	10.3	89	4	5	7	16	34	80	99 +
ALL AGES	66	6.8	41	2	4	5	8	12	15	44	43	8.3	58	2	3	6	10	23	27	99 +
SUBTOTAL	**117**	**6.6**	**37**	**2**	**3**	**5**	**8**	**12**	**16**	**34**	**75**	**7.1**	**55**	**1**	**2**	**5**	**8**	**17**	**24**	**84**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	9	10.4	134	1	2	10	13	28	38	38	1	1.0		1	1	1	1	1	1	1
18-24	39	13.8	306	1	3	8	17	33	49	89	10	6.0	26	1	2	5	8	13	18	18
25-34	55	7.4	89	1	3	5	8	14	21	64	9	4.8	21	1	1	4	6	12	15	15
35-54	25	6.8	38	2	3	5	8	14	24	25	7	6.6	42	1	1	4	12	16	17	17
55-74	8	8.3	23	3	4	6	13	15	15	15	2	33.5	1405	7	7	33	60	60	60	60
75 +	5	5.4	7	3	3	5	7	9	9	9	3	6.3	1	6	6	6	7	7	7	7
ALL AGES	141	9.2	143	2	3	6	11	21	27	68	32	7.4	114	1	2	5	8	16	18	60
B. FEMALE																						
0-12 YRS.																						
13-17	5	22.0	42	14	15	26	27	28	28	28										
18-24	11	6.8	14	3	4	7	9	13	14	14	9	9.1	134	1	1	3	13	29	30	30
25-34	27	5.6	18	1	2	5	8	11	15	17	7	8.1	94	1	2	6	8	25	29	29
35-54	14	11.9	221	1	2	5	20	38	47	49	2	8.5	85	2	2	8	15	15	15	15
55-74	8	11.9	102	4	5	9	13	29	35	35	7	7.0	31	1	3	6	9	16	18	18
75 +	4	10.5	95	4	5	6	16	25	25	25	5	6.2	22	2	3	4	10	13	13	13
ALL AGES	69	9.3	88	2	4	6	12	24	28	47	30	7.9	69	1	2	5	9	23	29	30
SUBTOTAL	**210**	**9.2**	**125**	**2**	**3**	**6**	**11**	**22**	**28**	**62**	**62**	**7.6**	**92**	**1**	**2**	**5**	**8**	**17**	**28**	**56**
GRAND TOTAL	**327**	**8.3**	**94**	**2**	**3**	**5**	**9**	**16**	**25**	**51**	**137**	**7.3**	**72**	**1**	**2**	**5**	**8**	**17**	**26**	**65**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	1.7	1	1	1	1	3	3	3	3										
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	4	2.0	1	1	1	2	3	3	3	3	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17																				
18-24																				
25-34	2	5.0	32	1	1	5	9	9	9	9	1	1.0		1	1	1	1	1	1	1
35-54											3	2.0	1	1	1	2	3	3	3	3
55-74	3	5.7	40	2	2	2	10	13	13	13	2	7.5	1	7	7	7	8	8	8	8
75 +	2	14.0	8	12	12	14	16	16	16	16	2	2.0	2	1	1	2	3	3	3	3
ALL AGES	8	10.8	98	1	2	10	14	26	31	31	8	3.3	7	1	1	2	5	8	8	8
SUBTOTAL	**12**	**7.8**	**83**	**1**	**2**	**3**	**12**	**20**	**29**	**31**	**10**	**3.1**	**7**	**1**	**1**	**2**	**4**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	5	6.0	21	1	1	9	9	10	10	10	1	13.0		13	13	13	13	13	13	13
25-34	4	3.5	9	1	1	3	6	7	7	7	2	3.0	2	2	2	3	4	4	4	4
35-54	2	6.5	25	3	3	6	10	10	10	10	1	4.0		4	4	4	4	4	4	4
55-74											1	4.0		4	4	4	4	4	4	4
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	12	5.1	14	1	1	4	9	10	10	10	6	4.8	17	2	2	4	4	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	2	14.5	145	6	6	14	23	23	23	23										
25-34	1	2.0		2	2	2	2	2	2	2	3	2.0	3	1	1	1	3	4	4	4
35-54	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
55-74	2	5.5	41	1	1	5	10	10	10	10	2	2.0		2	2	2	2	2	2	2
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	7	7.1	60	1	2	6	9	20	23	23	8	2.0	1	1	1	2	3	4	4	4
SUBTOTAL	**19**	**5.8**	**30**	**1**	**1**	**5**	**9**	**10**	**17**	**23**	**14**	**3.2**	**9**	**1**	**2**	**2**	**4**	**5**	**11**	**13**
GRAND TOTAL	**31**	**6.6**	**49**	**1**	**1**	**4**	**10**	**14**	**23**	**31**	**24**	**3.2**	**8**	**1**	**1**	**2**	**4**	**7**	**9**	**13**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	6.0	1	5	5	6	7	7	7	7	1	3.0		3	3	3	3	3	3	3
13-17	4	7.8	45	1	2	7	13	15	15	15	3	4.3	7	2	2	4	6	7	7	7
18-24	9	6.7	37	2	3	4	11	16	20	20	3	2.3	3	1	1	2	3	4	4	4
25-34	7	3.9	13	1	1	3	5	10	11	11	11	3.1	16	1	1	2	3	8	14	15
35-54	17	5.2	64	1	2	3	6	8	26	35	8	2.9	5	1	1	2	4	7	7	7
55-74	30	6.4	29	1	3	5	8	14	18	23	53	5.1	9	2	3	4	7	10	11	12
75 +	40	5.3	12	1	3	4	7	11	12	14	49	5.7	22	1	3	4	7	10	11	25
ALL AGES	110	5.7	27	1	3	4	7	12	15	28	128	4.9	15	1	2	4	7	9	10	23
B. FEMALE																				
0-12 YRS.																				
13-17	3	5.3	18	2	2	4	8	10	10	10	1	2.0		2	2	2	2	2	2	2
18-24	4	2.5	1	1	2	3	3	3	3	3	3	5.7	12	2	3	6	8	9	9	9
25-34	11	3.0	4	1	2	2	4	6	7	7	2	5.0	8	3	3	5	7	7	7	7
35-54	19	9.4	83	1	2	5	15	24	29	31	17	4.4	17	1	2	3	5	11	15	16
55-74	74	7.2	48	2	3	5	9	15	24	35	71	4.7	7	2	3	4	6	8	10	15
75 +	70	7.8	93	2	3	5	7	16	29	56	78	7.1	91	2	3	4	8	12	15	63
ALL AGES	181	7.3	66	2	3	4	9	16	24	43	172	5.7	48	2	3	4	7	10	14	46
SUBTOTAL	**291**	**6.7**	**51**	**2**	**3**	**4**	**8**	**14**	**21**	**37**	**300**	**5.4**	**34**	**2**	**2**	**4**	**7**	**10**	**12**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
13-17	2	30.5	221	20	20	30	41	41	41	41										
18-24	29	7.9	54	1	3	5	12	19	26	27	8	10.8	84	1	3	9	16	25	28	28
25-34	40	8.6	60	1	2	6	14	21	24	28	9	3.1	9	1	1	1	6	8	8	8
35-54	34	8.1	48	2	5	6	10	17	21	35	8	13.0	109	2	4	11	20	29	30	30
55-74	34	9.2	40	2	5	8	13	17	22	28	18	5.4	9	2	3	5	8	10	11	11
75 +	29	12.1	317	2	4	7	10	26	44	93	24	7.3	28	3	4	6	11	13	19	23
ALL AGES	169	9.3	103	2	3	6	12	20	26	42	68	7.3	41	1	3	5	10	14	23	30
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	14	6.4	49	1	2	5	8	12	24	28	2	1.5	1	1	1	1	2	2	2	2
25-34	25	8.1	47	2	3	6	11	18	24	26	5	9.8	237	1	2	2	14	37	37	37
35-54	29	9.5	72	2	3	6	16	21	27	32	11	11.0	77	2	4	10	18	25	27	27
55-74	45	7.8	23	3	4	6	11	15	17	19	28	10.6	137	1	3	7	12	29	42	45
75 +	50	9.7	97	3	4	7	11	21	28	57	29	5.9	26	2	3	4	7	10	20	24
ALL AGES	165	8.6	59	2	4	6	11	19	24	33	75	8.5	90	2	3	5	10	23	29	44
SUBTOTAL	**334**	**9.0**	**80**	**2**	**3**	**6**	**12**	**19**	**25**	**41**	**143**	**7.9**	**67**	**2**	**3**	**5**	**10**	**18**	**27**	**42**
GRAND TOTAL	**625**	**7.9**	**68**	**2**	**3**	**5**	**10**	**17**	**23**	**39**	**443**	**6.2**	**46**	**2**	**3**	**4**	**7**	**12**	**16**	**37**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	6.5	60	2	2	3	11	18	18	18	1	5.0		5	5	5	5	5	5	5
18-24	9	8.4	139	1	2	5	8	28	38	38	1	3.0		3	3	3	3	3	3	3
25-34	6	6.7	41	1	3	5	7	18	19	19	2	2.5	5	1	1	2	4	4	4	4
35-54	7	5.7	37	2	2	3	6	17	19	19	3	1.7		1	1	2	2	2	2	2
55-74	7	5.3	29	1	1	3	10	14	14	14	7	13.1	239	2	3	8	15	40	46	46
75 +	2	14.0		14	14	14	14	14	14	14	3	7.0	25	2	4	9	56	99 +	99 +	99 +
ALL AGES	35	7.1	59	1	2	4	11	18	19	38	17	7.7	118	1	2	4	12	37	78	99 +
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17	2	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
18-24	3	2.0	1	1	1	2	3	3	3	3										
25-34	8	4.1	12	1	1	4	6	9	11	11	2	5.0	8	3	3	5	7	7	7	7
35-54	14	7.9	52	1	2	5	12	16	25	27	4	3.8	2	2	2	3	5	6	6	6
55-74	12	7.0	28	2	3	4	11	16	17	17	6	9.7	50	5	6	7	9	22	24	24
75 +	5	6.2	17	2	3	6	8	13	13	13	9	4.3	8	1	2	4	5	9	10	10
ALL AGES	45	6.0	30	1	2	4	9	14	16	27	24	5.3	22	1	2	4	7	9	14	24
SUBTOTAL	**80**	**6.5**	**43**	**1**	**2**	**4**	**9**	**15**	**18**	**35**	**41**	**6.3**	**61**	**1**	**2**	**4**	**7**	**14**	**33**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	13.3	93	3	5	10	20	27	29	29	1	11.0		11	11	11	11	11	11	11
18-24	26	5.7	16	1	3	5	7	11	14	19	5	5.6	21	1	1	6	9	11	11	11
25-34	51	7.9	102	1	3	4	9	19	28	61	10	5.0	34	1	1	4	6	14	20	20
35-54	18	14.3	282	3	3	12	18	23	55	75	3	6.3	17	2	3	7	9	10	10	10
55-74	3	6.3	2	5	5	7	7	7	7	7	1	9.0		9	9	9	9	9	9	9
75 +	3	18.3	84	8	11	22	24	25	25	25										
ALL AGES	108	9.0	115	2	3	6	11	19	25	67	20	5.9	24	1	1	5	9	11	16	20
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	32	2	2	6	10	10	10	10	1	4.0		4	4	4	4	4	4	4
18-24	10	12.5	764	1	2	4	5	49	91	91	3	15.3	104	9	9	10	23	27	27	27
25-34	16	7.8	65	1	2	5	10	21	26	28	1	3.0		3	3	3	3	3	3	3
35-54	10	10.7	99	2	4	7	18	27	31	31	2	22.0	800	2	2	22	42	42	42	42
55-74	7	7.6	22	3	4	6	11	15	16	16	1	3.0		3	3	3	3	3	3	3
75 +	5	10.6	78	5	6	6	14	26	26	26	5	7.8	24	3	4	7	11	15	15	15
ALL AGES	50	9.5	192	2	3	5	10	22	28	91	13	10.7	135	3	3	7	11	30	40	42
SUBTOTAL	**158**	**9.2**	**138**	**2**	**3**	**5**	**11**	**21**	**27**	**74**	**33**	**7.8**	**70**	**1**	**3**	**6**	**10**	**16**	**26**	**42**
GRAND TOTAL	**238**	**8.3**	**107**	**1**	**3**	**5**	**10**	**19**	**25**	**63**	**74**	**6.9**	**66**	**1**	**2**	**4**	**9**	**15**	**26**	**86**

Total U.S., January-December 1988

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.8	1	1	1	2	2	3	3	3	2	2.0	2	1	1	2	3	3	3	3
13-17	5	2.2	3	1	1	1	4	4	4	4	3	5.3	35	1	1	3	10	12	12	12
18-24	6	8.0	59	1	3	5	13	20	21	21	4	1.5		1	1	1	2	2	2	2
25-34	9	7.3	134	1	1	2	8	26	37	37	11	3.6	15	1	1	3	5	9	14	14
35-54	31	4.9	18	1	2	4	6	10	13	21	21	2.6	3	1	1	2	3	5	6	7
55-74	100	5.8	18	2	3	4	9	12	16	60	81	4.8	14	1	3	4	6	9	13	18
75 +	79	8.7	139	2	3	5	10	18	23	76	109	6.7	28	2	3	5	8	13	20	58
ALL AGES	234	6.6	66	1	3	4	8	13	20	47	231	5.4	21	1	2	4	7	12	15	27
B. FEMALE																				
0-12 YRS.	3	1.7		1	1	2	2	2	2	2	4	3.5	7	1	1	3	5	7	7	7
13-17	4	6.8	79	1	1	3	12	20	20	20	2	12.5	145	4	4	12	21	21	21	21
18-24	7	22.1	544	2	3	22	29	60	67	67	3	1.7		1	1	2	2	2	2	2
25-34	9	7.0	21	2	4	7	9	14	17	17	3	4.3	11	2	2	3	7	8	8	8
35-54	21	5.7	26	1	2	3	8	14	16	18	21	4.0	10	1	2	3	4	9	12	14
55-74	111	6.7	21	2	3	6	9	13	16	21	108	6.6	30	1	3	5	9	14	21	23
75 +	189	7.7	73	2	3	6	9	15	19	46	210	6.5	46	2	3	5	8	13	20	53
ALL AGES	344	7.5	63	2	3	5	9	15	19	41	351	6.3	39	2	3	5	8	13	20	30
SUBTOTAL	**578**	**7.1**	**65**	**2**	**3**	**5**	**9**	**14**	**19**	**40**	**582**	**6.0**	**31**	**2**	**3**	**4**	**7**	**12**	**17**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	3.0	2	2	2	3	4	4	4	4	3	3.0	3	2	2	2	4	5	5	5
25-34	8	4.0	13	1	1	3	5	10	12	12	3	2.0	3	1	1	1	3	4	4	4
35-54	13	10.2	235	1	3	5	10	28	52	58	7	5.3	57	1	1	2	5	19	22	22
55-74	40	8.7	60	2	4	5	12	16	29	33	28	6.5	24	2	3	5	8	15	17	19
75 +	39	8.7	100	2	3	5	9	20	36	45	49	7.9	61	2	3	5	9	21	29	32
ALL AGES	104	8.3	91	2	3	5	11	16	32	51	91	6.9	46	1	3	5	7	15	25	31
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	18.0	200	8	8	18	28	28	28	28	2	2.0	2	1	1	2	3	3	3	3
25-34	11	15.8	367	1	3	11	20	43	66	68	2	1.0		1	1	1	1	1	1	1
35-54	9	8.4	74	1	3	6	12	22	28	28	15	10.1	427	1	3	4	6	19	67	83
55-74	53	9.8	70	2	4	7	14	22	25	45	41	6.7	35	2	3	5	8	11	20	31
75 +	83	11.4	160	3	4	8	12	26	38	72	85	10.8	222	2	3	6	12	27	39	99
ALL AGES	159	11.0	139	2	4	8	13	25	31	66	145	9.3	186	2	3	6	9	21	35	97
SUBTOTAL	**263**	**9.9**	**122**	**2**	**3**	**6**	**12**	**24**	**31**	**56**	**236**	**8.4**	**132**	**2**	**3**	**5**	**8**	**18**	**30**	**85**
GRAND TOTAL	**841**	**8.0**	**84**	**2**	**3**	**5**	**9**	**16**	**23**	**46**	**818**	**6.7**	**61**	**2**	**3**	**4**	**8**	**14**	**21**	**47**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	1.5	1	1	1	1	2	2	2	2
25-34																				
35-54																				
55-74	4	5.3	15	2	3	4	8	11	11	11	1	1.0		1	1	1	1	1	1	1
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	4	5.3	15	2	3	4	8	11	11	11	4	2.3	3	1	1	2	3	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54											2	6.5	5	5	5	6	8	8	8	8
55-74	3	15.3	158	1	6	21	23	24	24	24	2	2.5	1	2	2	2	3	3	3	3
75 +	8	9.6	99	1	2	5	18	24	26	26	5	13.0	249	2	3	4	22	39	39	39
ALL AGES	13	11.1	92	1	2	6	21	24	26	26	9	9.2	147	2	3	4	10	30	39	39
SUBTOTAL	**17**	**9.7**	**79**	**1**	**3**	**6**	**17**	**23**	**25**	**26**	**13**	**7.1**	**110**	**1**	**2**	**3**	**6**	**21**	**36**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	2.5	5	1	1	2	4	4	4	4										
75 +	2	7.0	18	4	4	7	10	10	10	10	1	6.0		6	6	6	6	6	6	6
ALL AGES	4	4.8	14	1	2	4	7	10	10	10	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	21.0		21	21	21	21	21	21	21
35-54																				
55-74	4	6.0	29	3	3	4	9	14	14	14	4	5.3	14	3	3	4	7	11	11	11
75 +											2	2.0	2	1	1	2	3	3	3	3
ALL AGES	4	6.0	29	3	3	4	9	14	14	14	7	6.6	50	1	3	3	9	19	21	21
SUBTOTAL	**8**	**5.4**	**19**	**2**	**3**	**4**	**7**	**13**	**14**	**14**	**8**	**6.5**	**43**	**1**	**3**	**4**	**8**	**18**	**21**	**21**
GRAND TOTAL	**25**	**8.3**	**63**	**1**	**3**	**4**	**14**	**21**	**24**	**26**	**21**	**6.9**	**81**	**1**	**2**	**3**	**6**	**19**	**29**	**39**

Total U.S., January-December 1988

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	22.6	123	10	12	21	33	37	37	37										
18-24	13	16.2	176	3	6	12	32	45	88	99 +										
25-34	48	16.8	138	4	7	14	25	32	38	53	3	31.0	175	16	21	36	40	41	41	41
35-54	52	16.3	171	3	7	15	23	29	49	99	2	7.0	18	4	4	7	10	10	10	10
55-74	64	15.6	164	3	7	14	20	27	41	73	12	5.0	8	2	3	4	7	9	10	10
75 +	46	16.6	153	4	8	17	20	30	36	73	7	11.0	112	2	4	8	13	29	33	33
ALL AGES	230	16.4	157	3	7	14	22	32	40	81	24	10.2	120	2	3	7	10	33	37	41
B. FEMALE																				
0-12 YRS.	2	17.0	128	9	9	17	25	25	25	25										
13-17	4	29.0	860	6	15	20	79	99 +	99 +	99 +										
18-24	9	8.9	35	1	4	6	14	16	18	18	2	11.0	50	6	6	11	16	16	16	16
25-34	30	13.6	191	4	6	9	15	26	47	68	5	18.4	98	5	10	21	25	30	30	30
35-54	49	17.2	161	4	7	15	25	35	43	55	7	19.9	476	2	5	10	28	57	64	64
55-74	113	18.2	221	4	8	15	24	33	49	79	10	16.6	800	4	4	6	11	57	96	96
75 +	84	19.1	331	4	7	16	23	37	50	93	15	11.0	33	3	7	11	15	20	21	21
ALL AGES	291	17.6	245	4	7	14	23	34	47	91	39	15.0	302	3	5	10	18	28	49	96
SUBTOTAL	**521**	**17.1**	**205**	**4**	**7**	**14**	**23**	**33**	**43**	**91**	**63**	**13.1**	**237**	**3**	**4**	**9**	**15**	**30**	**38**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	10	16.6	142	4	7	14	21	35	42	42	1	57.0		57	57	57	57	57	57	57
18-24	39	16.2	330	3	4	8	20	41	60	76	1	15.0		15	15	15	15	15	15	15
25-34	68	17.6	137	5	8	15	26	35	42	46	6	18.5	870	2	2	7	14	72	78	78
35-54	85	17.8	180	4	10	15	21	44	49	88	8	15.9	87	4	11	14	21	30	32	32
55-74	59	18.3	188	5	9	16	24	34	42	69	5	12.0	87	4	6	7	18	27	27	27
75 +	23	18.2	80	6	12	15	25	30	34	35	2	4.0		4	4	4	4	4	4	4
ALL AGES	285	17.6	179	4	8	14	22	36	45	69	23	16.4	337	2	5	12	17	37	64	78
B. FEMALE																				
0-12 YRS.	5	26.0	467	4	7	29	38	58	58	58										
13-17	3	38.0	1399	13	15	20	66	81	81	81	3	57.0	508	31	40	69	70	71	71	71
18-24	19	20.2	214	4	7	14	29	42	43	44	1	13.0		13	13	13	13	13	13	13
25-34	43	18.7	321	4	7	14	25	34	59	94	2	18.0	578	1	1	18	35	35	35	35
35-54	55	17.6	158	6	9	14	21	35	44	68	7	9.7	94	2	3	7	12	27	30	30
55-74	94	21.9	257	6	11	19	29	44	55	98	7	17.9	565	3	8	12	42	91	99 +	99 +
75 +	60	19.6	163	6	11	17	24	36	48	62	7	9.4	55	3	5	7	12	22	24	24
ALL AGES	279	20.2	237	5	10	17	26	41	50	90	27	17.7	442	2	5	10	27	70	74	99 +
SUBTOTAL	**564**	**18.9**	**209**	**5**	**9**	**15**	**25**	**37**	**47**	**76**	**50**	**17.1**	**387**	**2**	**5**	**12**	**22**	**62**	**71**	**99 +**
GRAND TOTAL	**1085**	**18.0**	**209**	**4**	**8**	**15**	**23**	**36**	**46**	**86**	**113**	**14.9**	**303**	**2**	**4**	**9**	**16**	**33**	**68**	**97**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	1.5	1	1	1	1	2	2	2	2	3	2.0	1	1	1	2	3	3	3	3
25-34	3	7.7	69	1	2	5	14	17	17	17										
35-54	14	12.6	289	2	3	7	15	30	58	66	5	9.4	32	2	6	8	14	16	16	16
55-74	18	9.3	64	2	4	7	12	21	27	30	15	5.7	49	2	2	4	6	8	24	30
75 +	18	11.3	148	2	5	7	13	30	43	49	9	3.6	10	1	1	3	4	9	11	11
ALL AGES	55	10.4	145	2	3	7	13	22	34	65	32	5.3	34	1	2	3	6	12	16	30
B. FEMALE																				
0-12 YRS.	2	13.5	221	3	3	13	24	24	24	24	1	2.0		2	2	2	2	2	2	2
13-17	2	20.5	265	9	9	20	32	32	32	32	1	1.0		1	1	1	1	1	1	1
18-24	2	8.5	113	1	1	8	16	16	16	16										
25-34	5	7.8	40	1	3	6	12	17	17	17										
35-54	10	6.2	40	2	2	3	8	16	22	22	2	2.0	2	1	1	2	3	3	3	3
55-74	27	10.3	211	1	3	5	12	16	52	66	12	6.3	16	2	3	6	9	11	14	14
75 +	27	7.7	35	1	3	5	13	16	19	20	14	4.3	16	1	1	3	5	12	13	13
ALL AGES	75	9.0	107	1	3	5	12	17	23	62	30	4.8	15	1	2	3	8	11	13	14
SUBTOTAL	**130**	**9.6**	**122**	**1**	**3**	**6**	**12**	**19**	**30**	**66**	**62**	**5.1**	**24**	**1**	**2**	**3**	**7**	**11**	**14**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	2	27.5	685	9	9	27	46	46	46	46										
18-24	3	1.7		1	1	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	14	7.2	26	2	4	6	9	14	19	21	3	3.0	1	2	2	3	4	4	4	4
35-54	11	8.7	40	2	4	8	13	18	21	21	1	2.0		2	2	2	2	2	2	2
55-74	9	14.2	192	4	7	10	13	37	49	49	1	3.0		3	3	3	3	3	3	3
75 +	2	4.5	13	2	3	7	77	99+	99+	99+	3	17.7	240	5	7	13	29	35	35	35
ALL AGES	42	9.9	102	2	4	8	11	21	47	99+	9	7.6	118	1	2	3	7	26	35	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	5	3.8	12	2	2	2	5	10	10	10										
35-54	7	16.1	127	3	5	20	25	30	31	31	2	2.5	5	1	1	2	4	4	4	4
55-74	8	10.8	71	1	3	9	20	21	21	21	2	6.5	1	6	6	6	7	7	7	7
75 +	7	6.4	4	3	5	7	8	9	9	9	6	8.5	38	2	5	7	9	19	20	20
ALL AGES	28	10.0	70	2	3	7	18	21	26	31	10	6.9	28	1	4	6	8	14	20	20
SUBTOTAL	**70**	**9.9**	**89**	**2**	**3**	**8**	**13**	**21**	**31**	**89**	**19**	**7.2**	**67**	**1**	**2**	**5**	**8**	**17**	**28**	**35**
GRAND TOTAL	**200**	**9.7**	**110**	**2**	**3**	**6**	**12**	**20**	**30**	**66**	**81**	**5.6**	**34**	**1**	**2**	**3**	**7**	**12**	**15**	**33**

Total U.S., January-December 1988

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	4.0	19	1	1	2	7	9	9	9										
35-54	3	10.7	23	5	7	13	14	14	14	14	3	9.0	169	1	1	2	18	24	24	24
55-74	4	3.0	1	2	2	3	4	4	4	4	3	18.0	721	2	2	3	37	49	49	49
75 +											2	2.0		2	2	2	2	2	2	2
ALL AGES	10	5.6	22	1	2	4	9	13	14	14	8	10.6	301	1	2	2	13	41	49	49
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	9.5	25	6	6	9	13	13	13	13										
55-74	3	5.7	17	1	2	7	8	9	9	9	3	3.3	3	2	2	3	4	5	5	5
75 +	3	19.3	578	4	5	7	37	47	47	47	1	2.0		2	2	2	2	2	2	2
ALL AGES	8	11.8	214	2	5	7	11	37	47	47	4	3.0	2	2	2	3	4	5	5	5
SUBTOTAL	**18**	**8.3**	**111**	**1**	**3**	**5**	**9**	**14**	**34**	**47**	**12**	**8.1**	**205**	**1**	**2**	**2**	**4**	**31**	**46**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	7	13.1	124	3	5	8	18	31	34	34										
55-74	5	11.0	124	1	2	5	22	25	25	25	1	1.0		1	1	1	1	1	1	1
75 +	4	11.0	29	5	6	11	15	16	16	16										
ALL AGES	18	11.5	83	2	5	8	18	24	30	34	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	3	20.0	273	4	8	19	32	37	37	37										
75 +	3	17.0	147	6	8	15	26	30	30	30										
ALL AGES	8	15.3	157	4	5	11	24	35	37	37										
SUBTOTAL	**26**	**12.7**	**103**	**3**	**5**	**8**	**18**	**29**	**35**	**37**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**44**	**10.9**	**108**	**2**	**4**	**7**	**15**	**25**	**35**	**47**	**14**	**7.1**	**180**	**1**	**2**	**2**	**3**	**26**	**44**	**49**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	4	22.8	838	2	2	12	43	64	64	64										
35-54	8	7.4	2	5	7	7	9	9	9	9	1	8.0		8	8	8	8	8	8	8
55-74	14	13.5	57	4	7	13	17	24	27	28	7	9.9	20	4	7	10	14	16	16	16
75 +	17	11.5	56	2	6	10	15	24	27	27	8	10.3	130	2	3	6	13	30	36	36
ALL AGES	45	12.3	113	3	6	10	16	24	27	64	16	9.9	71	3	4	9	13	16	30	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	38.0		38	38	38	38	38	38	38										
25-34	1	18.0		18	18	18	18	18	18	18	1	24.0		24	24	24	24	24	24	24
35-54	5	15.4	182	1	4	12	29	31	31	31	2	8.5	25	5	5	8	12	12	12	12
55-74	21	14.7	109	5	9	11	19	28	40	46	5	13.2	49	4	7	16	18	21	21	21
75 +	13	9.7	81	2	4	7	10	26	30	30	7	13.4	140	3	5	8	25	31	31	31
ALL AGES	41	13.9	117	3	7	10	19	30	36	46	15	13.4	87	4	5	12	20	29	30	31
SUBTOTAL	**86**	**13.1**	**113**	**3**	**6**	**10**	**17**	**28**	**32**	**58**	**31**	**11.6**	**79**	**3**	**5**	**9**	**16**	**26**	**31**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	44.0		44	44	44	44	44	44	44	1	58.0		58	58	58	58	58	58	58
25-34	4	13.0	61	4	8	12	18	23	23	23	1	5.0		5	5	5	5	5	5	5
35-54	2	12.0	50	7	7	12	17	17	17	17	2	6.0	18	3	3	6	9	9	9	9
55-74	7	21.6	482	9	12	14	17	60	71	71	3	23.7	506	2	7	22	41	47	47	47
75 +	5	21.4	472	6	7	14	30	59	59	59										
ALL AGES	19	19.9	330	6	9	14	19	53	66	71	7	20.9	520	2	3	9	41	56	58	58
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	10.0		10	10	10	10	10	10	10
35-54	9	15.9	393	2	3	5	24	50	50	50										
55-74	8	19.6	294	4	8	16	23	48	58	58	2	10.0	98	3	3	10	17	17	17	17
75 +	6	8.0	13	3	6	8	9	13	14	14	2	7.0		7	7	7	7	7	7	7
ALL AGES	23	15.1	262	3	4	9	17	50	53	58	5	8.8	27	3	6	7	12	17	17	17
SUBTOTAL	**42**	**17.3**	**290**	**3**	**7**	**12**	**18**	**50**	**58**	**71**	**12**	**15.8**	**334**	**3**	**4**	**8**	**19**	**50**	**57**	**58**
GRAND TOTAL	**128**	**14.4**	**176**	**3**	**6**	**10**	**17**	**28**	**46**	**66**	**43**	**12.8**	**147**	**3**	**5**	**9**	**16**	**29**	**40**	**58**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	26.5	313	14	14	26	39	39	39	39										
13-17	3	4.3	3	3	3	4	5	6	6	6	1	2.0		2	2	2	2	2	2	2
18-24	3	29.7	177	20	21	24	40	45	45	45	3	16.3	16	12	13	18	19	19	19	19
25-34	6	11.5	34	6	8	9	14	21	22	22	3	14.0	57	7	8	13	20	22	22	22
35-54	12	12.9	200	2	4	7	18	35	47	49	3	16.3	44	10	11	16	21	23	23	23
55-74	18	16.9	392	1	4	12	21	35	67	85	5	28.0	947	6	7	9	50	76	76	76
75 +	9	13.6	337	2	4	6	13	46	58	58	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	53	15.2	266	2	4	9	21	39	48	84	17	17.0	327	3	7	12	20	38	64	76
B. FEMALE																				
0-12 YRS.	2	37.0	50	32	32	37	42	42	42	42										
13-17	2	2.0	2	1	1	2	3	3	3	3										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	5	8.0	42	1	2	9	13	16	16	16	1	9.0		9	9	9	9	9	9	9
35-54	8	13.4	198	1	4	10	16	37	45	45	1	1.0		1	1	1	1	1	1	1
55-74	17	15.8	82	5	10	16	19	29	36	38	2	35.5	1105	12	12	35	59	59	59	59
75 +	21	19.5	404	3	7	12	28	67	81	99 +	3	18.0	432	6	6	6	33	42	42	42
ALL AGES	56	16.3	236	1	7	12	19	44	59	98	7	19.3	489	2	6	9	34	56	59	59
SUBTOTAL	**109**	**15.8**	**247**	**2**	**6**	**11**	**20**	**41**	**49**	**91**	**24**	**17.7**	**355**	**3**	**6**	**11**	**20**	**44**	**64**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	41.0	800	21	21	41	61	61	61	61										
13-17	2	33.5	1513	6	6	33	61	61	61	61										
18-24	4	30.3	2112	1	1	11	59	98	98	98	1	5.0		5	5	5	5	5	5	5
25-34	8	12.0	51	3	8	10	18	21	22	22	2	15.5	265	4	4	15	27	27	27	27
35-54	7	11.9	43	3	7	13	17	20	21	21										
55-74	14	17.3	361	4	7	11	19	77	94	99 +	2	7.5	25	4	4	7	11	11	11	11
75 +	4	13.8	4	11	12	13	15	17	17	17	2	7.5	1	7	7	7	8	8	8	8
ALL AGES	41	18.2	419	3	7	13	20	61	85	99 +	7	9.4	67	4	4	7	10	24	27	27
B. FEMALE																				
0-12 YRS																				
13-17	1	42.0		42	42	42	42	42	42	42	1	5.0		5	5	5	5	5	5	5
18-24	2	19.5	613	2	2	19	37	37	37	37										
25-34	1	12.0		12	12	12	12	12	12	12	2	13.5	113	6	6	13	21	21	21	21
35-54	11	16.4	152	4	6	12	26	36	37	37	6	14.8	122	3	6	13	22	31	32	32
55-74	10	13.8	70	4	5	14	19	25	29	29	2	17.5	1	17	17	17	18	18	18	18
75 +	6	13.8	180	5	6	8	34	88	99 +	99 +										
ALL AGES	31	15.9	150	4	6	13	25	38	42	99 +	11	14.2	82	4	6	17	20	26	31	32
SUBTOTAL	**72**	**17.2**	**301**	**4**	**6**	**13**	**20**	**39**	**74**	**99 +**	**18**	**12.3**	**79**	**4**	**5**	**8**	**18**	**25**	**30**	**32**
GRAND TOTAL	**181**	**16.3**	**270**	**3**	**6**	**12**	**20**	**40**	**61**	**99 +**	**42**	**15.4**	**239**	**4**	**6**	**10**	**19**	**35**	**49**	**76**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-24	9	25.9	362	9	12	18	43	56	60	60										
25-34	7	21.7	319	6	12	14	32	51	55	55	1	1.0		1	1	1	1	1	1	1
35-54	10	14.0	66	3	10	13	19	25	30	30	1	43.0		43	43	43	43	43	43	43
55-74	33	15.1	62	6	10	14	22	27	30	30	5	11.4	17	7	8	11	15	17	17	17
75 +	54	12.4	42	6	8	11	17	21	25	31	12	6.0	26	1	2	3	10	14	15	15
ALL AGES	114	15.1	103	6	9	13	19	28	31	57	19	9.1	95	1	2	7	13	16	31	43
B. FEMALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24																				
25-34	8	19.6	496	1	5	15	21	57	71	71										
35-54	16	11.1	79	3	5	10	14	19	33	39	2	11.0	72	5	5	11	17	17	17	17
55-74	31	13.6	54	6	8	13	17	22	29	35	10	10.6	39	4	6	8	15	20	21	21
75 +	62	16.5	163	6	8	13	20	34	42	71	22	12.1	105	4	7	10	17	57	99 +	99 +
ALL AGES	118	15.2	143	5	8	12	19	29	40	72	34	11.6	80	4	6	9	16	21	85	99 +
SUBTOTAL	**232**	**15.1**	**124**	**5**	**8**	**13**	**19**	**28**	**37**	**62**	**53**	**10.7**	**85**	**2**	**5**	**8**	**15**	**20**	**50**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	7	9.9	31	2	5	11	13	17	18	18										
25-34	12	19.8	269	5	8	14	24	52	52	52	1	4.0		4	4	4	4	4	4	4
35-54	12	15.8	133	5	9	12	20	36	40	41	1	9.0		9	9	9	9	9	9	9
55-74	17	22.3	431	4	11	14	24	55	73	81	3	12.0	64	4	6	12	18	20	20	20
75 +	15	21.3	154	10	13	19	32	39	43	44	2	6.0	50	1	1	6	11	11	11	11
ALL AGES	64	18.9	233	4	10	14	21	41	52	78	7	8.7	42	2	4	9	12	18	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.0	392	3	3	17	31	31	31	31										
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	3	41.0	2128	5	10	25	76	93	93	93										
35-54	10	21.5	245	2	7	22	38	40	41	41										
55-74	30	16.8	146	5	7	13	25	30	44	50										
75 +	37	20.8	203	6	10	17	29	38	46	68	6	10.7	78	3	5	7	14	26	27	27
ALL AGES	83	19.9	248	4	8	16	29	39	46	85	6	10.7	78	3	5	7	14	26	27	27
SUBTOTAL	**147**	**19.5**	**239**	**4**	**9**	**14**	**28**	**40**	**49**	**81**	**13**	**9.6**	**55**	**3**	**4**	**9**	**12**	**21**	**26**	**27**
GRAND TOTAL	**379**	**16.8**	**173**	**5**	[illegible]	**13**	**21**	**33**	**42**	**70**	**66**	**10.5**	**78**	**2**	**5**	**9**	**15**	**20**	**44**	**99 +**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	48.0		48	48	48	48	48	48	48										
18-24	3	6.7	4	5	5	6	8	9	9	9										
25-34	4	10.0	279	1	1	2	19	35	35	35	1	16.0		16	16	16	16	16	16	16
35-54	3	8.0	37	4	4	5	12	15	15	15	3	10.0	52	4	5	8	15	18	18	18
55-74	3	11.0	67	4	5	9	17	20	20	20										
75 +	3	23.3	69	14	17	27	28	29	29	29	4	10.5	3	9	9	10	12	12	12	12
ALL AGES	17	13.8	186	2	4	9	22	34	43	48	8	11.0	20	5	8	10	14	17	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	5.0	2	4	4	5	6	6	6	6	1	11.0		11	11	11	11	11	11	11
55-74	4	19.5	121	14	14	14	25	36	36	36	2	9.0	72	3	3	9	15	15	15	15
75 +	4	12.8	41	7	8	11	17	22	22	22	7	9.3	34	3	6	7	12	19	20	20
ALL AGES	12	14.5	111	4	6	13	18	33	36	36	10	9.4	31	2	6	9	13	17	20	20
SUBTOTAL	**29**	**14.1**	**150**	**3**	**5**	**10**	**20**	**34**	**37**	**48**	**18**	**10.1**	**26**	**3**	**7**	**10**	**13**	**17**	**19**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.5	13	3	3	5	8	8	8	8										
25-34	3	13.7	184	3	4	9	24	29	29	29										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	3	8.3	26	3	4	9	12	13	13	13	1	9.0		9	9	9	9	9	9	9
75 +	3	15.0	28	9	11	17	18	19	19	19										
ALL AGES	12	11.3	60	3	6	9	15	22	28	29	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24																				
25-34	1	16.0		16	16	16	16	16	16	16										
35-54	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74	4	11.3	121	3	3	7	19	27	27	27										
75 +	5	19.2	54	12	13	17	25	30	30	30	5	10.2	46	2	6	9	15	20	20	20
ALL AGES	12	14.8	73	4	9	14	20	28	30	30	6	8.8	48	2	2	8	13	19	20	20
SUBTOTAL	**24**	**13.1**	**65**	**3**	**7**	**12**	**17**	**27**	**29**	**30**	**7**	**8.9**	**39**	**2**	**3**	**9**	**12**	**19**	**20**	**20**
GRAND TOTAL	**53**	**13.6**	**111**	**3**	**5**	**12**	**18**	**29**	**35**	**48**	**25**	**9.8**	**27**	**2**	**6**	**9**	**13**	**18**	**20**	**20**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	12	23.3	357	3	5	25	34	74	95	99 +	5	27.4	306	14	18	23	32	58	58	58
25-34	31	15.7	129	5	7	11	21	34	38	44	6	10.7	135	4	4	6	10	32	34	34
35-54	21	18.3	246	4	6	16	21	42	54	67	5	10.0	54	1	5	9	15	20	20	20
55-74	8	27.1	373	9	13	21	37	58	66	66	2	8.5	5	7	7	8	10	10	10	10
75 +																				
ALL AGES	72	19.0	231	4	8	16	26	41	63	92	18	14.9	189	4	6	10	20	31	48	58
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	11	21.8	466	5	7	9	33	61	61	61										
25-34	34	23.4	344	6	9	21	29	46	55	95	2	4.0	8	2	2	4	6	6	6	6
35-54	30	19.5	186	4	9	16	28	40	41	54	7	10.7	104	2	5	7	12	28	32	32
55-74	20	18.2	251	4	8	12	23	41	53	65	2	14.5	13	12	13	17	79	99 +	99 +	99 +
75 +	3	13.3	172	3	4	9	23	28	28	28										
ALL AGES	98	20.7	278	4	9	16	28	41	56	81	11	10.2	76	2	5	9	15	52	93	99 +
SUBTOTAL	**170**	**20.0**	**256**	**4**	**8**	**16**	**28**	**41**	**57**	**89**	**29**	**13.1**	**147**	**3**	**6**	**10**	**19**	**33**	**58**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	11	21.9	432	3	6	14	34	58	60	60	2	4.0		4	4	4	4	4	4	4
25-34	10	18.4	133	8	11	15	22	36	47	47	1	42.0		42	42	42	42	42	42	42
35-54	6	21.3	439	4	4	19	21	57	61	61	4	10.3	54	4	5	8	15	21	21	21
55-74	6	18.8	44	8	16	21	23	25	25	25										
75 +																				
ALL AGES	33	20.2	249	4	9	17	23	49	60	61	7	13.0	200	4	4	7	18	38	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	20.5	329	3	6	18	35	43	43	43										
25-34	8	12.6	38	5	6	14	17	20	20	20										
35-54	11	9.9	24	4	6	10	15	42	92	99 +										
55-74	4	26.3	707	9	11	15	41	66	66	66										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	28	14.4	172	5	7	14	16	37	68	99 +										
SUBTOTAL	**61**	**17.5**	**220**	**5**	**7**	**15**	**21**	**44**	**60**	**96**	**7**	**13.0**	**200**	**4**	**4**	**8**	**31**	**83**	**99 +**	**99 +**
GRAND TOTAL	**231**	**19.3**	**249**	**4**	**8**	**16**	**26**	**41**	**60**	**96**	**36**	**13.1**	**152**	**4**	**6**	**9**	**20**	**40**	**83**	**99 +**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	10.3	13	5	8	11	13	14	14	14	1	6.0		6	6	6	6	6	6	6
18-24	20	20.7	189	5	8	18	35	39	42	46	3	1.3		1	1	1	2	2	2	2
25-34	27	18.6	364	2	5	11	28	38	66	79	4	7.3	10	3	5	7	9	11	11	11
35-54	20	12.5	143	2	4	7	18	33	37	40	4	14.8	193	1	3	14	26	30	30	30
55-74	8	20.0	130	11	13	17	22	39	46	46	2	24.5	925	3	3	24	46	46	46	46
75 +																				
ALL AGES	79	17.3	227	3	6	11	24	38	43	75	14	10.5	179	1	2	5	11	32	43	46
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13	2	24.0	722	5	5	24	43	43	43	43
18-24	4	19.8	79	14	14	16	25	33	33	33	1	4.0		4	4	4	4	4	4	4
25-34	20	14.5	89	5	9	13	20	34	65	99 +	4	12.8	120	5	6	8	19	29	29	29
35-54	35	14.7	273	2	6	9	16	41	44	81	9	5.8	20	1	2	4	10	12	13	13
55-74	18	21.7	262	3	9	21	30	46	53	57	9	5.3	23	1	2	3	10	13	13	13
75 +	4	19.0	85	7	12	20	26	28	28	28										
ALL AGES	82	16.6	207	3	7	12	22	39	45	94	25	8.1	90	1	3	5	10	13	32	43
SUBTOTAL	**161**	**16.9**	**217**	**3**	**7**	**12**	**23**	**38**	**45**	**81**	**39**	**9.0**	**119**	**1**	**2**	**5**	**10**	**27**	**37**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	12.3	167	3	4	7	22	27	27	27	2	29.0	72	23	23	29	35	35	35	35
25-34	14	12.9	68	5	6	13	16	26	29	30	2	22.0	18	19	20	25	81	99 +	99 +	99 +
35-54	6	12.7	18	7	9	12	16	19	19	19	1	2.0		2	2	2	2	2	2	2
55-74	6	15.3	93	3	8	14	25	27	27	27	1	16.0		16	16	16	16	16	16	16
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	29	13.3	64	4	7	13	18	26	27	30	7	18.4	119	4	12	21	30	80	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
18-24	1	26.0		26	26	26	26	26	26	26										
25-34	11	21.8	603	4	8	17	23	59	88	89	3	5.3	15	1	2	7	8	8	8	8
35-54	10	16.7	122	2	7	16	28	29	30	30	1	22.0		22	22	22	22	22	22	22
55-74	5	12.2	20	7	9	12	14	19	19	19	7	8.0	21	3	4	9	13	74	99 +	99 +
75 +	2	18.0		18	18	18	18	18	18	18	3	18.0	291	4	6	13	31	37	37	37
ALL AGES	30	17.7	272	2	7	15	24	29	39	89	15	10.1	86	3	4	8	13	35	81	99 +
SUBTOTAL	**59**	**15.6**	**170**	**3**	**7**	**13**	**19**	**28**	**30**	**84**	**22**	**12.7**	**108**	**3**	**4**	**12**	**22**	**43**	**99 +**	**99 +**
GRAND TOTAL	**220**	**16.6**	**202**	**3**	**7**	**12**	**23**	**36**	**43**	**83**	**61**	**10.3**	**117**	**1**	**3**	**7**	**13**	**31**	**44**	**99 +**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	38.0		38	38	69	99 +	99 +	99 +	99 +										
13-17	51	27.1	368	6	13	22	37	62	73	99 +	4	24.8	117	17	18	20	31	41	41	41
18-24	407	17.3	275	3	6	13	22	36	52	87	69	16.0	199	3	6	14	22	31	45	98
25-34	1361	15.4	190	3	6	11	21	33	43	66	186	13.8	118	3	6	12	19	29	38	82
35-54	1105	15.1	145	3	6	12	21	31	41	62	175	12.6	149	2	5	9	17	28	36	83
55-74	190	15.4	133	3	7	13	21	33	38	56	37	14.0	120	3	6	12	20	29	39	44
75 +	9	19.9	671	3	5	11	21	65	82	82	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	3124	15.7	190	3	6	12	21	33	43	77	473	13.8	141	2	6	11	19	29	38	89
B. FEMALE																				
0-12 YRS.	2	7.0	72	1	1	6	13	13	13	13	1	24.0		24	24	24	24	24	24	24
13-17	11	26.8	382	4	8	31	47	68	95	99 +										
18-24	156	16.2	217	3	6	13	23	38	53	99 +	25	16.0	267	3	5	11	22	34	51	73
25-34	676	15.9	169	3	7	12	21	33	42	61	75	13.4	172	1	5	9	19	28	37	67
35-54	1093	16.3	173	4	7	13	22	34	43	63	125	13.8	158	2	5	10	19	29	37	59
55-74	556	18.5	197	5	8	16	25	35	46	90	59	15.7	202	3	5	13	20	40	44	61
75 +	77	18.3	154	5	8	16	26	34	45	58	18	12.3	343	1	2	8	11	28	59	79
ALL AGES	2571	16.8	180	4	7	13	22	34	45	71	303	14.2	188	2	5	10	19	32	43	72
SUBTOTAL	**5695**	**16.2**	**185**	**3**	**7**	**13**	**22**	**34**	**44**	**75**	**776**	**13.9**	**161**	**2**	**5**	**11**	**19**	**30**	**40**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	34.3	106	28	28	29	42	46	46	46										
13-17	19	25.5	392	4	11	19	39	47	66	80	4	3.8		3	3	4	4	5	5	5
18-24	198	15.0	182	3	6	12	19	35	48	99 +	36	17.1	277	1	5	14	21	37	58	73
25-34	658	14.5	164	3	6	11	19	31	42	66	85	12.6	171	3	5	8	15	24	47	61
35-54	458	14.5	155	4	6	11	19	30	39	71	69	14.7	229	2	6	10	20	37	52	96
55-74	58	16.8	145	4	7	14	23	32	34	65	6	17.2	92	8	8	16	24	29	30	30
75 +	5	20.8	263	8	9	12	34	45	45	45	4	9.8	32	2	5	11	14	15	15	15
ALL AGES	1399	14.9	167	3	6	11	20	32	43	71	204	14.0	204	2	5	9	19	30	51	77
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	6	21.5	198	3	11	28	34	87	99 +	99 +										
18-24	57	17.6	202	4	7	15	23	40	76	97	3	7.0	3	6	6	6	8	9	9	9
25-34	224	14.6	175	4	6	10	19	31	40	63	26	12.1	127	1	6	9	15	24	35	54
35-54	347	16.0	185	4	8	13	20	31	41	93	32	15.5	277	3	4	11	20	33	49	83
55-74	138	19.1	229	5	9	16	24	35	54	91	22	13.0	95	2	6	11	21	31	57	99 +
75 +	17	21.6	345	5	9	15	30	66	90	99 +	6	26.7	298	7	16	25	30	54	57	57
ALL AGES	790	16.5	194	4	7	13	21	33	45	96	89	14.3	190	2	6	10	19	30	50	93
SUBTOTAL	**2189**	**15.4**	**180**	**4**	**7**	**12**	**20**	**32**	**44**	**81**	**293**	**14.1**	**198**	**2**	**5**	**9**	**19**	**30**	**51**	**83**
GRAND TOTAL	**7884**	**16.0**	**183**	**3**	**7**	**13**	**21**	**33**	**44**	**76**	**1069**	**14.0**	**169**	**2**	**5**	**10**	**19**	**30**	**42**	**81**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	11	29.1	637	11	17	23	38	99	99 +	99 +										
18-24	50	19.6	307	2	8	14	28	46	59	71	9	18.4	366	1	3	16	23	47	63	63
25-34	28	11.6	74	2	5	10	15	25	29	32	9	9.8	17	5	6	11	12	16	18	18
35-54	9	13.6	92	3	6	11	22	28	30	30	4	4.5	6	1	2	5	6	7	7	7
55-74	2	16.0	128	8	8	16	24	24	24	24	3	9.0	19	6	6	7	12	14	14	14
75 +																				
ALL AGES	101	17.9	272	2	7	14	24	42	53	99	25	12.0	157	1	5	7	14	23	33	63
B. FEMALE																				
0-12 YRS.																				
13-17	15	26.1	396	5	12	24	38	68	91	99 +										
18-24	25	24.4	411	6	10	16	53	60	71	99 +	1	11.0		11	11	11	11	11	11	11
25-34	33	13.8	122	4	6	11	16	29	35	52	5	4.6	16	1	2	3	7	11	11	11
35-54	27	11.5	87	2	6	9	14	19	26	49	11	4.4	6	2	3	3	5	8	10	10
55-74	15	16.1	94	5	10	15	20	24	39	44	6	6.0	48	2	2	4	4	18	20	20
75 +	1	28.0		28	28	28	28	28	28	28	1	2.0		2	2	2	2	2	2	2
ALL AGES	116	17.6	231	4	7	13	22	47	59	99 +	24	5.0	18	2	2	4	6	11	14	20
SUBTOTAL	**217**	**17.7**	**251**	**3**	**7**	**13**	**23**	**43**	**58**	**99 +**	**49**	**8.6**	**99**	**2**	**3**	**5**	**11**	**19**	**23**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	47.4	679	16	38	41	60	88	94	94										
18-24	21	18.0	359	3	5	13	22	42	69	75	10	24.1	389	3	6	22	28	53	70	70
25-34	20	12.2	107	4	6	9	14	29	38	43	7	8.7	65	1	2	5	15	21	22	22
35-54	9	9.1	39	2	4	8	12	19	22	22	2	16.0	288	4	4	16	28	28	28	28
55-74	2	16.0	50	11	11	16	21	21	21	21										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	59	18.1	363	3	7	11	22	42	66	92	20	16.8	284	2	4	13	25	33	53	70
B. FEMALE																				
0-12 YRS.																				
13-17	3	11.3	187	2	3	5	21	27	27	27										
18-24	12	19.4	113	5	10	20	26	34	38	39	2	17.0	50	12	12	17	22	22	22	22
25-34	12	13.6	51	4	7	14	18	24	25	25	2	34.5	545	18	18	34	51	51	51	51
35-54	10	15.8	184	3	5	10	25	38	43	43	4	9.8	20	5	7	9	13	16	16	16
55-74	5	9.6	26	5	5	8	14	16	16	16										
75 +																				
ALL AGES	42	15.1	108	4	6	13	21	30	35	43	8	17.8	209	6	9	14	20	42	51	51
SUBTOTAL	**101**	**16.9**	**256**	**3**	**7**	**11**	**22**	**38**	**43**	**84**	**28**	**17.1**	**254**	**2**	**5**	**14**	**23**	**34**	**53**	**70**
GRAND TOTAL	**318**	**17.5**	**250**	**3**	**7**	**13**	**22**	**41**	**56**	**98**	**77**	**11.6**	**172**	**2**	**4**	**6**	**16**	**23**	**34**	**68**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	28.0	201	17	18	23	39	44	44	44										
18-24	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
25-34	3	6.7	54	1	2	4	12	15	15	15										
35-54	5	14.8	72	4	7	17	22	23	23	23										
55-74	1	32.0		32	32	32	32	32	32	32										
75 +																				
ALL AGES	13	17.8	144	3	7	17	23	34	42	44	1	1.0		1	1	50	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	7	12.4	28	5	9	12	17	18	18	18	1	1.0		1	1	1	1	1	1	1
35-54	3	20.3	182	5	10	26	29	30	30	30	1	4.0		4	4	4	4	4	4	4
55-74	2	11.0	162	2	2	11	20	20	20	20										
75 +																				
ALL AGES	13	13.7	73	4	7	12	19	27	29	30	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**26**	**15.7**	**110**	**4**	**8**	**16**	**22**	**30**	**34**	**44**	**3**	**2.0**	**3**	**1**	**1**	**2**	**52**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	5	11.8	156	1	2	11	18	32	32	32										
35-54	1	5.0		5	5	5	5	5	5	5	1	8.0		8	8	8	8	8	8	8
55-74	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	9	9.2	102	1	2	5	13	25	32	32	2	4.5	25	1	1	4	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	2	12.5	25	9	9	12	16	16	16	16										
25-34	2	17.0	200	7	7	17	27	27	27	27										
35-54	4	14.0	34	9	9	14	19	20	20	20	1	18.0		18	18	18	18	18	18	18
55-74	2	40.5	1301	15	15	40	66	66	66	66	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	11	18.2	295	6	9	15	19	43	64	66	2	10.5	113	3	3	10	18	18	18	18
SUBTOTAL	**20**	**14.2**	**218**	**2**	**4**	**10**	**17**	**29**	**49**	**66**	**4**	**7.5**	**58**	**1**	**2**	**5**	**13**	**18**	**18**	**18**
GRAND TOTAL	**46**	**15.0**	**155**	**2**	**5**	**14**	**20**	**30**	**35**	**66**	**7**	**5.1**	**39**	**1**	**1**	**3**	**13**	**75**	**99 +**	**99 +**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	12	24.4	335	7	10	16	38	53	59	60	2	34.0	1458	7	7	34	61	61	61	61
18-24	182	16.2	171	3	6	14	24	35	39	70	30	13.8	79	4	7	12	20	24	26	43
25-34	537	14.9	157	3	6	12	20	31	41	70	66	14.5	193	3	6	11	21	29	34	84
35-54	444	14.4	133	3	6	12	20	30	36	68	83	11.1	98	2	4	9	15	20	27	54
55-74	115	19.0	184	5	10	16	25	37	49	99 +	18	11.8	63	2	6	10	19	21	26	29
75 +	7	16.3	156	5	7	9	23	36	39	39	2	29.0	800	9	9	29	49	49	49	49
ALL AGES	1298	15.4	155	3	6	12	21	32	39	72	201	13.1	140	3	5	10	18	25	35	75
B. FEMALE																				
0-12 YRS.																				
13-17	7	36.1	773	8	17	21	55	77	82	82	2	16.0	162	7	7	16	25	25	25	25
18-24	80	18.8	370	3	6	11	25	44	58	92	13	9.3	60	3	4	7	12	23	25	26
25-34	304	16.4	187	3	6	13	23	34	42	64	55	9.4	68	1	4	7	13	19	25	44
35-54	523	15.8	164	4	7	12	21	32	42	63	64	10.7	106	1	3	8	15	21	32	50
55-74	288	19.7	225	5	9	16	27	39	52	82	48	11.1	74	2	5	9	15	23	29	40
75 +	24	15.2	145	2	5	12	23	33	38	41	2	4.5	5	3	3	4	6	6	6	6
ALL AGES	1226	17.2	203	4	7	13	23	35	45	75	184	10.3	82	2	4	8	14	22	26	48
SUBTOTAL	**2524**	**16.2**	**182**	**3**	**7**	**13**	**22**	**34**	**43**	**74**	**385**	**11.8**	**113**	**2**	**4**	**9**	**16**	**24**	**29**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	5	20.8	599	3	5	12	31	63	63	63										
18-24	82	14.6	149	4	6	12	19	32	47	87	8	15.9	247	1	4	10	25	42	46	46
25-34	261	13.8	135	3	6	11	19	29	34	64	25	12.1	177	1	3	9	16	22	35	65
35-54	218	14.3	128	3	6	11	20	31	36	56	18	12.1	62	3	5	11	18	24	27	29
55-74	41	13.1	99	3	6	10	17	28	36	39	6	12.0	98	3	5	12	26	86	99 +	99 +
75 +	2	14.5	145	6	6	14	23	23	23	23	1	14.0		14	14	14	14	14	14	14
ALL AGES	610	14.1	134	3	6	11	19	29	37	61	58	12.6	135	2	5	11	18	27	40	97
B. FEMALE																				
0-12 YRS.																				
13-17	2	43.5	1201	19	19	43	68	68	68	68										
18-24	44	18.3	291	4	6	11	20	35	47	91	6	10.3	57	1	4	9	18	20	20	20
25-34	140	16.3	199	3	6	12	24	33	42	88	13	8.0	51	3	3	7	10	18	26	28
35-54	159	14.0	125	3	7	11	18	27	38	48	15	16.3	163	2	9	12	25	33	41	44
55-74	74	18.6	172	6	9	18	24	36	45	92	8	19.1	272	5	7	14	26	47	53	53
75 +	6	22.2	45	14	20	22	31	87	99 +	99 +	1	6.0		6	6	6	6	6	6	6
ALL AGES	425	16.3	180	4	7	13	22	34	43	88	43	13.2	143	3	4	9	18	33	37	53
SUBTOTAL	**1035**	**15.0**	**154**	**3**	**6**	**12**	**21**	**31**	**40**	**68**	**101**	**12.9**	**136**	**2**	**4**	**10**	**18**	**29**	**38**	**82**
GRAND TOTAL	**3559**	**15.9**	**172**	**3**	**7**	**12**	**22**	**33**	**42**	**71**	**486**	**12.0**	**118**	**2**	**4**	**9**	**16**	**25**	**33**	**59**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	28.8	830	5	8	20	49	69	69	69										
13-17	29	29.9	370	6	13	37	47	62	98	99 +	3	11.3	86	6	6	6	18	22	22	22
18-24	203	17.6	235	3	7	14	24	33	44	82	31	18.8	182	6	9	14	27	33	40	66
25-34	556	18.2	195	4	8	15	25	37	45	64	55	10.8	55	3	6	9	13	21	28	32
35-54	519	16.9	184	4	8	13	22	34	44	68	50	10.3	66	3	4	8	14	20	30	43
55-74	102	21.4	338	3	9	16	29	47	55	92	9	18.4	409	4	6	8	23	54	61	61
75 +	6	19.5	88	9	13	17	28	32	33	33	1	23.0		23	23	23	23	23	23	23
ALL AGES	1419	18.1	217	4	8	14	25	37	46	75	149	12.9	114	3	6	10	15	28	32	61
B. FEMALE																				
0-12 YRS.	2	31.0	50	26	26	31	36	36	36	36										
13-17	35	25.4	351	4	9	21	43	53	60	99 +	5	12.2	83	4	6	12	27	93	99 +	99 +
18-24	213	18.9	307	4	7	14	24	51	61	91	27	16.6	147	4	7	13	26	29	46	47
25-34	711	18.3	194	5	8	15	24	38	47	68	74	14.0	200	2	4	9	20	31	38	75
35-54	1101	18.1	202	4	8	15	24	38	46	76	132	14.1	163	3	6	10	20	29	30	71
55-74	434	22.0	233	7	11	20	29	42	53	71	48	19.1	208	5	8	16	25	41	48	61
75 +	21	22.9	348	8	11	17	29	47	66	84	3	29.3	132	20	21	26	38	42	42	42
ALL AGES	2517	19.1	217	5	8	15	25	39	50	76	289	15.2	182	3	6	11	22	30	42	73
SUBTOTAL	**3936**	**18.7**	**219**	**4**	**8**	**15**	**25**	**38**	**49**	**76**	**438**	**14.4**	**160**	**3**	**6**	**11**	**20**	**29**	**38**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	55.0		55	55	55	55	55	55	55										
13-17	20	31.2	472	8	14	27	44	65	79	80										
18-24	158	20.9	282	3	8	16	29	46	65	97	16	12.3	66	4	5	9	20	24	25	26
25-34	375	16.0	150	4	7	14	21	31	41	63	39	14.0	137	4	7	10	18	26	41	57
35-54	305	15.8	150	4	7	13	21	32	38	60	43	16.2	184	5	8	13	20	36	59	99 +
55-74	49	22.6	235	7	11	19	31	41	52	70	3	20.0	12	18	18	18	23	24	24	24
75 +	5	18.0	268	3	4	15	30	42	42	42										
ALL AGES	913	17.5	195	4	8	14	23	36	46	71	101	14.8	144	4	7	12	20	27	52	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	18	29.3	454	2	12	32	56	84	99 +	99 +										
18-24	101	15.1	191	3	5	10	23	33	38	95	16	12.7	68	4	5	10	22	23	24	25
25-34	408	15.5	186	3	6	12	21	31	42	75	37	13.3	100	4	6	12	19	23	33	50
35-54	484	16.9	187	4	7	13	23	34	44	68	48	15.6	176	3	7	11	20	36	45	58
55-74	161	21.3	211	6	11	17	28	43	55	65	20	18.8	106	7	10	17	27	34	35	36
75 +	10	21.3	195	5	15	18	23	45	47	47	1	8.0		8	8	8	8	8	8	8
ALL AGES	1182	17.1	199	4	7	13	24	35	47	70	122	15.0	127	4	7	12	21	28	38	54
SUBTOTAL	**2095**	**17.3**	**196**	**4**	**7**	**14**	**23**	**35**	**47**	**70**	**223**	**14.9**	**134**	**4**	**7**	**12**	**21**	**28**	**44**	**71**
GRAND TOTAL	**6031**	**18.2**	**212**	**4**	**8**	**14**	**24**	**37**	**48**	**75**	**661**	**14.6**	**150**	**4**	**6**	**11**	**20**	**29**	**39**	**67**

Total U.S., January-December 1988

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	28.8	10	24	26	29	31	33	33	33	2	3.5	1	3	3	3	4	4	4	4
18-24	30	15.9	176	1	7	12	21	37	46	47	2	14.0	200	4	4	14	24	24	24	24
25-34	43	17.2	126	5	8	15	24	31	36	56	7	5.3	33	1	1	2	10	14	15	15
35-54	31	17.8	213	5	7	15	24	40	68	99 +	7	14.7	137	1	5	11	23	31	33	33
55-74	5	15.4	263	1	5	12	21	43	43	43	1	8.0		8	8	8	8	8	8	8
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	114	17.4	164	5	8	14	25	37	44	81	19	9.6	92	1	2	4	14	24	29	33
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.5	181	2	2	11	21	21	21	21	2	2.5	1	2	2	2	3	3	3	3
18-24	11	15.5	86	4	6	17	23	27	28	28										
25-34	29	20.9	339	5	8	15	26	48	61	83	13	6.5	45	1	2	4	8	18	23	24
35-54	32	13.8	123	2	5	12	16	29	34	50	9	5.6	10	2	3	5	8	11	11	11
55-74	23	21.5	455	5	7	13	27	54	74	77	4	6.0	25	2	2	4	9	13	13	13
75 +	3	27.7	10	24	25	28	30	31	31	31										
ALL AGES	100	18.2	261	4	7	14	24	34	53	80	28	5.9	27	1	2	4	7	12	17	24
SUBTOTAL	**214**	**17.8**	**208**	**4**	**7**	**14**	**24**	**35**	**47**	**79**	**47**	**7.4**	**55**	**1**	**2**	**4**	**10**	**21**	**24**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24	15	15.7	210	2	4	7	25	32	45	50	1	3.0		3	3	3	3	3	3	3
25-34	19	18.6	131	5	9	19	25	30	41	50	3	4.7	30	1	1	2	9	11	11	11
35-54	20	11.7	68	3	7	9	15	24	29	32	3	2.7	2	1	1	3	4	4	4	4
55-74	4	27.3	275	9	15	25	39	49	49	49	1	1.0		1	1	1	1	1	1	1
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	59	16.4	148	3	7	12	25	31	41	50	9	3.2	10	1	1	3	3	8	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	3	14.7	136	6	7	10	23	28	28	28										
18-24	7	30.9	469	10	16	22	46	66	69	69	2	7.0	32	3	3	7	11	11	11	11
25-34	8	14.0	195	2	5	11	16	37	46	46	1	1.0		1	1	1	1	1	1	1
35-54	28	13.1	139	3	4	11	18	24	34	57	5	7.2	27	2	3	8	10	15	15	15
55-74	7	18.7	75	10	13	18	23	33	35	35	3	4.3	11	2	2	3	7	8	8	8
75 +	1	32.0		32	32	32	32	32	32	32	1	10.0		10	10	10	10	10	10	10
ALL AGES	54	16.7	203	4	6	13	22	33	51	69	12	6.2	19	2	2	5	9	12	15	15
SUBTOTAL	**113**	**16.5**	**174**	**4**	**7**	**12**	**23**	**32**	**49**	**61**	**21**	**4.9**	**17**	**1**	**2**	**3**	**8**	**11**	**13**	**15**
GRAND TOTAL	**327**	**17.3**	**198**	**4**	**7**	**14**	**24**	**33**	**47**	**73**	**68**	**6.6**	**45**	**1**	**2**	**4**	**9**	**15**	**23**	**31**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	28.6	399	10	12	23	49	56	56	56	2	48.0	3698	5	5	48	91	91	91	91
13-17	59	20.7	251	4	10	17	27	41	53	83	6	18.0	242	1	1	19	28	38	39	39
18-24	179	16.4	259	2	5	11	22	38	56	73	33	17.9	283	4	8	15	22	31	40	95
25-34	335	15.0	189	3	6	11	20	31	41	73	72	15.2	224	2	6	11	19	31	38	84
35-54	255	14.7	187	2	6	11	19	31	45	76	59	11.6	194	1	4	8	17	26	42	99
55-74	62	16.9	217	4	7	12	21	39	50	69	11	15.5	384	1	5	10	18	41	68	71
75 +	1	17.0		17	17	58	99 +	99 +	99 +	99 +	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	898	15.8	212	3	6	11	21	34	48	74	185	14.9	263	2	5	11	19	29	43	94
B. FEMALE																				
0-12 YRS.	6	20.3	208	1	3	27	31	32	32	32	1	5.0		5	5	5	5	5	5	5
13-17	37	23.6	462	4	7	18	36	57	86	99 +	3	12.7	45	5	7	15	17	18	18	18
18-24	123	17.7	213	4	7	15	21	41	49	67	15	12.2	192	2	3	8	15	26	48	55
25-34	239	15.0	157	2	6	12	20	31	42	59	47	15.9	219	2	4	11	26	37	59	99 +
35-54	350	15.2	169	4	7	13	20	29	44	80	52	13.9	213	2	5	9	16	36	53	99
55-74	158	17.3	164	5	8	14	22	35	40	66	32	20.1	377	4	6	14	26	54	74	99 +
75 +	14	14.8	59	8	10	13	17	22	34	38	3	22.3	423	2	7	22	38	43	43	43
ALL AGES	927	16.2	183	3	7	13	21	33	45	70	153	15.7	248	2	5	11	21	43	58	99 +
SUBTOTAL	**1825**	**16.0**	**198**	**3**	**7**	**12**	**21**	**33**	**47**	**72**	**338**	**15.3**	**254**	**2**	**5**	**11**	**20**	**34**	**55**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	44.4	505	18	32	43	53	80	80	80										
13-17	24	18.5	319	2	7	8	30	49	73	99 +	1	5.0		5	5	5	5	5	5	5
18-24	110	15.9	197	2	6	12	23	37	43	90	11	11.6	93	1	5	10	16	26	33	34
25-34	169	13.1	136	3	5	9	17	29	38	58	30	13.1	137	1	5	10	19	32	41	42
35-54	125	14.0	169	2	4	10	21	34	38	59	25	12.2	194	1	5	7	15	26	47	62
55-74	26	13.4	162	3	5	8	21	25	42	56	8	21.9	324	7	10	15	29	52	61	61
75 +	3	7.0	31	2	3	6	11	13	13	13	1	55.0		55	55	55	55	55	55	55
ALL AGES	462	14.6	183	3	5	10	21	35	43	75	76	14.0	189	1	5	9	18	34	42	62
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	1	10.0		10	10	10	10	10	10	10
13-17	5	28.8	115	14	24	28	34	44	44	44	2	30.5	5	29	29	30	32	32	32	32
18-24	58	17.3	332	2	5	11	23	42	72	99	7	12.9	171	3	4	9	14	36	41	41
25-34	112	15.9	186	3	6	12	22	34	43	87	14	14.6	166	4	5	10	20	36	41	42
35-54	126	15.8	214	3	7	12	19	36	53	86	24	15.1	101	2	5	15	24	28	32	33
55-74	48	19.4	168	5	9	19	27	39	44	99 +	9	7.0	27	1	4	6	9	15	18	18
75 +	3	17.0	37	13	13	14	21	24	24	24	3	31.0	175	16	21	36	40	41	41	41
ALL AGES	353	16.7	218	3	7	13	23	36	52	99	60	14.7	136	3	5	13	21	33	38	42
SUBTOTAL	**815**	**15.5**	**199**	**3**	**6**	**11**	**21**	**35**	**44**	**83**	**136**	**14.3**	**165**	**2**	**5**	**10**	**19**	**33**	**41**	**61**
GRAND TOTAL	**2640**	**15.9**	**196**	**3**	**6**	**12**	**21**	**34**	**46**	**79**	**474**	**15.0**	**229**	**2**	**5**	**11**	**20**	**34**	**52**	**94**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	15.2	185	5	6	10	22	38	38	38										
18-24	2	4.0	18	1	1	4	7	7	7	7	1	5.0		5	5	5	5	5	5	5
25-34	15	11.7	167	2	5	6	15	26	45	51										
35-54	22	14.2	118	3	5	13	18	32	36	40	4	1.5		1	1	1	2	2	2	2
55-74	24	9.9	61	1	3	8	16	20	24	25	6	8.5	60	3	3	5	11	22	23	23
75 +	1	4.0		4	4	4	4	4	4	4	2	4.5	13	2	2	4	7	7	7	7
ALL AGES	69	11.8	109	2	4	7	17	26	34	49	13	5.5	36	1	2	3	7	13	21	23
B. FEMALE																				
0-12 YRS.																				
13-17	3	18.7	130	7	10	19	27	30	30	30										
18-24	5	12.0	82	2	4	14	17	25	25	25	2	7.5	41	3	3	7	12	12	12	12
25-34	22	8.1	18	2	5	9	11	13	15	17	5	4.4	11	1	1	5	7	8	8	8
35-54	41	15.4	152	2	7	12	23	31	39	58	6	6.7	22	2	2	6	10	14	14	14
55-74	30	14.8	103	3	6	15	25	27	28	43	6	16.2	313	2	6	11	16	47	51	51
75 +	11	18.7	230	3	7	16	24	42	52	53	7	11.1	99	2	4	7	18	27	29	29
ALL AGES	112	14.1	121	2	7	11	19	27	35	55	26	9.7	113	2	3	7	11	20	33	51
SUBTOTAL	**181**	**13.2**	**118**	**2**	**5**	**10**	**17**	**27**	**35**	**52**	**39**	**8.3**	**89**	**1**	**2**	**5**	**11**	**18**	**26**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-17	2	26.5	613	9	9	26	44	44	44	44										
18-24	5	21.0	197	5	10	18	32	40	40	40										
25-34	7	16.9	133	4	7	17	28	32	32	32										
35-54	16	13.7	72	3	6	14	20	26	27	27										
55-74	6	23.8	638	1	10	16	28	68	72	72	2	2.0		2	2	2	2	2	2	2
75 +	1	16.0		16	16	16	16	16	16	16	2	10.5	25	7	7	10	14	14	14	14
ALL AGES	38	18.5	217	3	8	16	26	38	46	72	4	6.3	31	2	2	5	10	14	14	14
B. FEMALE																				
0-12 YRS.											1	73.0		73	73	73	73	73	73	73
13-17	2	19.5	145	11	11	19	28	28	28	28										
18-24	5	27.8	229	6	17	31	38	46	46	46	1	26.0		26	26	26	26	26	26	26
25-34	16	13.4	76	5	7	10	16	27	33	35	2	3.0		3	3	3	3	3	3	3
35-54	17	12.4	84	3	7	11	15	22	34	40	1	4.0		4	4	4	4	4	4	4
55-74	16	18.7	181	3	8	18	24	36	50	55	1	9.0		9	9	9	9	9	9	9
75 +	3	22.7	622	1	5	17	42	50	50	50	1	16.0		16	16	16	16	16	16	16
ALL AGES	59	16.4	153	4	8	14	22	35	43	55	7	19.1	637	3	3	9	23	64	73	73
SUBTOTAL	**97**	**17.2**	**178**	**4**	**8**	**14**	**23**	**35**	**45**	**64**	**11**	**14.5**	**432**	**2**	**3**	**7**	**15**	**45**	**71**	**73**
GRAND TOTAL	**278**	**14.6**	**142**	**3**	**6**	**12**	**20**	**30**	**39**	**54**	**50**	**9.6**	**165**	**2**	**2**	**6**	**11**	**21**	**29**	**73**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	72.0		72	72	72	72	72	72	72										
18-24	6	14.8	107	3	8	14	17	31	33	33										
25-34	12	9.3	33	2	4	8	14	17	20	20	2	5.0	2	4	4	5	6	6	6	6
35-54	19	10.1	57	2	5	8	16	20	25	29	4	5.8	15	1	2	6	9	10	10	10
55-74	14	16.4	104	5	8	14	23	32	37	38	2	19.5	113	12	12	19	27	27	27	27
75 +	3	6.0	19	1	3	8	9	9	9	9	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	55	12.9	139	2	6	9	17	24	32	70	10	8.1	55	2	4	5	10	19	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	3	9.3	18	6	6	8	12	14	14	14										
18-24	3	18.0	112	10	11	14	26	30	30	30	2	20.5	85	14	14	20	27	27	27	27
25-34	14	12.6	178	4	5	7	15	42	43	43	1	1.0		1	1	1	1	1	1	1
35-54	32	12.1	102	2	4	10	18	23	33	45	1	6.0		6	6	6	6	6	6	6
55-74	36	15.9	93	5	9	14	22	28	37	41	3	17.7	211	1	7	24	27	28	28	28
75 +	7	10.9	97	1	3	11	14	27	30	30	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	95	13.6	108	3	6	12	18	28	38	44	9	12.0	133	1	1	6	25	28	28	28
SUBTOTAL	**150**	**13.4**	**117**	**3**	**6**	**11**	**18**	**28**	**34**	**45**	**19**	**9.9**	**91**	**1**	**4**	**6**	**13**	**27**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.5	13	3	3	5	8	8	8	8										
25-34	5	11.6	125	3	3	5	22	27	27	27	1	13.0		13	13	13	13	13	13	13
35-54	10	12.8	39	2	11	14	16	20	21	21	2	2.0	2	1	1	2	3	3	3	3
55-74	8	25.6	333	7	11	19	40	52	57	57	4	2.0	1	1	1	2	3	3	3	3
75 +																				
ALL AGES	25	16.1	180	3	6	14	20	40	45	57	7	3.6	18	1	1	3	3	11	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	9.5	1	9	9	9	10	10	10	10										
25-34	3	21.0	244	11	12	26	69	99 +	99 +	99 +	2	26.0	18	23	23	26	29	29	29	29
35-54	14	13.0	43	4	9	14	17	19	26	28	1	22.0		22	22	22	22	22	22	22
55-74	9	24.8	293	7	9	16	39	48	51	51	4	4.0	3	2	2	4	5	6	6	6
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	29	16.9	161	5	9	14	18	41	51	99 +	7	12.9	127	2	3	6	23	28	29	29
SUBTOTAL	**54**	**16.5**	**168**	**3**	**8**	**14**	**20**	**40**	**49**	**98**	**14**	**8.2**	**91**	**1**	**2**	**3**	**13**	**24**	**28**	**29**
GRAND TOTAL	**204**	**14.2**	**132**	**3**	**6**	**12**	**18**	**30**	**40**	**64**	**33**	**9.2**	**89**	**1**	**2**	**5**	**13**	**27**	**28**	**29**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	72	25.4	400	4	12	21	34	51	63	92	14	33.7	357	18	22	27	40	65	77	81
13-17	257	22.7	339	4	8	18	32	50	67	99	65	23.0	354	2	7	19	34	57	68	95
18-24	271	13.5	185	2	4	10	19	28	36	79	45	8.7	63	1	2	6	12	20	28	30
25-34	422	12.7	115	2	5	10	17	26	35	52	88	9.5	97	2	3	6	11	22	34	44
35-54	913	14.1	112	3	7	12	18	28	35	48	109	10.7	108	2	4	7	13	26	32	50
55-74	668	17.7	154	5	9	15	24	35	44	58	90	11.9	110	2	4	8	17	25	32	50
75 +	228	18.8	193	5	8	16	25	35	44	71	44	13.0	111	2	4	8	22	30	32	38
ALL AGES	2831	16.1	175	3	7	13	22	33	42	69	455	13.2	176	2	4	8	19	32	39	68
B. FEMALE																				
0-12 YRS.	53	23.9	298	2	9	24	33	46	57	68	18	40.6	794	8	16	45	68	90	99	99+
13-17	452	22.5	306	3	9	19	33	46	58	96	107	21.5	287	2	8	20	31	44	53	99
18-24	431	13.9	161	2	5	10	20	29	39	64	75	10.2	81	2	3	7	17	24	28	35
25-34	1039	13.7	138	2	5	10	20	29	36	55	190	10.4	106	1	3	7	14	24	29	51
35-54	1729	15.2	141	3	7	13	20	30	38	60	361	12.7	125	2	4	10	18	28	32	58
55-74	1391	19.1	195	5	9	16	25	36	46	70	229	10.8	101	2	4	8	14	22	29	56
75 +	637	21.5	215	6	11	19	27	40	52	77	112	13.6	121	3	5	10	20	28	34	49
ALL AGES	5732	17.1	189	3	7	14	23	35	44	69	1092	13.2	159	2	4	10	19	29	36	68
SUBTOTAL	**8563**	**16.8**	**183**	**3**	**7**	**14**	**23**	**34**	**43**	**69**	**1547**	**13.2**	**164**	**2**	**4**	**9**	**19**	**30**	**38**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	113	32.9	403	11	18	30	43	68	83	99+	26	34.4	298	16	27	33	44	60	86	99+
13-17	379	28.7	348	6	13	29	42	49	70	99+	71	25.2	505	3	8	22	35	73	91	99+
18-24	332	14.4	164	3	5	12	20	28	36	70	56	11.1	128	1	3	6	21	30	37	96
25-34	783	13.2	114	3	6	11	18	27	31	54	100	12.1	114	2	4	9	15	29	34	47
35-54	1115	15.0	139	4	7	12	20	29	37	58	131	9.9	63	2	4	8	14	20	25	38
55-74	409	18.6	193	5	9	16	24	37	48	77	54	9.5	54	2	3	8	12	23	26	29
75 +	125	17.8	148	4	8	16	24	34	42	53	27	12.2	162	2	4	8	14	25	34	64
ALL AGES	3256	17.3	206	3	7	14	23	38	46	76	465	14.3	217	2	4	9	21	33	42	96
B. FEMALE																				
0-12 YRS.	48	34.2	467	5	18	35	49	77	99	99+	15	19.5	165	2	8	21	28	37	41	42
13-17	532	26.5	385	5	11	23	42	57	74	99+	82	26.0	421	5	13	24	40	64	98	99+
18-24	571	16.1	182	3	6	13	23	35	45	81	65	11.9	121	1	3	9	18	30	36	44
25-34	1296	15.4	157	3	7	13	20	30	40	66	170	12.7	133	2	4	9	18	30	39	44
35-54	1524	16.7	164	4	8	14	23	34	43	64	192	11.9	157	2	3	8	16	26	36	64
55-74	780	18.9	188	6	10	15	24	37	47	76	107	12.9	165	2	4	8	19	29	32	66
75 +	309	20.6	227	6	11	17	27	40	54	84	45	11.7	193	2	4	9	16	24	26	87
ALL AGES	5060	18.1	210	4	8	14	24	38	48	79	676	14.1	203	2	4	9	20	32	43	88
SUBTOTAL	**8316**	**17.8**	**208**	**4**	**7**	**14**	**24**	**38**	**47**	**78**	**1141**	**14.2**	**208**	**2**	**4**	**9**	**21**	**33**	**43**	**91**
GRAND TOTAL	**16879**	**17.3**	**196**	**3**	**7**	**14**	**23**	**36**	**45**	**74**	**2688**	**13.6**	**184**	**2**	**4**	**9**	**20**	**30**	**40**	**78**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	21.1	205	6	14	18	24	40	55	63	2	20.0	338	7	7	20	33	33	33	33
13-17	77	20.0	337	5	7	14	27	44	59	92	20	31.7	491	10	15	25	49	77	88	99+
18-24	105	13.0	116	3	6	10	17	29	37	76	17	10.1	74	2	4	8	14	20	30	35
25-34	264	12.5	110	3	5	10	16	27	36	50	59	9.3	89	1	4	8	12	15	19	58
35-54	591	14.3	138	4	6	11	19	29	38	59	95	12.9	128	3	5	11	15	27	33	62
55-74	575	19.2	178	5	9	17	26	36	43	69	75	15.4	133	4	6	12	24	32	37	48
75 +	205	21.1	202	7	11	18	28	40	50	79	30	16.1	169	2	5	13	22	35	43	46
ALL AGES	1836	16.6	170	4	7	13	22	34	42	63	298	14.3	172	3	5	11	18	32	40	71
B. FEMALE																				
0-12 YRS.	7	23.3	176	6	16	24	39	82	99+	99+	6	21.3	561	2	8	11	31	62	65	65
13-17	153	21.6	338	4	8	17	29	43	60	96	40	19.7	475	3	6	14	23	57	90	99+
18-24	203	12.9	126	2	5	10	17	29	38	81	34	14.9	411	1	2	8	18	34	72	87
25-34	655	12.7	123	3	5	10	17	26	33	59	163	13.3	167	3	5	10	17	27	37	88
35-54	1578	15.7	151	4	7	13	21	31	39	58	314	14.4	197	2	5	10	18	32	47	71
55-74	1659	19.9	194	6	10	17	27	37	46	73	209	15.1	150	3	7	13	21	28	36	73
75 +	634	23.8	225	9	14	20	31	43	58	80	91	18.5	215	5	8	15	25	41	57	90
ALL AGES	4889	17.9	187	4	8	15	24	35	45	72	857	15.1	207	3	6	11	20	32	47	91
SUBTOTAL	**6725**	**17.5**	**184**	**4**	**8**	**14**	**24**	**35**	**44**	**71**	**1155**	**14.9**	**198**	**3**	**6**	**11**	**20**	**32**	**46**	**84**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	22	24.7	281	8	15	20	29	56	64	68	4	14.8	118	5	7	12	22	30	30	30
13-17	75	24.3	348	6	10	20	33	45	71	88	22	20.4	356	3	4	15	29	53	59	60
18-24	162	12.4	89	3	5	10	18	26	31	42	17	9.6	111	1	2	6	15	21	35	42
25-34	479	14.7	151	3	6	12	20	30	36	61	62	11.4	137	2	4	9	15	22	38	57
35-54	824	15.0	158	3	7	12	20	30	39	62	101	10.7	84	2	4	8	14	23	32	44
55-74	329	17.9	156	4	9	15	25	36	43	57	29	13.4	100	3	4	10	22	28	30	34
75 +	77	25.1	414	6	10	18	36	48	75	90	11	11.4	116	3	4	7	17	28	36	37
ALL AGES	1968	16.0	179	4	7	13	21	33	42	68	246	12.1	131	2	4	9	16	27	35	57
B. FEMALE																				
0-12 YRS.	16	21.7	111	14	17	21	29	46	82	99+										
13-17	140	20.7	345	3	8	15	29	49	75	99+	33	24.6	456	2	7	26	35	79	98	99+
18-24	334	16.3	219	3	6	12	21	35	45	75	43	14.4	174	2	4	11	22	32	40	58
25-34	1021	15.2	172	3	6	12	21	30	39	68	148	12.0	135	2	4	8	16	24	32	61
35-54	1597	16.3	182	4	7	13	21	33	42	69	216	11.6	99	2	4	9	17	23	33	47
55-74	867	19.9	179	6	11	17	26	39	49	70	96	15.7	218	3	6	10	19	39	50	62
75 +	318	21.7	188	7	11	19	30	40	48	68	43	18.0	213	3	7	14	28	40	45	65
ALL AGES	4293	17.3	193	4	7	14	23	35	45	72	579	13.8	172	2	5	9	19	32	41	65
SUBTOTAL	**6261**	**16.9**	**189**	**4**	**7**	**14**	**22**	**34**	**44**	**71**	**825**	**13.3**	**160**	**2**	**5**	**9**	**18**	**31**	**41**	**60**
GRAND TOTAL	**12986**	**17.2**	**187**	**4**	**8**	**14**	**23**	**35**	**44**	**71**	**1980**	**14.2**	**183**	**2**	**5**	**10**	**19**	**32**	**42**	**75**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	9.0	98	2	2	9	16	16	16	16										
13-17	18	16.3	132	3	7	15	23	31	39	43	6	17.0	199	1	4	16	30	34	34	34
18-24	165	18.4	200	4	8	15	26	38	54	65	11	11.1	69	2	3	10	21	22	22	22
25-34	348	17.3	207	4	7	14	23	36	47	70	39	13.5	138	3	5	11	18	30	37	55
35-54	461	16.1	167	4	7	13	22	31	42	77	59	14.5	231	2	5	11	19	31	41	87
55-74	227	18.4	176	5	8	16	24	35	45	65	30	12.7	216	1	4	9	17	33	72	99+
75 +	35	18.5	152	7	11	16	22	32	47	62										
ALL AGES	1256	17.2	184	4	7	14	23	34	44	70	145	13.7	186	2	4	10	19	31	41	90
B. FEMALE																				
0-12 YRS.	3	33.0	589	18	19	40	80	99+	99+	99+										
13-17	26	20.5	151	7	12	17	28	31	48	56	2	33.5	1201	9	9	33	58	58	58	58
18-24	160	19.1	287	4	8	15	23	45	56	97	10	11.3	138	3	4	7	12	30	42	42
25-34	457	16.7	185	4	7	14	21	33	45	81	50	11.1	70	3	5	9	15	25	29	31
35-54	988	16.8	157	4	8	14	22	32	41	61	80	12.7	163	2	4	9	16	26	35	69
55-74	644	18.8	188	6	9	15	24	37	47	66	46	15.2	65	4	9	15	21	27	29	32
75 +	75	18.4	143	5	10	17	25	34	38	60	7	11.6	61	3	4	13	18	22	23	23
ALL AGES	2353	17.6	181	5	8	14	23	35	45	67	195	13.0	120	3	5	10	18	27	31	61
SUBTOTAL	**3609**	**17.4**	**184**	**4**	**8**	**14**	**23**	**35**	**45**	**70**	**340**	**13.3**	**148**	**3**	**5**	**10**	**18**	**28**	**33**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	45.0	526	24	24	52	73	97	99+	99+	1	63.0		63	63	63	63	63	63	63
13-17	12	23.9	318	10	12	17	32	52	66	68	2	20.5	61	15	15	20	26	26	26	26
18-24	73	19.1	243	3	6	15	26	42	51	71	8	20.1	535	3	6	11	26	60	71	71
25-34	164	17.2	189	4	7	15	21	37	44	63	18	15.8	165	4	7	11	20	36	41	44
35-54	195	15.4	160	4	7	13	19	30	35	68	23	16.9	221	3	5	13	26	35	49	57
55-74	67	15.9	152	4	7	12	21	33	36	65	5	19.0	89	6	12	22	24	31	31	31
75 +	9	30.8	416	9	14	29	41	63	69	69	2	14.0	338	1	1	14	27	27	27	27
ALL AGES	525	17.3	201	4	7	14	22	35	45	71	59	18.0	248	3	6	14	26	36	52	70
B. FEMALE																				
0-12 YRS.	2	27.0	288	15	15	27	39	39	39	39										
13-17	6	35.7	831	6	15	30	48	82	86	86	1	29.0		29	29	29	29	29	29	29
18-24	59	21.5	309	7	9	16	24	45	61	83	2	25.5	85	19	19	25	32	32	32	32
25-34	135	17.5	173	4	7	15	24	36	43	59	17	17.1	205	2	9	14	22	36	51	58
35-54	221	16.4	156	4	8	13	21	30	40	62	12	13.6	93	6	7	10	16	31	35	36
55-74	125	17.0	147	4	8	15	21	32	43	57	10	16.2	78	7	8	17	25	59	96	99+
75 +	27	24.3	106	13	18	23	32	36	44	50	1	41.0		41	41	41	41	41	41	41
ALL AGES	575	17.9	184	4	8	15	24	35	44	63	43	17.1	147	6	8	14	25	36	46	99+
SUBTOTAL	**1100**	**17.6**	**193**	**4**	**8**	**15**	**23**	**35**	**44**	**70**	**102**	**17.6**	**204**	**4**	**7**	**14**	**26**	**36**	**49**	**85**
GRAND TOTAL	**4709**	**17.5**	**184**	**4**	**8**	**14**	**23**	**35**	**45**	**70**	**442**	**14.3**	**163**	**3**	**5**	**11**	**20**	**31**	**38**	**71**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	37.0	2178	4	4	37	70	70	70	70										
13-17	10	16.4	200	2	9	11	23	39	48	48	2	3.5	5	2	2	3	5	5	5	5
18-24	46	13.5	102	3	6	10	18	29	35	38	2	15.5	113	8	8	15	23	23	23	23
25-34	101	13.5	106	3	6	11	20	26	33	50	17	9.8	14	6	7	10	13	15	16	16
35-54	176	14.3	137	3	7	12	18	30	42	90	15	12.8	204	1	3	9	15	23	49	58
55-74	117	22.2	224	7	11	19	31	43	51	65	17	9.8	57	2	4	10	15	26	71	99 +
75 +	18	28.7	669	7	10	19	34	77	87	91	8	19.5	292	5	8	13	25	48	57	57
ALL AGES	470	16.7	192	3	7	13	22	34	47	78	61	11.8	115	2	5	10	14	23	40	95
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	12	17.5	351	3	5	12	19	49	64	66	1	6.0		6	6	6	6	6	6	6
18-24	48	18.7	325	4	7	12	25	37	54	90	11	11.7	62	4	5	12	16	23	28	28
25-34	183	12.7	112	3	6	10	17	24	32	49	24	13.1	134	4	7	10	14	27	38	58
35-54	399	16.6	151	5	8	13	22	35	44	58	52	14.3	149	3	5	12	20	28	35	68
55-74	281	21.4	234	7	11	18	27	43	56	77	35	21.6	171	5	11	22	28	40	47	49
75 +	69	22.7	311	6	11	18	29	49	72	96	8	24.6	441	2	12	19	35	59	63	63
ALL AGES	993	17.7	201	5	8	14	23	37	47	75	131	16.4	173	4	6	13	23	32	43	64
SUBTOTAL	**1463**	**17.4**	**197**	**4**	**8**	**14**	**22**	**36**	**47**	**75**	**192**	**14.9**	**160**	**3**	**6**	**12**	**20**	**29**	**43**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	68.0		68	68	68	68	68	68	68
13-17	9	23.4	308	4	10	19	34	50	59	59	1	5.0		5	5	5	5	5	5	5
18-24	31	18.1	197	4	6	14	27	37	50	52	3	3.0	12	1	1	1	6	7	7	7
25-34	99	16.9	204	4	6	14	24	32	51	61	4	16.0	141	6	7	13	25	32	32	32
35-54	153	15.9	164	4	8	13	20	31	45	68	16	12.6	84	4	6	11	13	31	33	34
55-74	57	19.9	211	5	9	15	28	45	50	59	3	17.0	147	4	8	19	26	28	28	28
75 +	4	16.8	21	11	13	17	20	22	22	22										
ALL AGES	354	17.2	188	4	7	14	22	35	49	60	28	14.2	202	2	5	10	18	32	37	68
B. FEMALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40										
13-17	11	25.6	276	8	14	25	48	99 +	99 +	99 +										
18-24	49	16.2	187	2	8	11	22	34	44	69	1	18.0		18	18	18	18	18	18	18
25-34	136	15.0	148	3	7	12	20	31	43	74	19	12.1	90	3	5	8	20	27	31	32
35-54	224	15.4	147	3	7	13	21	32	40	62	25	12.2	81	2	4	10	16	29	30	33
55-74	88	22.8	276	5	11	20	29	47	59	75	8	15.1	175	2	5	9	29	32	33	33
75 +	32	23.8	319	8	12	20	32	45	53	89	2	28.0	288	16	16	28	40	40	40	40
ALL AGES	541	17.3	196	4	8	14	24	36	48	85	55	13.3	103	2	5	10	20	30	33	40
SUBTOTAL	**895**	**17.3**	**191**	**4**	**7**	**14**	**23**	**36**	**49**	**71**	**83**	**13.6**	**135**	**2**	**5**	**10**	**19**	**31**	**33**	**59**
GRAND TOTAL	**2358**	**17.4**	**194**	**4**	**8**	**14**	**23**	**36**	**47**	**74**	**275**	**14.5**	**152**	**3**	**5**	**11**	**20**	**30**	**39**	**67**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17	21	20.0	267	3	8	17	24	42	53	66	2	38.0	50	33	33	38	43	43	43	43
18-24	41	21.2	336	3	8	17	30	45	60	81	4	9.0	27	4	4	9	13	14	14	14
25-34	112	17.3	176	4	8	14	24	31	38	69	10	15.1	272	2	5	8	23	40	56	56
35-54	140	14.5	120	4	8	12	17	29	37	59	15	9.8	54	2	4	8	14	16	26	29
55-74	68	17.3	233	4	7	13	23	37	50	76	6	10.3	82	3	4	6	18	24	25	25
75 +	5	23.4	273	10	12	13	37	48	48	48	2	6.0	2	5	5	6	7	7	7	7
ALL AGES	388	16.9	191	4	8	13	22	33	42	72	39	12.4	142	3	4	8	16	27	38	56
B. FEMALE																				
0-12 YRS.	4	27.5	425	9	15	22	40	57	57	57										
13-17	21	20.9	198	7	12	17	28	36	52	65	8	42.6	580	15	25	39	56	79	86	86
18-24	40	19.1	236	5	8	15	26	33	49	81	5	6.4	3	4	5	7	8	8	8	8
25-34	179	14.8	180	3	6	11	20	31	36	75	16	9.1	75	2	4	7	10	21	32	36
35-54	367	17.2	161	5	8	14	23	34	42	68	59	13.0	116	2	5	11	16	28	37	50
55-74	226	21.2	199	7	12	17	27	43	51	67	22	16.0	88	5	8	15	19	30	36	39
75 +	31	21.2	190	7	12	15	31	39	44	61	4	8.3	47	2	3	6	13	18	18	18
ALL AGES	868	18.1	186	5	9	14	24	35	46	68	114	14.6	191	2	5	10	18	33	42	72
SUBTOTAL	**1256**	**17.7**	**189**	**4**	**8**	**14**	**23**	**35**	**45**	**68**	**153**	**14.1**	**176**	**3**	**5**	**10**	**18**	**33**	**42**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	23.4	249	6	9	21	35	46	48	48										
13-17	13	25.8	306	10	15	21	29	53	68	72	2	51.5	265	40	46	63	91	99 +	99 +	99 +
18-24	26	20.0	406	4	5	11	27	53	70	71	3	30.3	163	16	21	35	39	40	40	40
25-34	76	14.4	146	4	6	11	19	29	40	58	9	15.0	150	1	3	16	21	33	39	39
35-54	90	15.7	187	3	6	12	21	35	44	67	5	9.6	74	3	3	8	13	24	24	24
55-74	28	21.0	268	5	10	18	27	37	45	84	4	22.5	320	2	7	25	37	38	38	38
75 +	2	23.0	128	15	15	23	31	31	31	31										
ALL AGES	242	17.2	219	4	7	13	22	36	49	72	23	20.3	279	2	6	18	37	43	74	99 +
B. FEMALE																				
0-12 YRS.	2	59.0	242	48	48	59	70	70	70	70										
13-17	12	33.2	222	14	23	35	41	74	95	99 +	4	31.5	362	8	28	46	99 +	99 +	99 +	99 +
18-24	35	18.1	91	7	11	18	25	33	35	36	5	10.4	56	3	4	8	16	21	21	21
25-34	100	16.8	194	4	8	14	21	32	49	72	11	16.5	188	5	6	11	25	36	48	49
35-54	183	18.4	179	5	9	16	25	36	42	60	21	12.1	132	4	5	7	12	29	41	49
55-74	74	20.4	232	4	9	16	27	43	50	72	4	11.8	33	6	7	11	16	19	19	19
75 +	11	29.1	393	12	15	29	60	99 +	99 +	99 +										
ALL AGES	417	19.2	208	5	9	16	26	39	48	90	45	14.7	167	4	6	10	21	47	57	99 +
SUBTOTAL	**659**	**18.5**	**212**	**4**	**8**	**15**	**25**	**38**	**48**	**75**	**68**	**16.6**	**208**	**3**	**6**	**11**	**26**	**46**	**62**	**99 +**
GRAND TOTAL	**1915**	**18.0**	**196**	**4**	**8**	**14**	**24**	**36**	**47**	**71**	**221**	**14.9**	**186**	**3**	**5**	**10**	**20**	**37**	**47**	**99 +**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	33.0	239	10	22	36	46	49	50	50	2	30.0	1058	7	7	30	53	53	53	53
13-17	26	21.4	233	3	6	20	36	45	50	53	7	31.6	751	5	8	20	55	71	74	74
18-24	48	15.7	160	3	7	12	20	32	42	53	8	14.8	475	3	5	6	12	52	68	68
25-34	108	15.9	130	4	7	14	22	33	39	75	22	9.5	51	3	6	7	12	18	27	32
35-54	147	15.1	148	3	6	12	21	30	40	61	33	11.4	86	3	5	9	14	24	34	41
55-74	75	17.8	124	4	9	16	25	35	41	43	11	8.1	41	3	4	5	13	19	20	20
75 +	11	15.4	151	7	8	11	16	33	49	50	1	6.0		6	6	6	6	6	6	6
ALL AGES	422	16.6	150	3	7	14	22	35	42	55	84	12.9	201	3	5	8	14	26	45	72
B. FEMALE																				
0-12 YRS.	7	21.3	387	3	9	15	31	54	59	59										
13-17	25	25.4	285	5	16	21	31	49	62	71	4	31.0	550	7	11	31	51	54	54	54
18-24	51	16.8	173	3	8	14	23	29	39	66	10	9.8	57	2	3	8	15	21	25	25
25-34	151	13.8	141	3	6	11	19	28	35	84	18	14.0	311	1	3	8	14	42	59	67
35-54	332	15.2	125	5	8	14	19	26	35	68	50	12.1	130	2	4	10	15	23	40	53
55-74	197	17.3	177	4	9	15	21	30	49	69	28	16.4	230	3	7	12	19	45	55	56
75 +	30	17.1	141	4	8	15	23	35	36	53	4	10.0	95	2	3	7	16	24	24	24
ALL AGES	793	16.0	155	4	8	14	20	29	41	68	114	13.8	196	2	4	10	16	35	49	60
SUBTOTAL	**1215**	**16.2**	**154**	**4**	**7**	**14**	**21**	**31**	**41**	**63**	**198**	**13.4**	**198**	**3**	**5**	**9**	**15**	**33**	**49**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	36.5	793	5	15	33	53	80	85	85										
13-17	23	25.3	337	9	12	17	37	52	61	74	6	31.7	650	7	10	27	45	70	73	73
18-24	49	18.5	198	5	8	15	23	39	42	73	5	8.4	68	1	3	5	13	22	22	22
25-34	98	16.3	144	3	7	13	21	34	42	49	16	17.2	301	1	4	13	22	50	58	61
35-54	150	15.2	105	3	7	14	21	27	33	55	13	14.4	101	5	8	10	19	32	33	33
55-74	42	21.0	219	4	8	19	30	43	50	56	4	12.3	187	2	3	7	21	32	32	32
75 +	4	12.0	87	7	7	8	17	26	26	26										
ALL AGES	374	17.6	181	4	8	14	23	35	43	66	44	16.9	271	2	5	11	23	40	55	73
B. FEMALE																				
0-12 YRS.	2	11.0	18	8	8	11	14	14	14	14										
13-17	36	24.5	459	4	10	16	35	61	67	91	6	40.7	1205	2	3	40	70	86	88	88
18-24	48	16.7	232	4	7	14	22	28	38	96	8	9.5	81	1	2	5	18	22	24	24
25-34	140	14.9	125	3	7	12	20	29	36	59	9	15.6	221	4	6	8	19	41	49	49
35-54	187	14.4	107	3	6	12	21	30	35	52	25	10.0	96	2	3	8	13	23	30	44
55-74	80	18.5	164	4	8	16	25	36	43	59	8	9.1	72	2	3	6	12	24	27	27
75 +	14	20.9	146	8	11	18	31	41	43	43	3	2.0	1	1	1	2	3	3	3	3
ALL AGES	507	16.3	164	3	7	13	21	33	41	66	59	13.4	286	2	3	7	16	34	47	86
SUBTOTAL	**881**	**16.8**	**173**	**4**	**7**	**14**	**22**	**34**	**42**	**67**	**103**	**14.9**	**280**	**2**	**4**	**10**	**18**	**37**	**50**	**80**
GRAND TOTAL	**2096**	**16.5**	**160**	**4**	**7**	**14**	**21**	**33**	**42**	**65**	**301**	**13.9**	**226**	**2**	**4**	**9**	**16**	**34**	**49**	**71**

Total U.S., January-December 1988

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	26.0	287	7	15	25	34	51	63	63										
13-17	25	20.1	227	4	11	19	26	50	70	99 +	2	47.5	685	29	29	47	66	66	66	66
18-24	24	18.9	180	2	8	18	30	40	63	99 +	6	6.5	18	2	3	5	11	12	12	12
25-34	46	12.5	113	3	4	9	17	26	34	52	3	5.0	13	2	2	4	8	9	9	9
35-54	94	11.8	94	3	5	9	17	25	27	49	3	6.0	61	1	1	2	12	15	15	15
55-74	33	13.4	92	3	8	10	18	29	34	35	8	3.8	4	1	2	3	5	7	7	7
75 +	10	12.0	36	4	7	12	18	20	20	20	1	5.0		5	5	52	99 +	99 +	99 +	99 +
ALL AGES	241	14.3	134	3	6	11	20	29	37	66	23	8.8	194	2	2	5	10	33	76	99 +
B. FEMALE																				
0-12 YRS.	4	40.8	476	11	32	51	71	99 +	99 +	99 +										
13-17	46	18.7	385	2	6	12	23	38	72	86	1	91.0		91	91	91	91	91	91	91
18-24	61	12.3	127	3	5	9	15	26	37	57	3	4.3	18	1	1	3	7	9	9	9
25-34	106	13.8	124	3	6	11	19	27	35	59	10	6.6	22	1	1	7	10	12	13	13
35-54	195	14.1	132	3	6	11	19	28	36	70	32	7.4	34	2	3	5	12	18	19	20
55-74	126	17.4	137	6	9	15	23	33	42	73	24	8.2	20	4	5	7	11	14	18	19
75 +	25	16.4	181	3	7	14	20	36	43	59	6	12.7	210	3	4	6	15	38	41	41
ALL AGES	563	15.3	161	4	7	12	20	31	40	74	76	8.9	132	2	4	6	11	17	19	78
SUBTOTAL	**804**	**15.0**	**153**	**3**	**7**	**12**	**20**	**31**	**40**	**73**	**99**	**8.9**	**144**	**2**	**3**	**6**	**11**	**17**	**24**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	25.3	343	8	11	22	32	54	57	57	1	22.0		22	22	22	22	22	22	22
13-17	41	22.2	294	4	8	20	41	55	99 +	99 +	1	56.0		56	56	56	56	56	56	56
18-24	60	17.9	224	2	7	15	23	37	42	84	2	5.0	8	3	3	5	7	7	7	7
25-34	100	13.8	115	3	5	12	19	27	31	57	6	7.3	50	2	2	6	7	20	21	21
35-54	108	14.7	110	3	6	13	21	32	36	43	8	8.4	108	1	1	2	15	26	28	28
55-74	29	16.0	174	3	8	14	21	28	39	68	2	5.0	8	3	3	5	7	7	7	7
75 +	15	13.5	93	2	7	12	16	32	35	36										
ALL AGES	359	16.1	164	3	7	14	21	34	42	86	20	10.5	180	1	2	6	15	25	42	56
B. FEMALE																				
0-12 YRS.	3	14.7	16	10	11	16	17	18	18	18										
13-17	34	19.7	260	2	9	16	26	42	53	66										
18-24	75	18.5	304	4	8	13	22	43	55	94	11	13.9	169	2	3	9	20	33	43	44
25-34	132	16.3	152	4	7	14	21	32	43	63	7	13.3	83	3	4	16	20	24	25	25
35-54	185	15.6	170	3	7	12	22	31	40	65	15	8.5	72	1	4	6	9	17	30	35
55-74	91	19.9	173	6	10	19	28	38	49	86	13	8.4	96	1	2	4	10	27	29	30
75 +	22	19.3	143	6	12	17	25	40	44	48	5	10.4	116	1	1	6	19	26	26	26
ALL AGES	542	17.3	189	3	8	14	23	36	43	67	51	10.5	102	1	3	6	18	25	30	44
SUBTOTAL	**901**	**16.8**	**180**	**3**	**7**	**14**	**22**	**35**	**43**	**72**	**71**	**10.5**	**122**	**1**	**3**	**6**	**18**	**25**	**30**	**53**
GRAND TOTAL	**1705**	**15.9**	**170**	**3**	**7**	**13**	**21**	**32**	**42**	**73**	**170**	**9.6**	**134**	**1**	**3**	**6**	**13**	**20**	**29**	**86**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	30.3	198	11	19	34	41	41	41	41										
13-17	6	17.8	257	3	6	11	32	42	43	43	1	28.0		28	28	28	28	28	28	28
18-24	8	28.9	931	3	5	14	57	74	76	76										
25-34	10	16.0	93	6	9	12	25	30	33	33	2	10.5	113	3	3	10	18	18	18	18
35-54	20	11.5	49	3	6	11	16	22	25	27	7	7.3	15	2	4	7	11	12	12	12
55-74	16	18.8	143	4	7	22	30	34	35	36	2	15.0	242	4	4	15	26	26	26	26
75 +	6	15.0	79	2	9	16	21	25	26	26	1	4.0		4	4	4	4	4	4	4
ALL AGES	70	17.7	221	3	7	13	25	35	43	75	13	10.3	76	3	4	7	13	26	28	28
B. FEMALE																				
0-12 YRS.	2	15.5	365	2	2	15	29	29	29	29										
13-17	11	23.3	375	3	6	18	39	54	55	55	2	4.0		4	4	4	4	4	4	4
18-24	10	16.1	72	4	10	16	21	27	32	32	3	4.7	6	2	3	5	6	7	7	7
25-34	32	16.2	211	3	4	10	24	39	45	53	4	8.3	66	1	3	6	13	20	20	20
35-54	41	13.8	136	2	5	10	20	27	37	53	7	17.1	207	2	4	19	30	35	36	36
55-74	48	22.1	166	4	12	23	31	40	43	50	7	12.6	56	2	5	14	18	21	22	22
75 +	23	23.0	293	9	11	18	31	49	59	75	2	22.0	242	11	11	22	33	33	33	33
ALL AGES	167	18.7	201	3	7	17	27	39	46	55	25	12.3	115	2	4	7	19	32	34	36
SUBTOTAL	**237**	**18.4**	**207**	**3**	**7**	**15**	**27**	**39**	**45**	**71**	**38**	**11.6**	**100**	**2**	**4**	**7**	**18**	**27**	**33**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	30.9	516	6	13	26	46	64	68	68										
13-17	10	15.0	165	3	5	9	29	63	97	99 +	2	36.0	72	30	30	36	42	42	42	42
18-24	14	15.4	60	2	10	16	21	23	27	28	3	7.3	103	1	1	2	15	19	19	19
25-34	35	12.8	158	2	3	9	18	29	35	58	2	8.5	25	5	5	8	12	12	12	12
35-54	52	11.7	95	2	5	9	15	27	33	45	2	4.5	13	2	2	4	7	7	7	7
55-74	16	19.0	190	7	8	12	31	41	44	46	2	4.0	2	3	3	4	5	5	5	5
75 +	2	17.0	200	7	7	17	27	27	27	27	1	11.0		11	11	11	11	11	11	11
ALL AGES	136	14.5	159	2	6	10	20	34	42	72	12	11.6	163	2	3	6	15	34	41	42
B. FEMALE																				
0-12 YRS.	4	8.3	16	3	6	11	34	99 +	99 +	99 +										
13-17	12	18.1	359	6	8	10	24	43	68	72	1	24.0		24	24	24	24	24	24	24
18-24	30	15.3	110	2	8	14	22	28	31	46	2	6.0	18	3	3	6	9	9	9	9
25-34	37	15.4	178	2	5	11	22	37	43	55	2	5.5	13	3	3	5	8	8	8	8
35-54	49	15.6	225	2	5	13	19	35	45	72	9	9.7	204	2	2	3	10	34	46	46
55-74	36	17.1	123	4	7	15	22	34	40	45	8	10.5	105	3	4	6	14	28	33	33
75 +	13	15.6	61	5	9	17	21	26	28	28	3	24.3	429	10	11	15	40	48	48	48
ALL AGES	181	15.8	166	3	6	14	21	31	43	72	25	11.6	171	2	3	8	15	33	46	48
SUBTOTAL	**317**	**15.3**	**161**	**3**	**6**	**13**	**21**	**32**	**42**	**72**	**37**	**11.6**	**164**	**2**	**3**	**7**	**15**	**32**	**45**	**48**
GRAND TOTAL	**554**	**16.6**	**183**	**3**	**6**	**14**	**23**	**34**	**44**	**72**	**75**	**11.6**	**130**	**2**	**3**	**7**	**17**	**30**	**35**	**47**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	9.0	50	4	4	9	14	14	14	14										
75 +																				
ALL AGES	2	9.0	50	4	4	9	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	3	22.7	612	5	7	12	41	51	51	51										
75 +																				
ALL AGES	4	20.5	428	5	8	13	32	51	51	51										
SUBTOTAL	**6**	**16.7**	**301**	**4**	**5**	**13**	**14**	**47**	**51**	**51**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	33.0		33	33	33	33	33	33	33										
35-54																				
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	13.3	199	2	3	9	23	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	11.5	25	8	8	11	15	15	15	15										
55-74																				
75 +	2	7.0		7	7	7	7	7	7	7										
ALL AGES	4	9.3	14	7	7	8	11	15	15	15										
SUBTOTAL	**8**	**11.3**	**96**	**3**	**5**	**8**	**14**	**28**	**33**	**33**										
GRAND TOTAL	**14**	**13.6**	**175**	**4**	**5**	**10**	**14**	**35**	**47**	**51**										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	67.0		67	67	67	67	67	67	67										
18-24	4	16.0	376	2	3	9	29	44	44	44										
25-34	13	19.3	332	2	8	14	25	45	61	65	3	32.0	1951	6	6	7	64	83	83	83
35-54	24	14.8	134	4	5	12	21	36	39	41	3	4.7	12	1	1	5	7	8	8	8
55-74	16	13.9	43	5	9	13	19	23	25	26	2	7.5	61	2	2	7	13	13	13	13
75 +	3	22.7	460	1	6	23	39	44	44	44	1	7.0		7	7	7	7	7	7	7
ALL AGES	61	16.8	213	3	6	13	22	39	44	67	9	14.7	668	1	4	7	9	55	83	83
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	8.0	32	4	4	8	12	12	12	12										
25-34	15	10.1	106	2	5	6	11	30	36	38	1	3.0		3	3	3	3	3	3	3
35-54	33	12.5	112	3	7	9	15	29	40	43	6	15.0	191	3	7	9	24	37	39	39
55-74	31	12.4	42	4	8	13	15	21	25	30	10	7.7	42	2	2	6	11	18	20	20
75 +	18	14.8	58	6	8	15	19	25	27	28	4	7.5	16	4	4	6	10	13	13	13
ALL AGES	99	12.4	78	4	7	10	16	25	30	43	21	9.5	83	2	4	7	11	22	31	39
SUBTOTAL	**160**	**14.1**	**133**	**4**	**6**	**11**	**18**	**29**	**39**	**63**	**30**	**11.1**	**246**	**2**	**4**	**7**	**11**	**22**	**39**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	52	99 +	99 +	99 +	99 +										
18-24	6	12.0	213	2	3	6	15	37	40	40	1	4.0		4	4	4	4	4	4	4
25-34	10	14.5	328	1	2	6	28	43	57	57	2	30.5	1405	4	4	30	57	57	57	57
35-54	17	11.6	54	3	6	11	16	21	24	26	7	15.0	850	2	3	4	6	66	81	81
55-74	4	17.5	23	13	13	17	21	23	23	23	2	9.0	32	5	5	9	13	13	13	13
75 +	3	22.7	1	22	22	22	24	24	24	24	1	12.0		12	12	12	12	12	12	12
ALL AGES	41	13.6	135	2	5	12	21	28	47	99 +	13	15.4	601	3	4	5	12	62	77	81
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	3.5	1	3	3	3	4	4	4	4
25-34	8	15.3	275	1	2	10	26	42	43	43										
35-54	8	12.1	206	2	3	5	16	37	44	44	6	11.8	174	1	1	6	28	29	29	29
55-74	20	17.5	102	6	9	16	21	34	37	40	6	14.3	86	6	7	11	21	28	29	29
75 +	12	19.3	292	6	6	13	27	49	55	56	5	20.0	37	12	15	21	25	27	27	27
ALL AGES	48	16.7	186	3	6	12	21	40	44	56	19	13.9	104	2	5	12	23	28	29	29
SUBTOTAL	**89**	**15.2**	**166**	**3**	**6**	**12**	**21**	**37**	**44**	**83**	**32**	**14.5**	**293**	**2**	**4**	**7**	**21**	**29**	**54**	**81**
GRAND TOTAL	**249**	**14.5**	**144**	**3**	**6**	**11**	**20**	**30**	**41**	**65**	**62**	**12.8**	**271**	**2**	**4**	**7**	**15**	**28**	**46**	**83**

Total U.S., January-December 1988

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	6	11.3	68	1	6	11	14	24	25	25	1	2.0		2	2	2	2	2	2	2
75 +	8	24.0	251	6	12	21	37	46	46	46	4	4.5	3	3	3	4	6	7	7	7
ALL AGES	16	17.2	192	4	7	13	26	44	46	46	5	4.0	4	2	3	4	5	7	7	7
SUBTOTAL	**16**	**17.2**	**192**	**4**	**7**	**13**	**26**	**44**	**46**	**46**	**5**	**4.0**	**4**	**2**	**3**	**4**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	2	32.0	392	18	18	32	46	46	46	46										
75 +																				
ALL AGES	3	25.0	343	11	13	18	39	46	46	46										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	38.0		38	38	38	38	38	38	38										
75 +	3	25.0	16	21	22	25	28	29	29	29	1	4.0		4	4	4	4	4	4	4
ALL AGES	4	28.3	49	21	23	27	33	38	38	38	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**7**	**26.9**	**141**	**12**	**19**	**25**	**36**	**44**	**46**	**46**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**23**	**20.1**	**192**	**4**	**11**	**16**	**28**	**46**	**46**	**46**	**6**	**4.0**	**3**	**2**	**3**	**4**	**4**	**7**	**7**	**7**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	1	35.0		35	35	35	35	35	35	35										
75 +																				
ALL AGES	4	13.3	249	1	1	8	25	35	35	35										
SUBTOTAL	**6**	**9.7**	**181**	**1**	**2**	**3**	**15**	**33**	**35**	**35**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	41.0		41	41	41	41	41	41	41										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	2	23.0	648	5	5	23	41	41	41	41										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	25.0		25	25	25	25	25	25	25	1	37.0		37	37	37	37	37	37	37
55-74																				
75 +																				
ALL AGES	1	25.0		25	25	25	25	25	25	25	1	37.0		37	37	37	37	37	37	37
SUBTOTAL	**3**	**23.7**	**323**	**5**	**10**	**25**	**37**	**41**	**41**	**41**	**1**	**37.0**		**37**	**37**	**37**	**37**	**37**	**37**	**37**
GRAND TOTAL	**9**	**14.3**	**245**	**1**	**2**	**5**	**27**	**39**	**41**	**41**	**1**	**37.0**		**37**	**37**	**37**	**37**	**37**	**37**	**37**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	16.0		16	16	16	16	16	16	16										
35-54	3	17.3	202	1	7	25	26	26	26	26										
55-74	2	20.0	242	9	9	20	31	31	31	31										
75 +	3	25.3	513	4	9	23	42	49	49	49										
ALL AGES	10	20.0	200	2	9	20	26	40	49	49										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.5	25	7	7	10	14	14	14	14										
25-34																				
35-54	4	14.8	74	4	8	15	21	24	24	24										
55-74	3	18.7	87	8	11	22	25	26	26	26										
75 +	2	14.0	50	9	9	14	19	19	19	19										
ALL AGES	11	14.9	57	6	8	14	21	25	26	26										
SUBTOTAL	**21**	**17.3**	**126**	**4**	**9**	**16**	**24**	**28**	**39**	**49**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	16.7	101	5	9	22	23	23	23	23										
25-34	5	26.6	322	10	12	22	39	54	54	54										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	4.0		4	4	4	4	4	4	4	2	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	10	19.6	235	4	9	17	23	44	54	54	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	79.0		79	79	79	79	79	79	79	1	2.0		2	2	2	2	2	2	2
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	3	31.7	1681	6	7	10	62	79	79	79	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**13**	**22.4**	**485**	**5**	**8**	**13**	**26**	**59**	**75**	**79**	**3**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**34**	**19.3**	**257**	**4**	**9**	**16**	**24**	**35**	**53**	**79**	**3**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	31.5	1096	1	5	25	57	74	74	74										
18-24	14	14.4	73	4	6	15	22	24	27	28	1	1.0		1	1	1	1	1	1	1
25-34	40	14.4	160	3	6	9	18	35	45	49	1	8.0		8	8	8	8	8	8	8
35-54	47	12.7	68	4	7	12	17	22	28	38	2	9.5	1	9	9	9	10	10	10	10
55-74	31	15.7	156	3	6	11	21	38	41	43	6	5.7	11	1	3	6	8	10	10	10
75 +	11	11.7	77	3	6	8	18	25	29	29	2	4.0	8	2	2	4	6	6	6	6
ALL AGES	147	14.4	140	3	7	11	20	32	39	50	12	5.8	12	1	2	6	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.5	13	2	2	4	7	7	7	7										
18-24	5	10.2	80	5	5	7	12	26	26	26	1	6.0		6	6	6	6	6	6	6
25-34	36	10.7	71	2	4	9	15	25	30	32										
35-54	71	11.5	70	3	5	9	17	23	26	37	7	5.0	12	2	3	3	8	11	11	11
55-74	94	15.7	119	4	9	14	20	30	41	82	11	6.0	19	2	3	5	8	12	17	17
75 +	46	19.3	220	6	10	14	29	34	42	83	11	12.9	152	2	3	6	21	33	34	34
ALL AGES	254	14.3	123	3	6	12	19	29	35	60	30	8.3	74	2	3	5	9	21	33	34
SUBTOTAL	**401**	**14.3**	**130**	**3**	**6**	**12**	**19**	**29**	**37**	**55**	**42**	**7.6**	**57**	**2**	**3**	**5**	**9**	**18**	**26**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	38.0	450	23	23	38	53	53	53	53										
18-24	15	9.0	48	2	5	6	13	15	25	28	1	1.0		1	1	1	1	1	1	1
25-34	38	15.2	142	2	6	15	21	30	39	54	2	2.5	5	1	1	2	4	4	4	4
35-54	48	11.6	107	3	4	8	15	28	31	52	3	7.7	114	1	1	2	15	20	20	20
55-74	27	18.9	125	6	11	15	27	36	40	49	4	9.3	84	2	2	6	16	22	22	22
75 +	17	19.9	162	6	12	16	27	36	49	55	3	11.7	56	3	6	15	16	17	17	17
ALL AGES	147	14.9	139	3	6	13	20	30	37	54	13	7.8	63	1	2	3	15	20	22	22
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	2	6.5	25	3	3	6	10	10	10	10										
18-24	2	27.0	242	16	16	27	38	38	38	38										
25-34	36	12.3	79	4	6	9	17	25	32	39	1	10.0		10	10	10	10	10	10	10
35-54	54	14.2	146	4	6	9	20	34	42	49	6	8.5	47	2	4	6	11	20	21	21
55-74	59	20.6	180	4	10	20	29	38	47	55	14	13.1	154	1	5	8	24	36	37	37
75 +	36	25.9	462	7	13	23	41	80	99 +	99 +	6	15.2	345	4	4	5	23	47	50	50
ALL AGES	190	18.0	227	5	7	14	26	39	49	99 +	27	12.4	159	2	4	7	19	34	39	50
SUBTOTAL	**337**	**16.7**	**189**	**4**	**6**	**14**	**23**	**37**	**48**	**82**	**40**	**10.9**	**130**	**1**	**3**	**6**	**16**	**24**	**36**	**50**
GRAND TOTAL	**738**	**15.4**	**158**	**3**	**6**	**13**	**21**	**32**	**41**	**79**	**82**	**9.2**	**94**	**2**	**3**	**6**	**11**	**22**	**33**	**46**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27	1	20.0		20	20	20	20	20	20	20
18-24	2	16.5	221	6	6	16	27	27	27	27										
25-34	6	9.5	27	2	6	10	12	16	17	17	2	25.5	545	9	9	25	42	42	42	42
35-54	6	7.3	11	3	4	8	10	11	11	11	4	10.3	160	1	3	5	17	29	29	29
55-74	5	30.4	1230	6	9	15	45	91	91	91	4	10.3	107	1	1	9	19	22	22	22
75 +	3	9.7	32	3	5	13	13	13	13	13	2	14.0	18	11	11	14	17	17	17	17
ALL AGES	23	14.9	333	3	6	10	15	28	51	91	13	13.9	149	1	4	11	20	32	40	42
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	4	8.0	18	4	4	7	11	13	13	13										
25-34	11	13.2	115	1	3	9	23	26	28	28	5	5.4	26	1	2	5	7	14	14	14
35-54	20	12.0	50	3	7	11	16	20	27	31	5	7.4	12	4	5	6	10	12	12	12
55-74	17	10.8	44	1	6	11	15	18	24	27	3	15.7	115	8	9	11	24	28	28	28
75 +	8	9.1	100	2	4	5	10	27	32	32	4	17.3	141	5	7	18	27	28	28	28
ALL AGES	61	11.1	63	2	5	10	15	23	27	32	18	10.1	78	2	5	7	12	28	28	28
SUBTOTAL	**84**	**12.2**	**135**	**3**	**5**	**10**	**15**	**25**	**29**	**71**	**31**	**11.7**	**107**	**2**	**5**	**9**	**17**	**28**	**29**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-24	6	13.8	233	2	3	9	17	39	42	42										
25-34	4	14.0	69	7	9	11	19	26	26	26										
35-54	8	13.8	67	5	7	14	16	26	31	31	2	3.5	5	2	2	3	5	5	5	5
55-74											1	6.0		6	6	6	6	6	6	6
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	20	14.0	103	3	6	13	16	28	36	42	3	4.3	5	2	3	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.5	113	1	1	8	16	16	16	16										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	10	18.2	121	8	9	17	22	35	42	42										
35-54	8	2.0	2	1	1	2	3	4	5	5	3	9.7	64	5	5	5	16	19	19	19
55-74	5	20.4	236	7	9	19	26	46	46	46	2	15.0	98	8	8	15	22	22	22	22
75 +	4	11.3	14	8	8	11	14	16	16	16	2	8.0		8	8	8	8	8	8	8
ALL AGES	30	12.4	131	1	3	9	19	25	42	46	7	10.7	48	5	6	8	16	21	22	22
SUBTOTAL	**50**	**13.1**	**117**	**2**	**5**	**10**	**17**	**27**	**42**	**46**	**10**	**8.8**	**42**	**3**	**5**	**7**	**8**	**20**	**22**	**22**
GRAND TOTAL	**134**	**12.5**	**128**	**2**	**5**	**10**	**16**	**26**	**31**	**53**	**41**	**11.0**	**91**	**2**	**5**	**8**	**16**	**27**	**29**	**42**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.0	200	1	1	11	21	21	21	21										
18-24	4	9.3	38	1	4	10	14	15	15	15										
25-34	5	10.6	15	4	9	11	13	14	14	14	2	5.0	32	1	1	5	9	9	9	9
35-54	5	10.4	37	2	6	12	14	18	18	18	1	7.0		7	7	7	7	7	7	7
55-74	7	13.1	64	2	7	14	19	23	24	24	5	5.8	11	2	3	6	7	11	11	11
75 +	2	5.0	2	4	4	5	6	6	6	6	3	9.7	36	3	5	11	14	15	15	15
ALL AGES	25	10.6	44	1	6	11	14	19	22	24	11	6.8	19	2	3	6	10	13	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8	2	20.0	722	1	1	20	39	39	39	39
18-24	7	8.7	145	1	1	6	8	30	35	35	1	2.0		2	2	2	2	2	2	2
25-34	6	8.8	55	1	2	7	16	19	19	19	3	5.7	2	4	4	6	7	7	7	7
35-54	16	12.4	149	2	3	10	17	24	41	49	6	4.8	5	1	4	5	6	7	7	7
55-74	9	9.4	44	3	4	8	11	20	24	24	12	6.2	18	2	4	5	7	11	17	18
75 +	3	11.3	87	5	5	7	18	22	22	22	8	5.6	7	3	4	5	7	9	10	10
ALL AGES	42	10.5	97	2	4	8	15	23	29	49	32	6.5	45	2	4	5	7	9	17	39
SUBTOTAL	**67**	**10.5**	**77**	**1**	**4**	**9**	**15**	**22**	**24**	**47**	**43**	**6.6**	**38**	**2**	**4**	**6**	**7**	**11**	**16**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	14.0	49	3	10	16	19	21	21	21										
25-34	10	12.2	67	3	5	11	19	23	26	26	1	1.0		1	1	1	1	1	1	1
35-54	5	6.2	44	1	2	3	10	17	17	17	7	3.3	2	1	2	3	5	5	5	5
55-74	3	3.7		3	3	4	4	4	4	4	2	12.0	162	3	3	12	21	21	21	21
75 +											3	3.7	5	1	2	5	5	5	5	5
ALL AGES	23	10.2	58	2	3	7	17	21	23	26	13	4.5	27	1	2	3	5	8	19	21
B. FEMALE																				
0-12 YRS.																				
13-17	2	9.0	18	6	6	9	12	12	12	12	1	5.0		5	5	5	5	5	5	5
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	3	5.7		5	5	6	6	6	6	6										
35-54	4	9.5	79	2	2	7	16	21	21	21	5	5.4	27	1	1	4	8	14	14	14
55-74	6	9.8	26	2	7	10	14	16	16	16	9	7.3	71	1	2	5	9	21	28	28
75 +	3	12.3	131	3	4	9	21	25	25	25	6	6.2	53	2	3	3	5	19	21	21
ALL AGES	19	9.5	40	2	5	9	12	19	23	25	21	6.4	48	1	2	4	7	17	24	28
SUBTOTAL	**42**	**9.9**	**49**	**3**	**4**	**8**	**16**	**21**	**23**	**26**	**34**	**5.7**	**40**	**1**	**2**	**4**	**5**	**15**	**21**	**28**
GRAND TOTAL	**109**	**10.3**	**65**	**2**	**4**	**8**	**15**	**21**	**24**	**41**	**77**	**6.2**	**38**	**1**	**3**	**5**	**7**	**11**	**20**	**36**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	2	5.5	41	1	1	5	10	10	10	10	1	2.0		2	2	2	2	2	2	2
55-74	1	44.0		44	44	44	44	44	44	44										
75 +	2	16.0	450	1	1	16	31	31	31	31	4	4.5	26	1	1	2	7	12	12	12
ALL AGES	7	13.7	290	1	1	7	26	41	44	44	6	3.7	17	1	2	2	3	11	12	12
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74	2	2.0		2	2	2	2	2	2	2										
75 +	3	5.3	9	2	3	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	7	3.6	5	2	2	2	6	7	7	7	3	3.0		3	3	3	3	3	3	3
SUBTOTAL	**14**	**8.6**	**165**	**1**	**2**	**3**	**7**	**32**	**41**	**44**	**9**	**3.4**	**11**	**1**	**2**	**3**	**3**	**9**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +											2	3.0	8	1	1	3	5	5	5	5
ALL AGES											4	2.3	3	1	1	2	3	5	5	5
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34	2	4.0		4	4	4	4	4	4	4										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	4.5	1	4	4	4	5	5	5	5	2	4.5	1	4	4	4	5	5	5	5
75 +											2	3.0		3	3	3	3	3	3	3
ALL AGES	6	4.0	3	1	4	4	5	6	6	6	5	3.2	2	1	2	3	4	5	5	5
SUBTOTAL	**6**	**4.0**	**3**	**1**	**4**	**4**	**5**	**6**	**6**	**6**	**9**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**20**	**7.3**	**117**	**1**	**2**	**4**	**7**	**20**	**37**	**44**	**18**	**3.1**	**7**	**1**	**2**	**3**	**3**	**5**	**9**	**12**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	8.2	22	2	5	7	12	15	15	15	2	6.5	25	3	3	6	10	10	10	10
25-34	4	7.8	40	3	3	5	12	17	17	17	2	3.5	5	2	2	3	5	5	5	5
35-54	10	9.2	52	1	2	7	15	19	22	22	2	5.0	32	1	1	5	9	9	9	9
55-74	5	17.2	157	3	7	18	25	35	35	35	3	4.7	14	2	2	3	7	9	9	9
75 +											3	5.7	30	2	2	3	10	12	12	12
ALL AGES	25	10.3	68	2	4	8	15	22	25	35	12	5.1	14	1	2	3	9	11	12	12
B. FEMALE																				
0-12 YRS.											2	3.5	1	3	3	3	4	4	4	4
13-17																				
18-24	2	2.0		2	2	2	2	2	2	2										
25-34	5	11.4	187	2	2	8	16	35	35	35										
35-54	15	11.9	77	1	6	10	16	28	29	30	4	5.0	15	1	2	4	8	10	10	10
55-74	13	14.7	221	1	3	11	20	43	44	44	5	5.0	6	3	3	5	6	9	9	9
75 +	10	10.4	38	4	6	9	12	20	21	21	8	5.8	22	1	2	5	8	13	15	15
ALL AGES	45	11.9	116	2	4	10	15	28	37	44	19	5.2	13	1	3	5	7	10	13	15
SUBTOTAL	**70**	**11.3**	**99**	**2**	**4**	**9**	**15**	**25**	**35**	**44**	**31**	**5.1**	**14**	**1**	**2**	**4**	**8**	**10**	**12**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24	4	11.5	51	4	5	11	17	19	19	19										
25-34	4	6.0	34	1	1	6	11	12	12	12	2	6.0	8	4	4	6	8	8	8	8
35-54	9	17.4	183	4	7	13	25	38	45	45	3	5.7	20	1	2	6	9	10	10	10
55-74	1	5.0		5	5	5	5	5	5	5	1	42.0		42	42	42	42	42	42	42
75 +	1	10.0		10	10	10	10	10	10	10	5	16.0	693	2	3	5	20	63	63	63
ALL AGES	20	12.9	112	2	5	10	17	26	36	45	11	13.7	397	2	4	6	9	50	62	63
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	7.3	71	2	2	3	13	17	17	17										
25-34	11	14.5	145	3	4	10	25	32	36	36										
35-54	8	15.6	127	3	6	15	22	32	36	36	2	3.0	2	2	2	3	4	4	4	4
55-74	9	9.7	23	3	5	11	13	16	16	16	5	15.6	301	3	4	9	24	45	45	45
75 +	5	11.0	140	4	5	7	13	32	32	32	2	11.0	18	8	8	11	14	14	14	14
ALL AGES	36	12.4	102	3	4	9	17	29	35	36	9	11.8	181	2	4	8	15	34	45	45
SUBTOTAL	**56**	**12.6**	**103**	**3**	**5**	**10**	**17**	**28**	**35**	**44**	**20**	**12.9**	**284**	**2**	**4**	**6**	**12**	**43**	**54**	**63**
GRAND TOTAL	**126**	**11.9**	**100**	**2**	**5**	**9**	**16**	**27**	**35**	**44**	**51**	**8.2**	**130**	**2**	**3**	**5**	**9**	**14**	**41**	**63**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	13.5	41	9	9	13	18	18	18	18										
ALL AGES	2	13.5	41	9	9	13	18	18	18	18										
SUBTOTAL	**3**	**11.7**	**29**	**8**	**8**	**9**	**15**	**18**	**18**	**18**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	45.0		45	45	45	45	45	45	45										
55-74											1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	1	45.0		45	45	45	45	45	45	45	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	2	10.0	2	9	9	10	11	11	11	11										
SUBTOTAL	**3**	**21.7**	**407**	**9**	**9**	**11**	**36**	**45**	**45**	**45**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**
GRAND TOTAL	**6**	**16.7**	**205**	**8**	**9**	**10**	**18**	**42**	**45**	**45**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35	1	20.0		20	20	20	20	20	20	20
13-17	14	13.4	217	1	2	8	24	34	46	50	2	13.0	162	4	4	13	22	22	22	22
18-24	39	11.9	242	2	4	7	15	27	34	91	2	6.0	18	3	3	6	9	9	9	9
25-34	39	6.1	16	1	3	6	8	13	14	16	1	6.0		6	6	6	6	6	6	6
35-54	48	9.9	59	3	4	8	14	21	22	40	7	6.1	24	2	2	4	9	14	15	15
55-74	21	12.0	63	2	6	11	18	20	26	33	6	5.8	14	1	4	5	7	11	12	12
75 +	6	12.7	113	2	3	10	25	26	26	26	4	7.5	4	5	6	8	9	9	9	9
ALL AGES	168	10.3	112	1	4	7	14	21	32	48	23	7.5	29	2	4	6	9	16	21	22
B. FEMALE																				
0-12 YRS.	2	22.0	648	4	13	40	85	99 +	99 +	99 +										
13-17	11	16.7	286	1	2	8	33	40	45	45										
18-24	44	8.7	41	1	4	7	13	18	21	26	7	6.7	9	2	4	7	9	11	11	11
25-34	81	10.0	57	3	5	9	12	19	23	44	4	8.3	76	2	2	5	14	21	21	21
35-54	104	9.9	47	3	5	9	14	18	22	36	9	4.8	5	3	3	4	5	8	10	10
55-74	31	13.2	166	3	6	10	13	29	45	61	8	4.5	18	1	1	3	6	11	13	13
75 +	13	10.2	30	3	6	10	13	18	20	21	9	6.7	10	3	5	6	8	12	13	13
ALL AGES	286	10.4	75	2	5	9	13	20	26	46	37	5.9	17	2	3	5	8	11	13	21
SUBTOTAL	**454**	**10.4**	**88**	**2**	**4**	**8**	**13**	**20**	**27**	**47**	**60**	**6.5**	**22**	**2**	**3**	**5**	**8**	**12**	**17**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	6.6	16	3	3	6	11	12	12	12	1	2.0		2	2	2	2	2	2	2
18-24	41	11.4	95	2	4	8	17	26	29	42	2	1.5	1	1	1	1	2	2	2	2
25-34	54	7.2	45	2	2	6	9	15	20	37	2	3.0		3	3	3	3	3	3	3
35-54	34	8.1	25	3	4	7	11	15	19	20	5	4.8	17	1	1	4	8	10	10	10
55-74	11	9.1	41	2	4	8	14	18	22	22	1	3.0		3	3	3	3	3	3	3
75 +	5	8.4	25	1	6	9	11	15	15	15	2	5.5	41	1	1	5	10	10	10	10
ALL AGES	152	8.7	53	2	3	7	12	19	24	38	13	3.8	11	1	1	3	5	10	10	10
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	11	10.2	40	2	4	11	14	19	20	20	3	27.3	327	15	16	19	41	48	48	48
18-24	29	10.2	77	1	4	7	14	21	28	37										
25-34	79	10.4	79	2	4	8	13	23	27	45	4	12.3	163	3	4	7	20	31	31	31
35-54	67	10.2	77	1	3	9	13	20	27	40	2	3.0	8	1	1	3	5	5	5	5
55-74	16	13.0	83	6	7	11	15	19	36	43	3	10.7	5	8	9	11	12	13	13	13
75 +	5	9.0	41	1	3	10	14	16	16	16	4	8.8	36	3	3	8	14	15	15	15
ALL AGES	208	10.4	75	2	4	9	14	21	26	42	16	12.8	144	3	4	10	15	30	43	48
SUBTOTAL	**360**	**9.7**	**66**	**2**	**4**	**8**	**13**	**20**	**25**	**42**	**29**	**8.7**	**104**	**1**	**3**	**5**	**11**	**17**	**32**	**48**
GRAND TOTAL	**814**	**10.1**	**78**	**2**	**4**	**8**	**13**	**20**	**26**	**44**	**89**	**7.2**	**49**	**1**	**3**	**5**	**9**	**14**	**20**	**41**

Total U.S., January-December 1988

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	24	20.7	340	1	5	17	35	43	58	66	6	1.8	1	1	1	2	2	3	3	3
13-17	46	18.7	501	2	5	10	28	44	82	88	8	5.3	23	1	2	3	7	13	15	15
18-24	105	14.0	180	1	4	10	21	36	42	99 +	27	8.2	66	1	3	5	12	15	24	39
25-34	130	11.5	144	2	3	8	14	29	33	67	54	7.8	133	1	2	4	7	18	22	60
35-54	150	9.8	94	2	3	6	13	24	31	60	49	5.6	32	1	2	3	6	14	16	26
55-74	179	11.9	134	2	4	8	17	25	34	51	98	6.3	49	1	2	4	7	16	21	38
75 +	157	10.1	112	2	4	7	12	19	33	53	127	8.7	110	2	3	6	10	17	30	80
ALL AGES	791	12.0	163	2	4	8	15	29	39	68	369	7.3	81	1	2	4	9	16	21	60
B. FEMALE																				
0-12 YRS.	8	15.9	208	2	7	14	28	79	99 +	99 +	9	2.4	2	1	1	2	3	5	5	5
13-17	42	18.5	431	2	4	12	21	55	63	90	16	17.4	322	1	3	8	28	40	57	64
18-24	76	13.8	133	3	6	11	18	27	33	63	19	6.1	24	1	2	5	8	14	18	19
25-34	174	12.1	149	2	4	8	15	29	40	56	38	4.6	12	1	2	4	7	11	12	13
35-54	268	11.1	103	2	5	8	15	24	29	55	76	6.0	25	1	3	4	8	14	16	79
55-74	322	11.0	83	2	4	8	15	24	29	78	181	7.5	99	1	3	5	9	14	18	51
75 +	310	9.4	78	2	4	7	13	20	31	44	230	7.3	49	2	3	5	9	14	20	44
ALL AGES	1200	11.2	115	2	4	8	15	25	33	62	569	7.2	68	1	3	5	8	14	20	51
SUBTOTAL	**1991**	**11.6**	**133**	**2**	**4**	**8**	**15**	**27**	**36**	**66**	**938**	**7.2**	**74**	**1**	**3**	**5**	**9**	**15**	**21**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	32.3	551	5	15	31	48	66	77	77	1	28.0		28	28	28	28	28	28	28
13-17	27	27.3	488	3	7	23	42	56	72	84	8	20.9	352	1	5	17	34	49	54	54
18-24	96	14.7	226	2	5	11	19	38	69	99 +	12	12.3	235	2	3	8	14	32	53	57
25-34	137	11.1	118	2	4	8	16	24	36	67	32	8.8	100	1	3	5	9	27	32	41
35-54	115	11.9	131	2	4	9	14	26	32	61	34	6.4	38	1	2	4	7	17	19	25
55-74	91	10.9	108	3	4	8	14	22	28	60	45	7.6	41	2	3	6	10	17	19	31
75 +	53	13.2	272	2	4	9	15	31	73	99	58	8.3	59	2	4	7	9	15	23	44
ALL AGES	529	13.3	199	2	4	9	17	30	47	86	190	8.8	87	2	3	6	10	19	28	50
B. FEMALE																				
0-12 YRS.	1	62.0		62	71	99 +	99 +	99 +	99 +	99 +	1	2.0		2	2	2	2	2	2	2
13-17	25	25.4	275	7	10	24	37	45	53	70	6	12.2	70	1	6	11	20	23	23	23
18-24	64	12.7	129	3	5	9	17	35	39	92	13	8.0	73	1	2	3	16	22	24	25
25-34	136	12.5	96	2	5	10	18	26	31	43	32	8.0	73	1	2	5	10	20	30	35
35-54	153	12.6	118	2	6	10	16	24	34	66	27	7.7	74	2	3	5	9	14	24	44
55-74	129	13.1	145	2	5	10	17	28	36	89	60	9.4	68	2	4	6	13	19	25	42
75 +	112	13.3	139	3	6	10	17	26	37	62	73	7.5	31	2	4	7	9	15	18	85
ALL AGES	620	13.4	139	3	6	10	18	29	38	69	212	8.3	56	2	3	6	11	18	23	43
SUBTOTAL	**1149**	**13.4**	**165**	**2**	**5**	**10**	**18**	**30**	**41**	**82**	**402**	**8.5**	**71**	**2**	**3**	**6**	**10**	**19**	**26**	**44**
GRAND TOTAL	**3140**	**12.2**	**147**	**2**	**4**	**8**	**16**	**28**	**38**	**71**	**1340**	**7.6**	**73**	**2**	**3**	**5**	**9**	**16**	**22**	**52**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	30	19.7	427	3	4	10	29	50	57	85	6	18.2	335	1	2	13	34	44	45	45
13-17	3	31.7	1602	1	5	17	62	77	77	77	1	3.0		3	3	3	3	3	3	3
18-24	5	26.8	280	3	17	27	37	49	49	49										
25-34	1	88.0		88	88	88	88	88	88	88										
35-54																				
55-74																				
75 +																				
ALL AGES	39	23.3	567	3	4	14	32	55	81	88	7	16.0	313	1	2	6	31	43	45	45
B. FEMALE																				
0-12 YRS.	7	6.1	31	1	3	3	8	15	17	17	2	4.5	5	3	3	4	6	6	6	6
13-17	2	15.0	200	5	5	15	25	25	25	25										
18-24	2	12.0	162	3	3	12	21	21	21	21										
25-34	3	10.3	3	9	9	10	11	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	14	9.1	55	2	3	8	12	21	24	25	2	4.5	5	3	3	4	6	6	6	6
SUBTOTAL	**53**	**19.5**	**470**	**3**	**4**	**10**	**29**	**50**	**74**	**88**	**9**	**13.4**	**263**	**1**	**3**	**6**	**24**	**41**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	34.3	1196	11	14	46	87	99 +	99 +	99 +	1	36.0		36	36	36	36	36	36	36
13-17	2	28.0	98	21	21	28	35	35	35	35										
18-24	1	21.0		21	21	21	21	21	21	21										
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	7	27.9	467	12	16	21	54	92	99 +	99 +	1	36.0		36	36	36	36	36	36	36
B. FEMALE																				
0-12 YRS.	2	36.0	2	35	35	36	37	37	37	37										
13-17	1	17.0		17	17	17	17	17	17	17										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	29.7	118	17	21	35	36	37	37	37										
SUBTOTAL	**10**	**28.4**	**341**	**13**	**17**	**21**	**37**	**84**	**99**	**99 +**	**1**	**36.0**		**36**	**36**	**36**	**36**	**36**	**36**	**36**
GRAND TOTAL	**63**	**20.9**	**455**	**3**	**5**	**14**	**30**	**62**	**79**	**98**	**10**	**15.7**	**283**	**1**	**3**	**6**	**34**	**40**	**45**	**45**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	34	23.4	524	3	4	14	42	54	73	83	5	48.8	800	27	31	38	62	97	97	97
13-17	14	24.9	277	10	11	20	34	45	61	66										
18-24																				
25-34	2	18.0	392	4	4	18	32	32	32	32	1	5.0		5	5	5	5	5	5	5
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	51	23.4	428	4	8	14	35	52	67	83	6	41.5	960	7	27	35	50	92	97	97
B. FEMALE																				
0-12 YRS.	13	28.1	451	4	10	23	42	60	70	72	3	44.7	1286	6	17	51	70	77	77	77
13-17	8	21.3	492	4	8	14	24	59	73	73	1	4.0		4	4	4	4	4	4	4
18-24	4	13.0	37	7	8	12	17	21	21	21										
25-34	1	19.0		19	19	19	19	19	19	19										
35-54	2	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	28	22.0	385	4	8	15	27	53	72	73	4	34.5	1274	4	5	28	64	77	77	77
SUBTOTAL	**79**	**22.9**	**408**	**4**	**8**	**14**	**33**	**52**	**70**	**81**	**10**	**38.7**	**971**	**4**	**6**	**35**	**51**	**87**	**97**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	44.3	601	14	33	45	70	99	99 +	99 +	1	28.0		28	28	28	28	28	28	28
13-17	6	19.5	121	8	10	25	33	87	99 +	99 +										
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	23	36.4	588	10	18	36	61	99 +	99 +	99 +	1	28.0		28	28	64	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	10	27.4	268	7	19	25	34	52	62	62	1	50.0		50	50	75	99 +	99 +	99 +	99 +
13-17	5	18.0	849	3	4	6	70	97	99 +	99 +										
18-24	2	36.5	313	24	24	36	49	49	49	49										
25-34	1	37.0		37	37	37	37	37	37	37										
35-54																				
55-74																				
75 +																				
ALL AGES	18	26.3	402	4	8	24	41	67	86	99 +	1	50.0		50	50	75	99 +	99 +	99 +	99 +
SUBTOTAL	**41**	**32.0**	**518**	**7**	**13**	**33**	**53**	**98**	**99 +**	**99 +**	**2**	**39.0**	**242**	**28**	**39**	**75**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**120**	**26.0**	**461**	**4**	**9**	**21**	**42**	**67**	**78**	**99 +**	**12**	**38.8**	**812**	**5**	**27**	**44**	**77**	**99 +**	**99 +**	**99 +**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	26.4	125	14	17	24	37	39	39	39										
13-17	1	8.0		8	8	8	8	8	8	8										
18-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	6	23.3	159	9	14	21	37	39	39	39	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	2	41.5	1	41	41	41	42	42	42	42										
13-17	1	27.0		27	27	27	27	27	27	27										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	36.7	67	27	30	41	42	42	42	42										
SUBTOTAL	**9**	**27.8**	**159**	**10**	**17**	**27**	**39**	**42**	**42**	**42**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	36.3	179	21	25	36	47	52	52	52	1	10.0		10	10	10	10	10	10	10
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	5	30.2	321	6	17	30	44	52	52	52	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.	2	29.0	578	12	12	29	46	46	46	46										
13-17	1	9.0		9	9	9	9	9	9	9										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	22.3	425	9	10	12	37	46	46	46										
SUBTOTAL	**8**	**27.3**	**318**	**7**	**10**	**25**	**44**	**50**	**52**	**52**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**17**	**27.5**	**222**	**8**	**13**	**27**	**41**	**45**	**50**	**52**	**2**	**8.5**	**5**	**7**	**7**	**8**	**10**	**10**	**10**	**10**

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	22.3	136	11	12	21	32	36	36	35	3	4.0	9	1	2	4	6	7	7	7
13-17	16	8.2	75	1	1	7	11	21	29	32	6	1.7	1	1	1	1	2	3	3	3
18-24	27	8.9	257	1	1	2	6	31	58	59	19	2.0	2	1	1	2	3	4	5	5
25-34	69	5.2	37	1	1	3	7	13	18	29	41	3.2	13	1	1	2	3	6	8	23
35-54	139	4.8	27	1	1	3	6	13	16	25	119	3.0	6	1	1	2	4	6	9	11
55-74	65	5.0	25	1	2	3	6	12	18	21	86	2.9	6	1	1	2	3	6	7	13
75 +	20	5.4	18	1	2	5	7	12	14	16	27	3.7	9	1	2	3	5	6	10	15
ALL AGES	340	5.6	54	1	1	3	7	14	19	34	301	3.0	7	1	1	2	3	6	8	13
B. FEMALE																				
0-12 YRS.	4	18.0	190	2	8	17	28	35	35	35	3	2.0	1	1	1	2	3	3	3	3
13-17	10	4.9	39	1	1	2	4	16	18	18	13	5.2	59	1	1	2	5	19	25	26
18-24	47	5.7	28	1	2	4	8	13	17	24	28	2.5	7	1	1	2	3	4	6	15
25-34	123	7.3	66	1	2	4	10	18	21	43	75	3.5	15	1	1	2	4	6	12	21
35-54	209	5.9	57	1	1	3	7	14	22	35	242	3.3	23	1	1	2	4	5	9	30
55-74	224	6.8	71	1	2	4	8	16	24	44	194	3.7	9	1	2	3	5	7	9	13
75 +	53	7.3	77	1	2	4	9	18	29	44	101	4.3	23	1	2	3	5	8	9	30
ALL AGES	670	6.6	64	1	2	4	8	16	22	43	656	3.6	18	1	2	3	4	7	9	24
SUBTOTAL	**1010**	**6.3**	**60**	**1**	**2**	**3**	**8**	**15**	**22**	**40**	**957**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	21.3	772	7	7	8	35	63	63	63	1	27.0		27	27	27	27	27	27	27
13-17	7	13.7	132	3	4	9	20	31	34	34	3	12.0	301	1	1	3	25	32	32	32
18-24	34	10.4	135	1	3	6	13	26	42	46	12	3.8	12	1	1	2	5	10	12	12
25-34	96	10.0	75	2	3	7	15	22	29	38	34	6.0	56	1	2	4	7	11	17	42
35-54	132	9.9	86	2	3	7	14	24	26	44	51	4.8	38	1	2	3	5	8	21	29
55-74	67	8.8	37	2	4	8	13	17	18	29	28	3.9	14	1	1	3	5	9	14	15
75 +	9	7.1	20	2	3	7	10	13	15	15	3	6.0	12	2	3	8	8	8	8	8
ALL AGES	349	9.9	85	2	3	7	14	22	26	44	132	5.2	43	1	2	3	5	10	19	34
B. FEMALE																				
0-12 YRS.	3	19.7	122	7	11	24	27	28	28	28	1	2.0		2	2	2	2	2	2	2
13-17	17	9.9	146	1	2	4	15	23	38	46	10	8.9	190	1	1	2	12	32	43	43
18-24	56	11.7	162	2	3	7	16	27	38	62	18	5.8	63	1	1	4	5	14	27	34
25-34	173	11.8	120	2	4	8	16	26	33	52	56	6.6	56	1	2	4	8	20	27	30
35-54	253	11.5	88	2	5	9	16	23	28	48	98	4.5	29	1	2	3	5	9	18	29
55-74	164	10.9	91	2	3	9	16	23	28	48	88	6.4	48	1	3	4	7	11	20	40
75 +	43	11.3	78	3	4	9	18	22	28	41	34	6.5	123	1	2	3	6	13	25	62
ALL AGES	709	11.4	104	2	4	9	16	25	29	50	305	5.9	57	1	2	3	6	12	22	40
SUBTOTAL	**1058**	**10.9**	**98**	**2**	**3**	**8**	**15**	**24**	**29**	**47**	**437**	**5.7**	**52**	**1**	**2**	**3**	**6**	**12**	**21**	**38**
GRAND TOTAL	**2068**	**8.7**	**84**	**1**	**2**	**5**	**12**	**21**	**26**	**45**	**1394**	**4.1**	**28**	**1**	**2**	**3**	**5**	**8**	**12**	**29**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	8.7	135	1	2	4	7	29	36	39	9	5.8	108	1	1	2	5	23	33	33
13-17	30	6.3	45	1	2	4	7	14	25	29	19	4.1	45	1	1	2	4	7	20	31
18-24	16	2.7	2	1	1	2	4	5	6	6	17	2.3	2	1	1	2	3	4	6	7
25-34	30	7.0	83	1	2	3	7	19	35	36	13	3.8	12	1	1	3	4	10	12	12
35-54	35	4.9	32	1	2	3	5	12	19	25	26	3.7	8	1	2	3	5	6	11	13
55-74	11	6.6	93	1	2	2	6	22	32	33	8	5.0	8	2	3	4	7	9	10	10
75 +	7	10.9	177	2	2	5	21	32	34	34	3	3.3	6	2	2	2	5	6	6	6
ALL AGES	145	6.2	65	1	2	3	6	15	27	36	95	3.8	24	1	2	2	4	7	11	32
B. FEMALE																				
0-12 YRS.	31	8.6	131	1	3	4	9	20	41	50	13	3.0	3	1	2	2	4	5	7	7
13-17	67	5.1	48	1	2	3	6	11	17	90	38	3.5	30	1	1	2	3	6	16	29
18-24	75	8.9	148	1	2	5	9	35	46	99 +	44	4.0	13	1	1	3	5	9	11	17
25-34	108	9.2	201	1	2	4	9	28	34	84	63	4.0	20	1	2	3	5	7	9	31
35-54	118	6.9	63	1	2	4	9	18	26	37	62	3.1	6	1	1	2	4	7	9	10
55-74	44	5.6	23	2	3	4	7	10	16	26	36	4.4	15	1	2	3	5	8	12	20
75 +	8	9.4	75	1	3	6	16	23	24	24	8	5.8	31	1	3	4	6	15	19	19
ALL AGES	451	7.5	111	1	2	4	8	18	34	80	264	3.8	16	1	2	3	5	7	10	22
SUBTOTAL	**596**	**7.2**	**100**	**1**	**2**	**4**	**7**	**18**	**33**	**55**	**359**	**3.8**	**18**	**1**	**2**	**3**	**5**	**7**	**10**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	9.5	85	3	3	9	16	16	16	16	3	16.7	385	2	4	9	31	39	39	39
13-17	5	11.6	138	2	4	10	31	93	99 +	99 +	3	3.3	3	2	2	3	4	5	5	5
18-24	11	12.7	182	3	5	6	20	35	43	44	5	4.6	12	1	2	5	6	10	10	10
25-34	32	9.3	136	1	3	6	8	25	32	54	7	8.7	221	1	1	4	6	35	42	42
35-54	33	7.6	67	1	2	5	9	20	23	38	13	2.9	9	1	1	2	4	8	10	11
55-74	11	6.3	35	1	1	4	11	15	19	19	6	8.0	118	2	3	4	6	28	30	30
75 +	3	18.0	228	2	6	20	29	32	32	32	3	3.7	6	1	1	4	5	6	6	6
ALL AGES	97	9.2	106	1	3	5	13	23	32	78	40	6.0	89	1	1	3	6	10	34	42
B. FEMALE																				
0-12 YRS.	5	36.0	1382	7	10	37	88	99	99 +	99 +	5	19.0	517	1	2	4	41	49	49	49
13-17	20	16.6	420	2	3	12	22	65	86	99 +	8	4.4	10	2	3	3	4	10	12	12
18-24	44	11.3	273	1	2	6	13	27	36	96	12	2.9	2	1	2	3	4	5	5	5
25-34	124	13.2	249	1	4	7	18	46	60	99 +	40	4.7	39	1	1	3	5	8	12	39
35-54	127	10.5	114	2	3	6	16	28	40	99 +	42	4.7	29	1	1	3	6	10	15	29
55-74	38	11.1	126	2	3	7	12	32	34	44	26	5.6	24	2	3	4	6	13	19	19
75 +	9	5.7	13	1	3	4	8	11	12	12	15	8.7	74	1	2	5	12	23	27	28
ALL AGES	367	12.1	217	2	3	7	17	35	55	99 +	148	5.6	52	1	2	3	6	12	19	39
SUBTOTAL	**464**	**11.5**	**195**	**1**	**3**	**6**	**15**	**32**	**52**	**99 +**	**188**	**5.7**	**60**	**1**	**2**	**3**	**6**	**11**	**20**	**41**
GRAND TOTAL	**1060**	**9.1**	**145**	**1**	**2**	**5**	**10**	**25**	**38**	**99 +**	**547**	**4.4**	**33**	**1**	**2**	**3**	**5**	**9**	**12**	**34**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	5	5.8	18	1	2	7	9	11	11	11	2	1.5	1	1	1	1	2	2	2	2
25-34	7	13.3	139	1	2	15	19	31	34	34	2	8.0	8	6	6	8	10	10	10	10
35-54	12	15.8	310	1	4	12	20	36	62	66	2	5.0	2	4	4	5	6	6	6	6
55-74	5	16.6	158	6	7	14	23	37	37	37	1	2.0		2	2	2	2	2	2	2
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	33	12.4	179	1	2	8	18	25	37	66	7	4.4	10	1	2	4	6	9	10	10
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	2	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
18-24	4	12.0	326	1	2	4	22	39	39	39	1	3.0		3	3	3	3	3	3	3
25-34	18	10.5	53	1	3	12	15	20	23	24	1	33.0		33	33	33	33	33	33	33
35-54	31	13.8	88	3	6	14	21	28	29	32	4	3.5	11	1	1	3	6	8	8	8
55-74	15	9.8	47	3	5	8	14	18	25	28	3	8.0	49	3	3	5	13	16	16	16
75 +	4	14.0	382	1	2	6	25	43	43	43	1	4.0		4	4	4	4	4	4	4
ALL AGES	74	11.7	94	2	4	8	16	27	29	42	13	6.4	80	1	1	3	6	19	30	33
SUBTOTAL	**107**	**11.9**	**119**	**1**	**3**	**8**	**17**	**26**	**32**	**53**	**20**	**5.7**	**55**	**1**	**2**	**3**	**6**	**13**	**24**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.0	72	3	6	15	79	99 +	99 +	99 +	1	26.0		26	26	26	26	26	26	26
18-24	4	30.5	362	14	16	36	66	99 +	99 +	99 +										
25-34	22	11.0	74	2	3	10	14	24	29	31	1	1.0		1	1	1	1	1	1	1
35-54	12	11.4	58	3	5	9	19	22	24	24	3	5.3	18	2	2	4	8	10	10	10
55-74	4	21.8	260	6	10	18	33	44	44	44	2	6.0		6	6	6	6	6	6	6
75 +	1	97.0		97	97	97	97	97	97	97										
ALL AGES	45	15.6	286	3	6	12	21	42	97	99 +	7	7.9	72	1	2	6	9	23	26	26
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	2	24.5	265	13	13	24	36	36	36	36										
18-24	11	16.5	157	2	6	15	23	34	43	44										
25-34	30	14.8	113	4	7	13	20	26	28	54	6	7.3	52	2	2	5	8	20	21	21
35-54	37	16.4	112	3	8	15	23	29	38	41	4	11.3	167	1	1	8	21	28	28	28
55-74	24	12.7	60	3	7	12	16	26	27	28	2	5.5	1	5	5	5	6	6	6	6
75 +	2	15.5	25	12	12	15	19	19	19	19										
ALL AGES	107	15.1	106	3	7	14	21	28	33	48	12	8.3	75	1	2	5	11	23	27	28
SUBTOTAL	**152**	**15.3**	**156**	**3**	**6**	**14**	**21**	**28**	**41**	**99 +**	**19**	**8.2**	**69**	**1**	**2**	**6**	**9**	**24**	**27**	**28**
GRAND TOTAL	**259**	**13.9**	**143**	**2**	**6**	**12**	**19**	**28**	**37**	**94**	**39**	**6.9**	**62**	**1**	**2**	**4**	**8**	**19**	**27**	**33**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	16.7	153	9	9	10	26	31	31	31	1	3.0		3	3	3	3	3	3	3
13-17	6	16.7	85	4	11	18	25	25	25	25	1	3.0		3	3	3	3	3	3	3
18-24	17	14.1	148	1	4	11	28	35	75	99 +	1	1.0		1	1	1	1	1	1	1
25-34	8	16.6	373	2	5	10	20	50	60	60	5	24.8	268	6	16	22	31	51	51	51
35-54	13	20.5	410	5	7	14	27	48	72	78	4	42.3	883	3	19	48	65	70	70	70
55-74	5	11.8	40	5	6	12	16	21	21	21										
75 +																				
ALL AGES	52	16.3	220	3	7	12	25	33	57	99	12	25.0	588	2	3	21	43	63	69	70
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	2	25.0	32	21	21	25	29	29	29	29										
18-24	2	20.0	72	14	14	20	26	26	26	26	1	1.0		1	1	1	1	1	1	1
25-34	12	14.3	60	7	9	13	15	29	31	31	5	27.6	598	3	11	22	41	67	67	67
35-54	14	11.6	79	3	5	9	18	28	29	29	3	36.0	556	16	19	30	54	62	62	62
55-74	11	14.5	141	6	8	13	15	30	46	48	2	29.5	1013	7	7	29	52	52	52	52
75 +											2	23.5	421	9	9	23	38	38	38	38
ALL AGES	42	14.1	89	5	8	12	18	28	30	48	13	27.2	489	3	8	22	41	63	66	67
SUBTOTAL	**94**	**15.3**	**162**	**3**	**8**	**12**	**22**	**30**	**39**	**90**	**25**	**26.1**	**518**	**3**	**5**	**22**	**41**	**62**	**68**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	81.0		81	81	81	81	81	81	81										
13-17	4	19.0	65	10	12	19	25	28	28	28										
18-24	8	15.6	96	6	8	14	28	71	99 +	99 +										
25-34	16	12.6	103	2	4	9	18	31	33	33	1	3.0		3	3	3	3	3	3	3
35-54	18	13.4	87	3	5	11	17	29	32	33	2	26.0	648	8	8	26	44	44	44	44
55-74	7	15.6	461	4	6	8	11	53	64	64	1	22.0		22	22	22	22	22	22	22
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	55	15.5	210	4	6	11	22	32	55	99	4	19.3	334	3	5	15	33	44	44	44
B. FEMALE																				
0-12 YRS.	2	24.5	85	18	18	24	31	31	31	31										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	3	24.3	709	8	8	10	44	55	55	55	1	3.0		3	3	3	3	3	3	3
25-34	13	22.4	469	4	6	15	37	80	96	99 +	2	10.5	113	3	3	10	18	18	18	18
35-54	15	18.9	478	1	6	15	20	42	76	87	2	16.0	288	4	4	16	28	28	28	28
55-74	15	25.2	521	5	7	20	40	51	78	87										
75 +	2	9.0	50	4	4	9	14	14	14	14										
ALL AGES	51	21.4	447	4	7	15	32	52	86	99 +	5	11.2	129	3	3	4	20	28	28	28
SUBTOTAL	**106**	**18.4**	**327**	**4**	**6**	**14**	**24**	**43**	**78**	**99 +**	**9**	**14.8**	**208**	**3**	**3**	**8**	**23**	**38**	**44**	**44**
GRAND TOTAL	**200**	**16.9**	**252**	**4**	**7**	**12**	**23**	**35**	**57**	**99 +**	**34**	**23.1**	**453**	**3**	**3**	**19**	**36**	**60**	**66**	**70**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	60	26.4	340	5	13	28	36	55	63	98	1	1.0		1	1	1	1	1	1	1
13-17	174	20.9	273	4	9	18	28	41	56	84	12	7.7	89	2	2	4	8	25	30	31
18-24	103	9.1	150	1	2	5	10	20	29	68	16	3.4	6	1	2	3	5	6	9	10
25-34	158	7.6	46	1	3	6	10	18	22	29	25	4.4	26	1	2	3	4	10	17	24
35-54	202	9.0	60	2	3	7	12	19	25	42	52	4.7	34	1	2	3	5	12	16	36
55-74	73	9.1	58	3	4	7	12	17	22	88	51	6.4	36	2	3	4	7	15	16	32
75 +	22	11.3	64	3	4	9	16	22	27	33	12	12.0	152	3	4	9	14	26	45	48
ALL AGES	792	12.7	177	2	4	8	17	29	40	75	169	5.7	46	1	2	4	6	14	16	35
B. FEMALE																				
0-12 YRS.	45	25.1	285	6	14	22	34	46	58	81	2	18.0	392	4	4	18	32	32	32	32
13-17	440	19.6	287	3	7	14	29	44	58	99 +	20	7.6	95	1	1	3	10	22	32	36
18-24	211	8.8	64	1	3	7	12	18	24	43	34	4.8	25	1	2	3	6	10	14	26
25-34	361	8.5	57	2	3	6	12	19	24	35	83	4.3	15	1	2	3	5	9	13	19
35-54	499	10.1	82	2	4	8	13	22	28	47	152	4.9	21	1	2	4	6	9	13	28
55-74	252	10.8	88	2	4	8	14	22	30	46	121	5.5	19	2	3	4	7	12	15	22
75 +	87	12.5	103	3	5	10	17	25	36	47	58	7.4	43	2	4	5	8	17	24	30
ALL AGES	1895	12.4	151	2	4	9	16	28	40	65	470	5.4	28	1	2	4	7	11	16	29
SUBTOTAL	**2687**	**12.5**	**159**	**2**	**4**	**9**	**16**	**29**	**40**	**67**	**639**	**5.5**	**32**	**1**	**2**	**4**	**6**	**12**	**16**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	189	35.9	432	12	21	33	46	65	80	94	9	20.2	236	3	7	18	32	43	44	44
13-17	371	24.9	346	5	9	23	38	55	66	99 +	16	15.3	175	2	4	11	28	42	80	99 +
18-24	279	13.9	173	2	4	10	21	29	37	74	17	9.2	110	1	3	5	12	21	35	42
25-34	449	11.1	90	2	4	8	17	23	28	43	20	6.2	47	1	2	4	7	16	23	29
35-54	443	11.2	115	2	4	7	17	23	28	58	42	7.0	52	1	2	4	10	17	23	30
55-74	96	11.7	99	2	4	10	16	22	27	55	23	5.7	19	2	3	4	8	9	14	22
75 +	22	10.5	52	3	4	10	14	22	24	26	7	8.7	116	1	1	5	13	27	30	30
ALL AGES	1849	16.9	262	2	5	12	24	40	51	89	134	8.9	96	1	2	5	11	26	32	52
B. FEMALE																				
0-12 YRS.	68	31.1	384	6	15	30	43	63	93	99 +	1	2.0		2	2	51	99 +	99 +	99 +	99 +
13-17	553	27.1	376	5	12	24	40	56	67	99 +	22	15.6	188	2	5	14	25	41	64	99 +
18-24	393	12.0	151	2	4	8	16	26	32	59	28	7.5	78	2	2	4	8	22	29	36
25-34	678	11.5	96	2	4	9	17	24	31	47	54	7.5	66	1	2	4	11	21	26	35
35-54	680	11.9	110	2	4	9	16	26	30	54	113	7.1	56	1	3	5	8	16	21	42
55-74	249	13.2	104	3	6	11	18	25	31	46	62	7.4	48	2	3	5	10	15	21	40
75 +	55	14.1	76	5	7	12	21	25	33	37	20	9.1	89	1	3	5	14	27	28	29
ALL AGES	2676	15.6	216	2	5	11	21	35	48	81	300	8.0	73	2	3	5	11	20	28	44
SUBTOTAL	**4525**	**16.1**	**237**	**2**	**5**	**11**	**22**	**37**	**49**	**86**	**434**	**8.3**	**80**	**1**	**3**	**5**	**11**	**21**	**29**	**44**
GRAND TOTAL	**7212**	**14.8**	**209**	**2**	**5**	**10**	**21**	**34**	**46**	**79**	**1073**	**6.6**	**54**	**1**	**2**	**4**	**8**	**15**	**23**	**41**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
25-34											1	3.0		3	3	3	3	3	3	3
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	5	4.8	18	2	2	3	7	12	12	12	4	1.8	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	3.0	1	2	2	3	4	4	4	4	5	3.4	9	1	1	2	6	8	8	8
35-54	4	10.8	11	7	8	10	13	15	15	15	6	2.3	2	1	1	2	4	4	4	4
55-74											2	4.5	13	2	2	4	7	7	7	7
75 +	2	5.5	1	5	5	5	6	6	6	6	1	6.0		6	6	6	6	6	6	6
ALL AGES	11	6.3	17	2	3	5	8	13	15	15	15	3.1	6	1	1	2	5	7	8	8
SUBTOTAL	**16**	**5.8**	**17**	**2**	**3**	**4**	**8**	**12**	**14**	**15**	**19**	**2.8**	**5**	**1**	**1**	**2**	**4**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	2	8.5	41	4	4	8	13	13	13	13	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											4	3.3	4	1	1	3	5	6	6	6
35-54	1	3.0		3	3	3	3	3	3	3	2	3.5	1	3	3	3	4	4	4	4
55-74											1	2.0		2	2	2	2	2	2	2
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	2	6.0	18	3	3	6	9	9	9	9	7	3.1	3	1	2	3	4	6	6	6
SUBTOTAL	**4**	**7.3**	**21**	**3**	**3**	**6**	**11**	**13**	**13**	**13**	**9**	**2.9**	**2**	**1**	**2**	**2**	**4**	**5**	**6**	**6**
GRAND TOTAL	**20**	**6.1**	**17**	**2**	**3**	**4**	**9**	**13**	**14**	**15**	**28**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	**8**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	3	15.7	68	9	10	13	22	25	25	25										
SUBTOTAL	**4**	**13.5**	**65**	**7**	**8**	**11**	**19**	**25**	**25**	**25**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	21.7	840	2	3	8	43	55	55	55										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	4	16.5	668	1	1	5	31	55	55	55										
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	1	14.0		14	14	14	14	14	14	14	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	6	6.3	27	1	2	5	11	14	14	14	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**10**	**10.4**	**265**	**1**	**2**	**5**	**11**	**34**	**55**	**55**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**14**	**11.3**	**200**	**1**	**2**	**7**	**13**	**28**	**49**	**55**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74	3	7.3	35	3	3	5	12	14	14	14										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	6	7.8	32	3	4	5	14	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17											1	15.0		15	15	15	15	15	15	15
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15	2	2.5	1	2	2	2	3	3	3	3
35-54	3	15.3	87	10	10	10	22	26	26	26										
55-74	7	12.7	116	2	5	8	23	28	28	28	1	4.0		4	4	4	4	4	4	4
75 +	1	3.0		3	3	3	3	3	3	3	1	10.0		10	10	10	10	10	10	10
ALL AGES	12	12.8	88	2	6	10	20	27	28	28	5	6.8	31	2	3	4	11	15	15	15
SUBTOTAL	**18**	**11.1**	**73**	**3**	**4**	**9**	**15**	**27**	**28**	**28**	**5**	**6.8**	**31**	**2**	**3**	**4**	**11**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	3	7.7	4	6	6	7	9	10	10	10										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	2	9.0	8	7	7	9	11	11	11	11										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	8	7.3	15	2	4	7	10	12	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.5	13	2	2	4	7	7	7	7										
35-54	5	21.4	353	4	7	14	36	49	49	49										
55-74	3	10.3	26	5	6	11	14	15	15	15										
75 +																				
ALL AGES	10	14.7	218	3	5	9	15	40	49	49										
SUBTOTAL	**18**	**11.4**	**136**	**2**	**5**	**8**	**13**	**27**	**42**	**49**										
GRAND TOTAL	**36**	**11.3**	**101**	**2**	**4**	**8**	**14**	**27**	**31**	**49**	**5**	**6.8**	**31**	**2**	**3**	**4**	**11**	**15**	**15**	**15**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	4	3.5	2	2	2	3	4	5	5	5	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	2	3.0	8	1	1	3	5	5	5	5										
35-54	5	5.0	5	2	3	5	7	7	7	7	2	2.5	5	1	1	2	4	4	4	4
55-74	3	27.7	15	23	24	29	30	31	31	31										
75 +																				
ALL AGES	14	9.1	107	2	3	5	7	29	31	31	4	3.3	2	1	2	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28	1	4.0		4	4	4	4	4	4	4
13-17	3	12.0	148	4	4	6	21	26	26	26	2	6.5	25	3	3	6	10	10	10	10
18-24	5	10.0	140	1	2	4	18	29	29	29	5	9.0	62	1	2	9	13	21	21	21
25-34	10	12.9	53	4	6	12	20	23	25	25	1	5.0		5	5	5	5	5	5	5
35-54	26	10.4	52	2	5	8	17	21	23	28	6	5.3	11	2	3	4	7	11	11	11
55-74	15	14.2	147	3	4	12	22	35	39	40	4	8.8	20	4	5	8	12	15	15	15
75 +	4	25.3	589	3	4	23	46	51	51	51	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	64	12.9	120	3	5	9	19	28	36	50	21	6.9	23	2	3	5	9	13	18	21
SUBTOTAL	**78**	**12.3**	**117**	**2**	**4**	**8**	**19**	**28**	**33**	**48**	**25**	**6.3**	**22**	**2**	**3**	**4**	**9**	**11**	**16**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	13.5	113	6	6	13	21	21	21	21	1	3.0		3	3	3	3	3	3	3
13-17	2	4.5	5	3	3	4	6	6	6	6										
18-24	3	13.0	13	10	10	12	16	17	17	17	1	1.0		1	1	1	1	1	1	1
25-34	8	7.9	11	3	5	8	10	12	13	13										
35-54	10	16.1	56	5	10	17	23	24	24	24										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	26	11.8	48	3	7	10	17	23	24	24	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5										
13-17	3	13.0	273	2	3	5	25	32	32	32										
18-24	4	8.5	23	4	5	7	12	15	15	15										
25-34	10	7.2	28	1	2	7	10	15	18	18	4	6.5	12	3	3	6	9	10	10	10
35-54	38	13.8	138	2	6	10	19	30	37	50	4	12.5	343	1	1	4	23	40	40	40
55-74	19	13.2	37	4	10	14	17	21	23	23	4	15.0	210	2	2	14	27	29	29	29
75 +	9	11.3	33	4	7	11	16	19	21	21	1	3.0		3	3	3	3	3	3	3
ALL AGES	85	12.1	89	2	5	10	16	25	30	47	13	10.7	159	2	3	4	14	31	38	40
SUBTOTAL	**111**	**12.1**	**77**	**3**	**5**	**10**	**17**	**23**	**30**	**45**	**15**	**9.5**	**147**	**1**	**2**	**3**	**10**	**29**	**37**	**40**
GRAND TOTAL	**189**	**12.1**	**95**	**2**	**5**	**10**	**17**	**25**	**30**	**47**	**40**	**7.5**	**69**	**1**	**3**	**4**	**9**	**18**	**27**	**40**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	7.6	249	1	1	3	6	15	43	76	6	1.7	3	1	1	1	1	5	5	5
13-17	20	10.0	259	1	1	4	11	31	52	65	16	2.4	6	1	1	1	3	5	9	10
18-24	19	7.7	75	1	1	2	15	22	23	23	16	3.1	16	1	1	2	3	6	14	17
25-34	16	3.8	23	1	1	2	4	11	16	18	21	2.2	3	1	1	1	2	6	7	7
35-54	20	9.2	87	1	2	6	15	24	28	30	22	3.0	5	1	2	2	3	7	8	8
55-74	34	6.2	20	2	3	5	7	12	17	18	30	6.6	66	1	1	5	8	13	19	43
75 +	20	6.1	12	2	3	6	8	12	13	13	22	9.0	107	1	2	5	10	31	32	33
ALL AGES	152	7.2	101	1	2	4	8	18	23	64	133	4.6	42	1	1	2	5	9	17	35
B. FEMALE																				
0-12 YRS.	16	8.6	95	1	2	4	12	29	31	31	6	3.7	31	1	1	2	2	14	15	15
13-17	54	8.7	151	1	1	3	13	23	30	62	31	1.6	1	1	1	1	2	3	3	4
18-24	22	8.0	91	1	2	4	10	19	33	39	25	2.0	1	1	1	2	3	3	4	5
25-34	26	5.7	23	1	1	5	9	14	15	17	15	2.7	3	1	1	2	4	5	6	6
35-54	32	8.2	68	1	3	4	11	21	23	36	17	3.6	24	1	1	2	5	17	68	99 +
55-74	29	7.4	58	1	3	4	11	18	27	30	37	5.8	14	2	3	4	8	11	13	15
75 +	44	7.4	43	2	3	6	9	16	25	29	53	7.9	90	2	3	5	9	15	20	62
ALL AGES	223	7.8	79	1	2	4	10	19	27	42	184	4.6	38	1	1	3	5	11	14	52
SUBTOTAL	**375**	**7.5**	**87**	**1**	**2**	**4**	**9**	**18**	**25**	**48**	**317**	**4.6**	**40**	**1**	**1**	**3**	**5**	**10**	**15**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	7.1	92	1	1	3	11	16	32	36	4	13.8	434	2	2	4	25	45	45	45
13-17	41	9.3	155	1	3	5	11	24	42	58	15	6.8	58	1	1	3	12	19	23	25
18-24	56	5.6	31	1	2	3	8	13	18	28	26	4.5	61	1	1	2	3	10	29	31
25-34	90	6.3	40	1	2	4	9	14	21	29	43	2.6	17	1	1	2	3	4	5	28
35-54	87	7.2	70	1	2	4	9	22	26	37	46	3.0	6	1	1	2	3	7	9	12
55-74	15	7.9	57	2	3	6	9	20	24	26	12	3.1	4	1	1	2	5	6	7	7
75 +	11	8.5	63	2	3	6	11	21	28	29	10	11.1	121	2	4	7	14	30	36	36
ALL AGES	314	7.0	66	1	2	4	9	15	25	39	156	4.3	45	1	1	2	4	10	18	36
B. FEMALE																				
0-12 YRS.	9	9.9	97	1	3	7	14	27	27	27	2	5.0	18	2	2	5	8	8	8	8
13-17	72	11.9	237	2	4	6	15	25	41	87	21	2.0	2	1	1	2	3	4	5	5
18-24	61	8.2	73	1	2	4	11	22	28	34	27	2.0	2	1	1	1	3	4	5	5
25-34	82	9.2	103	1	2	5	12	25	34	40	40	2.1	2	1	1	2	3	4	5	8
35-54	89	8.0	63	1	3	6	12	16	21	45	35	3.7	10	1	2	3	5	7	8	17
55-74	25	9.6	65	1	4	9	12	17	25	39	22	8.7	221	2	3	5	7	15	39	73
75 +	26	11.5	92	2	6	8	13	26	33	39	22	5.6	20	2	2	5	7	12	16	19
ALL AGES	364	9.5	111	1	3	6	13	23	31	51	169	3.8	38	1	1	2	5	7	10	19
SUBTOTAL	**678**	**8.3**	**92**	**1**	**2**	**5**	**11**	**21**	**27**	**42**	**325**	**4.0**	**41**	**1**	**1**	**2**	**4**	**7**	**13**	**32**
GRAND TOTAL	**1053**	**8.1**	**90**	**1**	**2**	**5**	**10**	**20**	**26**	**42**	**642**	**4.3**	**41**	**1**	**1**	**2**	**5**	**9**	**14**	**33**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	32.5	481	17	17	32	48	48	48	48										
18-24											1	48.0		48	48	48	48	48	48	48
25-34	5	8.6	190	1	1	2	13	33	33	33										
35-54	5	7.8	29	1	2	11	12	12	12	12										
55-74	2	15.5	41	11	11	15	20	20	20	20										
75 +																				
ALL AGES	14	12.7	185	1	2	11	17	34	45	48	1	48.0		48	48	48	48	48	48	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	24.5	1210	2	3	10	45	76	76	76										
35-54	4	6.8	6	4	4	7	9	9	9	9	1	8.0		8	8	8	8	8	8	8
55-74	7	12.1	46	2	8	14	17	19	20	20	1	5.0		5	5	5	5	5	5	5
75 +	2	37.5	5	36	36	37	39	39	39	39	1	2.0		2	2	2	2	2	2	2
ALL AGES	17	16.8	347	2	5	9	18	38	63	76	3	5.0	9	2	3	5	7	8	8	8
SUBTOTAL	**31**	**14.9**	**271**	**1**	**4**	**11**	**17**	**37**	**48**	**76**	**4**	**15.8**	**466**	**2**	**3**	**6**	**28**	**48**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-24	4	11.0	2	9	10	11	12	12	12	12										
25-34	8	13.4	93	5	7	9	20	29	29	29	2	20.0	648	2	2	20	38	38	38	38
35-54	9	14.4	136	4	5	9	23	33	35	35	1	6.0		6	6	6	6	6	6	6
55-74	2	12.5	265	1	1	12	24	24	24	24	1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	24	14.0	98	4	7	10	22	29	31	35	4	14.5	262	2	4	9	25	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	43.0	3200	3	3	43	83	83	83	83										
35-54	5	12.8	90	4	6	7	22	25	25	25	1	3.0		3	3	3	3	3	3	3
55-74	6	24.2	552	8	9	18	21	66	71	71	1	7.0		7	7	7	7	7	7	7
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	15	20.9	570	4	7	12	21	71	80	83	2	5.0	8	3	3	5	7	7	7	7
SUBTOTAL	**39**	**16.6**	**283**	**4**	**7**	**11**	**21**	**29**	**55**	**83**	**6**	**11.3**	**184**	**2**	**3**	**6**	**12**	**35**	**38**	**38**
GRAND TOTAL	**70**	**15.9**	**272**	**2**	**6**	**11**	**20**	**34**	**48**	**82**	**10**	**13.1**	**263**	**2**	**3**	**6**	**12**	**43**	**48**	**48**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	4	11.3	45	4	5	11	17	18	18	18										
18-24	2	4.0	18	1	1	3	7	7	7	7										
25-34	8	15.6	241	2	4	11	22	41	48	48										
35-54	10	12.4	73	2	5	12	19	24	27	27										
55-74	3	32.0	201	21	22	27	43	48	48	48										
75 +	4	15.8	17	10	12	16	19	20	20	20	1	4.0		4	4	4	4	4	4	4
ALL AGES	32	15.0	135	3	6	15	20	27	46	48	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	2	12.5	1	12	12	13	78	99 +	99 +	99 +										
13-17	7	27.0	863	4	7	21	32	78	89	89	1	1.0		1	1	1	1	1	1	1
18-24	8	7.3	23	2	4	6	9	15	17	17										
25-34	17	15.2	54	8	8	14	22	24	27	28	3	25.0	412	3	9	29	39	43	43	43
35-54	35	13.9	111	5	6	10	18	30	34	50	1	11.0		11	11	11	11	11	11	11
55-74	18	17.8	188	5	7	14	23	43	47	49	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	87	15.4	172	5	7	12	21	31	45	96	6	15.8	277	1	3	9	29	42	43	43
SUBTOTAL	**119**	**15.3**	**160**	**4**	**7**	**13**	**21**	**29**	**46**	**92**	**7**	**14.1**	**252**	**1**	**3**	**8**	**24**	**40**	**43**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	43.5	379	27	29	38	58	70	70	70										
13-17	8	24.4	220	12	16	24	54	99 +	99 +	99 +										
18-24	7	11.1	166	1	1	5	20	32	34	34										
25-34	18	10.9	116	3	5	8	13	20	37	48	1	11.0		11	11	11	11	11	11	11
35-54	21	11.2	87	3	5	9	16	21	31	41										
55-74	5	8.4	36	4	4	4	15	15	15	15										
75 +	2	7.5	5	6	6	7	9	9	9	9	1	12.0		12	12	12	12	12	12	12
ALL AGES	65	14.4	195	3	5	10	20	40	56	99 +	2	11.5	1	11	11	11	12	12	12	12
B. FEMALE																				
0-12 YRS.	2	46.5	313	34	34	46	59	59	59	59	1	21.0		21	21	21	21	21	21	21
13-17	11	29.0	426	12	14	22	49	80	97	99 +										
18-24	22	13.6	83	5	8	11	16	29	36	37	1	6.0		6	6	6	6	6	6	6
25-34	31	13.7	121	3	5	11	19	26	39	48	2	12.5	25	9	9	12	16	16	16	16
35-54	33	11.2	94	1	5	10	14	19	37	44	1	11.0		11	11	11	11	11	11	11
55-74	16	13.8	52	6	10	13	16	24	30	32										
75 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	116	15.1	162	4	7	12	18	35	43	81	5	12.6	35	6	8	11	17	21	21	21
SUBTOTAL	**181**	**14.9**	**172**	**3**	**6**	**12**	**18**	**36**	**48**	**99 +**	**7**	**12.3**	**23**	**7**	**9**	**11**	**15**	**20**	**21**	**21**
GRAND TOTAL	**300**	**15.0**	**169**	**3**	**6**	**12**	**20**	**34**	**48**	**99 +**	**14**	**13.2**	**128**	**3**	**6**	**11**	**16**	**30**	**40**	**43**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	42.5	440	22	26	39	59	69	69	69										
13-17	6	32.8	367	9	11	37	46	55	56	56										
18-24	8	7.4	29	1	3	6	11	15	16	16	1	4.0		4	4	4	4	4	4	4
25-34	6	7.2	24	1	3	7	9	14	15	15	3	3.7	21	1	1	1	7	9	9	9
35-54	3	16.0	12	12	13	18	18	18	18	18	3	9.3	50	2	4	10	14	16	16	16
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	28	18.9	328	2	7	12	26	48	57	69	7	6.1	33	1	1	4	10	15	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	2	29.5	85	23	23	29	36	36	36	36										
18-24	5	16.6	379	1	5	10	24	50	50	50	1	1.0		1	1	1	1	1	1	1
25-34	8	6.6	10	2	5	6	9	11	11	11	2	22.5	925	1	1	22	44	44	44	44
35-54	7	27.7	489	3	10	21	50	57	57	57	3	9.7	153	2	2	3	19	24	24	24
55-74	2	16.0	2	15	15	16	17	17	17	17										
75 +																				
ALL AGES	24	17.5	287	2	6	11	22	51	56	57	6	12.5	318	1	1	2	24	42	44	44
SUBTOTAL	**52**	**18.3**	**302**	**2**	**6**	**11**	**22**	**49**	**56**	**69**	**13**	**9.1**	**159**	**1**	**1**	**3**	**11**	**28**	**41**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	6	30.3	392	12	14	24	44	61	63	63										
18-24	11	18.8	216	3	6	16	29	39	49	50										
25-34	19	15.2	253	2	5	10	23	40	54	59										
35-54	12	13.8	91	2	5	14	23	25	26	26										
55-74																				
75 +																				
ALL AGES	49	17.3	231	2	5	12	26	39	50	63										
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.5	365	4	4	17	31	31	31	31										
18-24	3	23.7	360	4	9	25	38	42	42	42										
25-34	10	20.7	512	3	6	13	20	62	63	63										
35-54	4	2.5	6	1	1	2	4	6	6	6										
55-74	3	6.7	6	4	5	7	8	9	9	9										
75 +																				
ALL AGES	22	15.6	338	1	4	7	20	48	62	63										
SUBTOTAL	**71**	**16.7**	**263**	**2**	**5**	**11**	**25**	**43**	**59**	**63**										
GRAND TOTAL	**123**	**17.4**	**277**	**2**	**5**	**11**	**25**	**46**	**57**	**65**	**13**	**9.1**	**159**	**1**	**1**	**3**	**11**	**28**	**41**	**44**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	7.0	21	2	5	9	55	99 +	99 +	99 +										
13-17	9	16.9	460	2	3	11	23	52	69	69										
18-24	9	9.7	109	1	3	6	13	28	30	30	1	5.0		5	5	5	5	5	5	5
25-34	8	10.4	73	4	5	6	14	25	29	29	1	2.0		2	2	2	2	2	2	2
35-54	5	4.8	23	1	2	4	6	13	13	13										
55-74	4	8.3	19	3	4	9	12	12	12	12										
75 +																				
ALL AGES	38	10.5	159	2	3	6	13	28	51•	99 +	2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
13-17	2	13.0	72	7	7	13	19	19	19	19	2	6.5	13	4	4	6	9	9	9	9
18-24	2	13.5	113	6	6	13	21	21	21	21	1	4.0		4	4	4	4	4	4	4
25-34	9	22.4	595	1	3	17	31	64	70	70										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
75 +	2	5.0		5	5	5	5	5	5	5										
ALL AGES	19	15.2	336	2	4	7	20	42	63	70	5	3.8	11	1	1	4	5	9	9	9
SUBTOTAL	**57**	**12.1**	**217**	**2**	**4**	**6**	**14**	**28**	**63**	**98**	**7**	**3.7**	**8**	**1**	**1**	**4**	**5**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	10	29.7	658	3	6	23	59	64	66	66	1	2.0		2	2	2	2	2	2	2
18-24	8	7.8	44	3	3	5	9	19	23	23	1	1.0		1	1	1	1	1	1	1
25-34	20	9.3	47	2	3	8	14	21	22	22	2	1.5	1	1	1	1	2	2	2	2
35-54	12	6.2	29	1	2	5	9	14	18	19										
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	50	12.4	230	2	3	8	13	27	59	66	5	1.8	1	1	1	2	2	3	3	3
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
18-24	2	12.5	1	12	12	12	13	13	13	13										
25-34	6	19.2	483	2	5	13	20	58	62	62	1	2.0		2	2	2	2	2	2	2
35-54	3	5.3	3	4	4	5	6	7	7	7										
55-74	2	10.5	1	10	10	10	11	11	11	11	2	2.5	5	1	1	2	4	4	4	4
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	16	14.1	205	4	6	11	15	27	52	62	4	2.3	1	1	1	2	3	4	4	4
SUBTOTAL	**66**	**12.8**	**221**	**2**	**4**	**9**	**13**	**27**	**60**	**66**	**9**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**123**	**12.5**	**217**	**2**	**4**	**7**	**14**	**28**	**60**	**78**	**16**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**8**	**9**

COMPULSIVE PERSONALITY (301.4)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	5.5	25	2	2	5	9	9	9	9
18-24	3	11.0	39	6	7	9	16	18	18	18										
25-34	3	19.7	414	2	8	28	71	99+	99+	99+										
35-54	3	28.3	2163	1	1	2	62	82	82	82										
55-74	1	41.0		41	41	41	41	41	41	41										
75 +																				
ALL AGES	10	21.8	677	1	3	15	42	89	99	99+	2	5.5	25	2	2	5	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33	1	58.0		58	58	58	58	58	58	58
18-24																				
25-34	2	7.0	32	3	3	7	11	11	11	11										
35-54	2	25.0	288	13	13	25	37	37	37	37	1	9.0		9	9	9	9	9	9	9
55-74	2	4.0	2	3	3	4	5	5	5	5										
75 +																				
ALL AGES	7	15.0	203	3	4	11	28	36	37	37	2	33.5	1201	9	9	33	58	58	58	58
SUBTOTAL	**17**	**19.0**	**469**	**2**	**3**	**12**	**37**	**70**	**93**	**99+**	**4**	**19.5**	**670**	**2**	**5**	**9**	**34**	**58**	**58**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	2	9.0	18	6	6	9	12	12	12	12										
25-34	2	22.0	288	10	10	22	34	34	34	34										
35-54	7	22.6	1124	4	4	6	25	82	96	96										
55-74	2	7.0	8	5	5	7	9	9	9	9	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	14	17.0	602	4	5	8	15	40	84	96	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	11	17.7	227	3	5	16	27	38	51	52										
35-54	7	12.9	18	6	10	13	17	17	17	17	2	18.5	265	7	7	18	30	30	30	30
55-74	3	20.3	371	3	6	17	35	41	41	41										
75 +																				
ALL AGES	21	16.5	163	4	5	16	20	34	46	52	2	18.5	265	7	7	18	30	30	30	30
SUBTOTAL	**35**	**16.7**	**326**	**4**	**5**	**12**	**19**	**34**	**49**	**96**	**3**	**13.3**	**214**	**3**	**4**	**7**	**24**	**30**	**30**	**30**
GRAND TOTAL	**52**	**17.4**	**367**	**3**	**5**	**12**	**23**	**41**	**77**	**99+**	**7**	**16.9**	**415**	**2**	**4**	**9**	**25**	**52**	**58**	**58**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	18.0	50	13	13	18	23	23	23	23										
13-17																				
18-24	2	4.0	8	2	2	4	6	6	6	6										
25-34	2	6.5	41	2	2	6	11	11	11	11	1	9.0		9	9	9	9	9	9	9
35-54	5	4.6	56	1	1	1	6	18	18	18	1	2.0		2	2	2	2	2	2	2
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	11	7.3	61	1	1	2	12	20	23	23	3	6.0	13	2	3	7	8	9	9	9
B. FEMALE																				
0-12 YRS.	2	23.0	800	3	3	23	43	43	43	43	2	19.5	13	17	17	19	22	22	22	22
13-17	4	17.5	124	8	9	14	25	33	33	33	1	3.0		3	3	3	3	3	3	3
18-24	5	7.6	22	3	4	6	12	14	14	14	2	4.0	8	2	2	4	6	6	6	6
25-34	5	8.0	69	2	3	4	12	22	22	22	2	3.5	5	2	2	3	5	5	5	5
35-54	7	5.9	17	1	2	6	8	12	13	13	4	7.5	50	1	1	7	13	15	15	15
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	23	10.2	108	2	3	7	13	24	36	43	12	8.0	49	1	2	5	13	18	21	22
SUBTOTAL	**34**	**9.3**	**92**	**1**	**2**	**6**	**13**	**22**	**31**	**43**	**15**	**7.6**	**41**	**2**	**2**	**6**	**11**	**17**	**21**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	8.0	37	1	3	11	12	12	12	12										
25-34	2	6.5	25	3	3	6	10	10	10	10	1	4.0		4	4	4	4	4	4	4
35-54	3	8.7	115	1	2	12	60	99 +	99 +	99 +	2	5.0	32	1	1	4	9	9	9	9
55-74											2	2.5	5	1	1	2	4	4	4	4
75 +																				
ALL AGES	8	7.9	48	1	3	10	14	68	99 +	99 +	6	3.3	10	1	1	2	4	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	3	4.0	13	1	1	3	7	8	8	8										
18-24	5	11.6	67	2	3	15	17	21	21	21	2	4.5	25	1	1	4	8	8	8	8
25-34	13	5.3	13	2	3	5	9	22	83	99 +	3	3.7	2	2	2	4	5	5	5	5
35-54	5	5.0	26	2	2	3	6	14	14	14	1	22.0		22	22	22	22	22	22	22
55-74	2	9.0	98	2	2	9	16	16	16	16	3	6.3	9	3	4	8	8	8	8	8
75 +	2	11.0	128	3	3	11	19	19	19	19										
ALL AGES	30	6.8	35	2	3	4	12	17	21	99 +	9	6.8	39	1	3	5	8	17	22	22
SUBTOTAL	**38**	**7.0**	**37**	**1**	**3**	**4**	**12**	**20**	**60**	**99 +**	**15**	**5.4**	**29**	**1**	**1**	**4**	**8**	**9**	**19**	**22**
GRAND TOTAL	72	8.1	63	1	3	5	13	21	31	99 +	30	6.5	35	1	2	5	9	16	22	22

Total U.S., January-December 1988

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.0	128	2	2	10	18	18	18	18	2	2.5	1	2	2	2	3	3	3	3
25-34	3	13.0	91	3	6	14	20	22	22	22	2	3.5	1	3	3	3	4	4	4	4
35-54	3	2.3	1	2	2	2	3	3	3	3	2	10.0	72	4	4	10	16	16	16	16
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	9	7.8	63	2	2	3	15	20	22	22	6	5.3	28	2	3	3	4	15	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	98	4	4	11	18	18	18	18										
18-24	4	9.5	94	1	1	8	17	21	21	21										
25-34	3	9.7	99	2	3	6	17	21	21	21										
35-54	3	5.0	1	4	4	5	6	6	6	6										
55-74	3	6.7	54	1	2	4	12	15	15	15										
75 +																				
ALL AGES	15	8.3	53	1	3	5	15	21	21	21										
SUBTOTAL	**24**	**8.1**	**55**	**2**	**2**	**4**	**15**	**21**	**21**	**22**	**6**	**5.3**	**28**	**2**	**3**	**3**	**4**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	9	10.8	243	1	2	6	13	36	50	50	1	7.0		7	7	7	7	7	7	7
25-34	10	3.5	4	1	2	3	5	6	7	7	2	12.0		12	12	12	12	12	12	12
35-54	7	5.7	43	1	2	3	8	17	19	19										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	28	6.9	98	1	2	3	7	17	22	50	4	8.5	19	3	5	9	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	3	6.0	13	3	3	5	9	10	10	10	1	1.0		1	1	1	1	1	1	1
18-24	3	8.7	21	5	5	7	12	14	14	14	4	10.8	193	1	1	5	20	31	31	31
25-34	9	7.8	77	2	3	5	8	22	30	30	3	10.0	97	2	3	7	17	21	21	21
35-54	11	20.5	288	6	9	15	25	47	62	63										
55-74	2	7.0	2	6	6	7	8	8	8	8	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	28	12.6	175	3	5	7	15	29	40	63	9	8.9	108	1	2	6	12	27	31	31
SUBTOTAL	**56**	**9.8**	**141**	**2**	**3**	**6**	**13**	**21**	**35**	**62**	**13**	**8.8**	**76**	**1**	**2**	**7**	**12**	**23**	**29**	**31**
GRAND TOTAL	**80**	**9.3**	**115**	**2**	**3**	**5**	**14**	**21**	**28**	**59**	**19**	**7.7**	**62**	**1**	**2**	**4**	**11**	**19**	**26**	**31**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	11.5	182	2	2	7	14	35	37	37	1	11.0		11	11	11	11	11	11	11
18-24	23	8.4	162	1	1	3	9	26	41	52	2	3.0	2	2	2	3	4	4	4	4
25-34	19	5.8	17	1	3	5	9	12	14	16	2	2.0	2	1	1	1	3	3	3	3
35-54	10	6.9	25	1	4	6	11	14	17	17										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	59	7.5	90	1	2	5	9	16	30	51	5	4.2	16	1	1	3	6	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	2	4.5	25	1	1	4	8	8	8	8										
25-34	4	6.0	87	1	1	1	11	20	20	20										
35-54																				
55-74																				
75 +																				
ALL AGES	7	7.1	68	1	1	2	15	19	20	20										
SUBTOTAL	**66**	**7.5**	**86**	**1**	**1**	**4**	**9**	**17**	**26**	**50**	**5**	**4.2**	**16**	**1**	**1**	**3**	**6**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	6	13.5	201	4	6	9	35	88	99 +	99 +	1	1.0		1	1	1	1	1	1	1
18-24	39	6.8	41	1	2	5	7	19	21	24	1	22.0		22	22	22	22	22	22	22
25-34	30	6.6	18	1	4	6	9	12	16	17	2	6.5	41	2	2	6	11	11	11	11
35-54	13	7.3	150	1	2	3	7	20	41	46	2	5.0	2	4	4	5	6	6	6	6
55-74	2	14.0		14	14	14	14	14	14	14										
75 +	2	6.0	50	1	1	5	11	11	11	11										
ALL AGES	93	7.4	57	1	3	5	9	16	22	76	6	7.7	61	1	2	5	11	21	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	2	18.0	32	14	14	18	22	22	22	22										
18-24											1	7.0		7	7	7	7	7	7	7
25-34	5	2.8	1	2	2	3	3	4	4	4	1	12.0		12	12	12	12	12	12	12
35-54	1	13.0		13	13	13	13	13	13	13	2	5.5	25	2	2	5	9	9	9	9
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	8	7.9	56	2	2	4	13	20	22	22	5	7.0	15	2	4	7	10	12	12	12
SUBTOTAL	**101**	**7.4**	**57**	**1**	**3**	**5**	**11**	**16**	**22**	**72**	**11**	**7.4**	**36**	**1**	**3**	**6**	**10**	**16**	**21**	**22**
GRAND TOTAL	**167**	**7.4**	**68**	**1**	**2**	**5**	**10**	**17**	**22**	**51**	**16**	**6.4**	**31**	**1**	**2**	**5**	**10**	**12**	**19**	**22**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	34.5	344	9	28	37	42	50	72	77	3	61.3	1200	28	43	78	98	99 +	99 +	99 +
13-17	21	21.1	230	3	8	21	39	47	69	99 +	3	56.0	1029	36	37	66	96	99 +	99 +	99 +
18-24	50	8.1	88	1	2	6	10	18	20	57	3	2.7	8	1	1	1	5	6	6	6
25-34	50	8.2	83	1	2	5	11	18	30	44	6	12.8	154	2	4	10	16	33	35	35
35-54	18	6.4	24	1	2	5	11	14	15	15	4	11.8	135	3	5	7	18	29	29	29
55-74	3	8.0	43	1	2	9	13	14	14	14	1	1.0		1	1	1	1	1	1	1
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	156	11.9	182	1	3	7	16	35	42	76	20	24.3	846	1	4	15	39	98	99 +	99 +
B. FEMALE																				
0-12 YRS.	5	33.4	245	21	22	28	42	59	59	59	2	40.0	1682	11	11	40	69	69	69	69
13-17	57	26.4	670	3	7	15	47	83	92	99 +	8	36.0	1134	2	6	31	60	83	92	92
18-24	104	12.6	224	2	4	8	15	36	41	78	7	13.3	408	1	2	6	12	49	58	58
25-34	138	8.9	87	1	3	5	12	21	27	49	19	8.5	39	1	2	8	13	17	20	21
35-54	90	10.9	89	1	3	8	15	23	30	43	8	6.4	42	1	1	5	8	17	21	21
55-74	6	10.3	45	2	7	9	15	19	20	20	1	16.0		16	16	16	16	16	16	16
75 +	6	11.8	58	2	6	12	17	21	21	21										
ALL AGES	406	13.1	240	1	3	8	16	32	49	88	45	15.3	439	1	2	8	15	58	64	92
SUBTOTAL	**562**	**12.8**	**223**	**1**	**3**	**8**	**16**	**35**	**46**	**85**	**65**	**18.1**	**569**	**1**	**3**	**8**	**21**	**61**	**94**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	47.8	1155	9	20	51	89	99	99 +	99 +	2	16.5	5	15	15	16	18	18	18	18
13-17	24	18.3	408	3	6	10	30	61	84	99 +	3	15.3	67	8	11	19	62	99 +	99 +	99 +
18-24	65	12.3	187	1	4	8	15	25	37	78	13	12.4	135	1	2	11	17	31	36	37
25-34	91	7.8	60	1	3	6	10	15	29	39	11	11.9	211	1	2	6	17	35	47	48
35-54	48	12.4	243	1	2	7	17	31	40	83	7	9.3	68	1	4	6	17	22	22	22
55-74	5	14.2	122	3	4	13	25	26	26	26	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	244	12.8	276	1	3	7	14	34	52	98	37	11.8	126	1	3	9	20	28	44	99 +
B. FEMALE																				
0-12 YRS.	5	22.6	184	6	10	24	34	38	38	38										
13-17	44	26.2	559	3	7	21	47	78	99 +	99 +	1	21.0		21	21	21	21	21	21	21
18-24	144	12.0	190	1	3	7	15	31	50	69	15	6.4	51	1	1	5	7	20	23	24
25-34	215	11.8	137	2	4	8	15	24	37	67	16	10.6	170	1	3	6	13	26	44	52
35-54	138	10.6	95	2	4	7	14	24	31	43	15	14.3	183	4	6	10	15	36	49	53
55-74	9	17.1	720	4	5	6	14	62	86	86	1	4.0		4	4	4	4	4	4	4
75 +	2	15.0	98	8	8	15	22	22	22	22	1	21.0		21	21	21	21	21	21	21
ALL AGES	557	12.9	197	2	4	8	17	32	48	97	49	10.8	135	1	3	6	14	23	37	53
SUBTOTAL	**801**	**12.9**	**220**	**2**	**4**	**8**	**16**	**32**	**49**	**98**	**86**	**11.2**	**131**	**1**	**3**	**8**	**15**	**27**	**39**	**83**
GRAND TOTAL	**1363**	**12.8**	**222**	**1**	**4**	**8**	**16**	**33**	**48**	**92**	**151**	**14.2**	**328**	**1**	**3**	**8**	**18**	**40**	**61**	**99 +**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26	1	1.0		1	1	1	1	1	1	1
13-17	8	18.9	325	2	4	15	43	78	99+	99+										
18-24	14	7.1	90	1	1	2	12	19	30	33	4	12.5	186	1	3	8	21	32	32	32
25-34	13	9.5	55	2	4	7	14	19	26	27	4	12.3	83	3	4	12	20	22	22	22
35-54	8	6.5	17	3	4	5	9	13	13	13	6	2.7	5	1	1	2	3	7	7	7
55-74	4	5.3	10	1	3	5	7	9	9	9	2	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	48	9.9	115	1	3	6	13	30	43	99+	17	8.4	78	1	2	6	13	21	28	32
B. FEMALE																				
0-12 YRS.																				
13-17	3	15.0	343	1	3	8	29	36	36	36	4	4.0	13	1	1	3	6	9	9	9
18-24	16	6.1	81	1	1	2	6	17	30	35	2	4.5	13	2	2	4	7	7	7	7
25-34	16	6.1	34	1	2	4	8	17	20	21	2	11.0	2	10	10	11	12	12	12	12
35-54	20	10.7	104	1	2	7	19	26	32	34	4	6.8	1	5	5	7	8	8	8	8
55-74	3	6.7	66	1	1	3	13	16	16	16	4	4.0	1	3	3	4	5	5	5	5
75 +																				
ALL AGES	58	8.2	86	1	2	4	12	21	32	36	16	5.6	10	2	3	5	8	10	11	12
SUBTOTAL	**106**	**8.9**	**100**	**1**	**2**	**5**	**13**	**25**	**34**	**68**	**33**	**7.0**	**46**	**1**	**2**	**5**	**9**	**14**	**21**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	27.6	486	2	11	29	33	61	72	72	1	1.0		1	1	1	1	1	1	1
18-24	14	7.4	77	1	1	4	9	23	28	30										
25-34	15	7.3	59	2	3	4	6	24	24	24	2	8.5	113	1	1	8	16	16	16	16
35-54	14	6.1	56	1	1	5	7	10	26	30	5	6.6	47	2	2	3	10	18	18	18
55-74	1	23.0		23	23	23	23	23	23	23	2	2.5	5	1	1	2	4	4	4	4
75 +																				
ALL AGES	52	10.4	177	1	2	5	15	30	32	71	10	5.6	41	1	1	3	8	17	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	13	17.1	348	2	3	9	25	44	63	67	1	49.0		49	49	49	49	49	49	49
18-24	18	6.5	87	1	2	2	7	22	31	35	4	7.3	86	1	1	3	13	21	21	21
25-34	29	7.4	71	1	2	4	9	24	28	29	9	7.4	22	2	4	6	12	14	14	14
35-54	19	7.8	27	2	4	8	12	15	17	19	4	9.0	120	1	2	5	16	25	25	25
55-74	6	12.7	150	1	1	10	22	31	32	32										
75 +											2	3.0		3	3	3	3	3	3	3
ALL AGES	85	9.2	119	1	2	5	12	25	30	57	20	9.4	130	1	2	5	12	23	37	49
SUBTOTAL	**137**	**9.7**	**139**	**1**	**2**	**5**	**12**	**27**	**31**	**68**	**30**	**8.1**	**102**	**1**	**2**	**4**	**12**	**19**	**25**	**49**
GRAND TOTAL	**243**	**9.3**	**123**	**1**	**2**	**5**	**13**	**26**	**33**	**67**	**63**	**7.5**	**72**	**1**	**2**	**5**	**10**	**18**	**23**	**47**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	15.5	5	14	14	15	17	17	17	17										
25-34	2	11.0	200	1	1	11	21	21	21	21										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	6	11.3	60	1	4	12	17	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**6**	**11.3**	**60**	**1**	**4**	**12**	**17**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	14.0		14	14	14	14	14	14	14
18-24	2	12.0	32	8	8	12	16	16	16	16										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	3	10.0	27	7	7	7	14	16	16	16										
55-74																				
75 +																				
ALL AGES	6	10.0	22	6	7	8	16	16	16	16	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	**7**	**12.6**	**64**	**6**	**7**	**8**	**16**	**26**	**28**	**28**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
GRAND TOTAL	**13**	**12.0**	**57**	**3**	**7**	**11**	**16**	**22**	**27**	**28**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**

EXHIBITIONISM (302.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24																				
25-34																				
35-54	1	22.0		22	22	22	22	22	22	22										
55-74																				
75 +																				
ALL AGES	2	20.0	8	18	18	20	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**20.0**	**8**	**18**	**18**	**20**	**22**	**22**	**22**	**22**										
GRAND TOTAL	**3**	**14.3**	**102**	**3**	**7**	**18**	**21**	**22**	**22**	**22**										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	3	17.0	111	6	9	18	25	27	27	27	33	8.0	61	1	1	6	12	23	24	26
35-54	4	13.5	143	1	4	12	23	28	28	28	18	10.9	114	1	5	7	14	27	35	41
55-74	1	6.0		6	6	6	6	6	6	6	2	2.5	5	1	1	2	4	4	4	4
75 +																				
ALL AGES	8	13.9	105	2	6	12	23	28	28	28	54	8.7	77	1	1	6	12	24	26	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	40.0		40	40	40	40	40	40	40	6	9.0		9	9	9	9	9	9	9
25-34	5	10.4	69	4	4	5	19	20	20	20	51	8.2	16	2	9	9	9	10	17	21
35-54	2	8.5	13	6	6	8	11	11	11	11	41	7.5	8	2	9	9	9	9	9	10
55-74											2	9.5	1	9	9	9	10	10	10	10
75 +																				
ALL AGES	8	13.6	156	4	5	8	19	34	40	40	100	8.0	12	2	9	9	9	9	10	20
SUBTOTAL	**16**	**13.8**	**121**	**4**	**5**	**9**	**19**	**28**	**36**	**40**	**154**	**8.2**	**35**	**1**	**4**	**9**	**9**	**14**	**21**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
SUBTOTAL	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**										
GRAND TOTAL	**17**	**14.2**	**120**	**4**	**5**	**11**	**20**	**28**	**36**	**40**	**154**	**8.2**	**35**	**1**	**4**	**9**	**9**	**14**	**21**	**27**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	74.0		74	74	74	74	74	74	74										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	74.0		74	74	74	74	74	74	74										
SUBTOTAL	**1**	**74.0**		**74**	**74**	**74**	**74**	**74**	**74**	**74**										
GRAND TOTAL	**2**	**48.0**	**1352**	**22**	**22**	**48**	**74**	**74**	**74**	**74**										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	8.0		8	8	8	8	8	8	8
35-54	12	2.3	1	1	1	2	3	4	5	5	15	3.0	10	1	1	2	3	4	11	14
55-74	27	2.7	2	1	2	3	4	4	5	6	37	2.9	5	1	1	3	4	5	7	12
75 +	1	4.0		4	4	4	4	4	4	4	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	40	2.6	2	1	2	2	3	4	5	6	55	3.1	6	1	1	3	4	5	8	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**40**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**	**6**	**55**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**8**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	2.0	2	1	1	2	3	3	3	3	4	1.5		1	1	1	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	4	1.5		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**4**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**42**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**5**	**6**	**59**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**8**	**14**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	4	8.0	130	1	1	3	14	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	2	10.0	50	5	5	10	15	15	15	15										
SUBTOTAL	**6**	**8.7**	**88**	**1**	**2**	**4**	**15**	**24**	**25**	**25**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	45.8	1429	5	14	46	77	85	85	85										
18-24	2	37.5	1405	11	11	37	64	64	64	64	1	2.0		2	2	2	2	2	2	2
25-34	1	43.0		43	43	43	43	43	43	43										
35-54																				
55-74																				
75 +																				
ALL AGES	7	43.0	967	6	14	43	68	82	85	85	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**7**	**43.0**	**967**	**6**	**14**	**43**	**68**	**82**	**85**	**85**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**13**	**27.2**	**835**	**2**	**5**	**15**	**48**	**73**	**83**	**85**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	27.0		27	27	27	27	27	27	27
35-54	1	17.0		17	17	17	17	17	17	17										
55-74																				
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17	1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**
GRAND TOTAL	**2**	**11.0**	**72**	**5**	**5**	**11**	**17**	**17**	**17**	**17**	**3**	**10.0**	**217**	**1**	**1**	**2**	**21**	**27**	**27**	**27**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	2.0	1	1	1	2	3	3	3	3
13-17	25	1.6	1	1	1	1	2	3	4	5	18	2.8	43	1	1	1	2	3	19	29
18-24	80	4.1	37	1	1	2	4	6	23	29	44	4.4	36	1	1	3	6	8	16	29
25-34	319	4.2	32	1	1	2	4	10	17	29	198	6.1	54	1	2	4	6	21	23	32
35-54	753	5.4	55	1	2	3	5	14	27	31	459	5.2	33	1	2	4	6	9	21	29
55-74	342	6.2	67	1	2	4	6	15	26	32	246	5.7	42	1	2	4	6	11	21	33
75 +	31	5.7	42	2	2	4	5	14	25	28	36	5.5	22	2	3	5	7	9	11	28
ALL AGES	1551	5.2	51	1	2	3	5	13	25	31	1004	5.4	40	1	2	4	6	11	21	30
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	11	6.1	140	1	1	2	4	22	39	41	8	1.5	1	1	1	1	2	3	3	3
18-24	31	3.2	17	1	1	1	3	9	14	18	18	1.9	3	1	1	1	2	5	6	6
25-34	93	4.2	31	1	2	2	4	7	19	29	70	4.3	33	1	1	3	5	9	21	32
35-54	180	4.8	35	1	2	3	5	10	20	31	173	5.2	40	1	2	4	6	9	21	33
55-74	86	6.7	73	1	2	3	6	20	29	37	84	5.8	40	1	2	4	6	13	22	31
75 +	8	4.1	4	2	3	4	5	7	8	8	10	2.4	1	1	2	2	3	4	4	4
ALL AGES	409	5.0	43	1	2	3	4	11	21	32	364	4.9	35	1	1	3	5	9	21	33
SUBTOTAL	**1960**	**5.2**	**49**	**1**	**2**	**3**	**5**	**12**	**25**	**31**	**1368**	**5.3**	**38**	**1**	**2**	**3**	**6**	**10**	**21**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	6.0	18	3	3	6	9	9	9	9
13-17	40	7.6	107	1	1	4	7	27	30	45	23	19.1	413	1	2	7	31	43	57	77
18-24	209	6.0	47	1	2	4	6	16	25	30	167	11.4	103	1	3	7	21	24	29	42
25-34	853	6.9	63	1	2	4	6	21	28	31	699	10.4	94	2	3	6	20	25	28	38
35-54	1337	6.7	55	2	3	4	7	20	27	31	1239	9.4	80	2	3	5	14	24	28	35
55-74	456	7.9	87	2	3	5	8	21	24	40	473	8.6	67	2	3	5	11	22	28	30
75 +	52	7.9	71	1	2	4	10	20	31	35	32	10.9	166	3	4	7	11	20	34	70
ALL AGES	2947	7.0	62	1	2	4	7	21	27	32	2635	9.7	89	2	3	5	14	24	28	37
B FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	24	10.0	130	1	3	6	9	29	35	40	12	11.7	306	1	1	2	18	38	53	56
18-24	67	6.2	66	1	2	3	7	16	28	39	47	7.9	60	1	2	5	9	21	24	27
25-34	262	7.2	63	1	2	4	7	21	27	30	236	9.5	86	1	3	6	14	26	28	34
35-54	397	7.3	72	1	2	4	7	23	28	33	347	8.5	70	1	3	5	12	22	28	33
55-74	156	8.9	70	2	3	6	10	24	28	34	172	10.0	82	2	3	6	15	26	29	34
75 +	12	6.7	21	2	3	6	9	14	15	15	21	6.0	37	1	2	4	6	13	21	28
ALL AGES	918	7.5	70	1	2	4	7	22	28	33	836	9.0	80	1	3	5	13	23	28	33
SUBTOTAL	**3865**	**7.1**	**64**	**1**	**2**	**4**	**7**	**21**	**28**	**32**	**3471**	**9.6**	**85**	**2**	**3**	**5**	**14**	**24**	**28**	**36**
GRAND TOTAL	**5825**	**6.4**	**61**	**1**	**2**	**4**	**6**	**19**	**27**	**32**	**4839**	**8.4**	**75**	**1**	**3**	**5**	**10**	**22**	**28**	**34**

Total U.S., January-December 1988

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	12.3	238	2	3	5	24	30	30	30										
13-17	90	26.6	243	4	13	28	38	43	45	75	72	26.9	214	3	17	29	37	43	48	55
18-24	405	16.2	125	2	4	19	27	29	31	38	330	16.1	127	2	4	18	28	29	30	41
25-34	1510	15.1	115	2	4	14	26	28	30	34	1258	14.7	125	2	4	13	27	28	30	39
35-54	2673	14.5	112	3	4	12	25	28	30	34	2468	13.8	120	3	4	7	26	29	30	37
55-74	944	15.3	110	3	5	14	26	28	30	36	890	13.4	116	2	4	9	24	29	30	37
75 +	62	14.3	87	4	6	10	22	28	29	32	69	13.2	120	3	4	10	21	31	33	89
ALL AGES	5687	15.1	117	2	4	14	26	28	30	36	5087	14.3	124	2	4	9	26	29	30	39
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	14.0		14	14	14	14	14	14	14
13-17	57	27.8	318	4	13	30	39	45	54	89	47	23.7	226	4	12	25	30	44	49	62
18-24	131	16.3	127	2	5	19	27	29	32	42	90	15.7	146	2	4	14	28	30	35	43
25-34	489	13.6	105	2	4	11	24	28	29	34	385	14.5	126	2	5	10	26	29	31	40
35-54	758	14.4	113	2	4	12	25	28	30	35	631	13.5	129	2	4	7	26	29	31	39
55-74	337	16.3	104	3	6	17	26	29	31	35	330	13.8	124	3	5	9	25	29	31	43
75 +	27	14.4	111	2	4	16	23	28	31	32	31	11.3	87	3	5	7	17	27	28	33
ALL AGES	1800	15.1	122	2	5	14	26	29	31	40	1515	14.2	134	2	4	9	26	29	32	42
SUBTOTAL	**7487**	**15.1**	**118**	**2**	**5**	**14**	**26**	**28**	**30**	**37**	**6602**	**14.3**	**126**	**2**	**4**	**9**	**26**	**29**	**30**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	26.8	84	17	19	32	37	88	99 +	99 +	2	4.0	2	3	3	4	5	5	5	5
13-17	527	27.6	201	8	18	29	37	43	45	65	315	26.4	205	7	15	27	37	44	50	62
18-24	893	18.3	121	3	7	21	28	29	31	42	702	18.3	118	3	7	21	28	29	32	43
25-34	2425	16.0	108	3	5	18	26	28	30	35	1861	16.8	122	3	5	20	27	29	31	42
35-54	2263	14.9	108	3	5	14	23	28	30	37	1653	13.7	114	3	5	8	23	28	30	41
55-74	639	14.5	109	3	5	14	21	28	31	37	386	12.8	103	3	5	8	21	28	30	42
75 +	58	14.4	102	3	5	14	20	29	30	42	24	12.4	175	2	4	6	18	35	44	49
ALL AGES	6811	16.7	128	3	5	18	26	29	32	44	4943	16.3	131	3	5	16	27	29	33	44
B. FEMALE																				
0-12 YRS.	2	22.5	145	14	14	22	31	31	31	31	4	15.3	131	5	5	14	25	28	28	28
13-17	277	30.7	232	10	22	30	41	44	48	89	181	25.2	164	6	18	26	33	43	45	55
18-24	312	16.5	112	3	5	18	27	29	31	39	265	18.3	115	3	7	21	28	29	31	42
25-34	776	15.2	117	3	4	15	25	28	30	38	669	15.8	122	3	5	14	27	29	31	42
35-54	733	15.0	122	3	5	14	24	28	30	41	475	14.5	118	3	5	10	24	28	30	42
55-74	282	15.9	102	3	6	15	23	28	30	42	165	14.2	131	3	5	9	22	30	31	52
75 +	34	13.0	55	5	6	14	17	22	26	35	14	15.6	138	2	4	16	27	30	34	35
ALL AGES	2416	17.1	154	3	5	17	27	31	37	47	1773	16.6	136	3	5	17	27	30	35	44
SUBTOTAL	**9227**	**16.8**	**135**	**3**	**5**	**18**	**27**	**29**	**34**	**44**	**6716**	**16.4**	**132**	**3**	**5**	**16**	**27**	**30**	**33**	**44**
GRAND TOTAL	**16714**	**16.0**	**129**	**3**	**5**	**16**	**26**	**29**	**32**	**42**	**13318**	**15.3**	**132**	**3**	**5**	**14**	**27**	**29**	**32**	**42**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	10	7.2	59	1	2	4	9	21	21	21	14	9.1	61	2	3	5	15	21	21	21
25-34	78	11.2	102	2	3	6	20	28	30	35	89	10.1	73	2	4	6	15	23	28	34
35-54	88	10.2	98	2	3	6	16	27	30	43	85	11.1	111	2	4	7	20	25	28	51
55-74	7	12.7	75	4	5	13	19	25	26	26	4	6.3	35	1	1	5	11	14	14	14
75 +	1	14.0		14	14	14	14	14	14	14	1	14.0		14	14	14	14	14	14	14
ALL AGES	184	10.6	96	2	3	6	18	27	30	35	193	10.4	88	2	4	6	16	23	28	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	8	9.0	23	3	6	9	12	16	17	17	10	9.3	131	3	4	5	8	26	41	41
25-34	72	11.5	104	2	3	7	17	28	32	37	47	10.0	74	3	3	7	13	26	27	28
35-54	68	11.1	86	2	4	7	17	26	30	34	41	10.1	116	2	3	6	9	26	36	43
55-74	9	11.7	52	4	8	9	15	24	24	24	9	9.8	120	2	3	4	14	29	31	31
75 +																				
ALL AGES	157	11.2	88	2	3	8	16	27	31	36	107	9.9	97	3	3	6	12	26	29	42
SUBTOTAL	**341**	**10.9**	**92**	**2**	**3**	**7**	**17**	**27**	**30**	**36**	**300**	**10.2**	**91**	**2**	**3**	**6**	**15**	**25**	**28**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	22	9.4	68	2	4	6	16	24	27	29	21	9.6	65	3	5	7	10	21	31	34
25-34	187	13.6	94	3	4	10	21	28	29	31	169	11.4	97	2	4	7	20	27	30	38
35-54	244	12.1	76	3	4	9	21	24	28	31	160	11.1	89	2	4	7	18	27	30	36
55-74	15	12.3	77	3	4	9	18	28	29	29	7	10.1	41	4	6	8	13	21	22	22
75 +	1	22.0		22	22	22	22	22	22	22	1	2.0		2	2	2	2	2	2	2
ALL AGES	469	12.6	84	3	4	10	21	27	28	31	359	11.1	89	2	4	7	18	27	30	37
B. FEMALE																				
0-12 YRS.																				
13-17	6	22.5	152	9	13	21	27	42	44	44										
18-24	24	12.5	88	3	5	9	21	26	28	29	20	14.3	128	2	4	11	24	29	33	37
25-34	153	13.6	114	3	5	10	21	28	35	43	102	11.1	69	3	5	8	16	23	28	37
35-54	132	11.7	93	3	4	8	20	28	29	35	64	13.5	113	4	6	8	21	28	31	43
55-74	15	16.1	119	4	6	18	27	28	30	30	8	13.9	90	2	6	12	23	26	26	26
75 +	3	11.0	63	2	5	14	16	17	17	17										
ALL AGES	333	13.0	106	3	4	9	21	28	30	43	194	12.3	92	3	5	8	19	28	28	41
SUBTOTAL	**802**	**12.8**	**92**	**3**	**4**	**9**	**21**	**28**	**29**	**36**	**553**	**11.5**	**91**	**3**	**4**	**7**	**19**	**27**	**30**	**37**
GRAND TOTAL	**1143**	**12.2**	**93**	**2**	**4**	**8**	**21**	**27**	**29**	**36**	**853**	**11.1**	**90**	**3**	**4**	**7**	**18**	**27**	**28**	**39**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	1	42.0		42	42	42	42	42	42	42
25-34	9	15.0	90	4	7	12	22	28	30	30	10	13.9	93	2	6	12	21	28	29	29
35-54	15	16.9	135	2	4	16	28	31	31	31	10	10.3	110	1	3	8	11	28	35	35
55-74	7	20.3	62	10	14	20	27	30	30	30	5	14.2	109	1	4	20	22	24	24	24
75 +	2	16.0	50	11	11	16	21	21	21	21										
ALL AGES	34	16.6	103	3	8	17	28	30	31	31	26	13.7	126	1	5	10	21	29	36	42
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17											1	1.0		1	1	1	1	1	1	1
18-24											2	22.5	761	3	3	22	42	42	42	42
25-34	18	11.4	52	5	6	9	16	24	27	28	14	16.5	171	4	5	15	28	33	42	45
35-54	28	16.5	117	5	6	15	26	31	33	37	31	14.5	122	4	6	10	27	30	34	39
55-74	21	20.0	214	3	9	20	27	35	49	64	16	21.9	141	5	9	28	30	34	36	37
75 +	5	7.0	83	1	2	4	9	23	23	23	3	12.7	211	1	3	8	24	29	29	29
ALL AGES	72	15.6	137	3	6	13	23	31	33	58	68	16.5	152	4	6	12	30	33	37	44
SUBTOTAL	**106**	**15.9**	**126**	**3**	**6**	**14**	**24**	**30**	**32**	**49**	**94**	**15.7**	**146**	**3**	**5**	**11**	**29**	**32**	**37**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	31.7	259	13	20	40	41	42	42	42	1	32.0		32	32	32	32	32	32	32
18-24	14	18.0	195	3	6	17	29	33	47	51	1	5.0		5	5	5	5	5	5	5
25-34	36	16.1	133	2	7	14	25	31	34	48	23	12.5	65	4	5	9	18	23	30	30
35-54	52	14.3	94	2	6	11	24	29	30	31	34	15.5	116	3	5	12	25	30	33	36
55-74	12	16.2	70	7	9	15	22	28	29	29	12	15.1	99	4	7	13	25	29	30	30
75 +	3	9.0	25	4	5	9	13	14	14	14	1	7.0		7	7	7	7	7	7	7
ALL AGES	120	15.8	120	3	7	13	25	30	32	49	72	14.5	96	4	6	11	21	30	30	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	8	15.0	167	1	2	13	27	32	33	33	3	25.0	349	5	11	28	38	42	42	42
25-34	51	15.5	96	4	7	14	25	29	30	31	42	16.2	139	5	7	10	27	33	39	42
35-54	88	16.9	119	3	7	15	27	31	33	42	53	17.4	116	4	7	15	28	30	31	42
55-74	71	17.8	114	4	11	14	27	29	37	48	30	15.4	127	3	5	14	27	31	33	37
75 +	8	18.9	36	14	14	16	24	28	28	28	3	14.0	81	5	7	14	21	23	23	23
ALL AGES	226	16.9	109	3	8	15	27	30	33	43	131	16.6	130	4	7	14	28	31	36	42
SUBTOTAL	**346**	**16.5**	**113**	**3**	**8**	**14**	**26**	**30**	**32**	**45**	**203**	**15.9**	**117**	**4**	**6**	**13**	**27**	**30**	**33**	**42**
GRAND TOTAL	**452**	**16.4**	**115**	**3**	**7**	**14**	**26**	**30**	**32**	**45**	**297**	**15.8**	**127**	**4**	**6**	**13**	**28**	**30**	**34**	**42**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-17	7	30.9	233	7	17	39	42	42	42	42	12	11.5	154	1	2	7	17	32	39	40
18-24	218	12.4	103	2	3	9	21	28	28	33	139	14.4	98	3	5	14	22	28	29	35
25-34	551	13.4	110	2	3	10	24	28	29	34	412	15.0	118	3	5	14	23	29	32	40
35-54	248	12.9	98	2	3	10	21	28	29	31	149	14.4	114	2	4	13	22	28	32	42
55-74	5	13.8	122	3	3	14	23	28	28	28	5	11.0	55	1	6	11	16	21	21	21
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	1030	13.2	110	2	3	10	22	28	29	34	718	14.7	112	3	5	14	23	28	31	40
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	7	22.7	248	4	8	25	38	42	42	42	6	11.5	165	2	2	5	23	31	32	32
18-24	184	11.0	87	2	3	8	17	25	28	42	106	11.0	93	3	4	6	18	28	29	38
25-34	331	10.2	76	2	3	7	16	26	28	30	222	11.1	98	3	4	6	18	28	29	41
35-54	70	10.8	94	2	3	7	20	26	30	34	32	12.3	96	2	5	7	21	27	29	30
55-74																				
75 +																				
ALL AGES	593	10.7	84	2	3	7	17	26	28	34	366	11.2	96	2	4	7	20	28	29	40
SUBTOTAL	**1623**	**12.3**	**102**	**2**	**3**	**9**	**21**	**28**	**29**	**34**	**1084**	**13.5**	**110**	**3**	**4**	**8**	**22**	**28**	**30**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	50	29.0	314	4	16	30	42	49	69	99 +	30	21.8	247	3	7	25	31	43	52	56
18-24	463	15.7	103	2	5	17	25	28	30	35	318	16.6	113	3	6	18	24	30	32	42
25-34	1241	15.4	103	2	4	17	24	28	29	32	867	15.8	125	3	5	15	24	30	33	42
35-54	531	14.2	94	3	4	13	21	28	28	31	358	15.8	115	3	6	15	24	29	34	42
55-74	6	17.8	95	4	10	21	22	29	30	30	4	23.5	22	17	20	24	26	28	28	28
75 +																				
ALL AGES	2291	15.5	109	3	5	17	24	28	30	40	1577	16.1	123	3	5	16	24	30	33	42
B. FEMALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17	36	22.4	247	3	6	22	39	45	46	48	16	26.3	384	2	6	27	43	45	59	65
18-24	251	14.0	100	3	5	13	22	28	29	38	140	14.2	109	3	5	12	22	29	30	36
25-34	509	12.3	88	2	4	10	20	28	28	33	343	13.2	101	3	5	8	21	28	30	42
35-54	119	13.7	95	3	4	11	21	28	28	35	65	9.6	74	3	4	6	13	22	30	38
55-74																				
75 +																				
ALL AGES	915	13.4	101	3	4	10	21	28	29	41	565	13.4	113	3	5	8	21	28	30	43
SUBTOTAL	**3206**	**14.9**	**108**	**3**	**4**	**14**	**23**	**28**	**29**	**41**	**2142**	**15.4**	**121**	**3**	**5**	**14**	**24**	**30**	**33**	**42**
GRAND TOTAL	**4829**	**14.0**	**108**	**2**	**4**	**13**	**22**	**28**	**29**	**39**	**3226**	**14.7**	**120**	**3**	**5**	**13**	**23**	**29**	**32**	**42**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS												HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS											
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES									TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES								
				10TH	25TH	50TH	75TH	90TH	95TH	99TH						10TH	25TH	50TH	75TH	90TH	95TH	99TH		
1. PSYCH PRIN, NO 2ND PSYCH DX																								
A. MALE																								
0-12 YRS.																								
13-17	83	28.9	219	8	17	31	42	42	43	78			51	25.7	193	4	17	28	34	42	49	57		
18-24	32	19.3	77	5	14	21	27	29	30	30			14	20.1	122	5	12	20	28	30	39	42		
25-34	28	20.9	92	4	13	26	28	29	30	30			21	18.9	87	3	16	21	24	29	33	36		
35-54	9	21.2	80	8	13	24	28	30	31	31			13	23.0	63	11	22	26	28	29	29	29		
55-74																								
75 +																								
ALL AGES	152	24.9	177	7	14	27	32	42	42	49			99	23.1	149	3	17	23	29	39	42	55		
B. FEMALE																								
0-12 YRS.																								
13-17	12	29.4	140	14	21	28	42	43	44	44			12	32.2	487	1	11	36	49	60	63	64		
18-24	8	22.6	126	8	15	23	28	38	42	42			1	30.0		30	30	30	30	30	30	30		
25-34	8	13.3	87	2	6	11	22	25	26	26			11	30.3	88	18	25	29	39	42	42	42		
35-54	1	30.0		30	30	30	30	30	30	30			4	15.5	164	3	4	15	26	28	28	28		
55-74																								
75 +																								
ALL AGES	29	23.1	154	6	13	23	29	42	42	44			28	29.0	281	4	20	29	40	53	59	64		
SUBTOTAL	**181**	**24.6**	**174**	**7**	**14**	**26**	**31**	**42**	**42**	**48**			**127**	**24.4**	**182**	**3**	**17**	**25**	**31**	**42**	**46**	**59**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																								
A. MALE																								
0-12 YRS.													3	33.7	271	18	21	32	46	51	51	51		
13-17	211	31.4	306	7	18	31	42	48	60	88			185	29.4	203	10	20	29	40	46	56	64		
18-24	134	19.6	120	3	10	21	28	30	34	45			103	22.4	102	3	18	25	29	32	38	42		
25-34	107	19.3	85	5	13	21	28	29	30	35			79	22.5	78	5	19	26	29	30	30	40		
35-54	22	19.5	100	5	8	23	27	29	31	34			24	22.6	99	7	16	25	29	35	38	39		
55-74																								
75 +																								
ALL AGES	474	24.8	228	5	14	26	31	42	48	78			394	25.8	157	7	19	27	30	42	46	60		
B. FEMALE																								
0-12 YRS.	1	42.0		42	42	42	42	42	42	42			1	41.0		41	41	41	41	41	41	41		
13-17	72	30.7	248	9	20	32	42	43	46	86			46	30.1	170	13	21	31	41	46	50	56		
18-24	25	17.0	133	2	6	19	25	29	38	42			17	17.2	123	2	3	21	28	30	31	32		
25-34	36	16.9	89	4	8	16	27	28	29	34			19	22.4	76	10	16	24	29	32	35	35		
35-54	8	13.8	110	2	4	11	24	28	28	28			10	24.7	74	14	20	25	28	36	42	42		
55-74																								
75 +																								
ALL AGES	142	23.9	229	4	11	25	34	42	43	65			93	25.7	155	6	18	27	33	42	45	56		
SUBTOTAL	**616**	**24.6**	**227**	**5**	**13**	**26**	**32**	**42**	**46**	**75**			**487**	**25.8**	**156**	**7**	**19**	**27**	**31**	**42**	**46**	**58**		
GRAND TOTAL	**797**	**24.6**	**215**	**6**	**14**	**26**	**32**	**42**	**44**	**71**			**614**	**25.5**	**162**	**6**	**19**	**27**	**31**	**42**	**46**	**58**		

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33	4	25.3	246	7	14	24	36	45	45	45
18-24	11	22.7	95	4	21	26	29	30	30	30	22	11.7	91	2	4	7	21	27	29	30
25-34	7	13.9	133	2	5	9	26	29	29	29	40	15.9	138	3	5	13	28	31	33	41
35-54	6	17.5	84	5	8	20	24	28	28	28	7	16.9	195	1	2	21	29	32	32	32
55-74																				
75 +																				
ALL AGES	25	19.4	113	4	8	23	28	30	31	33	73	15.2	139	2	4	13	28	30	33	44
B. FEMALE																				
0-12 YRS.																				
13-17	2	55.5	421	41	41	55	70	70	70	70	2	6.5	13	4	4	6	9	9	9	9
18-24	4	25.0	201	4	16	31	33	34	34	34	17	19.7	136	3	5	27	28	31	34	35
25-34	16	14.4	172	1	2	7	28	29	30	31	13	16.0	170	2	3	21	27	30	37	38
35-54	5	13.2	222	2	2	3	29	30	30	30	3	17.0	181	2	7	21	26	28	28	28
55-74	1	13.0		13	13	13	13	13	13	13	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	28	18.6	289	2	3	20	29	34	44	70	36	17.2	141	3	4	21	28	30	34	38
SUBTOTAL	**53**	**19.0**	**202**	**2**	**4**	**23**	**29**	**31**	**34**	**69**	**109**	**15.9**	**138**	**2**	**4**	**14**	**28**	**30**	**33**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	16.3	198	2	6	17	27	30	30	30	5	23.8	119	6	17	29	31	33	33	33
18-24	37	22.2	135	3	14	25	28	32	43	47	26	19.7	136	2	7	22	28	32	35	38
25-34	64	16.9	134	2	4	17	28	30	31	37	49	15.8	119	2	4	15	26	29	30	37
35-54	22	16.0	133	3	5	12	29	30	31	31	13	17.6	111	4	7	21	27	29	31	31
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	127	18.2	138	2	5	22	28	30	31	47	93	17.5	126	3	5	21	28	30	33	38
B. FEMALE																				
0-12 YRS.																				
13-17	7	23.3	407	3	5	23	40	52	54	54	4	32.3	106	20	24	32	40	45	45	45
18-24	25	18.0	158	3	4	26	28	30	33	40	15	19.4	131	3	8	25	28	29	35	37
25-34	43	13.4	121	2	4	9	24	29	30	39	31	17.5	154	2	4	20	29	30	35	40
35-54	10	21.7	122	7	13	21	26	38	42	42	7	19.1	229	3	7	18	29	42	45	45
55-74	3	11.3	73	5	6	8	18	21	21	21	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	88	16.4	157	3	5	14	28	30	39	50	58	19.2	157	2	7	21	29	34	39	45
SUBTOTAL	**215**	**17.5**	**145**	**2**	**5**	**20**	**28**	**30**	**32**	**47**	**151**	**18.2**	**136**	**2**	**6**	**21**	**28**	**30**	**35**	**45**
GRAND TOTAL	**268**	**17.8**	**155**	**2**	**5**	**21**	**28**	**30**	**33**	**47**	**260**	**17.2**	**139**	**2**	**5**	**20**	**28**	**30**	**34**	**44**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	6.0	50	1	1	6	11	11	11	11
18-24											1	28.0		28	28	28	28	28	28	28
25-34	1	48.0		48	48	48	48	48	48	48	1	28.0		28	28	28	28	28	28	28
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	1	48.0		48	48	48	48	48	48	48	5	14.4	167	1	3	11	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-24											1	13.0		13	13	13	13	13	13	13
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	39.0		39	39	39	39	39	39	39	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**2**	**43.5**	**41**	**39**	**39**	**43**	**48**	**48**	**48**	**48**	**6**	**14.2**	**133**	**1**	**4**	**12**	**28**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	4	30.5	50	23	24	31	36	37	37	37
18-24	8	26.0	291	3	12	27	38	48	50	50	5	12.0	127	2	3	6	22	27	27	27
25-34	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	10	21.4	321	2	3	23	32	47	50	50	10	18.7	180	3	5	22	27	36	37	37
B. FEMALE																				
0-12 YRS.																				
13-17	4	41.5	25	34	39	44	44	44	44	44	1	31.0		31	31	31	31	31	31	31
18-24																				
25-34											2	18.0	200	8	8	18	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	4	41.5	25	34	39	44	44	44	44	44	3	22.3	159	8	13	28	30	31	31	31
SUBTOTAL	**14**	**27.1**	**319**	**3**	**5**	**31**	**44**	**45**	**49**	**50**	**13**	**19.5**	**166**	**4**	**6**	**23**	**29**	**36**	**37**	**37**
GRAND TOTAL	**16**	**29.2**	**308**	**3**	**13**	**33**	**44**	**48**	**49**	**50**	**19**	**17.8**	**155**	**3**	**5**	**21**	**28**	**34**	**37**	**37**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17	6	19.5	204	7	8	13	36	39	39	39	1	24.0		24	24	24	24	24	24	24
18-24	1	6.0		6	6	6	6	6	6	6	2	14.5	365	1	1	14	28	28	28	28
25-34	11	8.9	80	2	3	5	13	21	31	32	6	7.2	105	2	2	3	5	26	28	28
35-54	7	9.3	72	4	4	7	9	24	28	28	9	15.6	142	3	4	12	28	31	31	31
55-74	2	16.5	265	5	5	16	28	28	28	28										
75 +																				
ALL AGES	28	12.6	130	3	4	8	14	33	36	39	18	13.1	143	2	3	6	28	29	31	31
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	4	11.5	158	2	4	7	19	30	30	30										
25-34	9	14.9	141	2	3	11	25	31	31	31	7	16.4	129	4	7	15	25	34	35	35
35-54	10	14.9	68	5	9	13	20	27	28	28	3	19.0	171	4	9	25	27	28	28	28
55-74	3	13.3	131	4	5	10	22	26	26	26	3	12.7	201	3	4	6	23	29	29	29
75 +																				
ALL AGES	27	13.9	99	2	5	10	22	30	31	31	13	16.2	130	4	5	15	28	30	34	35
SUBTOTAL	**55**	**13.2**	**114**	**3**	**5**	**9**	**21**	**31**	**33**	**39**	**31**	**14.4**	**135**	**2**	**3**	**12**	**28**	**29**	**31**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	12	27.3	283	5	12	29	35	49	61	63	2	12.0	128	4	4	12	20	20	20	20
18-24	4	15.0	186	2	3	14	26	30	30	30	2	10.5	181	1	1	10	20	20	20	20
25-34	17	14.5	114	2	3	14	25	29	30	30	11	15.0	144	2	3	14	23	30	37	38
35-54	8	21.0	109	8	10	24	28	33	35	35										
55-74	1	50.0		50	50	50	50	50	50	50	2	26.5	5	25	25	26	28	28	28	28
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	43	19.9	207	3	7	20	29	36	45	63	17	15.5	129	1	4	20	24	27	34	38
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23	1	2.0		2	2	2	2	2	2	2
18-24	5	10.0	153	1	1	3	18	30	30	30	1	11.0		11	11	11	11	11	11	11
25-34	8	10.3	68	2	3	10	12	23	28	28	5	9.0	116	2	3	6	12	28	28	28
35-54	11	14.0	94	2	4	18	21	26	28	28	11	12.3	104	2	5	7	22	27	28	28
55-74	5	11.6	26	5	8	11	16	18	18	18	6	24.3	1075	2	5	12	26	83	89	89
75 +	2	25.0	450	10	10	25	40	40	40	40										
ALL AGES	32	13.0	101	2	4	11	20	28	30	40	24	14.1	341	2	4	7	21	28	46	89
SUBTOTAL	**75**	**17.0**	**170**	**3**	**5**	**14**	**28**	**31**	**39**	**60**	**41**	**14.7**	**247**	**2**	**4**	**11**	**23**	**28**	**33**	**89**
GRAND TOTAL	**130**	**15.4**	**148**	**3**	**5**	**11**	**26**	**31**	**36**	**53**	**72**	**14.6**	**196**	**2**	**4**	**11**	**25**	**28**	**31**	**78**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	13	36.1	341	21	28	31	37	60	84	90	3	23.3	325	3	10	30	35	37	37	37
18-24	17	20.2	145	2	5	25	28	30	36	39	4	17.3	271	2	3	17	31	33	33	33
25-34	87	14.0	123	2	3	12	27	28	29	32	54	8.6	80	2	3	4	9	24	28	35
35-54	66	14.7	159	2	4	11	21	30	31	70	46	11.1	85	3	4	6	18	28	29	30
55-74	4	9.0	75	1	3	7	15	21	21	21	3	10.7	36	4	6	12	15	16	16	16
75 +											1	42.0		42	42	42	42	42	42	42
ALL AGES	187	16.2	183	2	4	15	28	30	32	68	111	10.7	105	3	4	5	18	28	30	39
B. FEMALE																				
0-12 YRS.																				
13-17	2	32.5	1	32	32	32	33	33	33	33	1	24.0		24	24	24	24	24	24	24
18-24	16	18.9	139	4	7	23	27	29	38	42	6	9.8	129	1	3	4	20	27	28	28
25-34	51	11.7	124	2	4	7	19	28	29	58	34	10.3	169	2	3	4	7	30	40	51
35-54	25	11.3	104	2	4	7	15	30	31	31	19	14.2	181	2	4	6	25	34	40	45
55-74	3	22.3	200	9	12	21	33	37	37	37	2	13.5	13	11	11	13	16	16	16	16
75 +	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
ALL AGES	98	13.4	135	3	4	8	23	29	32	50	63	11.7	159	2	3	5	21	30	38	50
SUBTOTAL	**285**	**15.3**	**165**	**2**	**4**	**11**	**27**	**30**	**32**	**56**	**174**	**11.1**	**123**	**3**	**4**	**5**	**19**	**28**	**32**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	19	28.4	173	8	20	33	35	43	51	55	3	28.3	3	28	28	28	29	29	29	29
18-24	26	19.0	111	2	10	21	28	29	31	32	14	13.4	130	3	4	9	28	30	30	30
25-34	81	16.6	112	3	5	19	27	29	29	39	44	17.0	135	2	6	18	28	30	30	42
35-54	73	14.5	120	2	3	13	26	29	30	34	30	16.0	160	2	5	11	28	32	42	42
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	199	17.3	133	3	5	19	28	29	34	45	92	16.3	143	2	5	15	28	30	30	42
B. FEMALE																				
0-12 YRS.																				
13-17	11	24.8	194	3	16	32	35	39	43	43	5	28.4	290	3	22	30	35	51	51	51
18-24	17	18.5	103	5	10	19	28	31	32	33	9	20.0	211	2	5	27	30	37	42	42
25-34	35	13.5	113	2	4	12	21	28	28	45	37	14.2	125	3	5	9	26	30	33	42
35-54	19	16.2	98	4	9	16	19	30	37	42	13	16.8	89	6	9	14	28	30	30	30
55-74	1	22.0		22	22	22	22	22	22	22	6	19.0	74	5	17	20	26	28	28	28
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	84	16.6	126	3	6	16	25	32	35	44	70	16.9	141	4	6	13	28	30	33	49
SUBTOTAL	**283**	**17.1**	**131**	**3**	**5**	**18**	**28**	**30**	**35**	**44**	**162**	**16.6**	**140**	**3**	**5**	**14**	**28**	**30**	**33**	**42**
GRAND TOTAL	**568**	**16.2**	**148**	**3**	**4**	**15**	**27**	**30**	**34**	**47**	**336**	**13.7**	**140**	**3**	**4**	**8**	**26**	**30**	**32**	**43**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	28	25.7	307	3	15	23	35	43	62	80	11	22.4	329	2	4	29	40	46	47	47
18-24	59	19.7	129	2	9	24	28	31	33	42	41	18.5	162	2	5	26	29	32	36	42
25-34	77	16.1	134	2	3	16	28	29	30	41	56	16.3	135	2	4	18	28	29	30	41
35-54	28	14.4	92	3	6	14	22	28	30	31	10	20.4	96	4	15	24	28	29	29	29
55-74											1	2.0		2	2	2	2	2	2	2
75 +	2	3.5	5	2	2	3	5	5	5	5										
ALL AGES	195	18.2	160	2	6	18	28	30	35	53	119	17.9	157	2	4	21	28	30	36	46
B. FEMALE																				
0-12 YRS.																				
13-17	13	31.8	119	18	27	34	38	44	48	49	10	21.7	273	1	6	23	29	45	49	49
18-24	22	18.1	169	2	4	16	29	35	38	43	21	15.2	174	2	3	14	28	29	35	41
25-34	35	15.7	146	2	3	15	28	28	34	41	31	11.5	146	2	3	4	26	28	35	37
35-54	19	14.3	110	3	5	12	25	30	31	31	18	19.7	142	4	8	27	29	33	35	35
55-74	5	19.4	201	5	5	22	30	37	37	37	4	11.5	70	3	5	10	18	22	22	22
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	95	18.3	169	3	5	18	28	35	38	46	84	15.4	171	2	3	9	28	30	36	47
SUBTOTAL	**290**	**18.2**	**164**	**2**	**6**	**18**	**28**	**32**	**38**	**47**	**203**	**16.8**	**166**	**2**	**4**	**17**	**28**	**30**	**36**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17	74	28.7	318	6	15	30	37	44	76	98	34	17.0	306	2	3	11	28	45	57	58
18-24	64	19.7	149	3	7	23	28	32	37	45	63	19.7	157	4	9	21	29	30	42	59
25-34	98	19.6	104	4	11	21	28	29	34	37	103	17.8	130	5	9	14	28	30	42	42
35-54	35	15.6	106	3	4	17	27	28	30	31	48	10.9	89	3	4	7	14	28	30	32
55-74											4	11.3	53	3	5	11	17	20	20	20
75 +	1	30.0		30	30	30	30	30	30	30	1	30.0		30	30	30	30	30	30	30
ALL AGES	272	21.6	193	3	11	23	29	35	41	84	254	16.8	159	3	6	14	28	30	42	57
B. FEMALE																				
0-12 YRS.																				
13-17	50	30.1	205	7	21	34	39	50	56	99 +	19	16.0	397	1	2	7	21	57	59	59
18-24	21	19.6	111	2	12	25	28	30	31	32	23	11.3	99	2	4	8	15	22	36	41
25-34	52	17.9	109	3	7	19	28	30	34	35	51	14.3	90	3	7	14	22	29	30	32
35-54	24	15.2	111	4	8	14	18	28	35	49	22	10.5	66	4	5	7	14	27	28	29
55-74	5	13.2	80	2	6	15	19	25	25	25	9	11.2	99	1	2	14	16	26	28	28
75 +																				
ALL AGES	152	21.5	178	3	10	21	30	37	44	63	124	13.1	134	2	5	11	17	28	31	58
SUBTOTAL	**424**	**21.6**	**186**	**3**	**10**	**23**	**29**	**36**	**42**	**81**	**378**	**15.6**	**153**	**3**	**5**	**13**	**27**	**30**	**41**	**58**
GRAND TOTAL	**714**	**20.2**	**180**	**3**	**8**	**21**	**29**	**35**	**41**	**63**	**581**	**16.0**	**158**	**3**	**5**	**14**	**28**	**30**	**39**	**56**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	10	15.4	181	2	3	10	30	32	33	33	7	14.9	136	3	9	13	18	34	38	38
18-24	28	22.3	180	2	9	28	30	39	43	45	9	13.6	160	1	1	10	28	28	28	28
25-34	46	19.0	130	3	7	21	28	30	33	43	13	13.2	121	1	4	9	26	28	29	29
35-54	33	20.5	141	2	7	27	29	30	31	40	20	14.1	120	1	3	12	23	29	30	30
55-74	3	14.7	148	4	6	12	24	28	28	28										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	120	19.8	147	2	6	25	29	30	36	44	50	13.7	121	1	3	10	25	28	30	38
B. FEMALE																				
0-12 YRS.																				
13-17	11	25.4	232	4	14	27	39	44	48	48	4	21.8	56	12	16	22	27	30	30	30
18-24	6	21.8	80	8	15	26	28	28	28	28	5	19.6	42	10	16	21	23	28	28	28
25-34	29	19.6	167	2	7	25	28	36	39	40	13	14.6	159	1	2	12	27	28	29	29
35-54	20	16.9	171	2	4	13	28	35	41	44	6	3.7	36	1	1	1	2	15	16	16
55-74	2	22.0	162	13	13	22	31	31	31	31	3	5.0	3	4	4	4	6	7	7	7
75 +	2	20.0	128	12	12	20	28	28	28	28	1	6.0		6	6	6	6	6	6	6
ALL AGES	70	20.0	167	3	7	21	28	37	41	47	32	13.1	120	1	2	11	25	28	29	30
SUBTOTAL	**190**	**19.8**	**157**	**3**	**7**	**24**	**29**	**33**	**40**	**45**	**82**	**13.4**	**121**	**1**	**3**	**10**	**25**	**28**	**29**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	38	25.1	113	8	18	29	30	36	40	46	14	13.5	215	1	1	5	33	37	37	37
18-24	19	18.9	123	3	7	22	27	29	33	36	3	18.3	322	8	8	8	31	39	39	39
25-34	39	17.4	181	2	4	25	28	28	32	54	26	17.5	128	3	7	17	28	29	34	42
35-54	32	9.8	78	3	4	5	15	24	28	32	14	12.0	111	3	5	7	21	29	35	37
55-74	1	30.0		30	30	30	30	30	30	30	1	4.0		4	4	4	4	4	4	4
75 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	130	18.2	155	3	5	21	28	31	35	48	58	15.0	151	3	5	9	28	33	37	42
B. FEMALE																				
0-12 YRS.	2	23.5	113	16	16	23	31	31	31	31										
13-17	8	27.6	142	11	19	29	35	44	46	46	3	35.0	37	28	30	38	39	39	39	39
18-24	9	14.2	88	4	6	11	21	28	28	28	11	16.5	131	2	4	21	28	29	29	29
25-34	31	13.6	146	3	4	7	27	29	38	42	15	12.5	91	2	4	8	20	29	29	29
35-54	18	14.8	165	1	4	9	28	33	36	37	6	19.3	209	2	5	21	30	36	37	37
55-74	1	28.0		28	28	28	28	28	28	28	2	22.5	221	12	12	22	33	33	33	33
75 +																				
ALL AGES	69	16.1	156	3	5	11	28	31	38	45	37	17.2	145	2	6	15	28	32	38	39
SUBTOTAL	**199**	**17.5**	**155**	**3**	**5**	**18**	**28**	**31**	**36**	**46**	**95**	**15.8**	**150**	**2**	**5**	**12**	**28**	**33**	**37**	**41**
GRAND TOTAL	**389**	**18.6**	**157**	**3**	**5**	**21**	**28**	**32**	**38**	**45**	**177**	**14.7**	**137**	**1**	**4**	**10**	**27**	**29**	**35**	**39**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	1.2	1	1	1	1	1	2	3	4	17	1.2		1	1	1	1	2	3	3
13-17	138	2.1	13	1	1	1	2	3	11	17	151	1.7	11	1	1	1	1	2	3	29
18-24	148	2.5	28	1	1	1	2	4	6	31	119	1.8	14	1	1	1	1	2	3	27
25-34	164	5.5	70	1	1	2	5	21	28	32	116	2.6	20	1	1	1	3	4	7	29
35-54	252	6.2	62	1	1	3	6	21	28	30	153	3.0	15	1	1	2	3	6	9	27
55-74	94	5.3	34	1	2	3	7	11	20	31	85	3.6	14	1	1	3	4	7	12	22
75 +	24	4.3	23	1	1	3	6	9	15	21	12	2.2	1	1	1	2	3	4	4	4
ALL AGES	834	4.5	47	1	1	2	4	11	25	31	653	2.4	15	1	1	1	2	5	7	27
B. FEMALE																				
0-12 YRS.	5	1.8	2	1	1	1	2	4	4	4	8	1.1		1	1	1	1	2	2	2
13-17	80	1.8	4	1	1	1	2	3	6	11	118	1.4	3	1	1	1	1	2	2	15
18-24	68	3.4	39	1	1	1	2	6	22	29	55	1.4	1	1	1	1	1	3	3	4
25-34	65	4.7	44	1	1	1	6	14	20	32	38	3.7	51	1	1	1	2	11	26	28
35-54	79	4.5	38	1	1	2	5	10	20	29	60	2.6	11	1	1	2	3	5	5	23
55-74	39	4.1	35	1	1	3	5	7	9	37	27	2.9	3	1	1	2	4	6	6	6
75 +	11	2.9	4	1	2	2	3	6	8	8	7	5.0	23	1	2	4	6	13	15	15
ALL AGES	347	3.6	30	1	1	1	4	8	14	29	313	2.1	11	1	1	1	2	4	5	24
SUBTOTAL	**1181**	**4.2**	**42**	**1**	**1**	**2**	**4**	**9**	**22**	**31**	**966**	**2.3**	**13**	**1**	**1**	**1**	**2**	**4**	**6**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS	3	8.0	25	3	4	8	12	13	13	13	2	1.0		1	1	1	1	1	1	1
13-17	106	11.2	195	1	1	4	20	31	38	58	47	7.6	167	1	1	2	6	30	36	59
18-24	121	6.3	72	1	1	3	6	21	28	33	44	9.3	126	1	1	3	16	28	30	33
25-34	201	7.2	73	1	2	4	8	22	28	33	73	8.3	133	1	1	3	8	28	31	52
35-54	226	7.0	76	1	2	4	8	19	28	46	83	7.1	90	1	1	3	6	28	29	31
55-74	50	6.2	45	1	2	4	7	17	24	28	31	4.7	35	1	2	3	5	10	13	32
75 +	8	15.3	218	1	3	13	22	38	45	45	6	4.8	9	1	2	5	7	9	9	9
ALL AGES	715	7.6	93	1	2	4	8	25	28	44	286	7.5	111	1	1	3	7	28	30	39
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2	2	1.0		1	1	1	1	1	1	1
13-17	105	9.3	167	1	1	3	9	33	38	48	41	8.4	158	1	1	2	8	32	37	41
18-24	63	5.6	81	1	1	2	6	13	23	52	31	4.0	55	1	1	1	2	14	27	29
25-34	99	5.5	51	1	1	3	6	16	22	33	44	4.0	30	1	1	2	4	10	14	30
35-54	94	4.7	59	1	1	3	5	7	15	49	53	4.3	41	1	1	2	5	8	25	29
55-74	31	7.4	100	1	1	4	8	21	32	44	17	5.9	89	1	2	2	3	25	31	32
75 +	4	7.0	47	2	2	4	11	17	17	17	10	5.6	15	2	2	5	8	11	13	13
ALL AGES	398	6.5	94	1	1	3	6	19	28	46	198	5.2	69	1	1	2	4	12	29	37
SUBTOTAL	**1113**	**7.2**	**94**	**1**	**1**	**3**	**8**	**22**	**28**	**45**	**484**	**6.6**	**94**	**1**	**1**	**2**	**6**	**28**	**30**	**38**
GRAND TOTAL	**2294**	**5.7**	**69**	**1**	**1**	**2**	**6**	**16**	**28**	**37**	**1450**	**3.7**	**45**	**1**	**1**	**1**	**3**	**7**	**23**	**32**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20	4	3.3	4	1	1	3	5	6	6	6
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +																				
ALL AGES	1	20.0		20	20	20	20	20	20	20	6	3.2	3	1	2	3	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24											1	2.0		2	2	2	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54											2	4.0		4	4	4	4	4	4	4
55-74	1	5.0		5	5	5	5	5	5	5	2	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	2	3.0	8	1	1	3	5	5	5	5	7	3.4	1	2	3	4	4	4	4	4
SUBTOTAL	**3**	**8.7**	**99**	**1**	**2**	**5**	**16**	**20**	**20**	**20**	**13**	**3.3**	**2**	**1**	**2**	**4**	**4**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54											1	1.0		1	1	1	1	1	1	1
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	3	3.0	3	1	2	4	4	4	4	4
SUBTOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**	**4**	**3.3**	**2**	**1**	**2**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**5**	**6.2**	**63**	**1**	**1**	**4**	**9**	**20**	**20**	**20**	**17**	**3.3**	**2**	**1**	**2**	**4**	**4**	**4**	**5**	**6**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	17	19.1	184	1	6	26	28	37	40	40	8	15.4	275	1	2	10	27	41	42	42
18-24	6	14.3	163	1	3	13	28	28	28	28	6	14.3	102	3	4	15	21	26	27	27
25-34	8	19.4	111	4	9	23	28	29	30	30	3	1.3		1	1	1	2	2	2	2
35-54	4	24.0	21	20	20	24	28	28	28	28										
55-74																				
75 +																				
ALL AGES	35	18.9	142	1	6	22	28	30	37	40	17	12.5	182	1	2	7	21	37	41	42
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	6	22.0	251	7	11	20	22	49	52	52	2	16.5	481	1	1	16	32	32	32	32
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	5	16.4	74	5	12	14	23	28	28	28	1	28.0		28	28	28	28	28	28	28
35-54	1	28.0		28	28	28	28	28	28	28	1	14.0		14	14	14	14	14	14	14
55-74																				
75 +																				
ALL AGES	14	18.7	155	5	11	19	22	31	47	52	4	18.8	197	1	7	21	30	32	32	32
SUBTOTAL	**49**	**18.9**	**141**	**2**	**7**	**20**	**28**	**29**	**39**	**52**	**21**	**13.7**	**182**	**1**	**2**	**10**	**23**	**35**	**41**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	20.0	450	5	5	20	35	35	35	35										
13-17	64	24.1	283	3	9	23	33	45	55	78	10	29.7	239	5	21	30	44	45	45	45
18-24	22	15.1	113	1	4	18	24	28	29	30	11	17.0	147	2	8	14	25	34	40	41
25-34	19	11.6	105	2	4	8	18	29	35	36	11	19.6	178	1	6	23	28	34	42	43
35-54	7	17.3	179	2	4	28	28	28	28	28	5	13.2	73	4	5	12	22	22	22	22
55-74																				
75 +																				
ALL AGES	114	19.8	235	3	6	21	28	38	45	70	37	20.7	193	1	9	21	29	43	44	45
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	21	21.2	325	2	5	18	30	51	58	60	7	25.1	385	1	4	35	41	45	46	46
18-24	7	20.7	193	3	10	21	28	40	43	43	1	26.0		26	26	26	26	26	26	26
25-34	8	15.5	138	3	4	16	27	28	28	28	7	17.0	121	4	6	16	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	37	19.5	250	3	5	20	28	44	53	60	15	21.4	234	1	6	26	33	42	45	46
SUBTOTAL	**151**	**19.7**	**238**	**3**	**6**	**21**	**28**	**42**	**47**	**64**	**52**	**20.9**	**201**	**1**	**8**	**22**	**29**	**42**	**45**	**46**
GRAND TOTAL	**200**	**19.5**	**214**	**3**	**6**	**21**	**28**	**37**	**45**	**63**	**73**	**18.8**	**204**	**1**	**4**	**20**	**28**	**42**	**44**	**46**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	2.0	3	1	1	1	3	5	5	5	6	2.7	7	1	1	1	3	7	8	8
18-24	6	1.2		1	1	1	1	2	2	2	2	1.5	1	1	1	1	2	2	2	2
25-34	3	3.0	7	1	1	2	5	6	6	6	1	1.0		1	1	1	1	1	1	1
35-54	2	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	18	1.8	2	1	1	1	2	5	6	6	9	2.2	5	1	1	1	2	6	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
18-24	2	4.0	18	1	1	3	7	7	7	7										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	4	3.8	10	1	1	3	6	7	7	7	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**22**	**2.1**	**4**	**1**	**1**	**1**	**2**	**6**	**7**	**7**	**10**	**2.1**	**5**	**1**	**1**	**1**	**2**	**5**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	13.9	86	2	7	11	21	26	27	27	1	1.0		1	1	1	1	1	1	1
18-24	6	10.5	142	1	1	8	13	30	32	32	4	7.0	57	1	2	4	11	18	18	18
25-34	3	2.7	2	1	1	3	4	4	4	4	1	21.0		21	21	21	21	21	21	21
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	17	10.0	98	1	2	6	15	26	30	32	7	7.6	69	1	1	4	15	20	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	4	23.8	1776	1	2	3	45	87	87	87	2	2.0	2	1	1	1	3	3	3	3
18-24	3	9.3	103	3	3	4	17	21	21	21										
25-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	9	14.8	767	2	3	4	9	61	87	87	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**26**	**11.7**	**313**	**1**	**3**	**5**	**13**	**26**	**43**	**87**	**10**	**5.9**	**54**	**1**	**1**	**3**	**5**	**19**	**21**	**21**
GRAND TOTAL	**48**	**7.3**	**192**	**1**	**1**	**3**	**6**	**21**	**27**	**87**	**20**	**4.0**	**31**	**1**	**1**	**2**	**4**	**13**	**19**	**21**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
35-54	3	3.3	17	1	1	1	6	8	8	8	1	29.0		29	29	29	29	29	29	29
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	5	3.0	10	1	1	1	5	8	8	8	5	7.2	149	1	1	2	9	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34											2	1.5	1	1	1	1	2	2	2	2
35-54	4	16.5	114	7	8	14	25	30	30	30	5	9.2	121	2	3	3	14	28	28	28
55-74	4	12.0	122	3	5	8	19	28	28	28	1	9.0		9	9	9	9	9	9	9
75 +	1	8.0		8	8	8	8	8	8	8	3	11.0	84	3	4	9	18	21	21	21
ALL AGES	9	13.6	96	4	7	9	22	29	30	30	12	7.8	73	2	2	3	10	23	27	28
SUBTOTAL	**14**	**9.8**	**90**	**1**	**3**	**7**	**10**	**28**	**30**	**30**	**17**	**7.6**	**88**	**1**	**2**	**3**	**9**	**27**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	4	8.5	66	1	1	8	15	16	16	16										
25-34	5	15.6	174	3	4	12	29	31	31	31	3	2.7	8	1	1	1	5	6	6	6
35-54	5	3.0	3	1	1	3	4	5	5	5	4	6.5	42	2	2	4	10	16	16	16
55-74	2	12.5	85	6	6	12	19	19	19	19	2	3.5	1	3	3	3	4	4	4	4
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	17	9.0	92	1	2	4	15	26	30	31	10	4.9	20	1	2	4	6	12	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	5.7	4	4	4	5	7	8	8	8	3	2.0	1	1	1	2	3	3	3	3
25-34	6	7.5	42	1	3	5	15	16	16	16	2	2.5	5	1	1	2	4	4	4	4
35-54	8	6.8	85	1	2	3	7	22	29	29	8	14.9	256	2	2	10	23	41	46	46
55-74	2	13.5	265	2	2	13	25	25	25	25	3	12.7	120	2	4	12	21	24	24	24
75 +	1	3.0		3	3	3	3	3	3	3	1	14.0		14	14	14	14	14	14	14
ALL AGES	20	7.3	63	1	2	4	8	20	27	29	17	10.7	161	1	2	3	17	27	40	46
SUBTOTAL	**37**	**8.1**	**75**	**1**	**2**	**4**	**13**	**24**	**29**	**31**	**27**	**8.6**	**113**	**1**	**2**	**3**	**13**	**23**	**31**	**46**
GRAND TOTAL	**51**	**8.5**	**79**	**1**	**2**	**5**	**11**	**26**	**29**	**31**	**44**	**8.2**	**102**	**1**	**2**	**3**	**11**	**24**	**28**	**46**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	15	8.6	43	1	2	7	14	17	20	21	3	3.0	4	1	1	3	4	5	5	5
35-54	11	6.5	41	1	2	3	10	16	21	22	8	7.8	73	2	3	5	8	22	28	28
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	28	7.4	41	1	2	6	11	17	21	22	12	6.0	55	1	2	4	7	15	26	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	8.0		8	8	8	8	8	8	8	2	2.0	2	1	1	2	3	3	3	3
25-34	5	5.0	29	1	1	2	9	13	13	13	4	2.8	5	1	1	2	4	6	6	6
35-54	6	8.0	65	1	2	5	13	21	22	22	2	2.5	1	2	2	2	3	3	3	3
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
ALL AGES	14	6.6	38	1	2	5	9	14	20	22	9	2.6	2	1	1	3	3	5	6	6
SUBTOTAL	**42**	**7.2**	**38**	**1**	**2**	**6**	**11**	**16**	**21**	**22**	**21**	**4.5**	**34**	**1**	**1**	**3**	**5**	**8**	**18**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	6.2	60	2	2	3	8	20	20	20	2	1.5	1	1	1	1	2	2	2	2
25-34	15	7.5	46	1	3	5	8	19	24	26	13	12.5	177	2	2	7	22	31	42	45
35-54	24	7.4	51	1	3	5	9	19	24	28	9	4.1	18	1	1	2	5	11	14	14
55-74	2	5.0	32	1	1	5	9	9	9	9										
75 +	2	9.5	41	5	5	9	14	14	14	14										
ALL AGES	48	7.3	46	1	3	5	9	19	22	28	24	8.4	120	1	2	4	11	23	33	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	10.0	55	5	6	7	14	21	21	21	1	27.0		27	27	27	27	27	27	27
25-34	17	8.9	95	1	2	5	11	27	30	31	6	21.5	128	7	7	28	28	31	31	31
35-54	7	7.1	14	3	4	7	10	12	12	12	5	9.0	90	2	3	5	14	25	25	25
55-74											2	10.5	25	7	7	10	14	14	14	14
75 +																				
ALL AGES	28	8.6	67	1	3	6	10	21	28	31	14	15.9	124	3	7	12	28	29	30	31
SUBTOTAL	**76**	**7.8**	**53**	**1**	**3**	**5**	**9**	**20**	**25**	**30**	**38**	**11.2**	**131**	**1**	**2**	**7**	**22**	**28**	**30**	**45**
GRAND TOTAL	**118**	**7.6**	**47**	**1**	**2**	**5**	**10**	**20**	**22**	**29**	**59**	**8.8**	**106**	**1**	**2**	**4**	**10**	**28**	**28**	**44**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	13.0	72	7	7	13	19	19	19	19	4	7.8	94	1	1	4	14	22	22	22
18-24	33	4.9	39	1	2	3	4	15	20	28	28	8.9	114	1	1	3	16	26	30	38
25-34	81	8.1	77	1	2	4	15	22	26	28	76	9.2	128	1	1	3	20	28	32	40
35-54	35	7.4	45	1	2	5	13	19	22	22	16	9.5	112	1	1	4	18	27	28	28
55-74	1	21.0		21	21	21	21	21	21	21	3	16.0	175	1	5	21	25	26	26	26
75 +																				
ALL AGES	152	7.4	63	1	2	4	10	22	22	28	127	9.3	120	1	1	3	20	28	29	39
B. FEMALE																				
0-12 YRS.																				
13-17	4	5.0	30	1	1	3	8	13	13	13	3	1.0		1	1	1	1	1	1	1
18-24	30	6.9	50	1	2	4	9	14	27	29	15	6.7	85	1	1	3	8	26	28	29
25-34	61	8.2	49	1	3	6	11	20	22	31	46	10.1	113	1	2	5	20	28	29	35
35-54	7	9.6	98	1	2	6	18	25	26	26	10	9.1	100	1	2	5	14	26	28	28
55-74																				
75 +																				
ALL AGES	102	7.8	51	1	2	6	10	19	22	30	74	8.9	103	1	2	4	14	27	28	35
SUBTOTAL	**254**	**7.5**	**59**	**1**	**2**	**4**	**10**	**21**	**22**	**28**	**201**	**9.2**	**112**	**1**	**1**	**3**	**16**	**27**	**29**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	9	15.4	174	1	3	12	28	33	34	34	6	15.8	389	1	1	11	21	48	51	51
18-24	74	10.6	92	1	3	8	17	24	28	45	37	14.8	235	1	4	6	27	36	42	57
25-34	144	10.9	98	1	2	6	20	28	28	32	75	12.4	161	1	3	6	21	30	40	42
35-54	52	7.8	66	2	2	4	10	22	28	30	37	16.1	189	2	3	10	28	36	39	44
55-74											1	1.0		1	1	1	1	1	1	1
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	280	10.3	95	1	3	6	17	27	28	33	157	13.8	192	1	3	6	26	36	41	51
B. FEMALE																				
0-12 YRS.																				
13-17	13	20.8	251	5	5	21	33	43	47	48	9	10.6	234	1	1	1	20	36	42	42
18-24	49	10.1	84	2	4	7	13	27	29	35	17	9.8	218	1	2	4	9	27	48	59
25-34	77	9.5	105	1	3	6	12	26	28	52	30	10.1	122	1	2	5	20	26	28	41
35-54	21	12.4	101	2	6	9	22	28	31	35	12	7.5	101	1	1	2	12	27	28	28
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	161	10.9	117	2	3	7	14	28	31	47	68	9.6	151	1	1	4	16	27	30	56
SUBTOTAL	**441**	**10.6**	**101**	**1**	**3**	**6**	**16**	**27**	**28**	**39**	**225**	**12.5**	**184**	**1**	**2**	**5**	**23**	**34**	**41**	**52**
GRAND TOTAL	**695**	**9.5**	**87**	**1**	**2**	**6**	**14**	**25**	**28**	**35**	**426**	**10.9**	**153**	**1**	**2**	**5**	**21**	**28**	**36**	**43**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1	5	7.2	177	1	1	1	9	31	31	31
25-34	2	2.0	2	1	1	2	3	3	3	3	2	3.0	8	1	1	3	5	5	5	5
35-54	3	9.7	175	2	2	2	19	25	25	25	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	7	5.0	78	1	1	2	3	21	25	25	8	5.6	107	1	1	2	4	23	31	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	7	10.3	165	1	2	3	22	30	30	30	1	2.0		2	2	2	2	2	2	2
35-54	2	2.5	5	1	1	2	4	4	4	4	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	9	8.6	135	1	2	3	11	29	30	30	3	4.3	11	2	2	3	7	8	8	8
SUBTOTAL	**16**	**7.0**	**107**	**1**	**1**	**2**	**4**	**28**	**29**	**30**	**11**	**5.3**	**77**	**1**	**1**	**2**	**5**	**17**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20	1	8.0		8	8	8	8	8	8	8
18-24	4	7.0	19	3	4	6	10	13	13	13	3	4.0	27	1	1	1	8	10	10	10
25-34	5	8.2	102	2	2	5	11	26	26	26	7	11.4	197	3	4	5	12	36	42	42
35-54	6	15.5	148	2	4	15	27	29	29	29	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	16	11.4	100	2	3	6	21	27	28	29	12	8.7	124	1	3	5	9	22	39	42
B. FEMALE																				
0-12 YRS.																				
13-17	4	12.5	132	1	3	11	21	27	27	27	2	21.0	722	2	2	21	40	40	40	40
18-24	2	2.0		2	2	2	2	2	2	2	6	7.5	103	2	3	3	6	26	28	28
25-34	11	9.7	150	2	3	5	9	32	38	39	8	11.5	98	2	3	8	22	24	24	24
35-54	1	10.0		10	10	10	10	10	10	10	2	13.5	181	4	4	13	23	23	23	23
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	18	9.5	120	1	2	5	10	28	35	39	19	11.1	134	2	3	4	23	26	35	40
SUBTOTAL	**34**	**10.4**	**108**	**2**	**3**	**6**	**16**	**27**	**29**	**39**	**31**	**10.1**	**129**	**2**	**3**	**5**	**13**	**26**	**39**	**42**
GRAND TOTAL	**50**	**9.3**	**109**	**1**	**2**	**5**	**13**	**27**	**29**	**39**	**42**	**8.9**	**117**	**1**	**2**	**4**	**10**	**25**	**35**	**42**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	3	7.0	36	1	2	7	11	13	13	13	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**5.8**	**29**	**1**	**1**	**4**	**10**	**13**	**13**	**13**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.5	85	1	1	7	14	14	14	14										
25-34																				
35-54	3	10.3	262	1	1	1	22	29	29	29	4	6.5	94	1	1	2	12	21	21	21
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	9.2	154	1	1	1	18	29	29	29	5	6.0	72	1	2	2	8	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	3.3	17	1	1	1	6	8	8	8	1	11.0		11	11	11	11	11	11	11
35-54	1	18.0		18	18	18	18	18	18	18	1	7.0		7	7	7	7	7	7	7
55-74	1	28.0		28	28	28	28	28	28	28	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	6	9.5	127	1	1	5	18	27	28	28	3	6.3	26	1	2	7	10	11	11	11
SUBTOTAL	**11**	**9.4**	**124**	**1**	**1**	**1**	**17**	**28**	**29**	**29**	**8**	**6.1**	**48**	**1**	**1**	**3**	**9**	**18**	**21**	**21**
GRAND TOTAL	**15**	**8.4**	**99**	**1**	**1**	**2**	**14**	**28**	**29**	**29**	**9**	**5.6**	**44**	**1**	**1**	**2**	**8**	**17**	**21**	**21**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											3	3.7	6	1	2	4	5	6	6	6
13-17	21	21.1	249	1	4	27	32	42	46	48	19	20.8	343	1	2	22	33	46	53	56
18-24	39	13.5	166	1	1	8	26	32	34	42	25	13.8	165	1	2	12	22	35	38	42
25-34	72	13.0	127	1	3	8	24	29	30	35	49	14.3	222	1	2	6	28	38	40	48
35-54	39	11.3	94	2	3	7	21	27	28	28	32	16.3	191	1	3	14	27	29	39	54
55-74	2	3.5	1	3	3	3	4	4	4	4	1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	173	13.6	148	1	3	8	25	30	32	44	129	15.5	219	1	2	9	28	37	42	54
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-17	9	24.0	719	1	2	16	45	66	76	76	17	12.9	299	1	1	3	17	43	45	46
18-24	26	11.4	146	1	2	4	28	30	30	31	11	15.3	228	2	2	4	28	33	40	41
25-34	35	14.6	149	1	2	14	27	31	34	39	24	15.7	159	3	3	16	28	30	36	38
35-54	29	11.1	116	1	3	6	17	29	34	34	26	15.1	216	2	3	5	28	36	42	42
55-74	5	5.0	3	3	4	5	6	7	7	7	9	14.0	212	2	4	10	19	39	42	42
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	105	13.1	187	1	2	6	22	30	34	62	90	14.3	207	1	3	5	28	37	42	45
SUBTOTAL	**278**	**13.4**	**163**	**1**	**2**	**7**	**24**	**30**	**34**	**47**	**219**	**15.0**	**214**	**1**	**2**	**7**	**28**	**37**	**42**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	9.5	61	4	4	9	15	15	15	15	1	1.0		1	1	1	1	1	1	1
13-17	52	18.6	234	2	7	16	28	40	45	76	13	16.2	384	1	1	4	38	59	91	99 +
18-24	79	11.1	98	1	4	8	16	24	32	45	24	12.2	160	1	2	5	23	31	34	42
25-34	111	12.1	125	1	3	8	21	29	32	47	29	7.3	110	1	2	5	6	21	39	42
35-54	46	11.2	90	2	4	8	16	28	29	42	19	9.8	101	1	3	5	17	27	28	28
55-74	9	9.3	70	1	2	7	16	22	25	25	5	10.8	170	4	4	5	14	34	34	34
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	300	12.7	135	2	4	9	18	29	34	48	91	10.5	164	1	2	5	16	31	41	81
B. FEMALE																				
0-12 YRS.											4	12.0	177	1	2	8	22	30	30	30
13-17	43	19.6	396	2	4	16	30	43	67	86	18	21.6	307	1	3	21	32	45	55	61
18-24	16	6.9	90	1	2	5	9	11	31	40	15	9.3	128	1	2	3	12	29	34	36
25-34	55	11.9	118	1	3	7	18	29	33	34	32	10.9	184	1	2	4	13	30	41	56
35-54	29	11.0	121	1	3	7	16	28	31	41	22	7.5	49	1	3	5	11	17	24	28
55-74	11	15.5	123	5	7	12	27	31	32	32	6	10.7	130	2	2	6	17	30	31	31
75 +	3	4.7	14	2	2	3	7	9	9	9	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	157	13.5	203	1	3	8	20	32	38	72	99	11.8	176	1	2	5	18	31	39	59
SUBTOTAL	**457**	**13.0**	**157**	**1**	**3**	**8**	**18**	**30**	**36**	**52**	**190**	**11.2**	**169**	**1**	**2**	**5**	**18**	**31**	**41**	**59**
GRAND TOTAL	**735**	**13.1**	**161**	**1**	**3**	**8**	**21**	**30**	**35**	**49**	**409**	**13.2**	**197**	**1**	**2**	**5**	**26**	**34**	**42**	**55**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	5.3	3	4	4	5	6	7	7	7										
25-34											2	2.5	5	1	1	2	4	4	4	4
35-54	2	2.5	1	2	2	2	3	3	3	3	4	3.5	10	1	1	2	5	8	8	8
55-74	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	6	4.8	6	2	3	4	7	8	8	8	7	3.3	6	1	1	3	4	7	8	8
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17											2	3.5	1	3	3	3	4	4	4	4
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	4	7.0	51	1	2	5	12	17	17	17										
35-54	2	6.0		6	6	6	6	6	6	6	6	4.2	3	2	3	4	5	7	7	7
55-74											1	5.0		5	5	5	5	5	5	5
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	9	9.7	50	2	5	7	15	21	23	23	9	4.1	2	2	3	4	5	6	7	7
SUBTOTAL	**15**	**7.7**	**37**	**2**	**3**	**6**	**9**	**17**	**21**	**23**	**16**	**3.8**	**3**	**1**	**2**	**4**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	12.7	100	2	5	14	20	22	22	22	1	7.0		7	7	7	7	7	7	7
55-74	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	6	7.3	76	1	1	3	14	21	22	22	2	5.0	8	3	3	5	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	2	6.5	25	3	3	6	10	10	10	10	2	2.5	1	2	2	2	3	3	3	3
35-54	2	17.0	512	1	1	17	33	33	33	33	1	2.0		2	2	2	2	2	2	2
55-74	3	11.3	86	6	6	6	18	22	22	22	1	2.0		2	2	2	2	2	2	2
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	9	9.7	117	1	3	6	13	29	33	33	5	2.0	1	1	1	2	2	3	3	3
SUBTOTAL	**15**	**8.7**	**96**	**1**	**2**	**5**	**13**	**22**	**30**	**33**	**7**	**2.9**	**4**	**1**	**2**	**2**	**3**	**6**	**7**	**7**
GRAND TOTAL	**30**	**8.2**	**65**	**1**	**3**	**6**	**10**	**22**	**23**	**33**	**23**	**3.5**	**4**	**1**	**2**	**3**	**4**	**7**	**8**	**8**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.5	1	1	2	3	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
13-17	3	2.0	1	1	1	2	3	3	3	3	5	1.4	1	1	1	1	2	3	3	3
18-24	1	1.0		1	1	1	1	1	1	1	5	1.6	1	1	1	1	2	3	3	3
25-34	5	2.4	4	1	1	1	4	5	5	5	12	2.3	1	1	2	2	3	3	3	3
35-54	20	2.6	3	1	1	2	3	5	7	8	14	2.1	3	1	1	2	3	4	6	7
55-74	15	2.9	4	1	1	2	4	5	8	9	15	2.7	3	1	2	2	3	5	6	7
75 +	7	2.0	1	1	1	2	3	3	3	3	5	4.4	20	1	2	2	7	12	12	12
ALL AGES	55	2.5	3	1	1	2	3	5	5	9	58	2.4	4	1	1	2	3	4	6	12
B. FEMALE																				
0-12 YRS.	5	1.4	1	1	1	1	2	3	3	3	3	1.3		1	1	1	2	2	2	2
13-17	12	3.5	12	1	1	3	4	7	13	14	11	2.5	6	1	1	1	4	6	7	7
18-24	5	1.4		1	1	1	2	2	2	2	11	1.4		1	1	1	2	2	2	2
25-34	11	3.5	19	1	1	3	3	9	15	16	12	2.8	7	1	1	2	3	6	9	10
35-54	22	2.7	3	1	1	2	4	5	6	8	34	2.6	3	1	1	2	3	5	7	8
55-74	29	2.9	3	1	1	3	4	6	6	6	30	3.6	12	1	1	3	4	7	10	18
75 +	15	2.6	1	2	2	2	3	4	5	6	13	7.7	109	1	2	3	7	22	36	39
ALL AGES	99	2.8	5	1	1	2	4	5	6	15	114	3.3	20	1	1	2	4	7	9	26
SUBTOTAL	**154**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**14**	**172**	**3.0**	**14**	**1**	**1**	**2**	**3**	**6**	**8**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	3	2.3	1	2	2	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
18-24	4	4.3		4	4	4	5	5	5	5	4	2.0		2	2	2	2	2	2	2
25-34	3	2.3	2	1	1	3	3	3	3	3	7	2.0	2	1	1	2	2	4	5	5
35-54	5	2.6	7	1	1	1	4	7	7	7	7	3.0	13	1	1	2	3	9	11	11
55-74	2	1.5	1	1	1	1	2	2	2	2	13	3.7	9	1	1	2	7	8	8	8
75 +	7	6.1	20	2	2	6	10	13	13	13	5	4.6	7	1	2	5	6	8	8	8
ALL AGES	25	3.7	9	1	2	3	4	7	11	13	38	3.1	7	1	1	2	4	8	8	11
B. FEMALE																				
0-12 YRS.																				
13-17	5	3.0	3	1	2	3	4	5	5	5	5	2.8	3	2	2	2	3	6	6	6
18-24	3	2.3	1	2	2	2	3	3	3	3	4	2.0	1	1	1	2	3	3	3	3
25-34	6	3.0	5	1	2	2	4	7	7	7	8	2.8	2	1	1	2	4	5	6	6
35-54	11	4.5	16	1	2	3	6	10	14	14	14	1.9		1	1	2	2	3	3	3
55-74	8	3.4	4	1	2	3	5	7	7	7	17	3.2	3	1	2	3	4	6	7	7
75 +	3	3.0	1	2	2	3	4	4	4	4	17	5.1	19	1	3	4	6	8	16	20
ALL AGES	36	3.5	7	1	2	3	4	7	8	14	65	3.2	8	1	2	2	4	6	7	18
SUBTOTAL	**61**	**3.6**	**7**	**1**	**2**	**3**	**4**	**7**	**9**	**14**	**103**	**3.2**	**7**	**1**	**2**	**2**	**4**	**7**	**8**	**15**
GRAND TOTAL	**215**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**14**	**275**	**3.1**	**12**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24											2	3.0		3	3	3	3	3	3	3
25-34	1	1.0		1	1	1	1	1	1	1	3	2.0		2	2	2	2	2	2	2
35-54	5	3.4	2	1	3	4	4	4	4	4	8	1.6	1	1	1	1	2	3	3	3
55-74	3	2.3	1	2	2	2	3	3	3	3	6	1.7	3	1	1	1	1	5	5	5
75 +	1	3.0		3	3	3	3	3	3	3	4	18.0	1025	1	1	2	34	66	66	66
ALL AGES	11	2.7	2	1	2	3	4	4	4	4	23	4.7	179	1	1	2	3	4	26	66
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54	6	4.2	15	2	2	3	4	11	12	12	8	4.8	16	1	2	4	6	11	13	13
55-74	9	4.4	13	1	2	3	7	10	12	12	10	3.0	4	2	2	2	3	6	8	9
75 +	1	6.0		6	6	6	6	6	6	6	5	4.2	4	2	3	4	5	7	7	7
ALL AGES	19	4.2	11	1	2	3	6	10	12	12	23	3.9	8	1	2	3	5	7	10	13
SUBTOTAL	**30**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**12**	**12**	**46**	**4.3**	**92**	**1**	**1**	**2**	**3**	**7**	**9**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 ~~YRS~~.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	5	4.0	12	1	1	3	7	9	9	9
55-74	4	1.8	1	1	1	2	2	3	3	3	1	1.0		1	1	1	1	1	1	1
75 +	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	6	2.3	4	1	1	2	3	6	6	6	8	3.0	9	1	1	2	4	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	54.0		54	54	54	54	54	54	54
18-24																				
25-34	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
35-54	7	7.4	39	1	3	6	9	18	20	20	6	3.3	6	2	2	2	4	8	8	8
55-74	10	4.8	18	2	2	3	6	11	16	16	8	4.4	29	1	1	2	6	14	16	16
75 +	1	1.0		1	1	1	1	1	1	1	4	4.8	14	1	1	4	7	10	10	10
ALL AGES	20	6.0	26	1	2	4	7	15	18	20	20	6.6	139	1	2	3	6	13	35	54
SUBTOTAL	**26**	**5.1**	**24**	**1**	**2**	**4**	**6**	**13**	**17**	**20**	**28**	**5.5**	**104**	**1**	**1**	**2**	**5**	**10**	**20**	**54**
GRAND TOTAL	**56**	**4.3**	**16**	**1**	**2**	**3**	**6**	**9**	**13**	**20**	**74**	**4.7**	**96**	**1**	**1**	**2**	**4**	**8**	**12**	**63**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	2	1.5	1	1	1	1	2	2	2	2										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	1.5	1	1	1	1	2	2	2	2										

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	3.0	1	2	2	3	4	4	4	4	10	3.3	8	1	2	2	3	8	11	11
13-17											2	3.0	2	2	2	3	4	4	4	4
18-24											2	4.0	2	3	3	4	5	5	5	5
25-34	2	4.0	2	3	3	4	5	5	5	5	4	5.0	10	1	2	5	7	8	8	8
35-54	5	6.0	40	1	3	4	7	17	17	17	6	5.7	47	1	2	3	7	18	19	19
55-74	4	24.0	1407	1	3	7	45	80	80	80	1	9.0		9	9	9	9	9	9	9
75 +	2	4.5	13	2	2	4	7	7	7	7	6	5.7	18	2	2	5	9	12	12	12
ALL AGES	16	9.5	369	1	2	4	6	16	61	80	31	4.6	17	1	2	3	7	10	12	19
B. FEMALE																				
0-12 YRS.	10	3.5	8	1	2	3	4	8	11	11	12	3.1	13	1	1	2	3	9	12	13
13-17	2	2.5	1	2	2	2	3	3	3	3	6	3.7	7	2	2	3	4	8	9	9
18-24	9	3.7	2	2	3	3	4	6	7	7	6	3.5	1	2	3	3	4	5	5	5
25-34	7	4.0	6	2	2	4	4	8	9	9	12	4.4	4	2	2	5	6	7	8	8
35-54	12	4.8	9	1	2	4	6	10	11	11	5	4.4	8	2	2	3	7	8	8	8
55-74	3	4.3	6	3	3	3	6	7	7	7	5	4.8	6	1	3	5	7	7	7	7
75 +	2	9.5	25	6	6	9	13	13	13	13	6	6.8	4	5	6	6	7	10	10	10
ALL AGES	45	4.2	8	2	2	3	5	9	11	13	52	4.2	7	1	2	4	6	8	9	13
SUBTOTAL	**61**	**5.6**	**103**	**2**	**2**	**4**	**5**	**10**	**12**	**73**	**83**	**4.4**	**10**	**1**	**2**	**3**	**6**	**8**	**10**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	4.0	8	2	2	4	6	6	6	6										
18-24	1	3.0		3	3	3	3	3	3	3	2	2.0		2	2	2	2	2	2	2
25-34																				
35-54	3	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74	2	4.0	8	2	2	4	6	6	6	6										
75 +	2	16.0	392	2	2	16	30	30	30	30	3	3.7	6	1	1	4	5	6	6	6
ALL AGES	10	6.0	73	2	2	3	6	18	30	30	6	3.2	3	1	2	3	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	12	18.8	206	3	6	19	26	38	48	50
18-24	2	26.0	242	15	15	26	37	37	37	37	9	20.4	381	1	5	16	32	50	60	60
25-34	2	6.5	5	5	5	6	8	8	8	8	12	14.2	211	2	3	8	22	38	46	47
35-54	9	3.9	8	1	2	3	5	8	10	10	6	4.5	2	3	3	4	6	6	6	6
55-74	10	7.1	18	2	5	6	9	13	16	16	9	5.1	6	2	4	5	6	9	10	10
75 +	2	9.0	32	5	5	9	13	13	13	13	9	6.4	28	2	3	4	8	15	19	19
ALL AGES	26	7.3	54	1	3	5	9	15	20	37	57	12.5	181	2	3	6	19	33	43	59
SUBTOTAL	**36**	**6.9**	**58**	**2**	**3**	**5**	**8**	**15**	**26**	**37**	**63**	**11.6**	**172**	**2**	**3**	**6**	**16**	**31**	**39**	**59**
GRAND TOTAL	**97**	**6.1**	**86**	**2**	**2**	**4**	**6**	**11**	**16**	**60**	**146**	**7.5**	**92**	**2**	**2**	**4**	**7**	**19**	**28**	**50**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	2.0	1	1	1	2	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	3	2.7	8	1	1	1	5	6	6	6	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**6**	**2.3**	**4**	**1**	**1**	**2**	**3**	**6**	**6**	**6**	**5**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.5	61	6	6	11	17	17	17	17										
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	81.0		81	81	81	81	81	81	81										
ALL AGES	4	27.0	1329	4	5	11	49	81	81	81										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	3	4.0	4	2	2	4	5	6	6	6	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**7**	**17.1**	**819**	**2**	**4**	**6**	**14**	**68**	**81**	**81**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**13**	**10.3**	**469**	**1**	**2**	**4**	**6**	**30**	**71**	**81**	**6**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**4**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	12.0		12	12	12	12	12	12	12
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24											2	7.5	1	7	7	7	8	8	8	8
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	4	4.8	10	1	2	5	7	8	8	8
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	2	4.5	1	4	4	4	5	5	5	5										
25-34											3	3.0	3	2	2	2	4	5	5	5
35-54											2	3.5	5	2	2	3	5	5	5	5
55-74	1	23.0		23	23	23	23	23	23	23	3	2.3	3	1	1	2	3	4	4	4
75 +																				
ALL AGES	4	8.8	90	3	3	4	14	23	23	23	9	2.8	2	1	2	2	4	5	5	5
SUBTOTAL	**5**	**7.4**	**77**	**2**	**3**	**4**	**9**	**23**	**23**	**23**	**13**	**3.4**	**5**	**1**	**2**	**2**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	24.0	882	3	3	24	45	45	45	45	1	11.0		11	11	11	11	11	11	11
55-74	2	3.0		3	3	3	3	3	3	3	1	14.0		14	14	14	14	14	14	14
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	6	10.8	283	3	3	4	6	41	45	45	2	12.5	5	11	11	12	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.5	1	4	4	4	5	5	5	5										
35-54	7	6.3	9	3	4	5	9	10	10	10	1	5.0		5	5	5	5	5	5	5
55-74	2	4.5	1	4	4	4	5	5	5	5	2	3.5	1	3	3	3	4	4	4	4
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	11	5.6	7	3	4	5	7	10	10	10	4	4.3		3	3	4	5	5	5	5
SUBTOTAL	**17**	**7.5**	**98**	**3**	**4**	**5**	**6**	**10**	**33**	**45**	**6**	**7.0**	**20**	**3**	**4**	**5**	**11**	**14**	**14**	**14**
GRAND TOTAL	**22**	**7.5**	**89**	**3**	**3**	**4**	**6**	**14**	**32**	**45**	**19**	**4.5**	**12**	**1**	**2**	**4**	**5**	**10**	**13**	**14**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
55-74	2	7.0	8	5	5	7	9	9	9	9										
75 +																				
ALL AGES	4	5.0	11	1	3	5	7	9	9	9	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	19.5	421	5	5	19	34	34	34	34	1	2.0		2	2	2	2	2	2	2
13-17	4	7.0	58	1	1	4	12	18	18	18	1	51.0		51	51	51	51	51	51	51
18-24	2	2.0	2	1	1	2	3	3	3	3										
25-34	2	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
35-54	5	9.6	118	2	3	4	15	28	28	28	3	3.3	2	2	2	4	4	4	4	4
55-74	7	12.0	117	4	5	6	21	29	30	30	6	4.8	3	3	3	5	6	6	6	6
75 +	2	4.5	1	4	4	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	24	9.1	99	2	3	5	10	28	31	34	13	7.6	173	2	3	4	6	15	44	51
SUBTOTAL	**28**	**8.5**	**88**	**1**	**3**	**5**	**9**	**27**	**30**	**34**	**15**	**7.0**	**150**	**2**	**3**	**4**	**6**	**6**	**40**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	10.0	73	1	3	11	16	18	18	18	1	60.0		60	60	60	60	60	60	60
13-17	2	8.0	2	7	7	8	9	9	9	9										
18-24	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
25-34	2	8.0	50	3	3	8	13	13	13	13										
35-54	3	5.3	9	2	3	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74	2	3.0	2	2	2	3	4	4	4	4										
75 +	2	5.0	2	4	4	5	6	6	6	6										
ALL AGES	15	6.5	22	2	3	6	9	13	17	18	3	21.7	1100	2	2	3	46	60	60	60
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
18-24											2	8.0	32	4	4	8	12	12	12	12
25-34	1	24.0		24	24	24	24	24	24	24	2	4.0	2	3	3	4	5	5	5	5
35-54	4	14.8	69	5	8	15	21	24	24	24										
55-74	5	11.0	55	4	5	7	18	20	20	20	4	2.8		2	2	3	3	3	3	3
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	13	12.4	57	4	6	11	19	24	24	24	9	4.1	10	2	3	3	4	9	12	12
SUBTOTAL	**28**	**9.3**	**45**	**2**	**4**	**7**	**12**	**20**	**24**	**24**	**12**	**8.5**	**270**	**2**	**2**	**3**	**4**	**26**	**55**	**60**
GRAND TOTAL	**56**	**8.9**	**65**	**2**	**4**	**6**	**11**	**23**	**27**	**34**	**27**	**7.7**	**195**	**2**	**3**	**3**	**5**	**11**	**52**	**60**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	2.5	1	2	2	2	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	2.5	1	2	2	2	3	3	3	3										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	37.5	1741	8	8	37	67	67	67	67	1	3.0		3	3	3	3	3	3	3
13-17	5	12.4	60	2	7	11	19	21	21	21	6	16.0	369	2	4	5	30	47	49	49
18-24	1	21.0		21	21	21	21	21	21	21	1	53.0		53	53	53	53	53	53	53
25-34	4	9.5	138	2	3	5	45	99 +	99 +	99 +	1	16.0		16	16	16	16	16	16	16
35-54	1	4.0		4	4	52	99 +	99 +	99 +	99 +										
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	15	15.0	266	3	5	12	23	93	99 +	99 +	9	18.7	414	2	4	6	35	51	53	53
B. FEMALE																				
0-12 YRS.	12	24.3	471	2	5	21	38	54	69	71	14	43.4	620	9	26	44	51	86	93	95
13-17	86	26.4	404	3	7	25	40	53	65	78	82	26.5	462	3	6	24	39	59	67	99
18-24	43	22.5	371	2	7	19	33	55	66	99 +	68	19.7	403	2	3	10	34	46	63	99
25-34	43	23.8	558	3	5	16	36	54	77	97	18	16.2	279	1	3	10	26	47	50	50
35-54	24	25.8	335	5	10	25	34	52	62	76	14	15.1	256	3	3	9	24	43	47	48
55-74	6	10.5	97	2	4	7	23	85	99 +	99 +	3	5.3	9	2	3	7	7	7	7	7
75 +	3	7.3	3	6	6	7	8	9	9	9	4	7.0	11	3	4	7	9	11	11	11
ALL AGES	217	24.2	415	3	6	20	36	53	69	98	203	23.0	454	2	4	17	38	52	64	98
SUBTOTAL	**232**	**23.6**	**410**	**3**	**6**	**20**	**36**	**54**	**71**	**99 +**	**212**	**22.8**	**452**	**2**	**4**	**16**	**38**	**52**	**63**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	45.5	1	45	45	45	46	46	46	46	1	26.0		26	26	26	26	26	26	26
13-17	5	28.6	1170	2	3	26	86	99	99 +	99 +	4	25.5	300	10	12	22	39	48	48	48
18-24	4	33.8	1118	4	5	31	62	68	68	68	1	16.0		16	16	16	16	16	16	16
25-34	1	13.0		13	13	13	13	13	13	13	1	17.0		17	17	17	17	17	17	17
35-54	1	42.0		42	42	42	42	42	42	42	1	3.0		3	3	3	3	3	3	3
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	13	32.6	746	3	6	35	57	87	97	99 +	9	18.8	197	4	9	16	27	41	48	48
B. FEMALE																				
0-12 YRS.	15	30.1	385	3	14	35	47	63	89	99 +	11	15.9	247	1	1	15	30	38	42	42
13-17	77	34.6	568	8	15	31	56	79	99	99 +	59	27.5	336	3	14	28	41	52	69	97
18-24	72	27.8	557	3	6	26	47	73	97	99 +	41	30.0	468	3	13	27	50	68	90	99 +
25-34	53	20.8	242	4	7	18	30	37	53	66	28	29.7	517	6	15	25	35	55	88	98
35-54	34	21.8	371	3	7	18	30	51	83	99 +	11	20.2	357	1	4	19	29	46	63	65
55-74	3	11.0	75	1	5	16	16	16	16	16	4	20.8	793	5	5	7	36	63	63	63
75 +	2	18.0	32	14	14	18	22	22	22	22	2	8.5	1	8	8	8	9	9	9	9
ALL AGES	256	27.5	475	3	11	24	43	65	92	99 +	156	26.8	413	2	10	25	40	55	74	99 +
SUBTOTAL	**269**	**27.7**	**489**	**3**	**11**	**24**	**44**	**66**	**92**	**99 +**	**165**	**26.4**	**401**	**2**	**10**	**25**	**39**	**55**	**73**	**99 +**
GRAND TOTAL	**501**	**25.8**	**455**	**3**	**7**	**22**	**40**	**61**	**85**	**99 +**	**377**	**24.4**	**431**	**2**	**5**	**22**	**39**	**53**	**66**	**99 +**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	4.3	26	1	1	2	5	11	18	19	6	14.5	938	1	1	2	3	70	77	77
13-17	3	15.0	547	1	1	2	32	42	42	42	2	2.5	1	2	2	2	3	3	3	3
18-24																				
25-34																				
35-54	2	14.5	145	6	6	14	23	23	23	23	1	6.0		6	6	6	6	6	6	6
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	18	7.1	114	1	2	2	7	22	34	42	9	10.9	617	1	2	3	4	49	77	77
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	3	3.0	3	2	2	2	4	5	5	5
13-17	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54	2	4.0	18	1	1	4	7	7	7	7										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	5	4.0	6	1	2	5	6	7	7	7	4	2.8	2	2	2	2	4	5	5	5
SUBTOTAL	**23**	**6.4**	**91**	**1**	**2**	**2**	**6**	**20**	**30**	**42**	**13**	**8.4**	**427**	**1**	**2**	**2**	**4**	**20**	**66**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	17	31.6	904	7	10	23	56	97	99 +	99 +	4	3.8	8	1	2	3	6	8	8	8
13-17	9	18.0	117	7	9	17	32	66	99 +	99 +										
18-24											1	23.0		23	23	23	23	23	23	23
25-34	3	6.3	27	2	3	5	10	12	12	12	1	7.0		7	7	7	7	7	7	7
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	30	24.0	627	4	8	15	34	93	99 +	99 +	7	7.3	54	1	3	6	8	20	23	23
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	2	2.5	5	1	1	2	4	4	4	4										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15	3	2.0	1	1	1	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	5	6.2	29	1	3	4	9	15	15	15	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**35**	**21.5**	**576**	**3**	**7**	**12**	**32**	**86**	**99 +**	**99 +**	**10**	**5.7**	**43**	**1**	**2**	**3**	**7**	**15**	**23**	**23**
GRAND TOTAL	**58**	**15.5**	**435**	**1**	**2**	**7**	**22**	**49**	**95**	**99 +**	**23**	**7.2**	**253**	**1**	**2**	**3**	**6**	**11**	**42**	**77**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	3	5.0	9	2	3	5	7	8	8	8
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	3	5.0	9	2	3	5	7	8	8	8
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	3	1.3		1	1	1	2	2	2	2	4	4.0	10	1	1	3	6	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	1.3		1	1	1	2	2	2	2	4	4.0	10	1	1	3	6	8	8	8

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	1.5		1	1	1	2	2	2	2	3	2.0	1	1	1	2	3	3	3	3
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54	4	5.0	11	1	2	5	7	9	9	9	1	2.0		2	2	2	2	2	2	2
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	14	2.9	6	1	1	2	4	6	8	9	5	2.2	1	1	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	7.0	52	1	2	5	12	15	15	15	2	1.5	1	1	1	1	2	2	2	2
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	1.0		1	1	1	1	1	1	1										
35-54	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74	1	27.0		27	27	27	27	27	27	27	1	1.0		1	1	1	1	1	1	1
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	8	6.8	89	1	1	2	10	23	27	27	5	2.4	3	1	1	2	3	5	5	5
SUBTOTAL	**22**	**4.3**	**37**	**1**	**1**	**2**	**5**	**11**	**20**	**27**	**10**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	4.7	4	3	3	4	6	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17											1	28.0		28	28	28	28	28	28	28
18-24	1	11.0		11	11	11	11	11	11	11	1	5.0		5	5	5	5	5	5	5
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	4.5	13	2	2	4	7	7	7	7	1	5.0		5	5	5	5	5	5	5
55-74	2	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	6	7.5	12	2	5	8	10	11	11	11	3	12.7	175	5	5	5	22	28	28	28
SUBTOTAL	**9**	**6.6**	**10**	**2**	**4**	**7**	**10**	**11**	**11**	**11**	**3**	**12.7**	**175**	**5**	**5**	**5**	**22**	**28**	**28**	**28**
GRAND TOTAL	**31**	**5.0**	**29**	**1**	**1**	**3**	**7**	**11**	**15**	**27**	**13**	**4.7**	**51**	**1**	**2**	**3**	**5**	**10**	**25**	**28**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	19.0	320	2	3	15	31	45	56	59	9	20.2	244	2	6	19	32	43	45	45
13-17	5	28.2	176	15	15	28	41	42	42	42	6	15.2	318	2	3	7	25	45	47	47
18-24	1	32.0		32	32	32	32	32	32	32	3	4.3	6	3	3	3	6	7	7	7
25-34	1	29.0		29	29	29	29	29	29	29	3	10.3	87	4	4	6	17	21	21	21
35-54	5	30.6	571	2	19	25	42	68	68	68	1	18.0		18	18	18	18	18	18	18
55-74											1	29.0		29	29	29	29	29	29	29
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	25	24.1	313	2	10	25	33	42	61	68	24	15.3	205	2	3	9	23	40	46	47
B. FEMALE																				
0-12 YRS.	18	24.9	611	4	6	16	27	71	79	84	17	17.9	265	2	3	13	31	46	49	49
13-17	73	22.5	236	3	10	23	30	43	56	65	33	22.0	172	4	9	24	31	37	42	56
18-24	94	25.6	240	7	13	25	35	43	51	81	45	25.4	278	4	8	27	35	50	55	59
25-34	53	22.8	235	2	10	25	30	42	48	71	19	26.5	175	3	20	30	34	44	44	44
35-54	23	24.7	190	3	11	26	33	40	45	54	17	14.0	224	3	3	7	20	34	48	55
55-74	5	27.4	493	6	7	25	44	59	59	59	8	10.5	147	1	3	5	17	31	33	33
75 +	2	5.5	5	4	4	5	7	7	7	7										
ALL AGES	268	23.9	263	4	11	24	32	43	55	74	139	21.6	238	3	6	22	32	43	50	57
SUBTOTAL	**293**	**23.9**	**267**	**4**	**10**	**25**	**32**	**42**	**55**	**73**	**163**	**20.6**	**240**	**3**	**5**	**20**	**31**	**43**	**49**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	25.8	647	4	8	9	52	56	56	56	5	25.4	625	3	4	21	41	64	64	64
13-17	10	26.4	344	4	16	23	37	55	63	63	3	35.7	549	12	18	36	53	59	59	59
18-24	5	11.6	181	3	4	5	17	35	35	35	5	32.8	623	2	16	30	49	69	69	69
25-34	10	17.4	216	3	5	14	27	38	47	47	4	25.5	243	3	16	30	35	39	39	39
35-54	7	26.6	546	1	3	31	45	57	59	59	2	42.0	8	40	40	42	44	44	44	44
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	3	6.3	17	4	4	4	9	11	11	11										
ALL AGES	41	20.3	346	3	4	11	32	49	57	63	19	30.7	415	3	14	30	41	62	67	69
B. FEMALE																				
0-12 YRS.	8	31.0	253	10	26	30	35	55	62	62	4	24.5	598	2	3	23	45	49	49	49
13-17	99	28.3	372	6	14	27	41	59	67	94	56	30.3	341	7	16	27	42	55	67	81
18-24	218	27.6	347	5	14	26	40	55	72	99 +	69	28.8	243	7	20	28	38	52	62	96
25-34	147	28.1	299	5	14	29	39	50	59	76	51	24.5	238	5	10	27	39	43	47	62
35-54	85	28.5	240	7	14	29	42	45	53	66	41	22.8	228	5	7	23	40	43	48	99 +
55-74	9	30.7	849	3	4	36	42	73	93	93	11	15.9	270	2	4	8	28	40	53	54
75 +	10	10.4	108	2	4	6	14	28	33	33	3	8.7	3	7	7	8	10	11	11	11
ALL AGES	576	27.8	326	5	14	27	40	53	62	97	235	26.2	280	5	12	25	38	47	58	84
SUBTOTAL	**617**	**27.3**	**331**	**4**	**12**	**27**	**40**	**53**	**62**	**95**	**254**	**26.6**	**286**	**5**	**12**	**26**	**39**	**47**	**61**	**81**
GRAND TOTAL	**910**	**26.2**	**313**	**4**	**12**	**26**	**38**	**49**	**60**	**88**	**417**	**24.3**	**274**	**3**	**8**	**24**	**36**	**46**	**55**	**75**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	93TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	20.5	265	9	9	20	32	32	32	32										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	20.5	265	9	9	20	32	32	32	32										
B. FEMALE																				
0-12 YRS.											2	33.0	50	28	28	33	38	38	38	38
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	33.0	50	28	28	33	38	38	38	38
SUBTOTAL	**2**	**20.5**	**265**	**9**	**9**	**20**	**32**	**32**	**32**	**32**	**2**	**33.0**	**50**	**28**	**28**	**33**	**38**	**38**	**38**	**38**
GRAND TOTAL	**2**	**20.5**	**265**	**9**	**9**	**20**	**32**	**32**	**32**	**32**	**3**	**22.3**	**369**	**1**	**8**	**28**	**35**	**38**	**38**	**38**

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	10.2	144	1	2	4	16	29	38	39	5	16.0	143	4	5	13	28	30	30	30
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	10.2	144	1	2	4	16	29	38	39	6	13.7	146	2	4	9	27	30	30	30
B. FEMALE																				
0-12 YRS.	5	11.6	233	2	2	2	20	37	37	37	1	3.0		3	3	3	3	3	3	3
13-17	2	14.5	113	7	7	14	22	22	22	22	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	8	11.3	161	2	2	5	18	32	37	37	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**19**	**10.6**	**144**	**1**	**2**	**4**	**17**	**31**	**38**	**39**	**8**	**11.1**	**128**	**2**	**3**	**5**	**20**	**29**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	31.6	194	13	19	38	41	46	46	46	7	22.4	357	2	7	21	38	49	51	51
13-17	2	11.5	13	9	9	11	14	14	14	14	3	16.7	145	3	7	21	25	26	26	26
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	25.9	225	10	13	21	39	45	46	46	10	20.7	277	2	6	21	27	46	51	51
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	8.0		8	8	8	8	8	8	8
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**8**	**23.0**	**261**	**5**	**11**	**17**	**39**	**44**	**46**	**46**	**11**	**19.5**	**266**	**2**	**6**	**21**	**27**	**46**	**51**	**51**
GRAND TOTAL	**27**	**14.3**	**202**	**2**	**3**	**9**	**22**	**39**	**41**	**46**	**19**	**16.0**	**214**	**2**	**4**	**9**	**27**	**37**	**47**	**51**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	1.8		1	2	2	2	2	2	2	7	11.4	320	1	2	3	16	43	49	49
13-17	6	2.2		1	2	2	3	3	3	3	3	1.7		1	1	2	2	2	2	2
18-24	4	3.8	2	2	2	3	5	6	6	6	7	2.1	1	1	1	2	3	3	3	3
25-34	14	3.2	6	1	2	3	4	5	10	11	12	3.3	6	1	1	2	5	7	8	8
35-54	12	3.3	4	1	1	3	5	6	7	7	26	3.0	4	1	2	3	4	6	7	9
55-74	9	4.3	5	1	2	5	6	7	7	7	7	3.6	9	1	2	2	6	9	9	9
75 +	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
ALL AGES	52	3.2	4	1	2	3	4	6	7	11	63	3.9	42	1	2	2	3	7	9	45
B. FEMALE																				
0-12 YRS.	6	2.8	2	1	2	3	4	5	5	5	6	2.7		2	2	3	3	3	3	3
13-17	21	3.0	6	1	2	3	4	5	8	11	10	2.1	1	1	2	2	3	3	3	3
18-24	19	2.8	3	1	2	2	4	5	6	6	17	2.9	3	1	2	2	4	5	7	8
25-34	36	6.3	52	1	2	3	7	18	25	28	45	3.7	6	1	2	3	5	7	9	11
35-54	52	4.3	23	1	1	3	5	8	10	25	76	4.0	8	1	2	3	5	7	10	15
55-74	32	5.1	18	2	2	3	6	11	13	22	26	5.4	34	1	2	3	7	11	18	28
75 +	5	8.4	122	1	3	4	11	28	28	28	10	4.8	4	2	3	5	6	7	8	8
ALL AGES	171	4.6	27	1	2	3	5	8	17	27	190	3.9	10	1	2	3	5	7	9	16
SUBTOTAL	**223**	**4.3**	**21**	**1**	**2**	**3**	**5**	**8**	**12**	**26**	**253**	**3.9**	**18**	**1**	**2**	**3**	**5**	**7**	**9**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	10.2	198	2	3	3	15	35	35	35	2	14.5	313	2	2	14	27	27	27	27
13-17	5	6.0	24	2	3	4	9	14	14	14	2	3.5	1	3	3	3	4	4	4	4
18-24	1	1.0		1	1	1	1	1	1	1	2	3.5	1	3	3	3	4	4	4	4
25-34	4	2.8	3	1	1	2	4	5	5	5	5	3.8	1	2	3	4	4	5	5	5
35-54	16	6.3	42	2	2	4	7	14	23	27	11	3.2	6	1	1	2	4	8	8	8
55-74	8	10.1	237	2	2	3	11	37	46	46	9	5.1	19	1	3	4	6	13	15	15
75 +																				
ALL AGES	39	7.0	91	2	2	3	7	16	31	46	31	4.6	26	1	2	3	4	9	15	27
B. FEMALE																				
0-12 YRS.	7	9.1	227	1	2	5	6	36	43	43	3	5.0	7	3	3	4	7	8	8	8
13-17	8	5.3	27	1	1	2	10	13	14	14	1	4.0		4	4	4	4	4	4	4
18-24	4	6.8	58	1	2	4	11	18	18	18	12	2.6	5	1	1	2	3	5	8	9
25-34	21	9.1	143	2	3	4	10	23	39	52	22	4.3	7	2	3	4	5	8	11	12
35-54	42	7.0	39	2	3	5	10	13	22	28	49	4.3	8	2	3	4	6	7	8	16
55-74	17	6.8	50	1	4	4	7	15	25	30	15	4.9	2	3	3	5	6	6	8	8
75 +	5	7.6	32	2	3	6	13	15	15	15	10	3.7	2	1	3	4	5	5	5	5
ALL AGES	104	7.4	71	2	3	4	9	16	27	47	112	4.2	6	2	3	4	5	7	8	14
SUBTOTAL	**143**	**7.3**	**75**	**2**	**2**	**4**	**9**	**16**	**27**	**46**	**143**	**4.3**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**17**
GRAND TOTAL	**366**	**5.5**	**44**	**1**	**2**	**3**	**6**	**11**	**19**	**34**	**396**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.7	20	1	1	6	9	10	10	10	2	4.5	5	3	3	4	6	6	6	6
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	3	9.0	91	3	3	4	16	20	20	20	1	5.0		5	5	5	5	5	5	5
35-54	6	3.2	2	1	2	4	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
55-74	7	12.1	431	1	1	3	12	49	58	58	2	6.0	32	2	2	6	10	10	10	10
75 +	3	7.3	51	1	2	6	13	15	15	15	4	5.8	3	3	4	6	7	7	7	7
ALL AGES	22	7.7	152	1	2	4	6	16	35	58	12	4.6	7	2	2	4	6	8	10	10
B. FEMALE																				
0-12 YRS.	4	4.5	4	2	3	4	6	7	7	7	4	1.3		1	1	1	1	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	1	4.0		4	4	4	4	4	4	4	1	14.0		14	14	14	14	14	14	14
35-54	5	7.8	67	1	4	5	10	22	22	22	2	2.0	2	1	1	2	3	3	3	3
55-74	2	3.0	2	2	2	3	4	4	4	4	1	4.0		4	4	4	4	4	4	4
75 +	2	5.0	2	4	4	5	6	6	6	6	3	8.3	57	1	3	8	14	16	16	16
ALL AGES	16	5.6	25	1	3	5	6	11	19	22	11	4.7	31	1	1	2	7	15	16	16
SUBTOTAL	**38**	**6.8**	**98**	**1**	**2**	**4**	**6**	**15**	**21**	**58**	**23**	**4.7**	**17**	**1**	**1**	**3**	**7**	**11**	**15**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-24											1	1.0		1	1	1	1	1	1	1
25-34											1	1.0		1	1	1	1	1	1	1
35-54	6	9.2	167	1	1	5	8	32	35	35	2	3.0	2	2	2	3	4	4	4	4
55-74	4	5.8	20	1	2	5	9	11	11	11	1	8.0		8	8	8	8	8	8	8
75 +	4	10.0	41	5	5	8	14	19	19	19	4	4.5	6	3	3	4	6	8	8	8
ALL AGES	14	8.4	82	1	3	6	10	21	32	35	11	3.4	6	1	1	3	4	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	5	3.8	6	2	2	3	5	8	8	8	4	3.8	4	2	2	3	5	7	7	7
55-74	8	7.3	29	2	4	6	9	16	19	19	4	2.5		2	2	2	3	3	3	3
75 +	6	6.8	14	1	5	7	8	12	12	12	8	8.8	65	2	3	5	14	22	22	22
ALL AGES	20	6.6	21	1	3	6	8	13	16	19	17	5.6	40	1	2	3	6	18	22	22
SUBTOTAL	**34**	**7.4**	**44**	**1**	**3**	**6**	**8**	**14**	**19**	**35**	**28**	**4.8**	**27**	**1**	**2**	**3**	**5**	**8**	**21**	**22**
GRAND TOTAL	**72**	**7.1**	**72**	**1**	**3**	**5**	**8**	**14**	**20**	**53**	**51**	**4.7**	**22**	**1**	**2**	**3**	**6**	**9**	**16**	**22**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-24	3	7.3	73	1	2	4	14	17	17	17	4	2.0	2	1	1	2	3	4	4	4
25-34	8	3.6	5	1	2	3	5	7	8	8	4	3.8	12	1	1	2	6	9	9	9
35-54	12	3.3	11	1	1	2	4	7	12	13	13	2.4	2	1	1	2	3	4	5	5
55-74	5	4.4	16	1	1	3	8	10	10	10	10	3.7	13	1	2	2	3	10	11	11
75 +	1	3.0		3	3	3	3	3	3	3	3	1.7		1	1	2	2	2	2	2
ALL AGES	31	4.5	22	1	1	3	5	11	17	20	35	2.8	6	1	1	2	3	5	10	11
B. FEMALE																				
0-12 YRS.																				
13-17	4	1.5	1	1	1	1	2	3	3	3	4	1.8	1	1	1	2	2	3	3	3
18-24	4	1.8	1	1	1	2	2	3	3	3	8	2.4	1	1	1	2	3	4	4	4
25-34	10	3.4	11	1	1	2	4	9	11	11	14	4.1	36	1	1	2	3	10	21	24
35-54	25	3.4	6	1	1	3	5	8	8	9	32	2.5	4	1	1	2	3	6	7	9
55-74	11	4.6	67	1	1	2	4	14	28	29	21	3.7	19	1	1	2	5	6	13	21
75 +	1	1.0		1	1	1	1	1	1	1	7	2.4	2	1	2	2	3	5	5	5
ALL AGES	55	3.3	18	1	1	2	4	7	9	28	86	3.0	13	1	1	2	3	6	7	23
SUBTOTAL	**86**	**3.8**	**19**	**1**	**1**	**3**	**4**	**8**	**11**	**26**	**121**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**8**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	4	7.3	139	1	1	2	13	25	25	25	7	4.1	7	1	3	3	5	8	9	9
35-54	7	5.4	31	1	2	3	8	15	16	16	8	2.0	1	1	1	2	3	4	4	4
55-74											3	3.3	6	2	2	2	5	6	6	6
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	13	5.5	53	1	1	2	5	18	24	25	20	2.9	4	1	1	2	4	6	8	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	11	7.1	60	1	2	4	11	20	24	24	4	5.0	64	1	1	1	9	17	17	17
25-34	12	7.1	45	1	2	3	12	17	20	20	7	1.7	1	1	1	2	2	3	3	3
35-54	15	3.9	9	1	2	3	6	9	10	10	17	2.4	4	1	1	2	3	4	7	9
55-74	9	11.0	140	2	3	5	18	31	37	37	14	4.6	22	1	2	3	5	11	16	18
75 +	4	6.0	11	2	3	6	8	10	10	10	1	5.0		5	5	5	5	5	5	5
ALL AGES	51	6.8	53	1	2	4	9	17	21	37	43	3.3	15	1	1	2	3	8	12	18
SUBTOTAL	**64**	**6.5**	**53**	**1**	**2**	**3**	**8**	**17**	**22**	**35**	**63**	**3.2**	**11**	**1**	**1**	**2**	**3**	**7**	**10**	**18**
GRAND TOTAL	**150**	**4.9**	**35**	**1**	**1**	**3**	**5**	**12**	**18**	**29**	**184**	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**9**	**20**

Total U.S., January-December 1988

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES											2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	2	3.5	13	1	1	3	6	6	6	6	3	1.3		1	1	1	2	2	2	2
SUBTOTAL	**2**	**3.5**	**13**	**1**	**1**	**3**	**6**	**6**	**6**	**6**	**5**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**5.3**	**17**	**1**	**2**	**6**	**8**	**9**	**9**	**9**	**6**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74											2	4.5	5	3	3	4	6	6	6	6
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											4	3.5	4	1	2	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**	**4**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**	**5**	**3.4**	**3**	**1**	**2**	**3**	**4**	**6**	**6**	**6**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	26.0	378	5	14	27	49	88	99 +	99 +	3	12.7	228	2	3	6	24	30	30	30
13-17	3	3.0	4	1	1	3	4	5	5	5	2	1.5	1	1	1	1	2	2	2	2
18-24	10	6.0	16	2	3	5	11	11	11	11	2	6.0	32	2	2	6	10	10	10	10
25-34	4	6.8	90	1	1	2	12	21	21	21	3	4.3	25	1	1	2	8	10	10	10
35-54	14	9.5	207	1	2	3	5	41	43	43	12	2.5	7	1	1	1	3	8	9	9
55-74	6	6.2	40	2	2	3	9	17	18	18	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	44	10.2	181	1	3	3	14	37	47	99 +	23	4.3	41	1	1	2	5	10	17	30
B. FEMALE																				
0-12 YRS.	3	28.3	1189	6	7	11	54	68	68	68	3	10.7	125	1	2	8	19	23	23	23
13-17	19	10.7	86	1	3	9	15	23	32	36	4	16.3	321	1	1	14	31	36	36	36
18-24	13	13.4	649	1	3	7	10	32	85	97	6	4.5	24	1	1	3	4	13	14	14
25-34	24	14.1	346	2	3	7	20	25	56	87	7	3.1	5	1	1	3	4	6	7	7
35-54	18	11.3	143	1	2	7	18	27	39	46	16	2.6	2	1	1	3	3	4	6	7
55-74	9	5.8	83	1	1	2	7	21	29	29	9	3.4	6	1	2	3	6	7	7	7
75 +	2	10.0	128	2	2	10	18	18	18	18	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	88	12.2	279	1	2	7	15	26	43	93	47	4.8	48	1	1	3	4	8	24	36
SUBTOTAL	**132**	**11.6**	**244**	**1**	**2**	**6**	**15**	**29**	**43**	**98**	**70**	**4.6**	**45**	**1**	**1**	**3**	**4**	**9**	**23**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	45.8	794	9	25	58	75	95	99 +	99 +										
13-17	9	8.1	127	1	3	5	7	27	37	37	3	11.7	253	1	2	4	23	30	30	30
18-24	9	11.6	172	1	2	9	14	33	43	43										
25-34	15	5.8	58	1	1	2	8	15	25	28	4	3.8	17	1	1	2	6	10	10	10
35-54	23	9.2	81	1	2	7	13	23	30	35	6	3.8	21	1	1	2	3	12	13	13
55-74	5	14.8	646	1	2	3	21	60	60	60										
75 +																				
ALL AGES	69	13.3	339	1	2	7	14	42	60	97	13	5.6	68	1	1	2	5	16	27	30
B. FEMALE																				
0-12 YRS.	5	35.8	487	12	22	38	69	97	99 +	99 +	4	23.8	172	13	14	20	33	42	42	42
13-17	23	17.0	393	2	3	9	20	57	64	66	5	14.2	161	1	1	17	25	28	28	28
18-24	33	10.2	157	1	3	6	11	27	35	60	2	16.5	365	3	3	16	30	30	30	30
25-34	48	14.1	319	2	4	7	17	34	45	99	11	3.5	9	1	2	3	4	7	12	12
35-54	35	8.3	91	1	2	4	11	24	29	38	16	3.2	7	1	1	2	4	8	9	10
55-74	7	16.1	365	1	4	8	20	49	56	56	6	3.8	10	1	1	3	6	9	9	9
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	152	13.1	266	1	3	6	17	35	56	98	44	7.1	87	1	2	3	8	24	29	42
SUBTOTAL	**221**	**13.2**	**286**	**1**	**3**	**6**	**16**	**36**	**59**	**99**	**57**	**6.8**	**81**	**1**	**2**	**3**	**8**	**23**	**29**	**41**
GRAND TOTAL	**353**	**12.6**	**270**	**1**	**3**	**6**	**16**	**35**	**57**	**99**	**127**	**5.6**	**62**	**1**	**1**	**3**	**6**	**14**	**27**	**37**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74	1	16.0		16	16	16	16	16	16	16	2	8.0	72	2	2	8	14	14	14	14
75 +																				
ALL AGES	4	5.8	46	2	2	3	9	16	16	16	2	8.0	72	2	2	8	14	14	14	14
SUBTOTAL	**6**	**5.3**	**31**	**2**	**2**	**3**	**7**	**15**	**16**	**16**	**4**	**4.8**	**38**	**1**	**1**	**2**	**8**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.5	1	3	3	3	4	4	4	4										
25-34											1	7.0		7	7	7	7	7	7	7
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	9.3	15	5	6	11	12	12	12	12										
SUBTOTAL	**5**	**7.0**	**18**	**3**	**4**	**5**	**11**	**12**	**12**	**12**	**2**	**4.0**	**18**	**1**	**1**	**4**	**7**	**7**	**7**	**7**
GRAND TOTAL	**11**	**6.1**	**23**	**2**	**2**	**4**	**10**	**14**	**16**	**16**	**6**	**4.5**	**27**	**1**	**1**	**2**	**7**	**13**	**14**	**14**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.7	1	1	1	1	3	3	3	3										
13-17	1	5.0		5	5	5	5	5	5	5	2	2.5	1	2	2	2	3	3	3	3
18-24	3	1.0		1	1	1	1	1	1	1										
25-34	6	2.8	5	1	1	2	3	7	7	7	3	1.0		1	1	1	1	1	1	1
35-54	8	5.3	46	1	1	2	6	17	21	21	5	2.4	2	1	1	2	4	4	4	4
55-74	2	5.0		5	5	5	5	5	5	5	2	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	23	3.6	19	1	1	2	5	7	13	21	12	2.0	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39	3	1.7	1	1	1	1	3	3	3	3
13-17	4	24.5	910	1	1	16	47	65	65	65										
18-24	4	2.0	1	1	1	2	3	3	3	3	3	2.3	2	1	1	3	3	3	3	3
25-34	8	4.9	27	1	1	2	8	13	14	14	2	3.0	2	2	2	3	4	4	4	4
35-54	13	3.8	9	1	2	3	4	8	11	12	2	4.5	1	4	4	4	5	5	5	5
55-74	10	4.3	15	1	2	2	9	10	11	11	3	2.3	3	1	1	2	3	4	4	4
75 +	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
ALL AGES	41	6.8	144	1	2	2	6	13	34	65	14	2.6	2	1	1	2	4	4	5	5
SUBTOTAL	**64**	**5.6**	**101**	**1**	**1**	**2**	**5**	**12**	**24**	**61**	**26**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	6	1.3	1	1	1	1	1	3	3	3	1	4.0		4	4	4	4	4	4	4
35-54	8	3.5	17	1	1	2	4	11	13	13	3	5.7	41	1	1	3	10	13	13	13
55-74											1	2.0		2	2	2	2	2	2	2
75 +											2	1.5	1	1	1	1	2	2	2	2
ALL AGES	17	2.4	9	1	1	1	2	5	11	13	8	3.4	16	1	1	2	3	10	13	13
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	3	3.7	21	1	1	1	7	9	9	9										
18-24	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
25-34	7	4.6	15	1	2	3	8	11	11	11	4	5.0	13	2	2	4	7	10	10	10
35-54	9	4.2	17	1	1	2	6	11	13	13	3	2.7		2	2	3	3	3	3	3
55-74	1	20.0		20	20	20	20	20	20	20	1	4.0		4	4	4	4	4	4	4
75 +											2	7.0	18	4	4	7	10	10	10	10
ALL AGES	22	5.0	24	1	1	3	8	12	16	20	12	4.3	8	2	2	3	5	10	10	10
SUBTOTAL	**39**	**3.8**	**19**	**1**	**1**	**2**	**5**	**10**	**13**	**20**	**20**	**3.9**	**11**	**1**	**2**	**3**	**4**	**10**	**12**	**13**
GRAND TOTAL	**103**	**4.9**	**70**	**1**	**1**	**2**	**5**	**11**	**16**	**51**	**46**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**10**	**13**

Total U.S., January-December 1988

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	38	17.4	190	4	8	14	21	37	51	62	4	17.8	276	2	3	17	32	35	35	35
13-17	203	11.8	167	2	3	8	16	28	41	99 +	34	11.1	158	1	2	8	14	22	40	59
18-24	281	6.5	56	1	2	4	9	17	24	35	31	4.0	12	1	1	2	6	10	11	13
25-34	287	5.9	31	1	2	4	8	13	16	30	55	4.5	42	1	1	3	4	8	14	41
35-54	277	6.5	37	1	2	4	9	15	19	27	41	4.5	14	1	2	4	6	8	11	21
55-74	67	8.6	57	1	3	7	12	17	19	45	15	4.4	8	1	2	5	6	9	10	10
75 +	33	7.7	20	3	4	6	10	13	15	21	8	6.1	18	3	4	5	6	13	16	16
ALL AGES	1186	7.8	74	1	2	5	10	18	24	45	188	5.9	61	1	2	4	7	13	19	43
B. FEMALE																				
0-12 YRS.	40	11.3	73	3	5	9	15	25	30	36	4	18.0	235	5	6	14	30	38	38	38
13-17	558	10.7	146	1	3	7	14	26	34	61	65	11.6	166	1	2	7	16	29	46	54
18-24	460	6.0	43	1	2	4	7	14	18	38	52	5.3	25	1	3	4	7	10	14	29
25-34	474	6.5	35	1	2	5	9	14	19	28	71	4.6	15	1	3	4	5	9	12	23
35-54	504	7.0	46	1	2	5	9	16	21	34	100	4.1	17	1	2	3	5	9	15	19
55-74	123	9.6	53	2	4	8	13	21	26	31	40	6.3	48	2	2	4	8	10	18	40
75 +	58	12.2	85	3	5	11	15	21	34	46	18	5.1	23	1	2	3	6	12	17	20
ALL AGES	2217	8.0	74	1	2	5	10	18	24	40	350	6.2	60	1	2	4	7	14	21	46
SUBTOTAL	**3403**	**7.9**	**74**	**1**	**2**	**5**	**10**	**18**	**24**	**42**	**538**	**6.1**	**60**	**1**	**2**	**4**	**7**	**13**	**21**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	30	20.5	245	3	8	17	32	38	50	63	1	26.0		26	26	26	26	26	26	26
13-17	176	12.3	135	2	4	8	19	28	39	58	11	3.2	7	1	1	3	5	37	91	99 +
18-24	412	8.1	86	1	3	5	10	17	28	43	35	5.7	30	1	1	3	8	13	16	24
25-34	559	7.6	56	1	3	5	10	18	21	34	48	5.7	23	1	2	5	9	12	14	22
35-54	472	8.2	50	2	3	7	11	16	21	36	45	6.1	38	1	2	4	6	16	19	28
55-74	83	10.1	102	1	4	7	13	22	36	48	18	6.0	27	1	2	4	8	12	18	22
75 +	20	10.8	76	3	4	8	16	23	29	33	3	8.0	61	3	3	4	14	17	17	17
ALL AGES	1752	8.7	79	1	3	6	11	19	27	44	161	5.9	30	1	2	4	8	14	18	28
B. FEMALE																				
0-12 YRS.	15	11.7	83	3	5	9	18	20	31	35	2	9.5	1	9	9	9	10	10	10	10
13-17	333	12.6	192	2	4	8	16	30	42	81	28	14.7	144	2	4	12	23	36	46	99 +
18-24	447	7.6	62	1	2	5	10	17	22	35	31	5.9	46	1	2	3	6	13	23	31
25-34	647	8.6	80	1	3	6	11	19	25	41	68	5.8	35	2	2	4	7	12	19	29
35-54	614	8.8	78	2	3	6	11	19	24	43	57	6.9	82	2	2	4	8	14	20	58
55-74	109	11.2	86	2	4	8	15	25	28	46	17	5.5	13	2	3	5	7	8	14	17
75 +	23	13.6	156	4	5	10	17	26	46	56	4	10.3	56	3	4	9	16	19	19	19
ALL AGES	2188	9.3	96	1	3	6	12	21	27	46	207	7.4	71	2	3	4	9	18	28	50
SUBTOTAL	**3940**	**9.0**	**89**	**1**	**3**	**6**	**12**	**20**	**27**	**46**	**368**	**6.7**	**54**	**1**	**2**	**4**	**9**	**16**	**22**	**42**
GRAND TOTAL	**7343**	**8.5**	**82**	**1**	**3**	**6**	**11**	**19**	**26**	**44**	**906**	**6.4**	**57**	**1**	**2**	**4**	**8**	**15**	**21**	**43**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	18.0	75	7	11	18	26	28	29	29	1	4.0		4	4	4	4	4	4	4
13-17	11	7.4	23	1	3	9	11	14	16	16										
18-24	3	3.0	12	1	1	1	6	7	7	7										
25-34	2	5.5	5	4	4	5	7	7	7	7	6	5.0	8	2	3	4	6	10	10	10
35-54	10	10.2	57	1	4	8	18	21	22	22	2	4.5	13	2	2	4	7	7	7	7
55-74	8	14.0	111	3	4	12	24	28	29	29	6	7.7	53	2	4	5	8	21	22	22
75 +	4	23.8	700	4	6	14	41	62	62	62	4	7.8	78	2	3	4	13	21	21	21
ALL AGES	50	12.5	125	2	4	10	19	27	29	62	19	6.3	33	2	3	4	7	17	22	22
B. FEMALE																				
0-12 YRS.	5	18.8	65	10	14	18	22	32	32	32	1	28.0		28	28	28	28	28	28	28
13-17	24	14.8	139	2	7	13	19	34	42	45										
18-24	17	8.8	52	2	3	7	13	21	23	23	2	6.5	13	4	4	6	9	9	9	9
25-34	21	9.6	93	2	3	6	10	29	33	34	7	12.1	152	1	2	7	22	31	32	32
35-54	25	12.7	292	1	4	7	20	24	43	85	7	10.0	70	1	3	8	15	22	24	24
55-74	14	9.1	52	2	4	6	17	19	24	25	10	9.2	70	3	3	6	8	24	27	27
75 +	7	8.7	14	4	6	10	11	13	14	14	4	6.3	11	2	3	6	9	10	10	10
ALL AGES	113	11.5	134	2	4	8	17	24	33	60	31	10.1	81	2	3	7	15	26	28	32
SUBTOTAL	**163**	**11.8**	**131**	**2**	**4**	**9**	**17**	**25**	**30**	**60**	**50**	**8.7**	**65**	**2**	**3**	**5**	**10**	**23**	**27**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	22.3	16	18	19	21	25	28	28	28										
13-17	10	12.7	160	2	3	9	18	32	43	43										
18-24	14	9.2	79	2	3	6	10	23	29	31	3	3.7		3	3	4	4	4	4	4
25-34	23	12.6	128	1	3	11	15	31	38	40	6	8.5	125	1	1	4	11	28	30	30
35-54	27	8.0	45	1	3	6	11	14	22	31	4	9.8	90	4	4	5	15	24	24	24
55-74	10	10.6	70	3	5	7	14	24	30	30	2	4.5	5	3	3	4	6	6	6	6
75 +	2	18.5	13	16	16	18	21	21	21	21	2	22.5	5	21	21	22	24	24	24	24
ALL AGES	90	11.0	92	2	3	9	15	25	31	42	17	9.1	88	2	3	5	13	24	28	30
B. FEMALE																				
0-12 YRS.	3	35.7	1399	4	9	26	64	77	77	77	1	4.0		4	4	4	4	4	4	4
13-17	20	19.4	603	2	3	10	24	57	81	94	8	18.8	322	1	3	15	30	46	52	52
18-24	18	13.3	168	1	2	10	19	28	44	52	3	14.7	288	2	3	8	27	34	34	34
25-34	25	8.9	102	1	3	5	9	23	33	41	6	9.5	98	3	4	6	10	27	29	29
35-54	39	13.6	258	2	4	10	15	28	40	91	6	5.8	20	2	3	5	7	13	14	14
55-74	17	19.6	407	6	8	13	19	47	72	84	3	13.0	63	7	8	10	19	22	22	22
75 +	4	15.0	90	2	8	17	22	23	23	23	4	4.3	2	3	3	4	5	6	6	6
ALL AGES	126	14.9	315	1	4	10	19	32	51	92	31	11.2	149	2	3	6	13	30	34	52
SUBTOTAL	**216**	**13.3**	**224**	**1**	**4**	**9**	**18**	**29**	**41**	**86**	**48**	**10.4**	**127**	**2**	**3**	**5**	**12**	**29**	**31**	**52**
GRAND TOTAL	**379**	**12.7**	**183**	**2**	**4**	**9**	**18**	**27**	**33**	**82**	**98**	**9.5**	**96**	**2**	**3**	**5**	**10**	**25**	**30**	**43**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	55	15.7	176	3	6	11	21	36	43	60	4	24.8	753	1	4	31	71	99 +	99 +	99 +
13-17	77	12.9	169	1	4	9	17	30	41	66	11	4.1	9	1	2	3	6	9	10	10
18-24	101	7.7	189	1	2	4	7	14	29	81	11	7.2	222	1	1	3	4	24	50	52
25-34	119	6.5	40	1	2	5	8	15	20	58	12	6.3	31	2	3	5	7	14	21	22
35-54	119	7.3	44	1	3	6	9	16	18	32	16	9.4	143	1	1	3	17	30	31	31
55-74	25	7.8	30	3	4	6	10	15	19	23	7	11.4	165	2	4	5	22	31	32	32
75 +	10	8.2	21	3	4	8	12	15	16	16	4	7.8	23	2	4	7	11	14	14	14
ALL AGES	506	9.0	113	1	3	6	11	20	28	59	65	8.6	150	1	2	4	8	30	36	94
B. FEMALE																				
0-12 YRS.	36	19.2	257	3	6	14	28	45	49	55	2	32.5	1861	2	2	32	63	63	63	63
13-17	205	12.2	138	1	4	9	17	28	44	99 +	18	13.1	427	1	2	3	8	49	62	70
18-24	154	7.4	105	1	2	4	8	19	29	76	14	6.1	60	1	1	3	6	16	26	29
25-34	196	6.9	43	1	2	5	9	14	20	32	39	10.3	115	2	3	5	14	29	31	37
35-54	207	6.6	35	1	2	5	8	14	18	30	56	12.5	130	1	2	7	26	29	30	30
55-74	54	8.5	49	2	3	6	14	18	24	27	33	9.2	75	2	4	5	12	21	28	38
75 +	21	10.7	72	3	4	6	17	24	29	30	7	6.1	20	2	3	5	7	14	15	15
ALL AGES	873	8.9	92	1	3	6	12	21	29	50	169	10.8	154	1	2	5	16	29	30	60
SUBTOTAL	**1379**	**8.9**	**101**	**1**	**3**	**6**	**11**	**21**	**29**	**54**	**234**	**10.2**	**153**	**1**	**2**	**5**	**14**	**29**	**31**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	41	28.2	283	5	13	29	42	49	53	63	6	22.3	167	3	17	23	29	38	39	39
13-17	82	12.0	133	2	3	8	18	28	36	53	6	10.0	169	1	1	3	20	31	32	32
18-24	141	8.7	84	1	2	6	11	23	29	40	6	9.8	126	1	1	6	15	28	30	30
25-34	202	8.3	75	1	3	5	10	19	30	40	21	6.0	20	1	3	5	9	13	15	17
35-54	159	8.8	63	2	3	6	13	20	28	37	24	7.2	49	1	2	5	9	18	26	26
55-74	35	9.5	70	3	4	6	15	20	22	43	4	4.0	6	1	2	4	6	7	7	7
75 +	8	13.9	92	5	7	12	16	30	35	35	1	37.0		37	37	37	37	37	37	37
ALL AGES	668	10.3	116	1	3	6	14	26	35	49	68	8.9	91	1	2	5	11	26	30	39
B. FEMALE																				
0-12 YRS.	21	22.3	303	4	7	21	34	43	54	67	1	3.0		3	3	3	3	3	3	3
13-17	154	13.9	180	2	4	9	20	34	43	99 +	9	18.8	158	2	7	19	28	34	37	37
18-24	175	9.5	122	2	3	6	12	22	30	50	10	8.7	62	2	5	6	10	20	29	29
25-34	241	7.8	54	2	3	5	10	17	23	41	33	12.1	124	1	4	8	19	29	33	39
35-54	240	8.1	59	2	3	5	11	18	24	37	30	13.1	103	3	5	9	21	29	29	32
55-74	55	11.8	89	3	5	10	16	24	39	96	12	7.1	34	2	3	5	11	16	19	20
75 +	14	11.9	29	6	7	11	16	21	22	22	5	23.2	358	3	6	21	41	45	45	45
ALL AGES	900	9.9	106	2	3	7	13	23	32	52	100	12.5	123	2	4	8	19	29	32	42
SUBTOTAL	**1568**	**10.1**	**109**	**2**	**3**	**6**	**13**	**24**	**34**	**49**	**168**	**11.1**	**111**	**1**	**3**	**7**	**17**	**29**	**32**	**40**
GRAND TOTAL	**2947**	**9.5**	**106**	**1**	**3**	**6**	**12**	**22**	**31**	**50**	**402**	**10.6**	**135**	**1**	**3**	**6**	**15**	**29**	**31**	**56**

Total U.S., January-December 1988

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	26	14.2	154	3	6	11	21	33	40	56	2	8.0	72	2	2	8	14	14	14	14
13-17	43	11.8	107	2	5	11	16	28	39	99 +	1	3.0		3	3	3	3	3	3	3
18-24	9	7.9	115	1	1	2	11	27	28	28	1	12.0		12	12	12	12	12	12	12
25-34	6	6.8	108	1	1	2	9	25	27	27										
35-54	11	4 1	16	1	1	3	5	11	12	12	1	1.0		1	1	1	1	1	1	1
55-74	1	10.0		10	10	10	10	10	10	10	1	12.0		12	12	12	12	12	12	12
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	97	10.8	115	1	3	9	15	26	35	79	6	7.3	36	1	2	7	12	14	14	14
B. FEMALE																						
0-12 YRS.	6	11.7	71	1	3	14	19	19	19	19										
13-17	58	14.0	262	2	4	8	17	35	54	72	3	8.0	52	2	3	6	13	16	16	16
18-24	16	6.6	54	1	2	5	9	27	75	99 +	2	3.5	5	2	2	3	5	5	5	5
25-34	6	5.2	30	1	2	3	5	15	16	16	1	1.0		1	1	1	1	1	1	1
35-54	10	7.3	57	1	2	5	9	19	26	26	2	1.5	1	1	1	1	2	2	2	2
55-74																				
75 +																				
ALL AGES	96	11.4	188	1	3	6	16	30	44	87	8	4.4	25	1	1	2	5	13	16	16
SUBTOTAL	**193**	**11.1**	**150**	**1**	**3**	**7**	**15**	**28**	**36**	**88**	**14**	**5.6**	**30**	**1**	**2**	**3**	**12**	**14**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	17	21.2	440	1	4	14	42	52	57	59	1	1.0		1	1	1	1	1	1	1
13-17	39	13.5	171	2	4	12	20	36	51	99 +	3	10.7	113	4	4	5	18	23	23	23
18-24	18	5.6	60	1	1	2	7	14	26	32	3	10.0	243	1	1	1	21	28	28	28
25-34	31	7.1	44	1	2	5	8	18	21	29	2	7.0	72	1	1	6	13	13	13	13
35-54	16	12.7	259	2	4	10	14	59	89	99 +	4	8.8	43	1	4	8	13	17	17	17
55-74	3	14.3	51	7	9	15	19	21	21	21										
75 +	1	4.0		4	4	4	4	4	4	4	2	10.5	181	1	1	10	20	20	20	20
ALL AGES	125	11.7	184	1	2	7	16	30	51	99 +	15	8.9	84	1	1	5	16	23	27	28
B. FEMALE																						
0-12 YRS.	11	8.7	40	3	5	6	12	18	23	24										
13-17	41	11.5	173	2	3	7	15	26	33	73	1	4.0		4	4	4	4	4	4	4
18-24	8	7.6	37	1	2	6	12	17	18	18										
25-34	12	6.4	42	1	1	4	10	16	19	20	1	6.0		6	6	6	6	6	6	6
35-54	7	8.4	124	2	2	4	11	28	32	32										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	2	11.0	162	2	2	11	20	20	20	20										
ALL AGES	82	9.7	113	2	3	6	14	21	29	60	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**207**	**10.9**	**156**	**2**	**3**	**6**	**15**	**25**	**46**	**84**	**17**	**8.4**	**76**	**1**	**1**	**5**	**14**	**22**	**26**	**28**
GRAND TOTAL	**400**	**11.0**	**153**	**1**	**3**	**7**	**15**	**27**	**41**	**85**	**31**	**7.2**	**55**	**1**	**1**	**4**	**12**	**18**	**23**	**28**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	48	22.3	296	6	12	15	32	43	68	99 +	1	30.0		30	30	30	30	30	30	30
13-17	122	16.5	273	2	5	12	24	37	43	96	15	16.0	359	3	3	4	25	38	61	69
18-24	71	10.0	276	1	2	4	8	32	49	80	5	6.2	39	1	2	2	12	14	14	14
25-34	57	7.3	57	1	2	4	11	18	23	30	4	6.3	15	2	3	6	9	11	11	11
35-54	50	8.8	94	1	5	7	10	18	22	64	4	5.0	15	1	2	4	8	10	10	10
55-74	14	6.6	18	2	4	5	9	14	15	15	1	4.0		4	4	4	4	4	4	4
75 +	7	8.0	57	1	2	8	10	20	23	23										
ALL AGES	369	13.0	230	1	3	8	17	33	42	85	30	11 7	220	2	3	4	14	30	38	69
B. FEMALE																				
0-12 YRS.	34	18.9	389	2	5	13	32	51	78	99 +	3	44.3	302	29	32	41	57	63	63	63
13-17	222	17.2	279	2	5	13	23	34	50	87	20	7.7	39	1	3	6	15	19	56	99 +
18-24	109	7.8	94	1	2	5	9	20	31	74	8	9.8	115	3	4	5	11	28	35	35
25-34	73	7.0	55	1	2	5	9	16	22	41	7	5.6	13	2	2	4	9	11	11	11
35-54	70	8.3	100	1	2	5	11	18	27	48	10	6.7	112	1	2	3	5	22	36	36
55-74	24	9.5	110	1	3	7	11	23	31	46	2	5.5	5	4	4	5	7	7	7	7
75 +	14	8.9	29	2	5	8	13	15	19	20										
ALL AGES	546	12.4	203	1	3	7	16	29	44	85	50	9.6	147	2	2	5	11	31	41	99 +
SUBTOTAL	**915**	**12.6**	**215**	**1**	**3**	**8**	**16**	**30**	**43**	**85**	**80**	**10.4**	**172**	**2**	**3**	**5**	**12**	**30**	**39**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	26	25.7	262	7	15	28	42	99 +	99 +	99 +	3	24.3	393	3	9	28	38	42	42	42
13-17	98	20.0	304	4	7	14	27	45	59	79	8	26.0	990	3	4	10	42	77	92	92
18-24	102	7.3	66	1	3	5	8	17	21	45	20	8.1	49	1	3	6	10	20	23	24
25-34	117	6.8	34	1	2	5	9	16	18	25	18	8.7	58	1	2	6	13	21	23	23
35-54	66	8.2	46	2	3	6	13	17	19	36	12	4.3	8	1	2	4	6	9	10	10
55-74	18	6.5	13	2	3	7	9	12	13	13	2	19.0	18	16	16	19	22	22	22	22
75 +	4	20.0	235	4	8	18	32	39	39	39										
ALL AGES	431	11.4	159	2	3	7	15	28	42	88	63	10.9	210	2	3	5	13	23	42	86
B. FEMALE																				
0-12 YRS.	16	23.5	282	5	10	21	32	42	59	67	3	42.7	952	17	21	34	66	77	77	77
13-17	145	16.0	270	2	5	10	21	40	56	65	20	16.5	355	1	3	8	27	44	57	70
18-24	96	8.4	68	1	2	6	13	21	25	72	12	11.2	291	2	4	6	10	30	59	64
25-34	110	7.7	98	1	2	5	9	16	27	54	20	7.9	142	1	3	5	7	14	36	56
35-54	113	7.9	44	1	3	6	11	17	23	29	10	6.4	22	1	2	5	12	12	12	12
55-74	18	11.1	73	1	3	9	16	25	27	27										
75 +	4	17.3	37	11	13	16	21	26	26	26	2	10.0	128	2	2	10	18	18	18	18
ALL AGES	502	11.0	150	1	3	7	14	26	38	62	67	12.4	286	2	3	6	12	34	57	76
SUBTOTAL	**933**	**11.2**	**154**	**1**	**3**	**7**	**14**	**27**	**40**	**67**	**130**	**11.7**	**247**	**2**	**3**	**6**	**12**	**30**	**43**	**80**
GRAND TOTAL	**1848**	**11.9**	**184**	**1**	**3**	**7**	**15**	**29**	**42**	**83**	**210**	**11.2**	**218**	**2**	**3**	**6**	**12**	**30**	**43**	**83**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	32.6	626	3	12	31	43	68	87	93	2	4.5	13	2	2	4	7	7	7	7
13-17	26	10.5	86	1	4	8	16	25	30	37	5	4.6	26	1	1	1	9	12	12	12
18-24	7	4.1	22	1	1	2	7	12	13	13	2	2.0	2	1	1	2	3	3	3	3
25-34	13	5.2	19	1	1	5	8	12	14	14										
35-54	27	6.9	37	1	3	4	8	18	21	24	8	6.9	75	1	2	3	8	22	27	27
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	87	11.6	226	1	3	6	14	29	42	83	18	5.3	41	1	1	3	7	12	21	27
B. FEMALE																				
0-12 YRS.	14	28.9	376	3	16	26	41	61	65	66	5	13.0	199	2	2	6	24	34	34	34
13-17	55	14.7	189	2	4	11	22	38	43	60	8	8.0	183	1	2	3	6	31	41	41
18-24	29	4.6	19	1	1	3	7	10	12	19	4	13.0	459	1	1	3	25	45	45	45
25-34	29	11.1	147	2	3	6	16	33	40	43	2	7.5	41	3	3	7	12	12	12	12
35-54	21	9.1	51	2	3	9	12	16	24	32	4	5.3	42	1	1	2	9	15	15	15
55-74	2	1.5	1	1	1	1	2	2	2	2	2	10.0	72	4	4	10	16	16	16	16
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	150	12.4	182	1	3	7	16	31	42	61	26	9.3	157	1	2	4	12	33	42	45
SUBTOTAL	**237**	**12.1**	**198**	**1**	**3**	**7**	**16**	**31**	**42**	**65**	**44**	**7.7**	**111**	**1**	**2**	**3**	**8**	**22**	**36**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	29	28.1	436	3	14	31	39	55	97	99 +	4	33.8	154	18	24	34	43	48	48	48
13-17	21	13.3	131	3	4	12	21	25	37	50										
18-24	12	6.2	36	1	2	4	7	15	22	23	3	13.0	193	4	4	6	23	29	29	29
25-34	27	12.3	132	1	1	9	21	28	36	38	2	8.0	72	2	2	8	14	14	14	14
35-54	60	10.5	90	1	3	7	16	25	28	40	11	10.9	163	1	2	7	15	30	43	44
55-74	12	12.4	29	6	9	12	15	20	22	22										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	162	14.1	197	1	4	11	21	35	40	93	20	15.5	224	1	3	12	24	41	46	48
B. FEMALE																				
0-12 YRS.	14	28.7	422	7	12	24	46	77	94	99 +	9	30.8	505	5	18	28	40	67	77	77
13-17	76	17.9	281	3	6	13	27	42	55	99	5	5.4	25	2	2	4	7	14	14	14
18-24	37	13.6	199	1	3	10	18	30	46	64	4	20.8	685	1	4	11	37	59	59	59
25-34	67	16.4	389	2	3	9	20	44	68	92	5	7.0	20	2	4	7	9	14	14	14
35-54	70	16.0	218	2	4	13	23	35	42	74	5	14.4	103	4	5	15	22	28	28	23
55-74	4	23.3	182	10	11	24	35	35	35	35	3	15.7	481	2	2	4	32	41	41	41
75 +	3	14.0	91	4	7	15	21	23	23	23										
ALL AGES	271	17.1	287	2	5	13	24	41	53	97	31	17.5	353	2	4	9	27	45	59	77
SUBTOTAL	**433**	**16.0**	**254**	**2**	**4**	**12**	**22**	**38**	**47**	**97**	**51**	**16.7**	**298**	**2**	**4**	**10**	**27**	**42**	**51**	**77**
GRAND TOTAL	**670**	**14.6**	**238**	**2**	**3**	**10**	**21**	**36**	**44**	**90**	**95**	**12.5**	**231**	**1**	**2**	**5**	**16**	**37**	**45**	**69**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	10.6	97	1	2	9	16	25	31	33	4	12.3	179	2	2	8	22	31	31	31
13-17	55	11.3	167	1	3	6	14	35	43	49	14	3.1	16	1	1	2	2	7	14	16
18-24	38	9.7	228	1	1	4	10	29	37	80	5	3.6	16	1	1	1	6	10	10	10
25-34	29	4.4	17	1	1	3	7	10	15	15	5	1.6		1	1	2	2	2	2	2
35-54	34	6.3	34	1	2	4	11	14	20	21	6	6.2	57	1	1	3	7	20	21	21
55-74	8	14.5	139	2	5	13	20	33	38	38	2	3.0	8	1	1	3	5	5	5	5
75 +	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
ALL AGES	178	8.9	129	1	2	5	11	23	36	48	37	4.5	40	1	1	2	4	12	19	31
B. FEMALE																				
0-12 YRS.	14	8.6	63	3	3	6	12	19	28	31	2	11.5	85	5	5	11	18	18	18	18
13-17	118	9.5	128	1	2	5	12	30	39	66	29	5.1	65	1	2	2	4	12	28	36
18-24	46	5.0	29	1	1	3	7	14	18	99 +	8	2.6	4	1	1	2	5	5	5	5
25-34	49	5.7	33	1	2	3	8	13	15	29	4	4.5	19	2	2	3	7	11	11	11
35-54	45	6.2	34	1	2	5	8	15	18	28	16	3.3	5	1	2	3	4	7	8	8
55-74	19	6.7	43	1	3	4	9	16	22	27	4	5.8	31	1	1	5	10	12	12	12
75 +	6	7.8	36	2	3	7	13	16	16	16	2	14.5	25	11	11	14	18	18	18	18
ALL AGES	297	7.4	75	1	2	4	9	18	29	47	65	4.8	40	1	2	3	5	11	18	35
SUBTOTAL	**475**	**8.0**	**95**	**1**	**2**	**5**	**10**	**21**	**32**	**48**	**102**	**4.7**	**39**	**1**	**1**	**2**	**5**	**11**	**18**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	8.9	53	2	3	6	12	21	23	23	3	5.0	7	2	3	6	7	7	7	7
13-17	42	14.3	292	2	3	7	17	45	51	73	5	3.2	3	2	2	2	4	6	6	6
18-24	53	6.0	57	1	1	3	6	18	25	32	8	3.6	14	1	1	2	6	10	11	11
25-34	78	4.1	20	1	1	2	5	11	13	23	6	4.2	9	2	2	3	7	9	9	9
35-54	69	5.8	35	1	2	4	8	12	17	29	11	4.2	45	1	1	2	3	13	23	24
55-74	6	7.5	45	1	1	7	11	17	18	18										
75 +	4	4.8	18	1	2	3	7	11	11	11										
ALL AGES	259	6.8	88	1	1	3	8	15	26	49	33	4.0	19	1	2	2	5	8	11	24
B. FEMALE																				
0-12 YRS.	6	6.0	21	2	3	4	9	13	14	14	3	4.0	13	1	2	5	54	99 +	99 +	99 +
13-17	57	9.0	96	1	2	5	10	23	32	43	12	12.4	357	1	2	5	15	38	63	67
18-24	66	6.8	72	1	2	4	9	16	24	51	9	1.7	1	1	1	1	2	3	3	3
25-34	92	6.1	38	1	2	4	6	14	23	28	19	3.4	13	1	2	2	3	6	12	17
35-54	82	6.5	40	1	2	4	9	14	24	77	11	5.6	33	2	3	3	5	17	18	18
55-74	15	9.2	62	3	4	5	15	21	26	28	3	7.7	33	1	3	11	11	11	11	11
75 +	8	8.6	47	2	4	6	13	19	21	21	1	7.0		7	7	7	7	7	7	7
ALL AGES	326	7.1	56	1	2	4	9	17	24	40	58	5.7	95	1	2	3	6	17	23	97
SUBTOTAL	**585**	**6.9**	**71**	**1**	**2**	**4**	**8**	**16**	**24**	**45**	**91**	**5.1**	**68**	**1**	**2**	**3**	**6**	**11**	**21**	**86**
GRAND TOTAL	**1060**	**7.4**	**82**	**1**	**2**	**4**	**9**	**18**	**27**	**46**	**193**	**4.9**	**52**	**1**	**1**	**3**	**5**	**11**	**18**	**53**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	19.5	685	1	1	19	38	38	38	38										
18-24																				
25-34																				
35-54																				
55-74																				
75 +											2	10.0	72	4	4	10	16	16	16	16
ALL AGES	2	19.5	685	1	1	19	38	38	38	38	2	10.0	72	4	4	10	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	4	13.8	110	5	7	10	20	29	29	29	2	8.5	25	5	5	8	12	12	12	12
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	4	13.8	110	5	7	10	20	29	29	29	4	7.3	15	3	4	7	10	12	12	12
SUBTOTAL	**6**	**15.7**	**211**	**1**	**5**	**10**	**29**	**37**	**38**	**38**	**6**	**8.2**	**26**	**3**	**4**	**7**	**12**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-24																				
25-34																				
35-54	2	8.0	2	7	7	8	9	9	9	9	1	10.0		10	10	10	10	10	10	10
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	2	13.5	85	7	7	13	20	20	20	20										
ALL AGES	6	16.0	174	7	7	10	20	39	41	41	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	2	19.5	145	11	11	19	28	28	28	28										
ALL AGES	3	14.7	141	5	6	11	24	28	28	28										
SUBTOTAL	**9**	**15.6**	**143**	**6**	**7**	**11**	**22**	**36**	**41**	**41**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**15**	**15.6**	**159**	**5**	**7**	**11**	**26**	**38**	**40**	**41**	**7**	**8.4**	**23**	**3**	**4**	**9**	**11**	**15**	**16**	**16**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	13.5	221	3	3	13	24	24	24	24	4	14.8	232	2	6	10	24	37	37	37
13-17	4	20.8	297	6	8	16	33	45	45	45	3	29.7	1483	4	6	11	58	74	74	74
18-24	10	28.8	900	3	6	19	51	75	96	96	2	7.0	8	5	5	7	9	9	9	9
25-34	14	11.6	232	1	3	4	17	41	44	45	2	7.0	72	1	1	7	13	13	13	13
35-54	16	15.3	132	7	10	13	16	18	45	56										
55-74	9	14.4	336	3	5	10	12	43	62	62	3	25.3	1183	5	5	6	50	65	65	65
75 +	14	19.2	744	2	5	9	15	76	87	90	16	5.6	11	1	3	6	7	9	12	14
ALL AGES	69	17.4	422	3	5	10	18	49	63	95	30	11.4	294	1	4	6	10	25	65	74
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	7	34.7	1079	6	9	22	55	88	95	95	3	8.3	17	6	6	6	11	13	13	13
25-34	6	15.8	116	2	9	14	27	29	29	29	2	3.0		3	3	3	3	3	3	3
35-54	5	12.4	191	1	2	7	22	34	34	34	4	14.0	207	1	2	11	25	33	33	33
55-74	8	8.1	81	2	2	5	9	23	29	29	7	6.1	29	2	3	4	8	15	17	17
75 +	17	7.6	23	2	3	8	10	14	17	18	13	7.9	55	2	3	6	10	21	26	27
ALL AGES	45	13.4	293	2	3	8	16	29	41	95	29	8.0	61	2	3	5	10	18	27	33
SUBTOTAL	**114**	**15.8**	**373**	**2**	**4**	**10**	**18**	**41**	**61**	**95**	**59**	**9.7**	**180**	**2**	**3**	**6**	**10**	**18**	**35**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	32.5	181	23	23	32	42	42	42	42	2	43.0	1250	18	18	43	68	68	68	68
13-17	6	14.7	179	5	5	9	21	37	39	39	2	48.0	968	26	26	48	70	70	70	70
18-24	6	18.8	499	3	6	11	18	58	63	63	1	18.0		18	18	18	18	18	18	18
25-34	17	15.3	131	3	6	13	27	31	36	39	2	4.0	2	3	3	4	5	5	5	5
35-54	9	16.3	93	6	8	15	23	30	31	31	1	10.0		10	10	10	10	10	10	10
55-74	23	15.7	178	5	7	11	18	37	45	49	2	4.5	5	3	3	4	6	6	6	6
75 +	7	9.7	27	2	7	9	14	16	16	16	3	11.0	217	2	2	3	22	28	28	28
ALL AGES	70	15.8	163	4	6	12	21	34	42	60	13	20.0	552	3	3	10	26	68	70	70
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	3	29.7	1693	2	4	10	60	77	77	77										
18-24	3	4.3	13	1	2	6	54	99 +	99 +	99 +										
25-34	4	15.8	40	10	12	15	44	99 +	99 +	99 +	3	14.7	1	13	13	15	16	16	16	16
35-54	4	26.5	318	9	12	24	40	49	49	49	1	1.0		1	1	1	1	1	1	1
55-74	7	18.9	147	4	11	16	26	37	39	39	2	18.0	162	9	9	18	27	27	27	27
75 +	8	12.1	61	3	5	11	18	23	24	24	3	13.7	133	6	6	8	22	27	27	27
ALL AGES	30	17.1	255	3	8	14	25	57	97	99 +	9	13.6	78	3	7	13	19	27	27	27
SUBTOTAL	**100**	**16.2**	**188**	**3**	**7**	**13**	**23**	**39**	**49**	**99 +**	**22**	**17.4**	**355**	**2**	**5**	**11**	**26**	**40**	**69**	**70**
GRAND TOTAL	**214**	**16.0**	**285**	**3**	**6**	**10**	**19**	**39**	**55**	**97**	**81**	**11.8**	**235**	**2**	**4**	**6**	**13**	**27**	**50**	**73**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	59	1.6	2	1	1	1	2	3	4	9	79	1.8	2	1	1	1	2	4	5	8
13-17	24	2.4	9	1	1	2	2	4	8	15	61	2.2	3	1	1	1	3	4	6	9
18-24	36	4.1	19	1	1	3	4	10	15	20	55	4.7	47	1	1	3	5	8	24	35
25-34	60	3.9	18	1	1	2	5	8	11	26	71	5.4	42	1	2	4	7	10	12	44
35-54	50	4.0	14	1	2	3	4	8	15	18	63	6.9	89	1	2	5	8	10	18	60
55-74	22	6.1	34	2	2	4	8	14	22	24	32	4.8	9	1	2	5	7	8	10	12
75 +	12	6.5	66	1	2	4	7	17	28	30	10	5.7	76	1	2	3	5	18	30	30
ALL AGES	263	3.6	18	1	1	2	4	8	11	24	371	4.2	37	1	1	2	5	8	11	34
B. FEMALE																					
0-12 YRS.	31	1.4	1	1	1	1	2	2	3	6	41	1.4		1	1	1	2	2	3	4
13-17	24	1.8	1	1	1	2	2	3	4	4	32	2.5	3	1	1	2	3	5	7	8
18-24	43	3.5	12	1	1	2	4	9	12	15	55	3.6	8	1	1	3	6	8	8	15
25-34	49	4.4	12	1	1	3	7	10	11	14	75	5.0	17	1	2	4	7	10	12	23
35-54	44	3.5	8	1	1	3	5	8	9	14	80	5.8	19	1	3	5	8	13	16	17
55-74	21	2.9	3	1	1	3	4	5	6	6	41	4.7	11	2	2	4	6	11	15	99 +
75 +	16	11.2	433	2	2	5	11	17	66	87	36	7.3	54	2	3	5	10	14	16	42
ALL AGES	228	3.7	41	1	1	2	4	8	11	16	360	4.5	19	1	2	3	6	10	14	17
SUBTOTAL	**491**	**3.6**	**29**	**1**	**1**	**2**	**4**	**8**	**11**	**20**	**731**	**4.4**	**28**	**1**	**1**	**3**	**6**	**9**	**12**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	2	14.0	200	4	4	14	24	24	24	24										
13-17	2	3.0	2	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
18-24	8	7.8	65	1	2	6	10	21	25	25	4	4.0	8	2	2	4	31	99 +	99 +	99 +
25-34	16	9.8	144	1	2	6	12	26	41	47	14	9.3	213	1	2	5	7	29	49	55
35-54	10	16.1	426	3	5	11	21	83	99	99 +	6	3.3	3	2	2	3	5	6	6	6
55-74	1	4.0		4	4	4	4	4	4	4	5	3.4	3	1	2	3	4	6	6	6
75 +	4	6.5	16	3	3	5	9	12	12	12	4	5.5	4	3	4	6	7	7	7	7
ALL AGES	43	10.3	175	1	3	6	13	25	54	99 +	34	6.1	94	1	2	4	7	8	48	99 +
B. FEMALE																					
0-12 YRS.											2	6.5	25	3	3	6	10	10	10	10
13-17	3	15.3	94	5	8	17	22	24	24	24	1	3.0		3	3	3	3	3	3	3
18-24	8	5.3	35	1	2	3	6	16	19	19	3	4.3	7	2	2	4	6	7	7	7
25-34	12	6.4	16	3	4	5	7	14	14	14	10	4.0	9	1	2	3	5	9	9	9
35-54	6	6.7	32	1	3	5	9	16	17	17	12	6.3	47	1	2	5	7	15	24	26
55-74	2	5.0	8	3	3	5	7	7	7	7	2	5.5	1	5	5	5	6	6	6	6
75 +	9	8.2	30	3	4	6	13	16	17	17	8	9.9	67	3	4	7	13	24	27	27
ALL AGES	40	7.2	33	2	4	5	10	17	21	99 +	38	6.2	34	1	3	5	7	11	22	27
SUBTOTAL	**83**	**8.8**	**108**	**2**	**3**	**6**	**12**	**23**	**32**	**99 +**	**72**	**6.1**	**62**	**1**	**2**	**4**	**7**	**11**	**26**	**90**
GRAND TOTAL	**574**	**4.4**	**43**	**1**	**1**	**2**	**5**	**10**	**15**	**29**	**803**	**4.5**	**31**	**1**	**1**	**3**	**6**	**9**	**13**	**32**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	3.7	4	2	2	3	5	6	6	6										
13-17																				
18-24																				
25-34	2	9.0	8	7	7	9	11	11	11	11										
35-54											1	2.0		2	2	2	2	2	2	2
55-74	8	6.9	17	2	4	6	10	13	14	14	4	9.0	46	2	3	8	14	17	17	17
75 +	4	5.8	1	4	5	6	7	7	7	7	1	7.0		7	7	7	7	7	7	7
ALL AGES	17	6.3	11	2	4	6	8	11	13	14	6	7.5	36	2	2	6	12	16	17	17
B. FEMALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17	2	1.5	1	1	1	1	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54	3	7.3	103	1	1	2	15	19	19	19										
55-74	9	13.3	279	4	5	8	12	39	57	57	2	2.5	1	2	2	2	3	3	3	3
75 +	11	15.0	101	5	7	11	25	30	32	32	4	11.0	91	4	5	9	44	99 +	99 +	99 +
ALL AGES	25	13.0	156	2	5	10	17	28	38	57	8	6.5	63	1	2	4	13	70	99 +	99 +
SUBTOTAL	**42**	**10.3**	**106**	**2**	**4**	**7**	**12**	**22**	**30**	**57**	**14**	**6.9**	**48**	**2**	**2**	**5**	**11**	**25**	**81**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34	3	26.0	1389	3	4	6	53	69	69	69										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											2	12.5	41	8	8	12	17	17	17	17
ALL AGES	4	21.0	1026	3	4	6	38	69	69	69	3	9.3	51	3	4	8	15	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	2	7.5	85	1	1	7	14	14	14	14										
55-74	2	11.0	32	7	7	11	15	15	15	15	1	18.0		18	18	18	18	18	18	18
75 +	6	11.2	34	4	7	10	15	19	20	20	1	48.0		48	48	48	48	48	48	48
ALL AGES	12	9.8	33	2	5	9	14	17	20	20	2	33.0	450	18	18	33	48	48	48	48
SUBTOTAL	**16**	**12.6**	**255**	**2**	**5**	**8**	**14**	**20**	**54**	**69**	**5**	**18.8**	**306**	**3**	**7**	**17**	**25**	**48**	**48**	**48**
GRAND TOTAL	**58**	**10.9**	**145**	**2**	**4**	**7**	**13**	**20**	**30**	**68**	**19**	**10.1**	**130**	**2**	**3**	**6**	**17**	**36**	**74**	**99 +**

Total U.S., January-December 1988

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	9.0	129	1	2	4	17	22	22	22	2	2.0		2	2	2	2	2	2	2
13-17	5	14.0	174	2	6	10	20	36	36	36	2	2.5	1	2	2	2	3	3	3	3
18-24	6	4.7	15	1	2	4	5	11	12	12	1	1.0		1	1	1	1	1	1	1
25-34	6	15.3	70	5	12	13	23	27	27	27	2	10.0		10	10	10	10	10	10	10
35-54	25	15.2	212	1	3	9	25	41	42	43	9	5.1	11	1	2	4	8	10	11	11
55-74	62	11.2	105	2	4	9	14	26	31	54	44	8.1	106	3	4	5	8	15	27	64
75 +	113	10.1	85	3	4	7	14	23	35	99 +	124	10.9	217	2	4	7	12	25	33	95
ALL AGES	220	11.0	108	2	4	8	15	27	37	99 +	184	9.7	176	2	4	6	10	22	28	93
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-24	3	3.7	14	1	1	2	6	8	8	8										
25-34	5	12.4	206	1	1	6	23	34	34	34	3	10.7	36	4	6	12	15	16	16	16
35-54	24	12.4	91	2	5	10	20	27	32	33	5	21.0	968	3	4	7	30	76	76	76
55-74	78	10.8	141	2	3	8	13	26	47	90	40	10.2	140	3	4	8	11	38	76	99 +
75 +	183	13.6	274	3	4	8	15	35	55	95	196	10.7	171	2	4	7	13	25	61	99 +
ALL AGES	295	12.7	220	2	4	8	14	30	51	95	245	10.8	177	2	4	7	12	28	61	99 +
SUBTOTAL	**515**	**12.0**	**172**	**2**	**4**	**8**	**15**	**28**	**42**	**98**	**429**	**10.3**	**177**	**2**	**4**	**6**	**11**	**23**	**57**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35	1	1.0		1	1	1	1	1	1	1
13-17	3	13.7	155	1	3	14	23	26	26	26										
18-24	10	6.4	18	2	4	5	9	13	16	16	2	10.0	50	5	5	10	15	15	15	15
25-34	20	18.8	332	3	5	15	26	38	60	77	6	4.3	7	1	2	4	6	8	8	8
35-54	24	12.7	95	3	4	11	18	26	31	37	10	4.3	9	1	2	4	6	9	11	11
55-74	44	10.6	114	2	4	7	13	24	29	61	16	6.9	99	1	3	5	7	9	33	43
75 +	45	11.2	102	3	4	8	16	29	38	99 +	28	15.5	387	3	6	9	19	56	89	99 +
ALL AGES	147	12.2	138	2	4	8	17	28	35	77	63	10.1	220	2	4	6	10	24	52	98
B. FEMALE																				
0-12 YRS.																				
13-17	7	7.7	32	3	3	5	12	16	17	17										
18-24	7	10.6	143	3	4	5	10	32	37	37	1	15.0		15	15	15	15	15	15	15
25-34	14	9.4	54	2	4	6	14	22	23	23	1	13.0		13	13	13	13	13	13	13
35-54	27	13.1	144	2	5	10	15	34	37	45	1	10.0		10	10	10	10	10	10	10
55-74	51	12.1	110	2	4	8	18	29	29	39	19	9.8	113	2	3	8	13	35	73	99 +
75 +	67	14.3	183	3	6	11	18	27	37	75	45	10.0	103	3	4	8	14	74	99 +	99 +
ALL AGES	173	12.6	138	3	4	9	17	29	36	63	67	10.0	101	3	4	8	14	47	99 +	99 +
SUBTOTAL	**320**	**12.4**	**138**	**3**	**4**	**9**	**17**	**28**	**35**	**71**	**130**	**10.1**	**156**	**2**	**4**	**7**	**12**	**31**	**96**	**99 +**
GRAND TOTAL	**835**	**12.1**	**160**	**2**	**4**	**8**	**16**	**28**	**38**	**88**	**559**	**10.3**	**171**	**2**	**4**	**7**	**12**	**24**	**60**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	21	17.1	209	1	4	14	28	42	65	99 +										
13-17	51	15.4	236	3	4	10	24	39	47	65	7	6.4	32	2	3	4	11	15	16	16
18-24	52	7.8	57	2	3	5	11	16	19	43	15	9.3	417	1	2	3	6	14	65	82
25-34	97	9.0	77	1	2	6	14	22	26	38	39	6.2	31	1	2	5	8	13	19	26
35-54	114	11.9	192	1	3	8	16	27	43	67	41	5.6	163	1	1	3	6	7	9	84
55-74	65	12.7	121	2	5	9	18	28	40	47	33	8.3	86	2	3	5	8	25	34	38
75 +	32	15.1	194	3	5	10	20	38	40	63	27	4.4	6	1	3	4	6	8	9	10
ALL AGES	432	11.8	150	1	3	8	16	28	41	61	162	6.5	105	1	2	4	7	10	19	77
B. FEMALE																				
0-12 YRS.	10	27.5	834	3	11	16	36	73	99	99	2	8.5	85	2	2	8	15	15	15	15
13-17	113	13.5	170	2	4	9	19	32	43	80	23	7.2	261	1	2	3	6	79	99 +	99 +
18-24	81	7.4	78	1	1	4	8	21	24	44	43	8.4	208	1	1	3	8	25	31	82
25-34	186	9.0	80	1	2	6	13	23	29	38	90	11.5	213	2	3	6	14	25	45	72
35-54	261	10.3	127	1	3	7	12	24	35	53	155	8.9	129	1	2	4	11	26	30	42
55-74	208	12.3	149	2	4	9	16	25	40	71	105	7.8	35	2	4	6	9	16	20	28
75 +	92	13.1	131	3	5	9	17	29	35	54	50	6.2	18	2	3	5	8	11	13	26
ALL AGES	951	11.1	136	1	3	7	15	26	35	58	468	8.7	127	1	3	5	10	20	29	78
SUBTOTAL	**1383**	**11.3**	**141**	**1**	**3**	**7**	**15**	**27**	**36**	**58**	**630**	**8.1**	**123**	**1**	**2**	**5**	**9**	**19**	**27**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	25	25.2	426	2	13	23	37	54	94	99 +	2	20.5	365	7	7	20	34	34	34	34
13-17	76	23.4	355	2	8	20	36	47	65	96	14	7.3	59	1	2	4	14	25	81	99 +
18-24	80	12.0	211	2	4	7	13	30	40	82	16	9.5	64	1	2	7	16	21	22	22
25-34	157	9.0	116	2	3	5	11	22	29	59	37	6.0	24	1	2	4	8	15	16	16
35-54	180	10.9	80	2	3	8	16	25	28	39	56	6.5	92	1	2	3	6	17	23	59
55-74	68	11.5	104	2	4	9	16	23	31	54	22	6.5	34	2	3	5	8	14	20	26
75 +	20	12.4	125	3	4	6	23	27	33	39	8	10.8	247	2	2	4	11	38	48	48
ALL AGES	606	12.8	184	2	4	8	17	30	40	74	155	7.1	73	1	2	4	9	17	23	60
B. FEMALE																				
0-12 YRS.	14	36.1	740	4	9	37	65	83	96	99 +	1	18.0		18	18	18	18	18	18	18
13-17	140	19.9	296	2	6	17	30	47	57	92	16	12.8	299	1	1	4	18	45	46	46
18-24	128	12.7	211	1	3	7	16	34	45	71	37	7.9	107	1	2	4	11	14	25	58
25-34	247	10.7	124	2	4	7	14	23	29	52	89	7.8	97	1	3	4	9	22	30	51
35-54	262	13.2	186	2	4	9	17	31	42	61	103	9.1	136	1	3	5	10	24	38	53
55-74	104	14.4	116	4	7	12	20	27	40	73	49	7.3	93	1	2	4	7	20	26	55
75 +	55	13.3	120	2	5	11	18	28	34	51	20	7.3	28	2	3	6	12	16	56	99 +
ALL AGES	950	13.9	201	2	4	9	19	32	47	72	315	8.4	116	1	2	4	10	22	31	58
SUBTOTAL	**1556**	**13.5**	**194**	**2**	**4**	**8**	**18**	**32**	**43**	**73**	**470**	**8.0**	**101**	**1**	**2**	**4**	**10**	**21**	**29**	**58**
GRAND TOTAL	**2939**	**12.5**	**169**	**2**	**4**	**8**	**17**	**29**	**40**	**67**	**1100**	**8.1**	**113**	**1**	**2**	**4**	**9**	**19**	**28**	**68**

Total U.S., January-December 1988

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	56	25.1	546	3	7	17	36	59	75	94	5	16.4	475	1	3	12	53	95	99 +	99 +
13-17	66	20.8	463	3	6	15	29	47	96	99 +	14	24.1	597	5	8	17	38	94	98	99 +
18-24	12	19.2	428	3	4	9	31	54	63	65										
25-34	4	9.3	48	1	4	9	14	18	18	18	1	1.0		1	1	1	1	1	1	1
35-54	5	15.4	151	3	9	13	19	36	36	36										
55-74	3	12.7	8	10	10	12	15	16	16	16										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	147	21.6	461	3	6	14	30	54	72	97	20	21.0	543	1	5	16	41	96	99 +	99 +
B. FEMALE																				
0-12 YRS.	17	11.9	125	3	5	8	14	38	77	99 +										
13-17	23	17.3	164	4	7	16	25	41	67	99 +	2	29.5	113	22	22	29	37	37	37	37
18-24	2	30.5	685	12	12	30	49	49	49	49										
25-34	2	27.5	841	7	7	27	48	48	48	48										
35-54	3	10.3	18	7	7	9	13	15	15	15										
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	48	15.8	176	4	7	12	23	45	53	99 +	2	29.5	113	22	22	29	37	37	37	37
SUBTOTAL	**195**	**20.1**	**399**	**3**	**7**	**13**	**29**	**49**	**71**	**99 +**	**22**	**21.8**	**501**	**1**	**6**	**18**	**39**	**95**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	51	33.3	643	7	13	30	51	91	99	99 +	7	29.9	426	11	16	24	59	89	99 +	99 +
13-17	88	20.8	373	3	6	14	30	53	60	94	12	47.3	1207	8	19	72	98	99 +	99 +	99 +
18-24																				
25-34	3	3.0	4	1	1	3	4	5	5	5										
35-54	2	6.5	1	6	6	6	7	7	7	7										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	144	24.6	505	3	7	19	40	60	86	99 +	20	38.9	983	8	13	56	87	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	12	27.0	314	13	16	30	80	99 +	99 +	99 +										
13-17	38	20.0	265	5	7	15	28	47	52	62	5	31.8	46	26	27	37	85	99 +	99 +	99 +
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +	1	19.0		19	19	19	19	19	19	19	2	8.5	85	2	2	8	15	15	15	15
ALL AGES	52	21.4	271	5	9	18	38	60	99 +	99 +	8	22.1	223	1	15	27	41	99 +	99 +	99 +
SUBTOTAL	**196**	**23.8**	**441**	**4**	**8**	**18**	**40**	**60**	**91**	**99 +**	**28**	**34.1**	**809**	**6**	**14**	**37**	**84**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**391**	**22.0**	**420**	**3**	**7**	**15**	**32**	**56**	**83**	**99 +**	**50**	**28.7**	**698**	**3**	**9**	**27**	**62**	**99 +**	**99 +**	**99 +**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	15.2	377	2	3	7	18	49	53	53										
13-17	14	19.4	254	5	7	13	35	44	48	49	2	11.5	13	9	9	11	14	14	14	14
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	21	17.4	275	3	5	10	25	45	51	53	2	11.5	13	9	10	14	78	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	4	7.5	70	2	3	4	12	20	20	20	1	15.0		15	15	15	15	15	15	15
13-17	13	17.8	258	5	7	11	22	47	54	56										
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	18	14.8	220	4	5	9	20	40	52	56	1	15.0		15	15	57	99 +	99 +	99 +	99 +
SUBTOTAL	**39**	**16.2**	**245**	**3**	**5**	**9**	**20**	**44**	**51**	**56**	**3**	**12.7**	**9**	**9**	**13**	**15**	**99 +**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17	19	27.3	679	4	7	19	50	68	76	81	2	25.0	98	18	18	25	32	32	32	32
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	20	26.2	667	4	6	14	47	67	75	81	3	17.3	227	2	6	18	28	32	32	32
B. FEMALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17	15	26.5	522	5	7	23	38	71	74	75										
18-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	16	27.1	498	5	7	23	38	68	74	75	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**36**	**26.6**	**576**	**4**	**7**	**20**	**41**	**69**	**74**	**81**	**4**	**13.3**	**215**	**1**	**1**	**10**	**25**	**32**	**32**	**32**
GRAND TOTAL	**75**	**21.2**	**425**	**4**	**6**	**12**	**35**	**53**	**68**	**79**	**7**	**13.0**	**112**	**1**	**7**	**15**	**49**	**99 +**	**99 +**	**99 +**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	31	17.4	226	3	6	15	26	69	99 +	99 +	3	14.3	387	3	12	99 +	99 +	99 +	99 +	99 +
13-17	105	19.1	306	3	7	13	29	44	52	98	6	21.3	874	1	2	8	32	72	77	77
18-24	3	7.7	37	1	3	9	12	13	13	13										
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	140	18.4	282	3	6	13	29	45	65	99 +	9	19.0	654	2	3	32	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	9	15.2	353	3	4	9	17	45	63	63	1	99.0		99	99	99	99	99	99 +	99 +
13-17	78	16.1	285	2	4	11	26	48	77	99 +	3	19.7	472	2	5	13	36	44	44	44
18-24	1	27.0		27	27	27	27	27	27	27										
25-34																				
35-54																				
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	88	16.2	284	2	4	11	25	48	73	99 +	5	32.6	1655	2	4	13	58	99	99	99 +
SUBTOTAL	**228**	**17.5**	**284**	**3**	**6**	**12**	**27**	**46**	**66**	**99 +**	**14**	**23.9**	**955**	**2**	**3**	**22**	**99**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	22	27.5	507	5	10	22	37	64	76	77										
13-17	104	22.3	509	2	6	13	32	59	69	95	6	10.3	60	2	4	9	16	20	21	21
18-24	4	19.5	265	1	7	19	32	39	39	39	2	7.0	32	3	3	7	11	11	11	11
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	131	23.0	497	2	7	14	34	59	70	94	8	9.5	49	2	3	8	15	19	21	21
B. FEMALE																				
0-12 YRS.	8	19.8	94	8	11	20	24	34	38	38	2	15.0	200	5	5	15	25	25	25	25
13-17	89	15.8	233	3	5	11	21	36	45	74	3	13.0	93	6	7	16	62	99 +	99 +	99 +
18-24	3	12.0	81	3	5	12	19	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	100	16.0	217	3	5	11	22	35	42	73	5	13.8	98	5	6	16	25	92	99 +	99 +
SUBTOTAL	**231**	**20.0**	**385**	**3**	**6**	**13**	**28**	**50**	**64**	**88**	**13**	**11.2**	**65**	**3**	**5**	**10**	**21**	**32**	**85**	**99 +**
GRAND TOTAL	**459**	**18.7**	**338**	**3**	**6**	**12**	**27**	**46**	**65**	**99 +**	**27**	**17.7**	**553**	**2**	**4**	**12**	**40**	**99 +**	**99 +**	**99 +**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	38.2	990	10	13	32	63	99	99 +	99 +	1	3.0		3	3	3	3	3	3	3
13-17	24	17.4	204	3	7	14	22	39	47	60	7	14.3	237	1	1	6	29	36	37	37
18-24	31	15.2	323	3	6	9	19	30	37	98	4	5.5	33	1	1	4	10	13	13	13
25-34	13	17.4	407	3	5	9	19	46	70	76	2	9.5	145	1	1	9	18	18	18	18
35-54	11	10.4	36	4	6	8	13	19	24	24	1	33.0		33	33	33	33	33	33	33
55-74	3	12.7	81	6	7	9	19	23	23	23										
75 +																				
ALL AGES	94	18.3	395	4	7	12	21	41	72	99 +	15	11.8	172	1	1	6	21	33	36	37
B. FEMALE																				
0-12 YRS.	3	6.7	54	1	2	4	12	15	15	15	2	17.5	545	1	1	17	34	34	34	34
13-17	14	19.5	405	1	5	13	27	49	62	66	1	4.0		4	4	4	4	4	4	4
18-24	6	8.7	22	2	4	9	13	14	14	14	1	1.0		1	1	1	1	1	1	1
25-34	13	15.8	583	1	2	3	23	58	69	72										
35-54	3	13.0	196	3	4	7	23	29	29	29	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	40	14.9	350	1	3	6	18	46	60	72	5	8.2	210	1	1	1	11	34	34	34
SUBTOTAL	**134**	**17.3**	**381**	**3**	**5**	**11**	**20**	**45**	**64**	**99**	**20**	**10.9**	**174**	**1**	**1**	**3**	**20**	**33**	**35**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	23	26.3	197	11	17	23	41	47	73	99 +	2	31.0	1352	5	5	31	57	57	57	57
13-17	72	27.1	286	6	13	26	42	47	58	96	3	62.3	737	42	44	52	83	93	93	93
18-24	42	15.4	226	3	5	10	21	37	49	64	1	47.0		47	47	47	47	47	47	47
25-34	36	13.4	190	2	4	10	18	36	39	66	7	8.7	50	2	3	5	16	18	18	18
35-54	10	14.2	397	1	3	6	17	45	67	67										
55-74	4	11.0	70	4	4	9	17	22	22	22										
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	188	20.7	279	4	7	17	31	45	53	93	13	27.5	800	3	4	17	48	64	88	93
B. FEMALE																				
0-12 YRS.	5	16.2	41	8	12	15	22	24	24	24										
13-17	28	23.9	221	3	8	24	36	42	46	50										
18-24	9	7.7	22	2	3	8	12	14	15	15	1	5.0		5	5	5	5	5	5	5
25-34	9	17.8	201	4	11	15	21	41	51	51	3	23.0	28	19	19	21	27	29	29	29
35-54	4	13.3	129	3	5	10	21	29	29	29	3	9.7	95	4	4	4	17	21	21	21
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	55	18.8	190	3	7	15	29	39	45	51	8	14.0	93	4	5	14	21	27	29	29
SUBTOTAL	**243**	**20.3**	**257**	**3**	**7**	**16**	**30**	**44**	**50**	**85**	**21**	**22.3**	**560**	**3**	**5**	**17**	**32**	**54**	**73**	**93**
GRAND TOTAL	**377**	**19.2**	**304**	**3**	**6**	**14**	**28**	**44**	**53**	**99**	**41**	**16.8**	**394**	**1**	**3**	**7**	**24**	**44**	**54**	**93**

Total U.S., January-December 1988

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	17.8	256	2	7	15	21	44	53	53										
13-17	4	21.0	233	4	9	20	33	39	39	39	1	10.0		10	10	10	10	10	10	10
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	18.8	232	3	8	15	24	43	52	53	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	27.0		27	27	27	27	27	27	27
13-17	4	26.0	53	18	20	25	31	35	35	35	3	11.0	67	2	5	13	17	18	18	18
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	23.6	68	14	17	23	30	35	35	35	4	15.0	109	2	7	15	22	27	27	27
SUBTOTAL	**17**	**20.2**	**182**	**4**	**12**	**18**	**27**	**38**	**48**	**53**	**5**	**14.0**	**87**	**2**	**8**	**13**	**20**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	17.8	244	2	3	16	27	41	43	43	1	3.0		3	3	3	3	3	3	3
13-17	7	19.4	363	3	8	17	19	52	60	60										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	18.7	282	2	5	17	21	46	57	60	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	9	13.4	206	2	4	9	18	37	47	47	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	13	12.3	181	2	4	6	18	33	44	47	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**26**	**15.5**	**233**	**2**	**4**	**12**	**19**	**42**	**50**	**60**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**43**	**17.4**	**212**	**3**	**4**	**14**	**23**	**40**	**49**	**60**	**7**	**11.0**	**84**	**2**	**3**	**10**	**17**	**25**	**27**	**27**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	7.8	90	2	2	3	12	21	31	34	7	3.0	8	1	1	2	5	8	8	8
13-17	21	14.4	238	3	5	8	16	43	50	57	5	3.4	3	2	2	3	4	6	6	6
18-24	4	5.0	23	1	1	3	8	12	12	12										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	4	8.3	60	1	2	7	14	18	18	18										
55-74											2	2.5	5	1	1	2	4	4	4	4
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	44	10.6	158	2	3	6	13	29	43	57	15	3.0	5	1	1	2	4	6	8	8
B. FEMALE																				
0-12 YRS.	4	22.3	1057	1	1	9	43	70	70	70	3	1.7		1	1	2	2	2	2	2
13-17	16	9.9	70	1	4	8	14	16	29	35	3	4.0	27	1	1	1	8	10	10	10
18-24	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	24	11.6	211	1	3	8	14	18	45	70	8	3.0	9	1	1	2	3	8	10	10
SUBTOTAL	**68**	**11.0**	**173**	**2**	**3**	**7**	**14**	**26**	**42**	**68**	**23**	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	3.0	7	1	1	2	5	6	6	6	3	7.3	27	3	4	6	11	13	13	13
13-17	25	18.0	314	2	3	16	26	46	60	60										
18-24	2	6.0	50	1	1	6	11	11	11	11										
25-34	2	7.5	85	1	1	7	14	14	14	14										
35-54	2	8.0	50	3	3	8	13	13	13	13										
55-74											1	4.0		4	4	4	4	4	4	4
75 +											3	5.3	13	2	3	5	8	9	9	9
ALL AGES	34	14.7	267	1	3	9	21	37	57	60	7	6.0	15	2	3	5	8	12	13	13
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	1	35.0		35	35	35	35	35	35	35
13-17	13	15.0	305	2	4	7	18	48	54	56	3	16.0	475	1	1	6	32	41	41	41
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	5.5	1	5	5	5	6	6	6	6	2	6.5	41	2	2	6	11	11	11	11
35-54	1	23.0		23	23	23	23	23	23	23	1	3.0		3	3	3	3	3	3	3
55-74	2	5.5	1	5	5	5	6	6	6	6										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	21	12.3	211	2	5	7	13	34	50	56	7	14.1	281	1	2	6	29	40	41	41
SUBTOTAL	**55**	**13.8**	**242**	**1**	**3**	**7**	**16**	**36**	**54**	**60**	**14**	**10.1**	**153**	**2**	**3**	**5**	**11**	**36**	**40**	**41**
GRAND TOTAL	**123**	**12.2**	**206**	**2**	**3**	**7**	**15**	**34**	**46**	**63**	**37**	**5.7**	**71**	**1**	**2**	**3**	**6**	**11**	**27**	**41**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	67	18.6	368	1	4	11	30	43	58	79	14	19.8	546	1	2	11	31	51	77	84
13-17	125	18.2	210	2	8	14	27	41	49	75	19	18.5	387	1	2	12	27	49	63	69
18-24	12	7.8	29	1	3	8	12	15	16	16	2	8.0	18	5	5	8	11	11	11	11
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
55-74	3	11.7	155	3	4	6	21	26	26	26	1	16.0		16	16	16	16	16	16	16
75 +	1	14.0		14	14	14	14	14	14	14	1	6.0		6	6	6	6	6	6	6
ALL AGES	210	17.5	252	2	5	12	26	41	49	77	38	17.6	398	1	2	10	25	44	64	84
B. FEMALE																				
0-12 YRS.	20	14.2	441	1	3	8	18	23	61	98	8	6.0	129	1	1	2	3	25	34	34
13-17	85	14.1	138	3	6	11	19	29	36	61	17	20.8	309	1	4	21	31	47	55	59
18-24	5	14.0	106	6	7	13	31	93	99 +	99 +										
25-34																				
35-54	9	21.7	533	1	2	19	34	59	61	61										
55-74	1	11.0		11	11	11	11	11	11	11	1	38.0		38	38	38	38	38	38	38
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	121	14.7	210	2	6	11	19	30	42	99	26	16.9	300	1	2	8	31	41	51	59
SUBTOTAL	**331**	**16.5**	**237**	**2**	**5**	**12**	**23**	**39**	**49**	**83**	**64**	**17.3**	**354**	**1**	**2**	**9**	**27**	**42**	**57**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	41	20.2	420	3	5	10	30	49	62	82	8	10.6	127	2	3	6	17	29	30	30
13-17	112	21.9	452	3	7	14	33	48	87	99 +	19	22.9	371	2	7	24	30	58	60	61
18-24	9	13.1	94	3	8	10	17	29	34	34	2	1.0		1	1	1	1	1	1	1
25-34	5	6.8	26	2	2	7	10	14	14	14										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	168	20.5	417	3	7	13	29	47	74	99	30	17.6	316	2	3	10	28	45	58	61
B. FEMALE																				
0-12 YRS.	10	27.7	720	5	9	17	45	69	90	90	1	9.0		9	9	9	9	9	9	9
13-17	94	21.2	334	2	7	16	30	51	62	89	12	31.0	459	8	11	27	45	62	74	76
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	1	31.0		31	31	31	31	31	31	31	1	10.0		10	10	10	10	10	10	10
55-74	1	26.0		26	26	26	26	26	26	26										
75 +																				
ALL AGES	108	21.6	362	3	7	17	30	51	62	94	14	27.9	451	8	9	25	41	58	72	76
SUBTOTAL	**276**	**21.0**	**391**	**3**	**7**	**14**	**30**	**48**	**67**	**99**	**44**	**20.9**	**372**	**2**	**6**	**13**	**30**	**56**	**59**	**76**
GRAND TOTAL	**607**	**18.5**	**313**	**2**	**6**	**13**	**27**	**44**	**56**	**98**	**108**	**18.8**	**360**	**1**	**3**	**11**	**29**	**48**	**58**	**79**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	26	27.3	209	8	17	28	40	44	48	61	4	43.8	1174	2	21	43	66	86	86	86
13-17	7	11.0	31	4	6	10	17	17	17	17	1	86.0		86	86	86	86	86	86	86
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	33	23.8	217	6	12	21	34	42	45	61	5	52.2	1242	2	31	46	86	86	86	86
B. FEMALE																				
0-12 YRS.	15	22.6	152	1	15	28	31	36	36	36										
13-17	19	17.8	75	7	10	20	25	29	30	30										
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	34	19.9	112	4	12	21	29	32	35	36	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**67**	**21.9**	**161**	**5**	**12**	**21**	**30**	**39**	**42**	**58**	**6**	**44.0**	**1397**	**2**	**3**	**43**	**86**	**85**	**86**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	28	29.4	450	8	14	26	41	51	71	99	1	28.0		28	28	28	28	28	28	28
13-17	19	28.1	98	16	23	28	37	70	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	47	28.9	301	12	15	28	39	53	99	99 +	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.	15	33.2	410	7	21	26	52	64	68	70										
13-17	15	24.1	149	7	19	26	32	46	84	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	30	28.7	288	7	19	26	38	59	70	99 +										
SUBTOTAL	**77**	**28.8**	**294**	**8**	**18**	**27**	**39**	**55**	**84**	**99 +**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**
GRAND TOTAL	**144**	**25.6**	**242**	**7**	**14**	**25**	**35**	**45**	**61**	**99 +**	**7**	**41.7**	**1202**	**2**	**9**	**41**	**76**	**86**	**86**	**86**

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	3	7.3	13	4	5	7	10	11	11	11	1	42.0		42	42	42	42	42	42	42
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	7.3	13	4	5	7	10	11	11	11	1	42.0		42	42	42	42	42	42	42
SUBTOTAL	**3**	**7.3**	**13**	**4**	**5**	**7**	**10**	**11**	**11**	**11**	**1**	**42.0**		**42**	**42**	**42**	**42**	**42**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	16.5	365	3	3	16	30	30	30	30
SUBTOTAL											**2**	**16.5**	**365**	**3**	**3**	**16**	**30**	**30**	**30**	**30**
GRAND TOTAL	3	7.3	13	4	5	7	10	11	11	11	3	25.0	399	3	10	30	39	42	42	42

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17	2	10.0	162	1	1	10	19	19	19	19										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	20.7	420	1	5	19	36	42	42	42										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	2	4.0	8	2	2	4	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	4.0	4	2	2	4	5	6	6	6										
SUBTOTAL	6	12.3	255	1	2	5	19	40	42	42										
GRAND TOTAL	6	12.3	255	1	2	5	19	40	42	42										

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.5	113	1	1	8	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.5	113	1	1	8	16	16	16	16										
SUBTOTAL	3	7.3	61	1	2	5	13	16	16	16										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	2	28.0		28	28	28	28	28	28	28										
GRAND TOTAL	5	15.6	158	1	4	16	28	28	28	28										

Total U.S., January-December 1988

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	102	24.8	227	10	15	23	36	54	99 +	99 +	19	44.3	879	6	21	63	78	99 +	99 +	99 +
13-17	109	21.8	290	4	9	17	31	43	55	79	7	10.7	116	1	3	4	20	27	28	28
18-24	5	35.8	401	7	23	37	50	60	60	60										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	216	23.6	263	5	12	21	35	47	67	99 +	26	35.2	896	2	11	30	70	94	99 +	99 +
B. FEMALE																				
0-12 YRS.	42	24.9	343	5	13	20	40	57	87	99 +	6	37.5	853	3	13	45	70	94	99 +	99 +
13-17	136	20.5	246	3	9	18	30	42	49	91	13	19.2	265	2	7	15	41	52	89	99 +
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	180	21.5	267	4	9	19	32	45	58	99 +	19	24.9	494	2	6	24	45	83	99 +	99 +
SUBTOTAL	**396**	**22.6**	**267**	**4**	**11**	**20**	**32**	**47**	**63**	**99 +**	**45**	**30.9**	**734**	**2**	**8**	**28**	**66**	**92**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	150	31.0	394	9	16	29	43	63	91	99 +	4	18.5	115	4	10	21	26	28	28	28
13-17	105	25.6	356	4	10	22	38	52	61	95	14	26.1	388	3	10	23	46	63	91	99 +
18-24	7	14.7	35	9	10	12	19	23	24	24	1	17.0		17	17	17	17	17	17	17
25-34	1	30.0		30	30	30	30	30	30	30										
35-54																				
55-74																				
75 +																				
ALL AGES	263	28.4	379	6	13	26	42	58	81	99 +	19	24.0	314	3	11	22	37	59	81	99 +
B. FEMALE																				
0-12 YRS.	52	35.0	456	11	20	32	50	86	98	99 +	3	18.0	73	10	12	17	24	27	27	27
13-17	131	24.1	351	5	12	18	37	56	72	99 +	16	26.7	384	5	10	25	34	55	65	70
18-24	4	14.8	196	2	4	11	25	34	34	34										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	187	26.9	402	6	13	22	41	61	83	99 +	19	25.3	340	5	11	25	31	55	63	70
SUBTOTAL	**450**	**27.8**	**387**	**6**	**13**	**24**	**42**	**58**	**82**	**99 +**	**38**	**24.7**	**316**	**4**	**11**	**23**	**35**	**55**	**67**	**99 +**
GRAND TOTAL	**846**	**25.4**	**335**	**5**	**12**	**22**	**37**	**55**	**73**	**99 +**	**83**	**28.0**	**550**	**3**	**9**	**25**	**50**	**78**	**99 +**	**99 +**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	2.2	5	1	1	1	3	6	6	6	1	1.0		1	1	1	1	1	1	1
13-17	3	7.7	6	5	6	9	55	99 +	99 +	99 +	1	9.0		9	9	9	9	9	9	9
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	4.3	12	1	1	5	8	64	99 +	99 +	2	5.0	32	1	1	5	9	9	9	9
B. FEMALE																				
0-12 YRS.	2	7.5	25	4	4	7	11	11	11	11	1	4.0		4	4	4	4	4	4	4
13-17	5	7.0	6	4	5	8	9	9	9	9	3	2.0	3	1	1	1	3	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	7.1	9	4	4	8	9	11	11	11	4	2.5	3	1	1	2	4	4	4	4
SUBTOTAL	**15**	**5.6**	**12**	**1**	**3**	**6**	**9**	**11**	**73**	**99 +**	**6**	**3.3**	**10**	**1**	**1**	**3**	**4**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	3	21.3	212	7	10	21	32	36	36	36	1	63.0		63	63	81	99 +	99 +	99 +	99 +
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	22.0	142	7	14	22	30	36	36	36	1	63.0		63	63	81	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	6	5.5	44	1	1	2	8	17	18	18										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	5.5	44	1	1	2	8	17	18	18										
SUBTOTAL	**10**	**12.1**	**145**	**1**	**2**	**7**	**21**	**30**	**36**	**36**	**1**	**63.0**		**63**	**63**	**81**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**25**	**8.2**	**72**	**1**	**2**	**6**	**10**	**24**	**49**	**99 +**	**7**	**11.9**	**516**	**1**	**1**	**4**	**36**	**89**	**99 +**	**99 +**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	132	18.2	189	3	8	17	28	40	48	99 +	39	28.8	779	1	3	27	48	74	84	99 +
13-17	35	26.8	270	10	14	24	37	52	58	73	1	21.0		21	21	60	99 +	99 +	99 +	99 +
18-24	1	13.0		13	13	13	13	13	13	13	1	8.0		8	8	8	8	8	8	8
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	169	19.9	214	3	10	18	28	43	52	99 +	41	28.1	752	1	3	24	49	75	95	99 +
B. FEMALE																				
0-12 YRS.	30	24.6	477	2	7	19	34	52	81	84	9	32.6	602	1	2	40	52	59	63	63
13-17	8	22.6	229	2	11	21	36	42	42	42	2	37.0	98	30	30	37	44	44	44	44
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	38	24.2	417	2	7	20	34	49	69	84	11	33.4	494	1	9	40	49	58	63	63
SUBTOTAL	**207**	**20.7**	**252**	**3**	**10**	**18**	**29**	**43**	**52**	**99 +**	**52**	**29.2**	**692**	**1**	**3**	**31**	**49**	**73**	**89**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	181	31.3	394	9	16	28	44	64	81	99 +	32	23.9	330	3	8	19	37	48	64	65
13-17	63	26.2	347	6	9	25	41	60	69	99 +	12	19.2	140	3	9	19	29	32	35	36
18-24	9	18.9	82	5	15	20	23	30	35	35	1	16.0		16	16	16	16	16	16	16
25-34	4	11.5	120	2	4	8	19	27	27	27										
35-54																				
55-74																				
75 +																				
ALL AGES	257	29.3	379	7	14	27	42	63	77	99 +	45	22.5	272	3	9	19	33	42	57	65
B. FEMALE																				
0-12 YRS.	26	30.1	427	9	13	24	45	56	67	80	6	12.7	70	3	8	12	13	27	28	28
13-17	11	28.5	920	2	4	34	76	99 +	99 +	99 +	2	22.0	578	5	5	22	39	39	39	39
18-24	2	10.5	13	8	8	10	13	13	13	13										
25-34	2	4.5	5	3	3	4	6	6	6	6										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	42	27.1	536	4	10	19	45	74	91	99 +	9	13.4	156	2	4	11	17	35	39	39
SUBTOTAL	**299**	**29.0**	**400**	**6**	**13**	**26**	**43**	**64**	**80**	**99 +**	**54**	**21.0**	**260**	**3**	**8**	**16**	**31**	**41**	**52**	**65**
GRAND TOTAL	**506**	**25.6**	**356**	**4**	**11**	**22**	**39**	**55**	**73**	**99 +**	**106**	**25.0**	**486**	**2**	**5**	**20**	**41**	**61**	**73**	**99 +**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3	1	76.0		76	76	76	76	76	76	76
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	1	76.0		76	76	76	76	76	76	76
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	3	2.3	2	1	1	3	3	3	3	3	1	76.0		76	76	76	76	76	76	76
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	2.3	2	1	1	3	3	3	3	3	1	76.0		76	76	76	76	76	76	76

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	12.0		12	12	12	12	12	12	12										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.0	8	8	8	10	12	12	12	12										
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**2**	**10.0**	**8**	**8**	**8**	**10**	**12**	**12**	**12**	**12**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	35.0		35	35	35	35	35	35	35										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**35.0**		**35**	**35**	**35**	**35**	**35**	**35**	**35**										
GRAND TOTAL	**3**	**18.3**	**214**	**8**	**9**	**12**	**29**	**35**	**35**	**35**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	14.0		14	14	14	14	14	14	14
75 +											1	15.0		15	15	15	15	15	15	15
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	3	10.3	53	2	5	14	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74	2	4.0	2	3	3	4	5	5	5	5										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	4	3.3	2	1	2	3	4	5	5	5										
SUBTOTAL	**6**	**3.3**	**3**	**1**	**2**	**3**	**5**	**5**	**5**	**5**	**3**	**10.3**	**53**	**2**	**5**	**14**	**15**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	5.5	5	4	4	5	7	7	7	7
13-17	1	37.0		37	37	37	37	37	37	37										
18-24																				
25-34																				
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	14.0	397	2	2	3	28	37	37	37	2	5.5	5	4	4	5	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	2	5.5	13	3	3	5	8	8	8	8										
SUBTOTAL	**5**	**10.6**	**223**	**2**	**3**	**3**	**15**	**37**	**37**	**37**	**2**	**5.5**	**5**	**4**	**4**	**5**	**7**	**7**	**7**	**7**
GRAND TOTAL	**11**	**6.6**	**106**	**1**	**2**	**3**	**5**	**20**	**36**	**37**	**5**	**8.4**	**34**	**2**	**3**	**7**	**14**	**15**	**15**	**15**

Appendix

APPENDIX 1

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	71	22.5	36,849	20.1	177	23.5	20,503	28.6
North Central	121	38.4	78,113	42.7	218	28.9	21,405	29.9
South	49	15.6	27,196	14.8	143	19.0	10,653	14.9
West	74	23.5	41,026	22.4	215	28.6	19,031	26.6
U.S.	315	100.0	183,184	100.0	753	100.0	71,592	100.0

Appendix 2

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes (Summary Table)	2
290	Senile and presenile organic psychotic conditions	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
293.81	Organic delusional syndrome	25
293.82	Organic hallucinosis syndrome	25
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
296.90	Unspecified affective psychosis	50
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.4	Psychogenic paranoid psychosis	61
298.8	Other and unspecified reactive psychosis	62
298.9	Unspecified psychosis	63
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 Current or active	
	1 Residual state	
299.0	Infantile autism	64
299.8	Other specified early childhood psychoses	65
299.9	Unspecified childhood psychosis	66
300	**Neurotic disorders**	
300.0	Anxiety states	67
300.00	Anxiety state, unspecified	67
300.01	Panic disorder	67
300.02	Generalized anxiety disorder	67
300.09	Other anxiety states	67
300.1	Hysteria	68
300.10	Hysteria, unspecified	68
300.11	Conversion disorder	68
300.12	Psychogenic amnesia	68
300.13	Psychogenic fugue	68
300.14	Multiple personality	68
300.15	Dissociative disorder or reaction, unspecified	68
300.16	Factitious illness with psychological symptoms	68
300.19	Other and unspecified factitious illness	68
300.2	Phobic disorders	69
300.20	Phobia, unspecified	69
300.21	Agoraphobia with panic attacks	69
300.22	Agoraphobia without mention of panic attacks	69
300.23	Social phobia	69
300.29	Other isolated or simple phobias	69
300.3	Obsessive-compulsive disorders	70
300.4	Neurotic depression	71
300.5	Neurasthenia	72
300.6	Depersonalization syndrome	73
300.7	Hypochondriasis	74

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
300.8	Other neurotic disorders	75
300.81	Somatization disorder	75
300.89	Other neurotic disorders	75
300.9	Unspecified neurotic disorder	76
301	**Personality disorders**	
301.0	Paranoid personality disorder	77
301.1	Affective personality disorder	78
301.10	Affective personality disorder, unspecified	78
301.11	Chronic hypomanic personality disorder	78
301.12	Chronic depressive personality disorder	78
301.13	Cyclothymic disorder	78
301.2	Schizoid personality disorder	79
301.20	Schizoid personality disorder, unspecified	79
301.21	Introverted personality	79
301.22	Schizotypal personality	79
301.3	Explosive personality disorder	80
301.4	Compulsive personality disorder	81
301.5	Histrionic personality disorder	82
301.50	Histrionic personality disorder, unspecified	82
301.51	Chronic factitious illness with physical symptoms	82
301.59	Other histrionic personality disorder	82
301.6	Dependent personality disorder	83
301.7	Antisocial personality disorder	84
301.8	Other personality disorders	85
301.81	Narcissistic personality	85
301.82	Avoidant personality	85
301.83	Borderline personality	85
301.84	Passive-aggressive personality	85
301.89	Other personality disorders	85
301.9	Unspecified personality disorder	86
302	**Sexual deviations and disorders**	
302.2	Pedophilia	87
302.4	Exhibitionism	88
302.5	Trans-sexualism	89
302.50	Trans-sexualism with unspecified sexual history	89
302.51	Trans-sexualism with asexual history	89
302.52	Trans-sexualism with homosexual history	89
302.53	Trans-sexualism with heterosexual history	89
302.6	Disorders of psychosexual identity	90
302.7	Psychosexual dysfunction	91
302.70	Psychosexual dysfunction, unspecified	91
302.71	Psychosexual dysfunction with inhibited sexual desire	91
302.72	Psychosexual dysfunction with inhibited sexual excitement	91
302.73	Psychosexual dysfunction with inhibited female orgasm	91
302.74	Psychosexual dysfunction with inhibited male orgasm	91
302.75	Psychosexual dysfunction with premature ejaculation	91
302.76	Psychosexual dysfunction with functional dyspareunia	91
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	91
302.8	Other specified psychosexual disorders	92
302.81	Fetishism	92
302.82	Voyeurism	92
302.83	Sexual masochism	92

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
302.84	Sexual sadism	92
302.85	Gender identity disorder of adolescent or adult life	92
302.89	Other specified psychosexual disorders	92
302.9	Unspecified psychosexual disorder	93
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
303.0	Acute alcoholic intoxication	94
303.9	Other and unspecified alcohol dependence	95
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	96
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	97
304.2	Cocaine dependence	98
304.3	Cannabis dependence	99
304.4	Amphetamine and other psychostimulant dependence	100
304.5	Hallucinogen dependence	101
304.6	Other specified drug dependence	102
304.7	Combinations of opioid type drug with any other drug dependence	103
304.8	Combinations of drug dependence excluding opioid type drug	104
304.9	Unspecified drug dependence	105
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	106
305.1	Tobacco use disorder	107
305.2	Cannabis abuse	108
305.3	Hallucinogen abuse	109
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	110
305.5	Opioid abuse	111
305.6	Cocaine abuse	112
305.7	Amphetamine or related acting sympathomimetic abuse	113
305.8	Antidepressant type abuse	114
305.9	Other, mixed, or unspecified drug abuse	115
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	116
306.1	Respiratory malfunction arising from mental factors	117
306.2	Cardiovascular malfunction arising from mental factors	118
306.3	Skin disorder arising from mental factors	119
306.4	Gastrointestinal malfunction arising from mental factors	120

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
306.5	Genitourinary malfunction arising from mental factors	121
306.50	Psychogenic genitourinary malfunction, unspecified	121
306.51	Psychogenic vaginismus	121
306.52	Psychogenic dysmenorrhea	121
306.53	Psychogenic dysuria	121
306.59	Other genitourinary malfunction arising from mental factors	121
306.6	Endocrine disorder arising from mental factors	122
306.7	Disorder of organs of special sense arising from mental factors	123
306.8	Other specified psychophysiological malfunction	124
306.9	Unspecified psychophysiological malfunction	125
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	126
307.1	Anorexia nervosa	127
307.2	Tics	128
307.20	Tic disorder, unspecified	128
307.21	Transient tic disorder of childhood	128
307.22	Chronic motor tic disorder	128
307.23	Gilles de la Tourette's disorder	128
307.3	Stereotyped repetitive movements	129
307.4	Specific disorders of sleep of nonorganic origin	130
307.40	Nonorganic sleep disorder, unspecified	130
307.41	Transient disorder of initiating or maintaining sleep	130
307.42	Persistent disorder of initiating or maintaining sleep	130
307.43	Transient disorder of initiating or maintaining wakefulness	130
307.44	Persistent disorder of initiating or maintaining wakefulness	130
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	130
307.46	Somnambulism or night terrors	130
307.47	Other dysfunctions of sleep stages or arousal from sleep	130
307.48	Repetitive intrusions of sleep	130
307.49	Other specific disorders of sleep of nonorganic origin	130
307.5	Other and unspecified disorders of eating	131
307.50	Eating disorder, unspecified	131
307.51	Bulimia	131
307.52	Pica	131
307.53	Psychogenic rumination	131
307.54	Psychogenic vomiting	131
307.59	Other disorders of eating	131
307.6	Enuresis	132
307.7	Encopresis	133
307.8	Psychalgia	134
307.80	Psychogenic pain, site unspecified	134
307.81	Tension headache	134
307.89	Other psychalgia	134
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	135
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	136
308.1	Predominant disturbance of consciousness	137
308.2	Predominant psychomotor disturbance	138
308.3	Other acute reactions to stress	139
308.4	Mixed disorders as reaction to stress	140
308.9	Unspecified acute reaction to stress	141

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	142
309.1	Adjustment reaction with prolonged depressive reaction	143
309.2	Adjustment reaction with predominant disturbance of other emotions	144
309.21	Separation anxiety disorder	144
309.22	Emancipation disorder of adolescence and early adult life	144
309.23	Specific academic or work inhibition	144
309.24	Adjustment reaction with anxious mood	144
309.28	Adjustment reaction with mixed emotional features	144
309.29	Other adjustment reactions with predominant disturbance of other emotions	144
309.3	Adjustment reaction with predominant disturbance of conduct	145
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	146
309.8	Other specified adjustment reactions	147
309.81	Prolonged posttraumatic stress disorder	147
309.82	Adjustment reaction with physical symptoms	147
309.83	Adjustment reaction with withdrawal	147
309.89	Other specified adjustment reactions	147
309.9	Unspecified adjustment reaction	148
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	149
310.1	Organic personality syndrome	150
310.2	Postconcussion syndrome	151
310.8	Other specified nonpsychotic mental disorders following organic brain damage	152
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	153
311	**Depressive disorder, not elsewhere classified**	154
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	155
312.1	Undersocialized conduct disorder, unaggressive type	156
312.2	Socialized conduct disorder	157
312.3	Disorders of impulse control, not elsewhere classified	158
312.30	Impulse control disorder, unspecified	158
312.31	Pathological gambling	158
312.32	Kleptomania	158
312.33	Pyromania	158
312.34	Intermittent explosive disorder	158
312.35	Isolated explosive disorder	158
312.39	Other disorders of impulse control	158
312.4	Mixed disturbance of conduct and emotions	159
312.8	Other specified disturbances of conduct, not elsewhere classified	160
312.9	Unspecified disturbance of conduct	161
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	162
313.1	Misery and unhappiness disorder specific to childhood and adolescence	163
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	164

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
313.21	Shyness disorder of childhood	164
313.22	Introverted disorder of childhood	164
313.23	Elective mutism specific to childhood and adolescence	164
313.3	Relationship problems specific to childhood and adolescence	165
313.8	Other or mixed emotional disturbances of childhood or adolescence	166
313.81	Oppositional disorder of childhood or adolescence	166
313.82	Identity disorder of childhood or adolescence	166
313.83	Academic underachievement disorder of childhood or adolescence	166
313.89	Other emotional disturbances of childhood or adolescence	166
313.9	Unspecified emotional disturbance of childhood or adolescence	167
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	168
314.00	Attention deficit disorder of childhood without mention of hyperactivity	168
314.01	Attention deficit disorder of childhood with hyperactivity	168
314.1	Hyperkinesis of childhood with developmental delay	169
314.2	Hyperkinetic conduct disorder of childhood	170
314.9	Unspecified hyperkinetic syndrome of childhood	171

APPENDIX 3

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	166
Acute alcoholic intoxication	303.0	94
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0-308.9	136-141
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0-309.9	142-148
Adjustment reaction with anxious mood	309.24	144
Adjustment reaction with brief depressive reaction	309.0	142
Adjustment reaction with mixed emotional features	309.28	144
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	146
Adjustment reaction with physical symptoms	309.82	147
Adjustment reaction with predominant disturbance of other emotions	309.2	144
Adjustment reaction with predominant disturbance of conduct	309.3	145
Adjustment reaction with prolonged depressive reaction	309.1	143
Adjustment reaction with withdrawal	309.83	147
Affective personality disorder	301.1	78
Affective personality disorder, unspecified	301.10	78
Affective psychoses	296.0-296.99	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	69
Agoraphobia without mention of panic attacks	300.22	69
Alcohol abuse	305.0	106
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0-303.9	94-95
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0-291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	100
Amphetamine or related acting sympathomimetic abuse	305.7	113
Anorexia nervosa	307.1	127
Antidepressant type abuse	305.8	114
Antisocial personality disorder	301.7	84
Anxiety state, unspecified	300.00	67
Anxiety states	300.0	67

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	168
Attention deficit disorder of childhood without mention of hyperactivity	314.00	168
Attention deficit disorder of childhood with hyperactivity	314.01	168
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	85
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	97
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	110
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	85
Bulimia	307.51	131
Cannabis abuse	305.2	108
Cannabis dependence	304.3	99
Cardiovascular malfunction arising from mental factors	306.2	118
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	78
Chronic factitious illness with physical symptoms	301.51	82
Chronic hypomanic personality disorder	301.11	78
Chronic motor tic disorder	307.22	128
Cocaine abuse	305.6	112
Cocaine dependence	304.2	98
Combinations of drug dependence excluding opioid type drug	304.8	104
Combinations of opioid type drug with any other drug dependence	304.7	103
Compulsive personality disorder	301.4	81
Conversion disorder	300.11	68
Cyclothymic disorder	301.13	78
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	83
Depersonalization syndrome	300.6	73
Depressive disorder, not elsewhere classified	311	154
Depressive type psychosis	298.0	57
Disorder of organs of special sense arising from mental factors	306.7	123
Disorders of impulse control, not elsewhere classified	312.3	158
Disorders of psychosexual identity	302.6	90
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	68
Disturbance of conduct, not elsewhere classified	312.0-312.9	155-161
Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	162-167

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Drug dependence	304.0-403.9	96-105
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	131
Elective mutism specific to childhood and adolescence	313.23	164
Emancipation disorder of adolescence and early adult life	309.22	144
Encopresis	307.7	133
Endocrine disorder arising from mental factors	306.6	122
Enuresis	307.6	132
Excitative type psychosis	298.1	58
Exhibitionism	302.4	88
Explosive personality disorder	301.3	80
Factitious illness with psychological symptoms	300.16	68
Fetishism	302.81	92
Frontal lobe syndrome	310.0	149
Gastrointestinal malfunction arising from mental factors	306.4	120
Gender identity disorder of adolescent or adult life	302.85	92
Generalized anxiety disorder	300.02	67
Genitourinary malfunction arising from mental factors	306.5	121
Gilles de la Tourette's disorder	307.23	128
Hallucinogen abuse	305.3	109
Hallucinogen dependence	304.5	101
Histrionic personality disorder	301.5	82
Histrionic personality disorder, unspecified	301.50	82
Hyperkinesis of childhood with developmental delay	314.1	169
Hyperkinetic conduct disorder of childhood	314.2	170
Hyperkinetic syndrome of childhood	314.0-314.9	168-171
Hypochondriasis	300.7	74
Hysteria	300.1	68
Hysteria, unspecified	300.10	68
Identity disorder of childhood or adolescence	313.82	166
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	158
Infantile autism	299.0	64
Intermittent explosive disorder	312.34	158
Introverted disorder of childhood	313.22	164
Introverted personality	301.21	79

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Isolated explosive disorder	312.35	158
Kleptomania	312.32	158
Latent schizophrenia	295.5	36
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Misery and unhappiness disorder specific to childhood and adolescence	313.1	163
Mixed disorders as reaction to stress	308.4	140
Mixed disturbance of conduct and emotions	312.4	159
Multiple personality	300.14	68
Musculoskeletal malfunction arising from mental factors	306.0	116
Narcissistic personality	301.81	85
Neurasthenia	300.5	72
Neurotic depression	300.4	71
Neurotic disorders	300.0-300.9	67-76
Nondependent abuse of drugs	305.0-305.9	106-115
Fifth-digit subclassification for use with 305:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	130
Obsessive-compulsive disorders	300.3	70
Opioid abuse	305.5	111
Opioid type dependence	304.0	96
Oppositional disorder of childhood or adolescence	313.81	166
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	150
Other acute reactions to stress	308.3	139
Other adjustment reactions with predominant disturbance of other emotions	309.29	144
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	95
Other and unspecified disorders of eating	307.5	131
Other and unspecified factitious illness	300.19	68
Other and unspecified reactive psychosis	298.8	62
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	135
Other anxiety states	300.09	67
Other disorders of eating	307.59	131
Other disorders of impulse control	312.39	158
Other dysfunctions of sleep stages or arousal from sleep	307.47	130
Other emotional disturbances of childhood or adolescence	313.89	166
Other genitourinary malfunction arising from mental factors	306.59	121
Other histrionic personality disorder	301.59	82

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Other isolated or simple phobias	300.29	69
Other manic-depressive psychosis	296.89	49
Other neurotic disorders	300.8	75
Other neurotic disorders	300.89	75
Other nonorganic psychoses	298.0-298.9	57-63
Other or mixed emotional disturbances of childhood or adolescence	313.8	166
Other organic psychotic conditions (chronic)	294.0-294.9	27-30
Other personality disorders	301.8	85
Other personality disorders	301.89	85
Other psychalgia	307.89	134
Other specific disorders of sleep of nonorganic origin	307.49	130
Other specified adjustment reactions	309.8	147
Other specified adjustment reactions	309.89	147
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	160
Other specified drug dependence	304.6	102
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	65
Other specified nonpsychotic mental disorders following organic brain damage	310.8	152
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	124
Other specified psychosexual disorders	302.8	92
Other specified psychosexual disorders	302.89	92
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	115
Overanxious disorder specific to childhood and adolescence	313.0	162
Panic disorder	300.01	67
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	77
Paranoid state, simple	297.0	51
Paranoid states	297.0-297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	85
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	158
Pedophilia	302.2	87
Persistent disorder of initiating or maintaining sleep	307.42	130
Persistent disorder of initiating or maintaining wakefulness	307.44	130
Personality disorders	301.0-301.9	77-86
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	130
Phobia, unspecified	300.20	69
Phobic disorders	300.2	69
Physiological malfunction arising from mental factors	306.0-306.9	116-125
Pica	307.52	131
Postconcussion syndrome	310.2	151

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Predominant disturbance of consciousness	308.1	137
Predominant disturbance of emotions	308.0	136
Predominant psychomotor disturbance	308.2	138
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	147
Psychalgia	307.8	134
Psychogenic amnesia	300.12	68
Psychogenic dysmenorrhea	306.52	121
Psychogenic dysuria	306.53	121
Psychogenic fugue	300.13	68
Psychogenic genitourinary malfunction, unspecified	306.50	121
Psychogenic pain, site unspecified	307.80	134
Psychogenic paranoid psychosis	298.4	61
Psychogenic rumination	307.53	131
Psychogenic vaginismus	306.51	121
Psychogenic vomiting	307.54	131
Psychoses with origin specific to childhood	299.0-299.9	64-66
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	91
Psychosexual dysfunction with inhibited sexual desire	302.71	91
Psychosexual dysfunction with inhibited sexual excitement	302.72	91
Psychosexual dysfunction with inhibited female orgasm	302.73	91
Psychosexual dysfunction with inhibited male orgasm	302.74	91
Psychosexual dysfunction with premature ejaculation	302.75	91
Psychosexual dysfunction with functional dyspareunia	302.76	91
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	91
Psychosexual dysfunction, unspecified	302.70	91
Pyromania	312.33	158
Reactive confusion	298.2	59
Relationship problems specific to childhood and adolescence	313.3	165
Repetitive intrusions of sleep	307.48	130
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	117
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	79
Schizoid personality disorder, unspecified	301.20	79
Schizophrenic disorders	295.0-295.9	31-40
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	79
Senile and presenile organic psychotic conditions	290.0-290.9	3-9

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	164
Separation anxiety disorder	309.21	144
Sexual deviations and disorders	302.2-302.9	87-93
Sexual masochism	302.83	92
Sexual sadism	302.84	92
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	164
Simple type schizophrenia	295.0	31
Skin disorder arising from mental factors	306.3	119
Social phobia	300.23	69
Socialized conduct disorder	312.2	157
Somatization disorder	300.81	75
Somnambulism or night terrors	307.46	130
Special symptoms or syndromes, not elsewhere classified	307.0-307.9	126-135
Specific academic or work inhibition	309.23	144
Specific disorders of sleep of nonorganic origin	307.4	130
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	149-153
Stammering and stuttering	307.0	126
Stereotyped repetitive movements	307.3	129
Subacute delirium	293.1	24
Tension headache	307.81	134
Tic disorder, unspecified	307.20	128
Tics	307.2	128
Tobacco use disorder	305.1	107
Trans-sexualism	302.5	89
Trans-sexualism with asexual history	302.51	89
Trans-sexualism with heterosexual history	302.53	89
Trans-sexualism with homosexual history	302.52	89
Trans-sexualism with unspecified sexual history	302.50	89
Transient disorder of initiating or maintaining sleep	307.41	130
Transient disorder of initiating or maintaining wakefulness	307.43	130
Transient organic psychotic conditions	293.0-293.9	23-26
Transient tic disorder of childhood	307.21	128
Undersocialized conduct disorder, aggressive type	312.0	155
Undersocialized conduct disorder, unaggressive type	312.1	156
Unspecified acute reaction to stress	308.9	141
Unspecified adjustment reaction	309.9	148
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	66
Unspecified disturbance of conduct	312.9	161
Unspecified drug dependence	304.9	105
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	167
Unspecified hyperkinetic syndrome of childhood	314.9	171
Unspecified neurotic disorder	300.9	76

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	153
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	86
Unspecified psychophysiological malfunction	306.9	125
Unspecified psychosexual disorder	302.9	93
Unspecified psychosis	298.9	63
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	92

Appendix 4

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[*] It was developed in response to a need expressed by medical records administrators for a standard means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal agencies). This crosswalk has been specifically developed to facilitate such coding, and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association, and is available through the APA Office of Research.

INSTRUCTIONS

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code, and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*. *ICD-9-CM* is the more inclusive system, however, since one of its primary purpose is to serve as a complete list of medical terms to assist in the coding of medical records. There are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote 1 for general notes about the crosswalk.

---

[*] Developed by J. Thompson and H. A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

B4465-2.2a

LOS

PSYCHIATRIC

LENGTH OF STAY

HKS PUBLICATIONS

by Diagnosis
United States, North Central Region, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
November, 1989

PSYCHIATRIC LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This publication represents one volume in the third annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1988
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1988
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1988
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1988
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1988
ISSN 0898-0535

The Length of Stay series has been published annually since 1963. In addition to *Psychiatric Length of Stay*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Description of the Database

Data Collection v
Data Quality v
Database Characteristics vi

Organization of Psychiatric Length of Stay Tables x

Explanation of Psychiatric Length of Stay Statistics xii

Application of Psychiatric Length of Stay Tables xiii

Trends in Psychiatric Length of Stay xiv

Length of Stay Tables 1

APPENDIX:

1: State Inclusions and Hospital Counts by Region 173

2: Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 174

3: Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 182

4: Crosswalk From *DSM-III-R* to *ICD-9-CM* 190

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Psychiatric Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available, and to Philip M. Margolis, Professor of Psychiatry, University of Michigan Medical Center and Professor of Community Mental Health, School of Public Health, University of Michigan.

1988 PSYCHIATRIC LENGTH OF STAY BOOKS

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS
Linda E. Vanek, Assistant Manager, Normative Publications

INFORMATION SERVICES
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Stacey Koepke, Customer Service Representive,
Mary Kay Murray, Marketing Specialist,
Tracey Stewart, Publication Specialist,
Robert Travis, Librarian.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer disk, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports.

5. Data are standardized to create an aggregated patient record base.

   This annually updated database is used to create the Psychiatric Length of Stay (LOS) series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specifc diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40% of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,068 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages vii-ix. Table definitions are as follows:

Hospitals with or without a Psychiatric Unit or Beds

The 1987 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Average Occupancy

According to *AHA Guide*, 1989, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."[2]

Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

---

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

[2] *American Hospital Association Guide to the Health Care Field*, American Hospital Association, Chicago, Illinois, 1989.

Table 1
1988 PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS*

	Hospitals with Psychiatric Unit/Beds	Hospitals without Psychiatric Unit/Beds	Total
Number of Hospitals			
Universe**	1,322	4,198	5,520
Sample	315	753	1,068
Hospitals as Percent of Universe			
Universe	100.0	100.0	100.0
Sample	23.8	17.9	19.3
Number of Urban Hospitals			
Universe	1,061	1,839	2,900
Sample	237	359	596
Urban Hospitals as Percent of Universe			
Universe	80.3	43.8	52.5
Sample	17.9	8.6	10.8
Number of High/Medium Teaching Intensity Hospitals			
Universe	601	329	930
Sample	124	90	214
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe			
Universe	45.5	7.8	16.8
Sample	9.4	2.1	3.9
Average Occupancy as Percent of Universe			
Universe	66.3	51.6	55.1
Sample	66.3	55.5	58.6

---

*Hospitals with average stay less than 30 days.

**The Universe means all hospitals recording facility information on the 1987 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	315	100.0	183,184	100.0
Control				
Public	39	12.4	19,263	10.5
Private	251	79.7	150,721	82.3
Unknown	25	7.9	13,200	7.2
Bedsize				
< 100 Beds	27	8.6	6,079	3.3
100-199	71	22.5	31,592	17.2
200-299	70	22.2	35,744	19.5
300-399	64	20.3	46,289	25.3
400-499	35	11.1	24,542	13.4
500+	48	15.2	38,938	21.3
Teaching Intensity				
Low	191	60.6	96,313	52.6
Medium	77	24.4	51,963	28.4
High	47	14.9	34,908	19.1
Location				
Rural	78	24.8	30,143	16.5
Urban	237	75.2	153,041	83.5

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	753	100.0	71,592	100.0
Control				
Public	167	22.2	8,669	12.1
Private	566	75.2	60,350	84.3
Private	20	2.7	2,573	3.6
Bedsize				
<100 Beds	409	54.3	19,894	27.8
100-199	187	24.8	17,638	24.6
200-299	88	11.7	16,615	23.2
300-399	37	4.9	7,242	10.1
400-499	15	2.0	7,357	10.3
500+	17	2.3	2,846	4.0
Teaching Intensity				
Low	663	88.0	54,509	76.1
Medium	71	9.4	15,150	21.2
High	19	2.5	1,933	2.7
Location				
Rural	394	52.3	20,518	28.7
Urban	359	47.7	51,074	71.3

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the four census regions. Appendix 1 lists the states comprising each region, and the number of hospitals and patients included in each volume.



** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included at the end of the Appendix.) The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 2 lists, in numerical order, the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying description, and the page number in the particular volume where a table is located. Appendix 3 lists, in alphabetical order, the psychiatric diagnoses and accompanying numerical codes.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

- **a.** Hospitals with a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.
- **b.** Hospitals without a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 2 or 3 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The 1988 Psychiatric Length of Stay series represents the third annual edition of this publication. The series provides a comparative view of inpatient psychiatric patterns in short-term general hospitals throughout the United States.

Profile of Psychiatric Database

For each of the three years (1986-1988), 4% of the patient records included in the standard length of stay database list a psychiatric disorder as a principal diagnosis. Approximately 72% percent of the discharge records included in the 1988 tables are from hospitals with psychiatric units or beds, with the remaining 28% from hospitals without psychiatric units.

Diagnoses most often reported for patients in hospitals with psychiatric unit/beds, along with the frequency and length of stay for each, are shown in TABLE 4. These can be compared to the most frequently reported diagnoses in hospitals without psychiatric units in TABLE 5. Hospitals with psychiatric units are more likely to report adjustment reactions (ICD-9-CM 309) for younger age groups and affective psychoses (ICD-9-CM 296) for older ages, whereas diagnoses in hospitals without psychiatric units are more often substance abuse related (ICD-9-CM codes 303-305). The prevalence of substance abuse problems with psychiatric patients is further evidenced when secondary diagnoses are examined. Alcohol dependence (ICD-9-CM 303) is found as a secondary diagnosis in 24% of the patients with a psychiatric principal diagnosis in hospitals with psychiatric units and in 50% of the same patients in hospitals without units.

Table 4
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITH PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	309 Adjustment Reaction	21%	14.2
	296 Affective Psychoses	17%	24.6
	300 Neurotic Disorders	14%	21.9
18-24	296 Affective Psychoses	20%	15.7
	309 Adjustment Reaction	16%	7.6
	295 Schizophrenic Disorders	14%	17.4
25-54	296 Affective Psychoses	27%	15.2
	303 Alcohol Dependence Syndrome	18%	12.7
	295 Schizophrenic Disorders	17%	15.8
55-74	296 Affective Psychoses	40%	19.1
	303 Alcohol Dependence Syndrome	14%	12.7
	295 Schizophrenic Disorders	11%	19.2
75+	296 Affective Psychoses	32%	21.4
	290 Senile/Presenile Psychoses	23%	13.3
	293 Transient Org. Mental Disorders	7%	11.9
All Ages	296 Affective Psychoses	27%	17.2
	303 Alcohol Dependence Syndrome	14%	13.6
	295 Schizophrenic Disorders	13%	16.7

Table 5
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITHOUT PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	303 Alcohol Dependence Syndrome	15%	24.2
	296 Affective Psychoses	13%	25.8
	305 Nondependent Drug Abuse	11%	6.4
18-24	303 Alcohol Dependence Syndrome	27%	16.2
	304 Drug Dependence	20%	15.9
	296 Affective Psychoses	8%	11.4
25-54	303 Alcohol Dependence Syndrome	35%	13.0
	291 Alcohol Psychoses	14%	5.2
	304 Drug Dependence	12%	14.3
55-74	303 Alcohol Dependence Syndrome	29%	11.5
	291 Alcohol Psychoses	14%	6.9
	296 Affective Psychoses	13%	13.2
75+	290 Senile/Presenile Psychoses	28%	11.5
	296 Affective Psychoses	9%	14.7
	300 Neurotic Disorders	8%	6.7
All Ages	303 Alcohol Dependence Syndrome	29%	13.5
	291 Alcohol Psychoses	11%	5.6
	304 Drug Dependence	10%	15.5

Psychiatric drug therapy (ICD-9-CM 94.25) and CAT scan of head (ICD-9-CM 87.03) are procedures most frequently recorded for patients with a principal psychiatric diagnosis code. The incidence of drug therapy is higher (33%) in hospitals without psychiatric units/beds, than hospitals with psychiatric units (17%).

Psychiatric Length of Stay

In the United States, the average stay for psychiatric patients in short-term general hospitals with a psychiatric unit is 30% longer (14.4 days) than in hospitals without units (11.0 days). This ratio has remained constant over three years. Recent research indicates an even larger difference between the length of stay in the two types of hospitals, suggesting that many of the patients in hospitals without units are transferred to other hospitals to be treated by a psychiatrist. Since patients transferred to other acute care facilities are excluded from our data, this would explain the longer stays.

Age and sex differences are noted in length of stay for both types of hospitals. Children under the age of 18, constituting 10% of the discharges with a psychiatric principal diagnosis, have the longest length of stay of any age group. Generally, females of any age have longer stays than males.

TABLE 6 displays three years of hospital stay trends in the United States and four regions for all psychiatric codes (290.0-314.9) in hospitals with a psychiatric unit.

Table 6
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88
ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITH PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	13.9	14.8	15.4
North Central	14.9	14.7	14.9
South	13.2	14.1	14.6
West	11.8	12.3	12.4
U.S.	13.7	14.1	14.4

A continuing increase in length of stay for psychiatric inpatient care is evident for U.S. hospitals with psychiatric units; from 1986 to 1988 there is a 5% increase in stay (.7 days). The established pattern of high lengths of stay in the northeast and low stays in the west remains constant in 1988, as it did in 1987. For all psychiatric diagnoses, the difference between the northeastern and western regions in 1988 is 3 days.

One possible explanation for the increasing days of inpatient stay may relate to the fact that patients staying over 99 days are excluded from the computation of the average length of stay. If there has been a decrease in total days for the outliers, for example, from 120 to 94 days, their stay would now be included in the average, causing that figure to be higher. This theory needs to be tested out in future studies.

Differences in average length of stay from 1986-1988 are not as steady in hospitals without psychiatric units/beds. As Table 7 shows below, there has been a 6% increase in stay (.6 days) throughout the United States, but regional differences are not consistent with the usual pattern. Length of stay increases in the northeast, north central and southern regions, but continues to decline in the west. Despite the increase, hospitals without psychiatric units/beds in the northeast continue to have a considerably shorter hospital stay for psychiatric patients than any other region.

Table 7
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88
ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITHOUT PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	7.6	8.7	9.2
North Central	10.9	11.9	12.3
South	9.7	10.3	11.4
West	11.6	11.4	11.2
U.S.	10.4	10.7	11.0

In summary, this analysis of the 1988 Psychiatric Length of Stay data reveals:

1. In the United States, for all psychiatric codes, the average length of stay continues to increase in short-term hospitals either with or without a psychiatric unit.
2. For hospitals with a psychiatric unit or beds regional variations in length of stay are consistent with the widely acknowledged patterns, high length of stays in the northeast and north central and low stays in the south and west region.
3. For the same group of diagnoses in hospitals without a psychiatric unit/beds, although length of stay generally increases, the above mentioned regional patterns do not hold.

This discussion introduces a few of the analyses possible using the Psychiatric Length of Stay series. As readers conduct their own inquiries, it is essential to remember that the statistics in this section are merely descriptive, drawn from the discharge records of 1,068 short-term general hospitals in the United States. In the course of using psychiatric length of stay data it is important that readers routinely:

1. examine the characteristics of the database;
2. look at the patient counts in each diagnosis table; and
3. consider any clinical, financial, legal, and social issues which might affect the data.

Such caution, paired with expertise, will make the statistics and tables presented in the next section an appropriate tool for developing cost and quality of care guidelines for patients with psychiatric conditions.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	441	20.2	393	1	4	14	33	51	72	99+	104	11.8	376	1	1	3	11	40	54	98
13-17	1032	19.3	309	2	5	14	30	42	51	91	386	17.8	352	1	2	10	30	43	57	94
18-24	1903	13.7	195	1	3	9	21	29	37	76	395	12.3	120	1	2	9	21	28	29	38
25-34	4252	13.8	146	2	4	11	21	28	34	53	1195	13.6	115	1	3	13	21	28	29	40
35-54	5312	13.2	122	2	4	10	21	28	31	47	1561	12.8	118	1	3	9	21	28	30	37
55-74	2224	14.4	132	2	5	12	21	29	35	51	687	11.1	108	2	3	6	20	28	29	43
75 +	784	12.8	127	3	5	10	17	26	33	62	354	8.5	73	2	3	6	11	20	28	48
ALL AGES	15948	14.2	160	2	4	11	21	29	37	62	4682	12.8	141	1	3	8	21	28	31	53
B. FEMALE																				
0-12 YRS.	246	18.8	374	2	4	13	29	48	62	98	89	14.6	564	1	2	3	15	59	79	99+
13-17	1384	18.1	299	2	4	13	28	43	54	88	380	17.5	374	1	2	10	28	47	58	98
18-24	1734	13.0	168	2	4	9	19	29	38	70	309	10.7	141	1	2	6	17	28	30	48
25-34	3869	12.8	128	2	4	10	19	28	33	55	809	11.4	119	1	3	7	19	28	30	45
35-54	5635	14.4	144	3	6	11	20	29	37	57	1069	11.1	155	1	3	5	17	28	32	68
55-74	3668	16.7	160	3	8	14	22	33	42	62	736	10.7	121	2	3	6	14	26	31	52
75 +	1675	14.0	124	3	6	12	18	28	36	55	617	9.5	108	2	4	6	11	21	29	50
ALL AGES	18211	14.7	162	2	5	11	21	31	40	62	4009	11.5	167	1	3	6	17	28	35	64
SUBTOTAL	**34159**	**14.4**	**163**	**2**	**5**	**11**	**21**	**30**	**38**	**62**	**8691**	**12.2**	**153**	**1**	**3**	**7**	**21**	**28**	**32**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	448	30.1	513	4	13	28	43	70	86	99+	70	20.2	445	2	4	11	28	56	65	80
13-17	1642	25.8	336	4	10	26	40	45	64	99+	491	25.3	339	3	11	25	36	51	62	99
18-24	2531	15.5	150	2	5	14	23	29	36	63	709	16.3	127	2	4	20	26	29	31	43
25-34	5928	13.8	111	2	4	11	21	28	30	43	2266	12.3	114	2	3	7	22	28	29	34
35-54	5704	12.8	109	2	4	10	21	27	30	46	2316	9.6	98	2	3	4	18	26	28	35
55-74	1641	13.3	116	3	5	11	20	28	34	49	591	8.4	79	2	3	4	10	24	29	33
75 +	380	14.4	142	3	6	11	20	31	39	55	133	8.9	68	2	4	6	12	19	25	46
ALL AGES	18274	15.1	167	2	4	12	22	30	39	65	6576	12.4	146	2	3	6	21	28	31	52
B. FEMALE																				
0-12 YRS.	172	26.2	437	4	8	23	43	60	85	99+	35	13.5	300	2	3	9	16	33	76	99+
13-17	1610	24.7	363	3	8	22	39	50	65	99+	343	22.8	294	2	7	23	33	45	53	91
18-24	1981	14.6	166	2	5	11	21	30	38	62	387	13.7	146	2	3	10	22	29	32	46
25-34	4133	13.7	130	2	5	11	21	28	34	54	1033	11.2	118	2	3	6	20	28	29	43
35-54	4603	14.4	143	3	5	11	21	29	36	60	953	9.7	108	2	3	5	14	27	30	45
55-74	2058	16.7	154	4	8	14	22	32	42	62	425	11.3	123	2	3	7	16	28	34	49
75 +	760	15.6	125	4	7	13	20	30	37	56	206	9.5	87	2	4	6	12	21	29	46
ALL AGES	15317	15.8	182	3	6	13	22	33	42	67	3382	12.2	150	2	3	7	21	29	34	53
SUBTOTAL	**33591**	**15.5**	**171**	**2**	**5**	**12**	**22**	**31**	**41**	**66**	**9958**	**12.3**	**148**	**2**	**3**	**6**	**21**	**29**	**32**	**52**
GRAND TOTAL	**67750**	**14.9**	**169**	**2**	**5**	**12**	**21**	**30**	**40**	**64**	**18649**	**12.3**	**149**	**2**	**3**	**7**	**21**	**28**	**32**	**55**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	10	8.5	125	1	3	5	9	24	39	39	5	5.0	18	1	2	4	7	12	12	12
75 +	50	10.8	142	2	3	7	14	20	32	61	20	9.7	81	3	4	7	13	18	30	41
ALL AGES	60	10.4	138	2	3	7	14	20	35	61	26	8.5	70	2	4	6	11	18	23	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54																				
55-74	17	14.4	262	3	5	10	15	34	55	66	7	14.4	105	5	7	8	25	29	29	29
75 +	90	9.0	47	2	4	7	11	17	24	37	40	8.5	175	2	3	5	8	14	24	83
ALL AGES	108	9.9	82	3	4	8	12	19	25	52	47	9.4	166	2	3	6	9	20	28	83
SUBTOTAL	**168**	**10.0**	**103**	**2**	**4**	**7**	**13**	**19**	**29**	**60**	**73**	**9.1**	**130**	**2**	**4**	**6**	**9**	**18**	**28**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74	3	16.7	199	8	8	9	27	33	33	33										
75 +	10	12.8	187	3	7	9	14	32	50	50	6	7.7	36	3	4	5	12	17	18	18
ALL AGES	14	13.5	164	5	8	9	14	35	47	50	6	7.7	36	3	4	5	12	17	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	13.8	26	7	9	15	18	18	18	18	3	11.0	133	2	3	7	20	24	24	24
75 +	16	10.0	36	3	7	9	13	18	24	26	9	7.1	22	3	3	5	10	14	16	16
ALL AGES	20	10.8	34	3	7	9	14	18	22	26	12	8.1	43	2	3	6	11	18	23	24
SUBTOTAL	**34**	**11.9**	**86**	**4**	**7**	**9**	**14**	**19**	**32**	**50**	**18**	**7.9**	**40**	**3**	**3**	**5**	**12**	**17**	**22**	**24**
GRAND TOTAL	**202**	**10.4**	**98**	**2**	**4**	**8**	**13**	**19**	**29**	**59**	**91**	**8.9**	**111**	**2**	**4**	**6**	**10**	**18**	**27**	**66**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	8.3	87	2	2	4	15	19	19	19										
55-74	27	10.4	56	3	6	8	12	23	26	31	14	10.1	55	4	6	8	10	23	26	27
75 +	60	10.5	62	3	5	9	13	24	28	35	32	10.6	198	3	4	6	12	31	70	99 +
ALL AGES	90	10.4	60	3	5	9	13	24	28	34	46	10.4	154	3	4	7	12	26	39	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	3	29.0	349	9	15	32	42	46	46	46	1	6.0		6	6	6	6	6	6	6
55-74	40	11.4	102	3	5	9	14	18	31	55	17	7.9	48	3	3	5	12	17	23	27
75 +	86	9.7	61	3	5	8	12	17	22	49	56	8.1	136	2	3	5	8	18	20	81
ALL AGES	129	10.7	85	3	5	8	13	19	27	55	75	8.0	111	3	3	5	8	17	20	70
SUBTOTAL	**219**	**10.5**	**76**	**3**	**5**	**9**	**13**	**21**	**27**	**49**	**121**	**8.9**	**128**	**3**	**4**	**6**	**10**	**19**	**27**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	9	14.1	168	3	5	9	21	36	40	40	8	5.4	17	2	2	4	7	12	14	14
75 +	10	9.9	38	3	6	9	11	20	22	22	2	4.5	5	3	3	4	6	6	6	6
ALL AGES	21	11.8	89	3	6	9	15	25	34	40	10	5.2	14	2	2	4	6	11	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	11	9.3	27	2	5	11	12	16	17	17	8	22.3	137	13	14	18	28	42	45	45
75 +	22	15.0	136	4	6	10	23	34	36	38	6	17.0	262	2	3	15	22	43	45	45
ALL AGES	33	13.1	105	3	6	10	17	32	35	38	14	20.0	183	3	13	18	22	45	45	45
SUBTOTAL	**54**	**12.6**	**98**	**3**	**6**	**10**	**17**	**30**	**35**	**40**	**24**	**13.8**	**166**	**2**	**4**	**11**	**19**	**37**	**45**	**45**
GRAND TOTAL	**273**	**11.0**	**79**	**3**	**5**	**9**	**13**	**22**	**31**	**45**	**145**	**9.7**	**136**	**3**	**4**	**6**	**12**	**20**	**31**	**86**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	15	21.7	109	10	14	20	30	36	42	44	5	32.8	159	20	24	32	39	53	53	53
75 +	33	16.1	67	8	12	15	19	26	32	43	7	16.0	112	4	5	21	23	29	31	31
ALL AGES	48	17.9	83	8	12	15	21	31	37	44	12	23.0	193	5	13	22	31	40	51	53
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	27	14.6	100	3	7	13	20	29	37	40	6	15.3	57	5	11	15	23	23	23	23
75 +	111	15.2	80	6	9	14	18	26	35	45	28	14.9	150	2	5	11	24	34	41	43
ALL AGES	138	15.1	83	6	9	14	18	28	36	43	34	14.9	134	3	6	13	23	29	40	43
SUBTOTAL	**186**	**15.8**	**85**	**6**	**10**	**14**	**19**	**29**	**36**	**44**	**46**	**17.0**	**159**	**4**	**6**	**16**	**24**	**34**	**41**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	6	18.0	38	12	15	16	21	28	29	29	1	31.0		31	31	31	31	31	31	31
75 +	6	12.3	131	5	5	8	12	33	35	35										
ALL AGES	13	14.8	81	5	9	12	17	30	34	35	1	31.0		31	31	31	31	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	6	22.5	52	15	16	22	25	34	35	35	1	18.0		18	18	18	18	18	18	18
75 +	21	11.1	40	3	6	11	15	21	22	22	10	15.7	132	4	10	15	17	31	45	45
ALL AGES	27	13.7	62	4	7	13	19	22	26	35	11	15.9	120	4	10	15	18	29	44	45
SUBTOTAL	**40**	**14.1**	**65**	**5**	**8**	**13**	**19**	**24**	**32**	**35**	**12**	**17.2**	**126**	**4**	**11**	**16**	**18**	**35**	**44**	**45**
GRAND TOTAL	**226**	**15.5**	**81**	**6**	**9**	**14**	**19**	**28**	**35**	**43**	**58**	**17.1**	**148**	**4**	**6**	**16**	**24**	**33**	**42**	**52**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	13	12.0	29	5	8	12	16	19	21	21	4	7.0	12	4	5	6	9	12	12	12
75 +	55	10.5	57	3	6	9	13	18	25	43	21	7.4	23	3	4	6	8	15	19	22
ALL AGES	68	10.8	51	3	6	9	14	19	25	41	25	7.3	21	4	4	6	8	13	18	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	19	9.3	22	3	7	9	12	15	18	21	14	6.4	22	2	3	5	9	13	16	17
75 +	88	11.1	68	3	5	9	15	21	27	38	49	10.1	144	3	4	7	12	16	21	75
ALL AGES	107	10.8	59	3	5	9	14	20	25	38	63	9.3	118	3	4	7	12	16	18	71
SUBTOTAL	**175**	**10.8**	**56**	**3**	**6**	**9**	**14**	**20**	**25**	**38**	**88**	**8.8**	**89**	**3**	**4**	**6**	**10**	**16**	**18**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	18.3	259	8	8	12	28	42	42	42										
75 +	12	12.6	51	4	6	12	18	22	25	26	3	5.3	2	4	4	6	6	6	6	6
ALL AGES	16	14.0	97	4	7	12	18	25	37	42	3	5.3	2	4	4	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	23.0		23	23	23	23	23	23	23	1	10.0		10	10	10	10	10	10	10
75 +	20	15.6	72	6	9	14	21	27	33	37	9	9.4	41	3	4	8	14	19	21	21
ALL AGES	22	16.2	73	7	10	15	21	26	33	37	10	9.5	36	3	4	9	14	18	21	21
SUBTOTAL	**38**	**15.3**	**81**	**5**	**8**	**14**	**21**	**25**	**34**	**42**	**13**	**8.5**	**31**	**3**	**4**	**6**	**11**	**17**	**20**	**21**
GRAND TOTAL	**213**	**11.6**	**63**	**3**	**6**	**10**	**15**	**21**	**26**	**40**	**101**	**8.7**	**83**	**3**	**4**	**6**	**10**	**16**	**19**	**61**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	31	12.0	90	4	6	9	16	25	26	48	15	11.5	91	2	3	8	19	28	29	29
75 +	71	11.8	82	4	5	9	16	22	30	44	27	7.0	16	2	3	8	11	12	13	14
ALL AGES	102	11.9	83	4	5	9	16	23	30	46	42	8.6	46	2	3	8	11	18	25	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	25	10.3	70	1	5	9	11	26	29	32	10	8.5	71	3	5	7	7	20	32	32
75 +	102	10.6	57	3	5	8	14	21	26	35	30	11.8	116	3	5	9	17	20	31	55
ALL AGES	128	10.5	58	3	5	8	14	22	27	34	40	11.0	105	3	5	7	14	20	31	55
SUBTOTAL	**230**	**11.1**	**70**	**3**	**5**	**9**	**14**	**22**	**28**	**42**	**82**	**9.8**	**75**	**2**	**4**	**7**	**12**	**20**	**28**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	13	16.9	98	7	10	14	23	29	40	42	4	7.3	42	3	3	4	11	17	17	17
75 +	14	20.2	364	3	7	10	42	51	53	54	5	9.2	88	2	3	6	14	25	25	25
ALL AGES	27	18.6	231	5	7	13	25	44	51	54	9	8.3	62	2	3	5	12	22	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	1	33.0		33	33	33	33	33	33	33
55-74	14	13.8	67	5	7	12	20	25	28	29	2	23.0	450	8	8	23	38	38	38	38
75 +	14	12.1	55	3	4	12	17	22	24	24	6	14.0	79	6	9	11	15	29	31	31
ALL AGES	29	12.9	59	3	7	13	18	23	25	29	9	18.1	153	7	9	13	31	36	38	38
SUBTOTAL	**56**	**15.7**	**146**	**4**	**7**	**13**	**21**	**29**	**43**	**54**	**18**	**13.2**	**126**	**3**	**5**	**9**	**17**	**32**	**36**	**38**
GRAND TOTAL	**286**	**12.0**	**88**	**4**	**5**	**9**	**16**	**24**	**30**	**47**	**100**	**10.4**	**85**	**2**	**4**	**8**	**13**	**22**	**31**	**46**

SENILE PSYCHOSIS NEC (290.8)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**2**	**10.0**	**8**	**8**	**8**	**10**	**12**	**12**	**12**	**12**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**10.0**	**8**	**8**	**8**	**10**	**12**	**12**	**12**	**12**										

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +	2	7.0	18	4	4	7	10	10	10	10										
ALL AGES	2	7.0	18	4	4	7	10	10	10	10	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**3**	**6.7**	**9**	**4**	**4**	**6**	**9**	**10**	**10**	**10**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES											1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**3**	**6.7**	**9**	**4**	**4**	**6**	**9**	**10**	**10**	**10**	**2**	**7.0**	**2**	**6**	**6**	**7**	**8**	**8**	**8**	**8**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	15	5.0	10	2	3	4	6	9	12	13	2	5.0	2	4	4	5	6	6	6	6
35-54	26	5.1	16	2	2	4	6	10	16	17	18	7.4	53	2	3	5	8	20	26	28
55-74	18	9.9	41	3	5	8	15	19	22	24	12	6.0	13	2	3	5	9	11	12	12
75 +	3	5.3	2	4	4	6	6	6	6	6	2	11.5	5	10	10	11	13	13	13	13
ALL AGES	63	6.4	25	2	3	5	7	15	18	23	34	7.0	34	2	3	5	10	12	22	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	2.0		2	2	2	2	2	2	2	3	3.7	1	3	3	3	5	5	5	5
35-54	6	4.7	15	1	2	3	8	11	11	11	6	3.7	5	1	2	4	6	6	6	6
55-74	3	5.7	30	2	2	3	10	12	12	12	1	2.0		2	2	2	2	2	2	2
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	12	4.8	15	1	2	3	7	11	12	12	10	3.5	3	1	2	3	5	6	6	6
SUBTOTAL	**75**	**6.2**	**23**	**2**	**3**	**5**	**7**	**15**	**17**	**23**	**44**	**6.2**	**29**	**2**	**3**	**5**	**7**	**11**	**16**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	11	6.9	78	1	2	3	8	23	27	27										
25-34	60	6.8	56	2	2	4	7	19	26	33	39	9.8	108	3	3	5	9	30	30	32
35-54	185	6.7	53	2	3	4	7	18	25	34	113	8.2	77	2	3	5	8	27	29	32
55-74	74	7.1	71	3	4	5	8	10	23	54	46	7.5	73	2	3	4	7	27	30	33
75 +	3	18.3	754	2	2	3	38	50	50	50	7	12.6	81	2	5	12	18	26	28	28
ALL AGES	333	6.9	64	2	3	4	7	17	25	36	205	8.5	82	2	3	5	8	28	30	33
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	4.0	2	3	3	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
25-34	16	10.9	171	1	2	4	15	32	40	44	12	5.3	21	2	3	4	5	13	17	18
35-54	43	6.5	63	2	3	3	6	16	28	36	27	7.2	58	2	3	4	7	18	28	31
55-74	14	9.6	84	3	3	6	12	27	30	31	5	9.2	11	5	7	9	11	14	14	14
75 +	5	6.2	17	2	3	6	8	13	13	13	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	81	7.8	83	2	3	4	8	25	31	42	47	6.7	41	2	3	4	8	15	20	31
SUBTOTAL	**414**	**7.1**	**67**	**2**	**3**	**4**	**7**	**18**	**26**	**37**	**252**	**8.2**	**74**	**2**	**3**	**5**	**8**	**27**	**29**	**32**
GRAND TOTAL	**489**	**7.0**	**60**	**2**	**3**	**4**	**7**	**17**	**25**	**36**	**296**	**7.9**	**68**	**2**	**3**	**5**	**8**	**27**	**29**	**32**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	14.0	8	12	12	14	16	16	16	16										
55-74	4	15.8	163	2	5	15	26	31	31	31	3	13.0	133	4	5	9	22	26	26	26
75 +																				
ALL AGES	6	15.2	100	3	9	14	21	30	31	31	3	13.0	133	4	5	9	22	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	31.0		31	31	31	31	31	31	31										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	12.0	271	2	2	3	24	31	31	31										
SUBTOTAL	**9**	**14.1**	**134**	**2**	**3**	**12**	**23**	**31**	**31**	**31**	**3**	**13.0**	**133**	**4**	**5**	**9**	**22**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	15.8	126	3	6	16	25	28	28	28	1	19.0		19	19	19	19	19	19	19
55-74	7	15.1	167	2	4	13	28	32	32	32	5	13.8	394	2	3	5	19	49	49	49
75 +	1	36.0		36	36	36	36	36	36	36	2	14.0	72	8	8	14	20	20	20	20
ALL AGES	12	17.1	160	2	4	16	29	33	36	36	8	14.5	239	3	4	8	19	40	49	49
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	2	10.5	5	9	9	10	12	12	12	12										
75 +																				
ALL AGES	3	9.3	7	7	7	9	11	12	12	12										
SUBTOTAL	**15**	**15.5**	**139**	**3**	**5**	**12**	**26**	**32**	**35**	**36**	**8**	**14.5**	**239**	**3**	**4**	**8**	**19**	**40**	**49**	**49**
GRAND TOTAL	**24**	**15.0**	**131**	**2**	**4**	**12**	**25**	**31**	**33**	**36**	**11**	**14.1**	**194**	**3**	**4**	**9**	**20**	**35**	**48**	**49**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	9.7	57	3	4	8	15	18	18	18	1	1.0		1	1	1	1	1	1	1
55-74	9	20.2	64	9	17	21	25	30	32	32	1	4.0		4	4	4	4	4	4	4
75 +											2	6.0	2	5	5	6	7	7	7	7
ALL AGES	12	17.6	79	4	12	18	23	29	32	32	4	4.3	6	1	2	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54	3	10.7	95	5	5	5	18	22	22	22	1	14.0		14	14	14	14	14	14	14
55-74	3	10.7	64	6	6	6	17	20	20	20	2	10.5	13	8	8	10	13	13	13	13
75 +											2	8.0	72	2	2	8	14	14	14	14
ALL AGES	6	10.7	64	5	5	6	20	22	22	22	6	9.2	27	2	4	10	14	14	14	14
SUBTOTAL	**18**	**15.3**	**81**	**4**	**6**	**17**	**21**	**27**	**30**	**32**	**10**	**7.2**	**24**	**1**	**4**	**6**	**13**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34	3	18.3	135	5	10	25	25	25	25	25										
35-54	16	17.0	434	2	5	9	16	45	71	82	3	5.0	21	1	2	4	8	10	10	10
55-74	19	13.4	79	3	6	12	20	28	29	29	9	12.0	124	2	5	9	15	30	38	38
75 +	2	17.0	128	9	9	17	25	25	25	25	2	9.5	25	6	6	9	13	13	13	13
ALL AGES	41	15.5	214	3	6	12	21	29	38	82	14	10.1	91	1	5	7	13	19	34	38
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	7.5	1	7	7	7	8	8	8	8	2	9.0	98	2	2	9	16	16	16	16
55-74	6	14.3	83	7	7	12	16	29	31	31	2	7.0		7	7	7	7	7	7	7
75 +	3	9.0	4	7	7	9	10	11	11	11	1	4.0		4	4	4	4	4	4	4
ALL AGES	11	11.6	52	7	7	9	14	22	30	31	5	7.2	29	2	3	7	9	16	16	16
SUBTOTAL	**52**	**14.7**	**180**	**4**	**7**	**10**	**20**	**29**	**32**	**81**	**19**	**9.4**	**72**	**2**	**4**	**7**	**13**	**17**	**29**	**38**
GRAND TOTAL	**70**	**14.9**	**152**	**4**	**7**	**12**	**21**	**28**	**32**	**75**	**29**	**8.6**	**56**	**1**	**4**	**7**	**13**	**16**	**18**	**38**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	6	8.0	5	5	6	8	9	11	11	11	2	3.0	8	1	1	2	5	5	5	5
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	9	6.6	8	3	5	6	9	10	11	11	2	3.0	8	1	1	2	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
SUBTOTAL	**11**	**5.8**	**10**	**2**	**3**	**5**	**9**	**10**	**11**	**11**	**2**	**3.0**	**8**	**1**	**1**	**2**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	9	5.8	98	1	2	3	4	21	32	32	3	2.3	2	1	1	3	3	3	3	3
35-54	25	6.3	29	2	3	4	7	18	20	22	8	12.8	204	3	4	6	19	37	40	40
55-74	6	6.2	19	2	3	5	8	13	14	14	3	10.7	43	3	6	14	15	15	15	15
75 +	1	3.0		3	3	3	3	3	3	3	1	17.0		17	17	17	17	17	17	17
ALL AGES	41	6.1	40	2	3	4	7	16	20	32	15	10.5	130	3	3	6	15	31	38	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.0	2	3	3	4	5	5	5	5										
25-34	3	11.3	55	3	6	14	16	17	17	17										
35-54	8	4.8	15	2	2	4	5	11	14	14	1	3.0		3	3	3	3	3	3	3
55-74	1	3.0		3	3	3	3	3	3	3	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	14	5.9	26	2	3	4	5	15	16	17	2	7.0	32	3	3	7	11	11	11	11
SUBTOTAL	**55**	**6.0**	**36**	**2**	**3**	**4**	**7**	**14**	**19**	**31**	**17**	**10.1**	**117**	**3**	**3**	**6**	**14**	**28**	**37**	**40**
GRAND TOTAL	**66**	**6.0**	**31**	**2**	**3**	**4**	**7**	**14**	**18**	**30**	**19**	**9.4**	**109**	**2**	**3**	**5**	**13**	**25**	**36**	**40**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	2.0	1	1	1	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**6**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**										

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	14.0		14	14	14	14	14	14	14										
35-54	2	5.0		5	5	5	5	5	5	5										
55-74	3	15.7	280	5	5	7	28	35	35	35										
75 +																				
ALL AGES	7	12.1	119	5	5	7	14	31	35	35										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74																				
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	3	9.3	141	2	2	3	18	23	23	23										
SUBTOTAL	**10**	**11.3**	**112**	**2**	**5**	**6**	**14**	**29**	**35**	**35**										
GRAND TOTAL	**10**	**11.3**	**112**	**2**	**5**	**6**	**14**	**29**	**35**	**35**										

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	2.5	5	1	1	2	4	4	4	4	3	2.3	6	1	1	1	4	5	5	5
25-34	16	3.7	17	1	1	2	4	7	14	17	19	4.3	14	1	3	3	5	7	13	18
35-54	45	3.7	4	2	2	3	5	7	9	9	36	4.0	7	1	2	4	5	8	8	13
55-74	16	4.3	11	1	2	3	6	11	12	12	8	5.4	29	1	2	3	9	14	14	14
75 +	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
ALL AGES	80	3.8	8	1	2	3	5	7	9	15	68	4.1	11	1	2	3	5	7	13	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	3.2	1	2	2	3	4	5	5	5	6	3.7		3	3	4	4	5	5	5
35-54	15	3.5	4	1	2	4	5	6	6	6	6	6.5	112	1	1	2	4	26	28	28
55-74	8	4.3	7	2	2	3	5	9	10	10	6	5.0	21	1	2	3	8	12	13	13
75 +																				
ALL AGES	29	3.7	4	2	2	3	5	6	7	10	18	5.1	40	1	2	3	4	11	22	28
SUBTOTAL	**109**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**14**	**86**	**4.3**	**17**	**1**	**2**	**3**	**5**	**8**	**13**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	27	12.6	144	1	2	5	26	28	30	31	26	2.4	1	1	2	3	3	3	3	3
25-34	140	11.6	118	2	2	5	22	27	29	40	328	2.9	3	2	2	3	3	4	4	9
35-54	270	8.7	78	2	3	4	12	25	28	30	649	3.1	4	2	2	3	3	4	6	11
55-74	107	7.9	53	2	3	5	9	22	24	31	168	3.7	7	2	2	3	4	6	8	13
75 +	11	9.6	50	2	5	9	12	21	25	25	4	4.3	11	1	2	3	6	9	9	9
ALL AGES	555	9.5	88	2	3	5	16	26	28	32	1175	3.1	4	2	2	3	3	4	6	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	9	16.2	84	2	9	18	22	26	28	28	9	2.2	1	1	2	2	3	3	3	3
25-34	38	9.7	141	1	2	4	18	28	37	42	87	3.4	14	2	2	3	3	5	6	26
35-54	80	8.9	92	2	3	4	12	28	30	35	153	3.0	1	2	2	3	3	4	6	8
55-74	28	7.9	50	2	3	5	9	21	23	28	37	3.7	9	1	3	3	4	5	6	20
75 +											3	6.0	4	4	4	6	7	8	8	8
ALL AGES	156	9.3	97	2	3	4	13	28	29	41	289	3.2	7	2	2	3	3	5	6	8
SUBTOTAL	**711**	**9.4**	**91**	**2**	**3**	**5**	**15**	**26**	**28**	**33**	**1464**	**3.2**	**4**	**2**	**2**	**3**	**3**	**4**	**6**	**12**
GRAND TOTAL	**820**	**8.7**	**82**	**2**	**3**	**4**	**11**	**25**	**28**	**32**	**1550**	**3.2**	**5**	**2**	**2**	**3**	**3**	**5**	**6**	**13**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	3	7.0	43	1	2	6	12	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	2	5.0	18	2	2	5	8	8	8	8										
SUBTOTAL	**5**	**6.2**	**27**	**1**	**2**	**6**	**9**	**14**	**14**	**14**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	17.8	199	2	6	21	25	38	38	38										
35-54	7	9.0	158	2	2	4	8	31	37	37										
55-74	4	13.5	75	3	7	13	19	24	24	24										
75 +																				
ALL AGES	16	12.9	146	2	3	8	21	36	38	38										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**17**	**12.6**	**138**	**2**	**3**	**8**	**21**	**34**	**38**	**38**										
GRAND TOTAL	**22**	**11.1**	**119**	**2**	**3**	**7**	**15**	**28**	**37**	**38**										

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	3	3.3	3	2	2	3	4	5	5	5	3	4.0	1	3	3	4	5	5	5	5
35-54	2	3.0	2	2	2	3	4	4	4	4	3	2.7	2	1	1	3	4	4	4	4
55-74	3	4.7	6	2	3	5	6	7	7	7	2	4.5	5	3	3	4	6	6	6	6
75 +																				
ALL AGES	8	3.8	3	2	2	3	5	6	7	7	9	3.6	2	2	3	3	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
25-34	6	3.0	3	1	2	3	5	5	5	5	4	1.3		1	1	1	2	2	2	2
35-54	10	7.7	54	2	3	6	8	18	27	27	4	5.5	17	1	3	5	8	11	11	11
55-74	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
75 +	1	2.0		2	2	2	2	2	2	2	3	16.3	199	3	6	15	27	31	31	31
ALL AGES	20	5.2	33	1	2	4	6	9	18	27	13	6.2	74	1	1	3	7	18	29	31
SUBTOTAL	**28**	**4.8**	**24**	**1**	**2**	**4**	**6**	**8**	**12**	**27**	**22**	**5.1**	**45**	**1**	**1**	**3**	**5**	**12**	**21**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											2	2.0	2	1	1	2	3	3	3	3
18-24	4	15.5	142	3	5	15	25	28	28	28	34	3.1	2	2	2	3	3	4	7	8
25-34	34	12.8	112	2	3	7	24	26	29	31	240	3.0	1	2	3	3	3	4	5	7
35-54	21	10.0	95	2	3	4	18	27	29	30	156	2.9	1	2	3	3	3	4	5	6
55-74	4	6.5	4	4	5	6	8	9	9	9	22	2.9		2	3	3	3	4	4	4
75 +											2	4.0		4	4	4	4	4	4	4
ALL AGES	64	11.5	101	2	3	6	21	26	29	31	456	3.0	1	2	3	3	3	4	5	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	94.0		94	94	94	94	94	94	94	1	3.0		3	3	3	3	3	3	3
18-24	6	15.0	162	2	3	15	24	30	31	31	27	2.3	1	1	1	2	3	4	4	5
25-34	14	17.4	76	5	7	18	25	28	28	28	97	3.2	11	2	2	3	3	4	5	21
35-54	19	14.2	116	4	6	10	20	28	36	42	62	3.2	1	2	3	3	3	4	5	7
55-74	13	15.7	129	5	7	10	27	33	33	33	16	3.6	2	2	2	3	5	6	6	6
75 +	3	12.0	13	9	9	11	15	16	16	16	2	6.0	18	3	3	6	9	9	9	9
ALL AGES	56	16.7	213	4	6	13	25	29	33	91	205	3.1	6	2	2	3	3	4	6	8
SUBTOTAL	**120**	**13.9**	**160**	**3**	**4**	**9**	**23**	**28**	**30**	**58**	**661**	**3.0**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**7**
GRAND TOTAL	**148**	**12.2**	**146**	**2**	**4**	**7**	**21**	**28**	**29**	**43**	**683**	**3.1**	**4**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24	3	7.0	43	1	1	6	12	14	14	14										
25-34	3	10.0	103	1	3	8	18	21	21	21	1	1.0		1	1	1	1	1	1	1
35-54	2	10.0	8	8	8	10	12	12	12	12										
55-74	4	7.0	17	4	4	5	9	13	13	13	1	4.0		4	4	4	4	4	4	4
75 +	4	3.8		3	3	4	4	5	5	5	2	6.0	32	2	2	6	10	10	10	10
ALL AGES	17	6.8	29	1	3	5	9	14	19	21	4	4.3	16	1	1	3	7	10	10	10
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	7.0	6	5	5	7	9	10	10	10										
35-54	4	5.0	5	3	3	4	6	8	8	8										
55-74	7	14.9	236	4	8	10	13	42	49	49	2	10.0	2	9	9	10	11	11	11	11
75 +	9	6.0	13	2	4	5	8	12	12	12	1	4.0		4	4	4	4	4	4	4
ALL AGES	26	8.3	79	3	4	6	10	12	20	49	4	6.5	18	2	3	6	10	11	11	11
SUBTOTAL	**43**	**7.7**	**59**	**2**	**4**	**6**	**10**	**13**	**16**	**49**	**8**	**5.4**	**16**	**1**	**2**	**4**	**9**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	5.0	37	1	1	2	8	14	14	14										
18-24	5	24.4	535	1	9	14	42	59	59	59	1	4.0		4	4	4	4	4	4	4
25-34	16	9.8	238	1	4	6	8	14	50	66	1	1.0		1	1	1	1	1	1	1
35-54	7	10.7	95	2	4	7	20	25	25	25										
55-74	2	6.0	2	5	5	6	7	7	7	7										
75 +	2	3.0		3	3	3	3	3	3	3										
ALL AGES	36	10.9	218	1	3	6	12	25	52	66	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	6.3	4	4	4	6	8	9	9	9										
25-34	5	6.0	13	1	4	6	7	11	11	11										
35-54	2	6.0	2	5	5	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74	2	19.5	481	4	4	19	35	35	35	35										
75 +	3	12.7	113	6	6	7	20	25	25	25	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	16	9.0	75	4	5	6	8	24	32	35	3	3.0	1	2	2	3	4	4	4	4
SUBTOTAL	**52**	**10.3**	**173**	**1**	**4**	**6**	**10**	**25**	**36**	**66**	**5**	**2.8**	**2**	**1**	**2**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**95**	**9.1**	**122**	**2**	**4**	**6**	**10**	**14**	**33**	**63**	**13**	**4.4**	**11**	**1**	**2**	**4**	**6**	**10**	**11**	**11**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.0	32	1	1	5	9	9	9	9	1	1.0		1	1	1	1	1	1	1
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	4	7.0	49	1	1	5	12	16	16	16	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**4**	**7.0**	**49**	**1**	**1**	**5**	**12**	**16**	**16**	**16**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**5**	**7.4**	**37**	**1**	**2**	**9**	**11**	**16**	**16**	**16**	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
18-24	2	11.5	145	3	3	11	20	20	20	20	1	1.0		1	1	1	1	1	1	1
25-34	4	4.8	18	1	1	3	7	11	11	11	3	2.3	1	2	2	2	3	3	3	3
35-54	2	6.5	13	4	4	6	9	9	9	9	3	4.7	10	1	2	6	7	7	7	7
55-74	12	6.8	26	2	3	5	10	15	18	18	7	5.9	7	2	3	6	8	10	10	10
75 +	14	4.8	10	1	2	4	7	10	11	11	13	4.2	9	1	2	4	6	9	10	10
ALL AGES	35	5.9	21	1	3	4	8	11	17	20	29	4.3	7	1	2	4	6	9	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	4.0	9	1	2	4	6	7	7	7	1	7.0		7	7	7	7	7	7	7
35-54	7	13.9	164	1	1	16	25	30	31	31	3	4.7		4	4	5	5	5	5	5
55-74	29	8.8	69	2	3	6	11	21	26	38	9	4.8	2	3	4	4	6	7	7	7
75 +	25	6.5	27	2	3	5	7	14	19	21	18	7.1	11	3	4	7	10	11	13	15
ALL AGES	66	8.2	61	2	3	5	10	20	25	37	31	6.2	8	3	4	6	7	10	11	15
SUBTOTAL	**101**	**7.4**	**48**	**2**	**3**	**5**	**10**	**17**	**23**	**34**	**60**	**5.3**	**8**	**2**	**3**	**5**	**7**	**10**	**10**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	41.0		41	41	41	41	41	41	41										
18-24	11	7.1	60	1	2	4	10	19	26	27	1	1.0		1	1	1	1	1	1	1
25-34	10	12.3	62	1	7	12	16	23	25	25	2	4.5	25	1	1	4	8	8	8	8
35-54	5	9.0	38	3	4	6	15	17	17	17	1	6.0		6	6	6	6	6	6	6
55-74	10	6.1	20	2	3	4	10	13	15	15	4	6.8	7	3	4	7	9	9	9	9
75 +	9	9.1	70	3	5	7	10	22	30	30	2	8.5	25	5	5	8	12	12	12	12
ALL AGES	47	9.2	72	2	3	6	13	21	27	41	10	6.0	13	1	3	6	9	11	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	4	6.3	7	3	4	6	8	9	9	9										
25-34	7	10.6	75	1	4	7	15	24	26	26										
35-54	10	11.8	79	3	4	9	19	23	27	27										
55-74	17	9.3	26	3	5	8	13	17	19	19	5	9.0	144	1	2	5	13	30	30	30
75 +	15	7.7	40	2	3	5	11	17	21	22	7	4.4	7	2	3	4	5	9	10	10
ALL AGES	54	9.1	45	2	4	7	14	19	22	27	12	6.3	62	2	2	4	6	16	28	30
SUBTOTAL	**101**	**9.1**	**58**	**2**	**3**	**7**	**13**	**19**	**25**	**35**	**22**	**6.2**	**38**	**1**	**3**	**5**	**8**	**11**	**19**	**30**
GRAND TOTAL	**202**	**8.3**	**53**	**2**	**3**	**5**	**11**	**18**	**25**	**34**	**82**	**5.5**	**16**	**2**	**3**	**5**	**7**	**10**	**11**	**25**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	10.0	128	2	2	10	18	18	18	18										
18-24	3	7.7	30	4	4	5	12	14	14	14										
25-34	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
35-54	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74	2	7.5	41	3	3	7	12	12	12	12										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	9	7.9	30	2	4	6	12	16	18	18	3	3.3	11	1	1	2	6	7	7	7
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34	3	6.7	16	3	4	6	10	11	11	11										
35-54	6	9.8	87	2	3	7	12	25	27	27	2	4.0	8	2	2	4	6	6	6	6
55-74	3	9.3	51	3	4	8	15	17	17	17	2	5.5	1	5	5	5	6	6	6	6
75 +	3	7.0	31	2	3	6	11	13	13	13	4	3.5	3	1	2	4	5	5	5	5
ALL AGES	16	8.2	45	2	3	6	11	17	24	27	9	3.9	3	1	2	4	5	6	6	6
SUBTOTAL	**25**	**8.1**	**38**	**2**	**3**	**6**	**12**	**17**	**20**	**27**	**12**	**3.8**	**4**	**1**	**2**	**4**	**5**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	15.7	45	8	10	18	20	21	21	21										
18-24	6	8.8	41	1	5	7	13	18	19	19	1	9.0		9	9	9	9	9	9	9
25-34	16	10.4	81	2	3	8	13	27	30	31										
35-54	6	8.0	46	2	3	6	13	18	19	19										
55-74																				
75 +																				
ALL AGES	31	10.1	63	2	3	8	14	20	28	31	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	18.0	162	9	9	18	27	27	27	27
25-34	4	14.3	126	1	6	14	22	28	28	28										
35-54	1	23.0		23	23	23	23	23	23	23										
55-74	2	4.5	5	3	3	4	6	6	6	6										
75 +	2	5.5	1	5	5	5	6	6	6	6										
ALL AGES	9	11.1	90	2	4	6	18	26	28	28	2	18.0	162	9	9	18	27	27	27	27
SUBTOTAL	**40**	**10.4**	**66**	**2**	**4**	**8**	**15**	**22**	**28**	**31**	**3**	**15.0**	**108**	**9**	**9**	**9**	**23**	**27**	**27**	**27**
GRAND TOTAL	**65**	**9.5**	**56**	**2**	**3**	**7**	**13**	**19**	**27**	**31**	**15**	**6.0**	**41**	**1**	**2**	**5**	**7**	**9**	**23**	**27**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17	3	2.0	3	1	1	1	3	4	4	4	3	5.3	35	1	1	3	10	12	12	12
18-24	2	4.0	18	1	1	3	7	7	7	7	3	1.7		1	1	2	2	2	2	2
25-34	2	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
35-54	11	5.7	14	2	3	4	7	12	13	13	5	2.4	4	1	1	2	3	6	6	6
55-74	44	5.9	20	2	3	4	9	11	14	21	20	3.9	10	1	2	3	4	8	12	14
75 +	30	7.6	40	2	3	5	10	19	20	25	34	7.6	29	3	4	6	9	14	20	26
ALL AGES	94	6.1	26	2	3	4	8	13	18	23	66	5.7	23	1	3	4	7	12	15	25
B. FEMALE																				
0-12 YRS.											2	3.0	2	2	2	3	4	4	4	4
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	2	3.0	2	2	2	3	4	4	4	4	1	8.0		8	8	8	8	8	8	8
35-54	8	5.0	18	1	2	3	7	12	14	14	5	3.2	3	1	1	4	4	5	5	5
55-74	35	6.9	31	2	3	4	9	16	19	22	31	6.7	27	1	3	6	9	13	20	22
75 +	72	6.6	18	2	4	6	9	12	15	19	61	7.0	39	2	3	5	7	17	21	29
ALL AGES	118	6.5	21	2	3	5	9	14	17	21	100	6.7	32	2	3	5	8	14	21	27
SUBTOTAL	**212**	**6.3**	**23**	**2**	**3**	**5**	**9**	**13**	**17**	**21**	**166**	**6.3**	**29**	**2**	**3**	**5**	**8**	**13**	**20**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	2	2.0		2	2	2	2	2	2	2
25-34	4	4.5	26	1	1	2	7	12	12	12	1	1.0		1	1	1	1	1	1	1
35-54	4	3.5	2	2	2	3	4	5	5	5	2	3.5	13	1	1	3	6	6	6	6
55-74	20	6.6	25	2	3	5	11	15	16	16	8	11.0	35	4	5	11	16	18	19	19
75 +	22	8.2	97	2	3	5	8	23	36	37	10	7.5	16	3	4	7	9	14	16	16
ALL AGES	51	6.8	55	2	3	4	8	15	18	37	23	7.6	29	2	4	6	11	16	18	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	16.5	90	4	9	18	23	26	26	26										
35-54	2	7.0	50	2	2	7	12	12	12	12	4	5.3	8	3	3	5	7	9	9	9
55-74	21	8.3	45	2	3	6	11	18	24	25	13	8.2	30	3	5	6	10	14	22	24
75 +	30	10.1	75	3	5	8	11	24	29	37	18	7.9	38	2	4	6	12	16	22	25
ALL AGES	57	9.8	64	2	4	8	12	24	26	36	35	7.7	32	2	4	6	10	14	22	25
SUBTOTAL	**108**	**8.4**	**61**	**2**	**3**	**5**	**11**	**19**	**26**	**37**	**58**	**7.7**	**29**	**2**	**4**	**6**	**10**	**16**	**18**	**25**
GRAND TOTAL	**320**	**7.0**	**37**	**2**	**3**	**5**	**9**	**15**	**20**	**31**	**224**	**6.6**	**30**	**2**	**3**	**5**	**8**	**14**	**19**	**25**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	2	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +	3	2.7	8	1	1	1	5	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	4	3.5	8	1	1	3	6	6	6	6	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**6**	**3.7**	**5**	**1**	**1**	**4**	**6**	**6**	**6**	**6**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	2.5	5	1	1	2	4	4	4	4										
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	3.5	1	3	3	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**3.0**	**2**	**1**	**2**	**3**	**4**	**4**	**4**	**4**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**10**	**3.4**	**4**	**1**	**1**	**4**	**4**	**6**	**6**	**6**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	7	18.6	192	3	6	13	31	37	38	38										
25-34	18	15.3	70	5	8	14	22	28	29	29	2	26.0	200	16	16	26	36	36	36	36
35-54	27	16.4	140	3	8	15	23	31	43	50										
55-74	28	17.2	262	3	7	13	23	36	50	77	4	5.8	7	4	4	5	7	10	10	10
75 +	25	20.2	205	6	11	17	23	36	46	73	2	11.5	25	8	8	11	15	15	15	15
ALL AGES	105	17.5	175	4	8	15	23	32	40	75	8	12.3	113	4	5	9	15	30	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	1	72.0		72	72	72	72	72	72	72										
18-24	2	3.0	8	1	1	2	5	5	5	5										
25-34	11	15.9	168	6	6	9	24	35	46	47	5	18.4	98	5	10	21	25	30	30	30
35-54	22	18.2	188	5	9	14	21	40	50	55	1	10.0		10	10	10	10	10	10	10
55-74	45	16.6	73	6	9	16	23	27	33	38	3	11.0	57	4	5	10	17	19	19	19
75 +	39	17.2	88	6	9	17	23	30	37	40	3	16.0	19	13	13	14	19	21	21	21
ALL AGES	120	17.3	130	6	8	15	23	31	38	60	12	15.3	60	5	10	13	21	26	29	30
SUBTOTAL	**225**	**17.4**	**150**	**5**	**8**	**15**	**23**	**32**	**39**	**72**	**20**	**14.1**	**78**	**4**	**7**	**12**	**20**	**27**	**33**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	19.5	258	5	8	15	30	42	42	42	1	57.0		57	57	57	57	57	57	57
18-24	17	17.9	224	3	6	14	29	42	47	49										
25-34	33	21.3	114	8	14	21	29	36	42	44										
35-54	43	21.2	247	5	10	17	30	49	56	99 +	5	19.4	88	10	11	17	27	32	32	32
55-74	33	15.4	79	6	9	14	21	29	33	35	2	21.0	72	15	15	21	27	27	27	27
75 +	15	19.7	59	13	14	21	25	29	33	35	1	4.0		4	4	4	4	4	4	4
ALL AGES	145	19.3	157	5	10	17	27	39	46	68	9	22.2	252	6	11	17	28	47	57	57
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17											3	57.0	508	31	40	69	70	71	71	71
18-24	8	19.8	277	4	6	14	35	43	44	44	1	13.0		13	13	13	13	13	13	13
25-34	14	22.4	257	5	12	19	28	48	58	61	1	35.0		35	35	35	35	35	35	35
35-54	19	19.7	147	6	10	18	28	37	44	48	1	7.0		7	7	7	7	7	7	7
55-74	46	20.4	164	6	11	19	25	32	48	70	2	11.5	13	9	9	11	14	14	14	14
75 +	37	20.2	114	10	14	18	24	32	36	63	4	7.3	24	2	4	6	10	14	14	14
ALL AGES	125	20.3	159	6	11	19	25	35	46	65	12	23.2	574	5	7	13	33	70	71	71
SUBTOTAL	**270**	**19.8**	**156**	**6**	**11**	**18**	**26**	**36**	**46**	**66**	**21**	**22.8**	**415**	**5**	**9**	**14**	**31**	**62**	**70**	**71**
GRAND TOTAL	**495**	**18.7**	**155**	**5**	**9**	**17**	**24**	**35**	**44**	**69**	**41**	**18.5**	**266**	**4**	**8**	**14**	**24**	**35**	**62**	**71**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	5	8.6	61	2	3	4	16	19	19	19	2	10.5	25	7	7	10	14	14	14	14
55-74	6	6.5	45	2	2	4	9	18	19	19	3	14.7	176	6	6	8	24	30	30	30
75 +	5	9.2	23	5	6	8	12	17	17	17	1	3.0		3	3	3	3	3	3	3
ALL AGES	16	8.0	39	2	3	6	12	19	19	19	7	10.1	91	3	4	7	12	27	30	30
B. FEMALE																				
0-12 YRS.	2	13.5	221	3	3	13	24	24	24	24										
13-17																				
18-24																				
25-34	2	9.0	128	1	1	9	17	17	17	17										
35-54	3	4.3	11	2	2	3	7	8	8	8										
55-74	13	15.2	380	3	4	7	13	52	63	66	3	6.3	15	2	3	8	9	9	9	9
75 +	12	8.8	41	3	4	5	13	19	20	20	3	4.7	12	1	2	5	7	8	8	8
ALL AGES	32	11.3	187	2	4	5	13	21	46	66	6	5.5	12	1	2	6	8	9	9	9
SUBTOTAL	**48**	**10.2**	**138**	**2**	**3**	**5**	**13**	**19**	**26**	**66**	**13**	**8.0**	**56**	**2**	**3**	**7**	**8**	**17**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	2	27.5	685	9	9	27	46	46	46	46										
18-24	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	6	9.3	51	1	4	8	13	20	21	21	1	4.0		4	4	4	4	4	4	4
35-54	5	11.0	35	6	7	9	13	21	21	21										
55-74	6	11.0	26	5	10	10	11	19	20	20										
75 +	2	4.5	13	2	2	4	7	7	7	7										
ALL AGES	23	11.4	93	2	6	9	13	21	30	46	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34																				
35-54	2	6.0	18	3	3	6	9	9	9	9										
55-74	3	12.7	43	7	8	11	18	20	20	20	1	6.0		6	6	6	6	6	6	6
75 +	2	5.5	13	3	3	5	8	8	8	8	2	5.5	25	2	2	5	9	9	9	9
ALL AGES	8	9.6	36	3	5	8	13	19	20	20	3	5.7	12	2	3	6	8	9	9	9
SUBTOTAL	**31**	**11.0**	**76**	**3**	**6**	**9**	**13**	**20**	**21**	**46**	**5**	**4.4**	**10**	**1**	**2**	**4**	**7**	**9**	**9**	**9**
GRAND TOTAL	**79**	**10.5**	**113**	**2**	**4**	**8**	**13**	**20**	**23**	**61**	**18**	**7.0**	**45**	**1**	**3**	**6**	**8**	**13**	**24**	**30**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74	2	2.5	1	2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	3	4.7	14	2	2	3	7	9	9	9	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	2	8.0	2	7	7	8	9	9	9	9	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	9.7	8	7	7	9	12	13	13	13	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**6**	**7.2**	**16**	**2**	**3**	**8**	**9**	**13**	**13**	**13**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	4	13.5	124	3	4	13	23	25	25	25										
75 +	4	11.0	29	5	6	11	15	16	16	16										
ALL AGES	9	12.9	62	4	5	15	19	23	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	28.0	162	19	19	28	37	37	37	37										
75 +	3	17.0	147	6	8	15	26	30	30	30										
ALL AGES	5	21.4	150	6	13	19	32	37	37	37										
SUBTOTAL	**14**	**15.9**	**104**	**5**	**6**	**16**	**21**	**31**	**36**	**37**										
GRAND TOTAL	**20**	**13.3**	**92**	**3**	**6**	**11**	**18**	**27**	**33**	**37**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
55-74	9	12.6	34	4	9	12	16	21	23	23	3	11.3	53	3	6	15	16	16	16	16
75 +	6	11.2	38	2	6	12	16	18	18	18	2	18.5	613	1	1	18	36	36	36	36
ALL AGES	19	10.6	35	3	5	10	16	18	21	23	6	13.2	161	1	3	11	16	34	36	36
B. FEMALE																				
0-12 YRS																				
13-17																				
18-24	1	38.0		38	38	38	38	38	38	38										
25-34																				
35-54	2	8.5	25	5	5	8	12	12	12	12										
55-74	12	10.8	25	4	8	10	13	18	21	21	1	17.0		17	17	17	17	17	17	17
75 +	4	13.3	124	7	7	8	19	30	30	30	2	18.0	338	5	5	18	31	31	31	31
ALL AGES	19	12.5	78	5	7	10	14	26	34	38	3	17.7	168	5	8	17	27	31	31	31
SUBTOTAL	**38**	**11.5**	**57**	**4**	**7**	**10**	**15**	**20**	**27**	**38**	**9**	**14.7**	**148**	**2**	**4**	**15**	**20**	**34**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	9.7	23	4	6	12	13	13	13	13										
35-54	1	17.0		17	17	17	17	17	17	17	1	3.0		3	3	3	3	3	3	3
55-74	3	15.7	1	14	14	16	17	17	17	17										
75 +	3	29.0	711	8	11	20	49	59	59	59										
ALL AGES	10	18.0	229	6	12	15	17	39	59	59	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	5	14.4	403	3	4	5	20	50	50	50										
55-74	2	12.5	61	7	7	12	18	18	18	18										
75 +	2	7.0	2	6	6	7	8	8	8	8	1	7.0		7	7	7	7	7	7	7
ALL AGES	9	12.3	220	3	5	7	12	37	50	50	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**19**	**15.3**	**221**	**4**	**6**	**12**	**17**	**38**	**55**	**59**	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**
GRAND TOTAL	**57**	**12.8**	**111**	**4**	**7**	**10**	**16**	**21**	**35**	**58**	**11**	**12.9**	**135**	**2**	**4**	**8**	**17**	**33**	**36**	**36**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24	1	24.0		24	24	24	24	24	24	24										
25-34	3	8.3	5	6	7	9	10	10	10	10										
35-54	4	10.3	60	6	6	7	14	22	22	22	1	16.0		16	16	16	16	16	16	16
55-74	6	12.7	46	2	9	14	16	20	21	21										
75 +	3	5.0	7	2	3	6	7	7	7	7	1	4.0		4	4	4	4	4	4	4
ALL AGES	18	10.8	46	3	6	9	15	22	23	24	2	10.0	72	4	4	10	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	14.0	8	12	12	14	16	16	16	16										
35-54	4	20.0	299	7	8	14	31	45	45	45										
55-74	8	20.5	93	10	14	18	26	36	38	38										
75 +	6	15.0	26	11	11	13	18	23	24	24										
ALL AGES	20	18.1	97	9	11	16	20	34	41	45										
SUBTOTAL	**38**	**14.7**	**83**	**6**	**9**	**13**	**18**	**24**	**35**	**45**	**2**	**10.0**	**72**	**4**	**4**	**10**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	61.0		61	61	61	61	61	61	61										
18-24	2	10.5	181	1	1	10	20	20	20	20										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	11.0	18	8	8	11	14	14	14	14										
55-74	4	13.0	31	6	8	14	17	18	18	18										
75 +																				
ALL AGES	10	15.7	299	1	6	12	18	40	61	61										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	4	16.0	108	5	8	15	24	29	29	29	1	3.0		3	3	3	3	3	3	3
55-74	3	11.3	45	4	6	13	16	17	17	17	1	17.0		17	17	17	17	17	17	17
75 +	2	13.5	61	8	8	13	19	19	19	19										
ALL AGES	10	12.7	71	3	5	12	19	24	29	29	2	10.0	98	3	3	10	17	17	17	17
SUBTOTAL	**20**	**14.2**	**177**	**2**	**5**	**12**	**18**	**24**	**45**	**61**	**2**	**10.0**	**98**	**3**	**3**	**10**	**17**	**17**	**17**	**17**
GRAND TOTAL	**58**	**14.5**	**114**	**4**	**7**	**13**	**18**	**24**	**35**	**60**	**4**	**10.0**	**57**	**3**	**3**	**10**	**16**	**17**	**17**	**17**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	31.0	496	8	15	20	52	60	60	60										
25-34	4	20.0	133	12	13	15	27	37	37	37										
35-54	8	15.9	61	6	12	15	20	27	30	30										
55-74	15	16.5	72	6	9	17	23	30	30	30	2	12.5	41	8	8	12	17	17	17	17
75 +	11	13.8	52	8	9	11	14	26	31	31	4	10.3	34	2	6	12	14	15	15	15
ALL AGES	43	17.7	130	8	11	14	22	30	41	60	6	11.0	30	3	8	12	15	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24																				
25-34	1	18.0		18	18	18	18	18	18	18										
35-54	7	14.9	122	6	8	13	14	34	39	39	1	17.0		17	17	17	17	17	17	17
55-74	14	11.8	39	4	6	12	16	20	22	23	3	12.0	49	7	7	9	17	20	20	20
75 +	12	11.6	45	5	6	11	13	22	27	28	4	11.5	19	6	8	12	15	15	15	15
ALL AGES	35	12.5	54	5	7	12	15	20	27	39	8	12.4	25	6	8	12	16	19	20	20
SUBTOTAL	**78**	**15.4**	**101**	**6**	**9**	**13**	**19**	**29**	**35**	**57**	**14**	**11.8**	**26**	**6**	**8**	**12**	**15**	**18**	**19**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	4	11.3	43	2	7	12	15	18	18	18										
25-34	9	16.8	199	5	9	14	18	39	52	52										
35-54	3	12.7	43	7	8	11	18	20	20	20										
55-74	5	21.4	437	3	10	13	30	57	57	57	2	16.0	32	12	12	16	20	20	20	20
75 +	6	21.7	104	13	14	17	33	36	36	36	1	11.0		11	11	11	11	11	11	11
ALL AGES	28	17.4	167	5	11	14	20	35	52	57	3	14.3	26	11	11	12	18	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.0	392	3	3	17	31	31	31	31										
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	2	15.0	200	5	5	15	25	25	25	25										
35-54	5	27.4	233	2	20	31	38	40	40	40										
55-74	5	10.4	40	4	7	9	13	21	21	21										
75 +	7	18.3	165	4	7	16	29	37	38	38	4	11.8	105	5	5	7	18	27	27	27
ALL AGES	22	17.8	165	4	5	14	31	38	39	40	4	11.8	105	5	5	7	18	27	27	27
SUBTOTAL	**50**	**17.6**	**162**	**4**	**9**	**14**	**21**	**37**	**40**	**57**	**7**	**12.9**	**62**	**5**	**7**	**11**	**18**	**26**	**27**	**27**
GRAND TOTAL	**128**	**16.2**	**127**	**5**	**9**	**13**	**20**	**31**	**38**	**58**	**21**	**12.1**	**37**	**5**	**8**	**11**	**16**	**20**	**23**	**27**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	48.0		48	48	48	48	48	48	48										
18-24	2	5.5	1	5	5	5	6	6	6	6										
25-34											1	16.0		16	16	16	16	16	16	16
35-54	1	15.0		15	15	15	15	15	15	15	2	6.0	8	4	4	6	8	8	8	8
55-74																				
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	4	18.5	407	5	5	10	31	48	48	48	4	9.3	24	4	6	8	12	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	21.3	163	14	14	14	31	36	36	36	1	15.0		15	15	15	15	15	15	15
75 +											5	7.6	17	2	5	7	11	13	13	13
ALL AGES	3	21.3	163	14	14	14	31	36	36	36	6	8.8	24	2	6	8	13	15	15	15
SUBTOTAL	**7**	**19.7**	**260**	**5**	**8**	**14**	**31**	**46**	**48**	**48**	**10**	**9.0**	**21**	**3**	**6**	**8**	**13**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	29.0		29	29	29	29	29	29	29										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	3	17.0	117	8	9	14	25	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	15.0	288	3	3	15	27	27	27	27										
75 +	2	23.5	85	17	17	23	30	30	30	30	1	9.0		9	9	9	9	9	9	9
ALL AGES	4	19.3	146	3	10	22	28	30	30	30	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**7**	**18.3**	**114**	**4**	**9**	**17**	**28**	**30**	**30**	**30**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**14**	**19.0**	**1**[illegible]	**5**	**8**	**15**	**29**	**37**	**46**	**48**	**11**	**9.0**	**19**	**3**	**6**	**9**	**12**	**15**	**16**	**16**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS												HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS											
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES									TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES								
				10TH	25TH	50TH	75TH	90TH	95TH	99TH						10TH	25TH	50TH	75TH	90TH	95TH	99TH		
1. PSYCH PRIN, NO 2ND PSYCH DX																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24	5	30.6	508	5	20	26	39	67	67	67			1	14.0		14	14	14	14	14	14	14		
25-34	13	19.5	160	6	9	19	29	39	43	44			3	16.7	228	6	7	10	28	34	34	34		
35-54	7	28.0	548	3	7	21	42	62	67	67			2	17.0	18	14	14	17	20	20	20	20		
55-74	5	26.0	130	14	15	26	35	41	41	41			2	8.5	5	7	7	8	10	10	10	10		
75 +																								
ALL AGES	30	24.4	289	5	11	21	33	43	67	67			8	14.4	82	6	8	12	17	30	34	34		
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24	5	23.4	503	7	8	13	35	61	61	61														
25-34	12	24.3	245	7	12	23	28	51	56	57														
35-54	9	18.2	178	3	8	16	28	39	41	41			5	13.4	120	4	6	12	17	32	32	32		
55-74	9	17.6	108	9	10	13	23	35	41	41			1	12.0		12	12	12	12	12	12	12		
75 +																								
ALL AGES	35	20.9	215	7	10	17	27	41	55	61			6	13.2	95	4	7	12	12	30	32	32		
SUBTOTAL	**65**	**22.5**	**249**	**6**	**10**	**19**	**29**	**43**	**58**	**67**			**14**	**13.9**	**81**	**6**	**7**	**12**	**14**	**32**	**34**	**34**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24	4	19.8	116	13	13	15	26	36	36	36														
25-34	7	18.9	190	7	9	14	23	43	47	47														
35-54	2	39.5	925	18	18	39	61	61	61	61														
55-74	5	18.2	51	7	14	20	23	25	25	25														
75 +																								
ALL AGES	18	21.2	198	8	13	17	25	44	55	61														
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24	2	15.0	288	3	3	15	27	27	27	27														
25-34	3	16.7	8	14	14	16	19	20	20	20														
35-54	6	9.8	22	5	7	8	14	17	17	17														
55-74	4	26.3	707	9	11	15	41	66	66	66														
75 +	1	6.0		6	6	6	6	6	6	6														
ALL AGES	16	15.6	221	5	7	14	17	26	54	66														
SUBTOTAL	**34**	**18.6**	**209**	**7**	**9**	**15**	**20**	**37**	**58**	**66**														
GRAND TOTAL	**99**	**21.2**	**235**	**6**	**10**	**17**	**27**	**42**	**59**	**67**			**14**	**13.9**	**81**	**6**	**7**	**12**	**14**	**32**	**34**	**34**		

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
18-24	10	19.5	178	5	11	15	29	40	46	46	2	1.5	1	1	1	1	2	2	2	2
25-34	9	15.1	120	3	6	11	24	32	32	32										
35-54	8	11.9	106	2	3	9	18	29	31	31										
55-74	5	23.0	190	11	13	21	29	46	46	46	1	46.0		46	46	46	46	46	46	46
75 +																				
ALL AGES	33	16.5	148	3	7	14	23	32	44	46	4	13.8	465	1	1	4	26	46	46	46
B. FEMALE																				
0-12 YRS.																				
13-17											1	43.0		43	43	43	43	43	43	43
18-24	2	23.5	181	14	14	23	33	33	33	33										
25-34	8	11.3	77	1	4	11	14	25	29	29										
35-54	9	24.3	684	3	6	12	41	66	81	81	1	10.0		10	10	10	10	10	10	10
55-74	7	31.4	404	5	13	39	46	55	57	57	4	5.3	28	1	1	3	8	13	13	13
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	27	22.0	391	3	8	14	37	46	61	81	6	12.3	247	1	3	7	13	40	43	43
SUBTOTAL	**60**	**19.0**	**259**	**3**	**7**	**14**	**29**	**43**	**47**	**79**	**10**	**12.9**	**293**	**1**	**2**	**5**	**13**	**44**	**46**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	17.0	200	7	7	17	27	27	27	27	2	29.0	72	23	23	29	35	35	35	35
25-34	5	17.8	47	14	14	15	19	30	30	30										
35-54	4	12.8	23	7	9	12	16	19	19	19										
55-74	5	14.8	113	3	7	11	25	27	27	27										
75 +																				
ALL AGES	16	15.5	65	7	9	14	22	27	29	30	2	29.0	72	23	23	29	35	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	6	17.3	161	7	7	13	24	37	39	39	2	4.5	25	1	1	4	8	8	8	8
35-54	3	22.7	58	14	17	25	28	29	29	29										
55-74	1	12.0		12	12	12	12	12	12	12	4	8.5	19	3	5	9	12	12	12	12
75 +	2	18.0		18	18	18	18	18	18	18	2	8.5	41	4	4	8	13	13	13	13
ALL AGES	13	17.1	105	6	9	18	24	31	37	39	8	7.5	21	1	3	7	12	13	13	13
SUBTOTAL	**29**	**16.2**	**81**	**7**	**9**	**14**	**24**	**28**	**30**	**39**	**10**	**11.8**	**106**	**1**	**4**	**10**	**13**	**29**	**35**	**35**
GRAND TOTAL	**89**	**18.1**	**201**	**3**	**8**	**14**	**25**	**39**	**46**	**72**	**20**	**12.4**	**188**	**1**	**3**	**7**	**13**	**39**	**44**	**46**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	21	26.4	336	11	15	18	29	62	69	73	1	20.0		20	20	20	20	20	20	20
18-24	159	19.3	291	4	8	15	23	42	63	88	8	10.9	59	1	5	10	15	23	25	25
25-34	551	17.6	211	4	7	14	23	37	47	76	37	17.6	172	6	8	13	23	35	52	54
35-54	424	17.3	152	4	8	14	24	36	42	69	26	19.7	290	3	8	17	27	41	51	82
55-74	72	17.2	131	6	8	14	25	32	41	48	16	16.7	151	3	8	13	23	39	43	44
75 +	5	10.2	17	5	6	11	13	15	15	15	1	1.0		1	1	1	1	1	1	1
ALL AGES	1232	17.8	200	4	8	14	24	37	46	78	89	17.3	192	4	7	13	23	35	44	71
B. FEMALE																				
0-12 YRS.	2	7.0	72	1	1	6	13	13	13	13										
13-17	3	23.3	367	9	12	30	72	99 +	99 +	99 +										
18-24	79	17.7	274	3	6	14	23	44	53	80	7	11.3	118	1	3	8	16	29	32	32
25-34	319	16.5	143	5	8	14	22	32	39	58	23	17.3	113	6	8	15	25	34	37	38
35-54	438	18.3	180	5	9	14	25	36	45	62	21	23.7	338	4	11	18	33	46	65	79
55-74	247	19.5	169	7	11	17	24	34	44	69	15	18.0	228	3	8	14	22	41	50	53
75 +	25	18.1	145	7	9	15	25	31	41	61	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	1113	18.0	173	5	9	15	24	35	45	67	68	18.5	215	3	8	15	26	37	42	74
SUBTOTAL	**2345**	**17.9**	**187**	**5**	**8**	**14**	**24**	**36**	**45**	**71**	**157**	**17.8**	**201**	**4**	**7**	**14**	**25**	**37**	**44**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	6	29.3	233	5	19	34	40	44	45	45										
18-24	71	16.4	212	3	7	13	20	43	62	99 +	10	11.4	104	1	1	9	21	25	26	26
25-34	281	15.3	137	4	7	13	21	31	42	69	19	11.3	116	2	6	8	12	21	37	49
35-54	178	16.3	137	5	9	14	21	31	39	53	9	21.8	398	3	7	10	35	53	54	54
55-74	25	16.0	96	3	10	15	21	32	33	34	4	17.8	109	8	9	16	26	30	30	30
75 +	1	12.0		12	12	12	12	12	12	12	3	8.7	41	2	4	9	13	15	15	15
ALL AGES	563	16.0	145	5	7	13	21	33	43	69	45	13.8	172	1	6	9	20	29	49	54
B. FEMALE																				
0-12 YRS.																				
13-17	3	24.7	260	6	19	34	67	99 +	99 +	99 +										
18-24	28	21.2	188	7	14	18	28	48	60	99 +										
25-34	92	16.1	161	4	7	14	20	32	39	68	11	14.5	48	7	9	15	19	24	29	30
35-54	173	15.4	182	4	8	12	19	28	41	86	10	10.4	40	3	5	10	15	20	22	22
55-74	55	18.5	118	6	9	17	25	34	36	53	11	15.4	109	4	9	12	25	32	34	34
75 +	6	24.2	285	3	14	21	43	44	44	44	1	22.0		22	22	22	22	22	22	22
ALL AGES	357	16.7	173	4	8	14	21	33	42	92	33	13.8	67	4	8	11	18	28	30	34
SUBTOTAL	**920**	**16.3**	**155**	**4**	**8**	**14**	**21**	**33**	**43**	**84**	**78**	**13.8**	**126**	**3**	**7**	**10**	**19**	**29**	**33**	**53**
GRAND TOTAL	**3265**	**17.4**	**180**	**5**	**8**	**14**	**23**	**35**	**45**	**72**	**235**	**16.5**	**178**	**3**	**7**	**13**	**22**	**33**	**43**	**58**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	17.5	95	6	9	18	25	27	27	27										
18-24	16	16.9	253	2	8	11	24	42	54	59										
25-34	14	12.7	70	4	7	11	16	27	29	29										
35-54	3	7.3	21	3	4	7	11	12	12	12	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	37	14.6	149	3	7	11	20	29	39	59	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	3	35.7	709	11	16	32	56	64	64	64										
18-24	10	19.1	481	4	6	10	16	60	64	64										
25-34	14	16.1	180	5	7	11	24	33	48	52	2	6.0	50	1	1	6	11	11	11	11
35-54	11	12.0	35	6	7	9	18	20	22	22	2	5.0		5	5	5	5	5	5	5
55-74	10	17.4	107	7	13	16	18	32	44	44	1	4.0		4	4	4	4	4	4	4
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	49	17.5	227	6	7	12	19	39	56	64	5	5.2	13	1	3	5	7	11	11	11
SUBTOTAL	**86**	**16.3**	**192**	**5**	**7**	**12**	**20**	**31**	**53**	**64**	**6**	**5.2**	**10**	**1**	**4**	**5**	**5**	**10**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	38.0		38	38	38	38	38	38	38										
18-24	9	19.1	362	4	5	18	23	49	65	65										
25-34	6	10.3	11	7	7	10	14	14	14	14										
35-54	3	8.3	43	2	3	8	13	15	15	15										
55-74	1	21.0		21	21	21	21	21	21	21										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	20	15.9	210	4	7	12	20	31	51	65	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	6	18.5	82	6	11	20	21	31	32	32										
25-34	5	17.2	31	12	13	[illegible]	22	25	25	25										
35-54	3	19.0	436	5	6	9	34	43	43	43										
55-74																				
75 +																				
ALL AGES	15	17.3	111	5	9	15	21	32	40	43										
SUBTOTAL	**35**	**16.5**	**164**	**5**	**7**	**14**	**21**	**32**	**42**	**65**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**121**	**16.3**	**184**	**5**	**7**	**12**	**21**	**31**	**48**	**64**	**7**	**4.7**	**10**	**1**	**2**	**5**	**5**	**10**	**11**	**11**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	44.0		44	44	44	44	44	44	44										
18-24	1	21.0		21	21	21	21	21	21	21										
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	3	16.0	57	8	10	17	21	23	23	23										
55-74																				
75 +																				
ALL AGES	6	21.3	152	9	15	19	23	42	44	44										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	16.0	12	12	13	18	18	18	18	18	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	3	16.0	12	12	13	18	18	18	18	18	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**19.6**	**102**	**10**	**14**	**18**	**21**	**36**	**44**	**44**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	2	22.5	181	13	13	22	32	32	32	32										
35-54																				
55-74																				
75 +																				
ALL AGES	3	20.0	109	13	13	15	28	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	14.5	61	9	9	14	20	20	20	20	1	18.0		18	18	18	18	18	18	18
55-74	1	66.0		66	66	66	66	66	66	66										
75 +																				
ALL AGES	3	31.7	911	9	12	20	54	66	66	66	1	18.0		18	18	18	18	18	18	18
SUBTOTAL	**6**	**25.8**	**452**	**9**	**13**	**17**	**32**	**63**	**66**	**66**	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**
GRAND TOTAL	**15**	**22.1**	**229**	**9**	**13**	**18**	**22**	**44**	**60**	**66**	**2**	**9.5**	**145**	**1**	**1**	**9**	**18**	**18**	**18**	**18**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	25.3	459	13	13	13	41	50	50	50	1	7.0		7	7	7	7	7	7	7
18-24	63	18.4	172	4	7	18	26	35	54	94	11	12.5	66	2	6	12	19	24	26	26
25-34	248	17.3	217	3	7	13	23	36	44	74	9	29.7	563	10	19	25	29	66	90	90
35-54	181	16.0	154	4	7	13	21	32	39	65	12	14.6	69	3	9	15	19	24	32	33
55-74	55	20.4	123	10	13	17	24	33	39	68	3	15.0	13	12	12	14	18	19	19	19
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	551	17.4	182	4	7	14	23	35	43	69	36	17.6	221	4	9	15	22	29	32	90
B. FEMALE																				
0-12 YRS.																				
13-17	4	53.0	623	21	37	54	68	82	82	82										
18-24	40	20.3	420	4	7	11	28	43	64	99	1	4.0		4	4	4	4	4	4	4
25-34	126	17.1	174	4	7	13	24	34	42	63	10	13.4	58	2	7	14	19	22	25	25
35-54	224	17.5	166	4	8	14	24	33	45	60	9	6.6	18	2	3	7	9	13	14	14
55-74	115	20.1	181	6	11	18	27	37	47	65	13	12.3	79	3	5	8	21	24	28	29
75 +	6	15.7	143	5	7	11	22	35	37	37										
ALL AGES	515	18.4	205	4	8	14	25	36	48	67	33	10.8	60	3	4	8	16	22	25	29
SUBTOTAL	**1066**	**17.9**	**192**	**4**	**8**	**14**	**24**	**35**	**44**	**69**	**69**	**14.3**	**155**	**3**	**6**	**13**	**20**	**26**	**29**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	1	63.0		63	63	63	63	63	63	63										
18-24	28	16.9	217	4	8	13	23	50	62	99 +	1	7.0		7	7	7	7	7	7	7
25-34	130	14.4	103	3	6	12	20	29	33	44	6	15.2	41	6	9	16	21	22	22	22
35-54	109	17.5	144	5	9	14	24	35	42	55	8	13.3	36	6	9	12	16	23	25	25
55-74	13	15.5	134	5	9	12	17	38	39	39	5	13.4	107	2	6	12	20	29	29	29
75 +																				
ALL AGES	282	16.1	138	4	8	13	21	33	42	60	20	13.6	49	5	8	12	18	23	27	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	26	21.0	191	4	7	24	31	36	46	51	3	10.3	91	1	3	10	17	20	20	20
25-34	70	16.9	175	4	7	16	24	32	40	97	4	12.8	103	7	7	8	18	28	28	28
35-54	79	14.9	106	5	8	13	18	27	39	48	4	18.0	321	3	7	12	28	44	44	44
55-74	23	19.7	103	9	12	18	23	35	38	43	2	12.5	41	8	8	12	17	17	17	17
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	199	16.9	144	5	8	14	24	34	40	69	13	13.8	133	3	7	10	18	31	42	44
SUBTOTAL	**481**	**16.4**	**142**	**4**	**8**	**14**	**23**	**33**	**41**	**60**	**33**	**13.6**	**81**	**5**	**7**	**12**	**18**	**26**	**29**	**44**
GRAND TOTAL	**1547**	**17.4**	**178**	**4**	**8**	**14**	**24**	**35**	**44**	**68**	**102**	**14.1**	**130**	**3**	**7**	**12**	**20**	**26**	**29**	**66**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	40.2	277	17	38	43	61	96	99 +	99 +										
18-24	67	20.7	246	5	10	18	29	37	46	83	12	13.1	307	4	7	10	26	39	62	66
25-34	217	19.3	179	6	10	17	26	36	42	71	12	11.8	48	6	7	8	14	25	26	26
35-54	228	16.6	142	4	8	14	22	31	39	64	10	13.0	112	2	5	10	20	30	30	30
55-74	32	17.9	179	3	10	14	23	34	50	56	2	25.5	685	7	7	25	44	44	44	44
75 +	4	20.0	85	13	13	17	26	33	33	33	1	23.0		23	23	23	23	23	23	23
ALL AGES	553	18.4	180	5	9	16	25	35	43	68	37	15.2	171	5	7	10	23	29	39	66
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	9	33.4	450	7	14	37	56	81	99 +	99 +	3	9.3	26	4	5	10	13	14	14	14
18-24	99	16.7	189	5	7	13	24	32	52	88	8	17.8	192	6	7	14	24	41	46	46
25-34	302	18.4	181	5	9	15	24	37	46	71	30	16.6	222	1	4	15	23	34	39	68
35-54	441	19.1	236	5	9	15	23	40	50	78	37	17.7	303	4	7	10	27	30	53	90
55-74	175	22.3	200	7	12	20	30	42	52	66	19	19.2	224	5	6	16	26	44	50	51
75 +	11	19.6	127	9	11	15	27	37	43	44	1	42.0		42	42	42	42	42	42	42
ALL AGES	1038	19.4	211	5	9	16	25	38	50	76	98	17.6	246	3	7	13	26	37	47	79
SUBTOTAL	**1591**	**19.0**	**202**	**5**	**9**	**16**	**25**	**37**	**47**	**76**	**135**	**17.0**	**223**	**4**	**7**	**12**	**25**	**35**	**45**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	34.1	869	9	11	25	56	80	80	80										
18-24	72	23.8	249	7	12	20	35	47	63	93	2	11.5	145	3	3	11	20	20	20	20
25-34	180	16.3	116	5	9	15	21	28	37	58	11	14.5	47	6	10	13	20	25	26	26
35-54	134	15.9	160	4	7	13	20	33	39	64	11	15.1	55	6	10	14	21	25	26	26
55-74	29	21.9	139	9	13	19	30	38	43	51	1	18.0		18	18	18	18	18	18	18
75 +	3	11.0	169	3	3	4	20	26	26	26										
ALL AGES	426	18.1	180	5	9	15	23	36	45	73	25	14.6	52	4	10	14	20	25	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	10	35.0	427	12	18	33	58	81	98	99 +										
18-24	48	14.1	113	2	6	11	22	34	37	99 +	3	19.3	68	10	13	23	24	25	25	25
25-34	192	15.4	153	3	6	13	22	29	38	61	12	12.8	50	4	5	13	18	23	23	23
35-54	218	17.5	168	5	8	14	24	34	40	65	15	15.3	160	3	7	15	20	24	46	53
55-74	67	23.5	225	8	13	21	30	48	57	67	9	24.3	102	9	19	25	33	36	36	36
75 +	4	27.3	109	20	21	23	33	43	43	43	1	8.0		8	8	8	8	8	8	8
ALL AGES	539	17.6	181	4	6	14	24	34	44	68	40	16.7	117	4	8	16	23	30	35	53
SUBTOTAL	**965**	**17.8**	**181**	**4**	**8**	**15**	**24**	**35**	**44**	**69**	**65**	**15.9**	**91**	**4**	**9**	**15**	**22**	**26**	**33**	**50**
GRAND TOTAL	**2556**	**18.6**	**192**	**5**	**9**	**15**	**24**	**36**	**46**	**72**	**200**	**16.6**	**181**	**4**	**7**	**13**	**23**	**30**	**40**	**67**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	31.5	5	30	30	31	33	33	33	33	1	3.0		3	3	3	3	3	3	3
18-24	11	16.0	155	6	9	12	19	37	45	46										
25-34	15	15.1	101	5	7	13	21	28	36	39	1	15.0		15	15	15	15	15	15	15
35-54	15	21.5	319	6	12	17	31	68	91	99+	3	26.0	37	22	22	23	30	33	33	33
55-74	2	28.5	421	14	14	28	43	43	43	43										
75 +																				
ALL AGES	45	18.8	199	6	10	14	25	43	51	99+	5	19.2	123	3	12	22	25	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
18-24	4	22.8	17	17	20	23	26	28	28	28										
25-34	13	21.2	208	5	12	21	25	37	56	60	2	1.0		1	1	1	1	1	1	1
35-54	15	13.7	88	2	8	14	16	27	32	34	1	7.0		7	7	7	7	7	7	7
55-74	4	29.3	412	8	12	29	46	50	50	50	1	3.0		3	3	3	3	3	3	3
75 +	2	29.5	5	28	28	29	31	31	31	31										
ALL AGES	39	19.2	173	3	9	16	27	33	47	60	5	2.8	6	1	1	2	4	7	7	7
SUBTOTAL	**84**	**19.0**	**184**	**5**	**9**	**15**	**26**	**39**	**47**	**90**	**10**	**11.0**	**132**	**1**	**2**	**5**	**22**	**28**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24	2	29.0	18	26	26	29	32	32	32	32										
25-34	11	18.8	82	6	10	20	26	29	31	31										
35-54	11	14.7	75	6	9	11	20	28	32	32	2	3.5	1	3	3	3	4	4	4	4
55-74	2	29.0	800	9	9	29	49	49	49	49										
75 +																				
ALL AGES	27	19.1	123	6	9	19	27	32	35	49	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.[illegible]	242	6	6	17	28	28	28	28										
18-24	2	40.5	265	29	29	40	52	52	52	52										
25-34	1	17.0		17	17	17	17	17	17	17										
35-54	9	16.8	266	4	6	12	19	44	57	57	1	8.0		8	8	8	8	8	8	8
55-74	4	17.3	36	9	13	18	21	24	24	24	2	5.5	13	3	3	5	8	8	8	8
75 +	1	32.0		32	32	32	32	32	32	32	1	10.0		10	10	10	10	10	10	10
ALL AGES	19	20.2	216	5	9	17	27	44	55	57	4	7.3	8	3	5	8	9	10	10	10
SUBTOTAL	**46**	**19.6**	**155**	**6**	**9**	**18**	**27**	**32**	**50**	**57**	**6**	**6.0**	**9**	**3**	**3**	**6**	**8**	**10**	**10**	**10**
GRAND TOTAL	**130**	**19.2**	**173**	**5**	**9**	**16**	**27**	**36**	**49**	**76**	**16**	**9.1**	**89**	**1**	**3**	**5**	**12**	**23**	**30**	**33**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	18.0	112	10	11	14	26	30	30	30	1	91.0		91	91	91	91	91	91	91
13-17	24	21.1	193	4	11	18	28	40	49	57	3	10.0	243	1	1	1	21	28	28	28
18-24	80	16.6	194	3	7	12	24	35	44	91	6	19.8	49	10	16	20	24	28	29	29
25-34	140	14.2	134	3	6	11	20	30	38	58	11	15.2	152	2	6	11	26	34	35	35
35-54	109	13.9	207	2	4	10	16	32	46	70	8	10.9	51	2	6	10	13	22	25	25
55-74	30	15.8	180	3	7	11	21	40	50	50	4	13.0	73	1	7	15	18	21	21	21
75 +																				
ALL AGES	386	15.2	175	3	6	11	21	34	42	67	33	16.5	279	1	7	14	22	31	35	91
B. FEMALE																				
0-12 YRS.	5	24.2	146	3	20	29	31	32	32	32										
13-17	18	30.4	456	6	14	30	41	57	73	83	1	18.0		18	18	18	18	18	18	18
18-24	60	20.1	284	4	8	15	26	45	54	84	3	8.0	19	3	5	10	11	11	11	11
25-34	100	15.1	148	2	7	13	20	30	35	63	11	16.0	150	2	5	14	26	33	39	40
35-54	139	15.3	108	4	8	14	20	27	36	54	18	15.6	309	3	5	12	16	33	60	77
55-74	81	16.5	120	4	8	14	21	33	37	54	12	28.7	388	9	14	19	50	55	61	62
75 +	5	14.2	10	11	12	13	17	18	18	18	2	22.5	841	2	2	22	43	43	43	43
ALL AGES	408	16.9	172	4	8	14	22	32	43	61	47	18.9	298	2	7	14	25	48	54	77
SUBTOTAL	**794**	**16.1**	**173**	**3**	**7**	**13**	**21**	**33**	**42**	**65**	**80**	**17.9**	**289**	**2**	**7**	**14**	**23**	**38**	**52**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	80.0		80	80	80	80	80	80	80										
13-17	9	15.3	212	1	3	8	26	37	43	43	1	5.0		5	5	5	5	5	5	5
18-24	42	16.1	154	3	7	12	22	35	41	48										
25-34	86	13.9	139	3	6	11	18	27	38	61	9	9.8	59	2	6	8	11	22	28	28
35-54	54	16.6	230	3	5	11	22	37	43	75	6	13.3	86	1	6	13	20	25	26	26
55-74	17	11.5	99	3	5	8	16	25	33	38	2	20.5	61	15	15	20	26	26	26	26
75 +	2	4.0	8	2	2	4	6	6	6	6										
ALL AGES	211	15.1	184	3	6	10	21	35	39	70	18	11.9	71	2	6	10	16	26	27	28
B. FEMALE																				
0-12 YRS.											1	10.0		10	10	10	10	10	10	10
13-17	2	27.5	1	27	27	27	28	28	28	28	1	32.0		32	32	32	32	32	32	32
18-24	27	22.3	498	4	7	14	29	55	83	84	1	41.0		41	41	41	41	41	41	41
25-34	51	16.9	203	3	7	12	25	37	44	64	6	8.3	49	1	4	6	13	19	20	20
35-54	70	18.6	272	4	8	13	22	45	64	96	5	11.6	64	3	4	14	17	22	22	22
55-74	27	17.6	177	3	8	15	23	29	41	66	4	5.3	12	1	2	5	8	9	9	9
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	178	18.7	265	4	8	14	24	38	58	84	18	11.8	120	2	4	8	15	29	37	41
SUBTOTAL	**389**	**16.7**	**225**	**3**	**7**	**12**	**22**	**36**	**47**	**81**	**36**	**11.8**	**94**	**1**	**5**	**9**	**16**	**26**	**31**	**41**
GRAND TOTAL	**1183**	**16.3**	**190**	**3**	**7**	**13**	**22**	**34**	**44**	**69**	**116**	**16.0**	**235**	**2**	**6**	**13**	**21**	**34**	**47**	**82**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.0	72	5	5	11	17	17	17	17										
18-24																				
25-34	8	10.1	68	4	5	6	15	24	26	26										
35-54	11	18.0	133	6	8	17	25	36	40	40	2	1.5	1	1	1	1	2	2	2	2
55-74	7	10.4	86	3	3	4	19	23	24	24	2	13.5	181	4	4	13	23	23	23	23
75 +																				
ALL AGES	28	13.4	102	3	5	10	19	27	35	40	4	7.5	108	1	1	3	13	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	2	19.5	61	14	14	19	25	25	25	25	1	12.0		12	12	12	12	12	12	12
25-34	14	8.1	13	3	5	8	11	12	14	14	3	6.7	2	5	5	7	8	8	8	8
35-54	21	19.6	217	3	9	17	28	39	50	58	2	6.0	32	2	2	6	10	10	10	10
55-74	14	12.8	93	1	5	10	25	26	28	28										
75 +	4	27.3	309	13	16	21	38	53	53	53	2	15.5	365	2	2	15	29	29	29	29
ALL AGES	56	15.3	158	3	7	11	24	29	41	58	8	9.4	75	2	4	7	11	24	29	29
SUBTOTAL	**84**	**14.7**	**137**	**3**	**6**	**11**	**22**	**28**	**37**	**56**	**12**	**8.8**	**77**	**1**	**2**	**6**	**11**	**25**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	3	25.0	325	5	11	30	37	40	40	40										
25-34	5	21.6	101	8	15	20	31	32	32	32										
35-54	7	12.7	73	3	6	10	20	24	25	25										
55-74	3	20.0	52	14	15	18	25	28	28	28	1	2.0		2	2	2	2	2	2	2
75 +											2	10.5	25	7	7	10	14	14	14	14
ALL AGES	19	17.9	118	5	8	17	27	32	36	40	3	7.7	36	2	3	7	12	14	14	14
B. FEMALE																				
0-12 YRS.											1	73.0		73	73	73	73	73	73	73
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	3	37.3	64	31	32	35	43	46	46	46										
25-34	9	14.2	100	4	6	14	18	30	35	35	1	3.0		3	3	3	3	3	3	3
35-54	9	11.7	42	2	8	11	15	21	23	23										
55-74	9	16.1	265	2	4	13	21	41	55	55	1	9.0		9	9	9	9	9	9	9
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	32	16.7	164	4	7	15	22	35	45	55	3	28.3	1508	3	4	9	57	73	73	73
SUBTOTAL	**51**	**17.2**	**143**	**4**	**8**	**16**	**23**	**33**	**40**	**55**	**6**	**18.0**	**745**	**2**	**3**	**8**	**14**	**67**	**73**	**73**
GRAND TOTAL	**135**	**15.6**	**141**	**3**	**6**	**13**	**23**	**31**	**39**	**55**	**18**	**11.8**	**291**	**2**	**2**	**7**	**12**	**27**	**55**	**73**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	72.0		72	72	72	72	72	72	72										
18-24	3	12.0	16	8	9	12	15	16	16	16										
25-34	3	11.3	61	5	6	9	17	20	20	20										
35-54	9	11.8	46	4	6	8	19	20	20	20										
55-74	5	17.8	84	8	12	14	25	31	31	31	1	12.0		12	12	12	12	12	12	12
75 +	1	9.0		9	9	9	9	9	9	9	1	5.0		5	5	5	5	5	5	5
ALL AGES	22	15.7	207	5	8	12	19	25	47	72	2	8.5	25	5	5	8	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	18.0	112	10	11	14	26	30	30	30										
25-34	6	13.3	221	4	5	6	17	39	42	42										
35-54	6	16.3	124	3	8	16	21	33	34	34										
55-74	19	16.0	85	8	9	13	22	27	35	40										
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	35	15.7	103	5	8	13	21	30	38	42										
SUBTOTAL	**57**	**15.7**	**140**	**5**	**8**	**13**	**20**	**30**	**38**	**70**	**2**	**8.5**	**25**	**5**	**5**	**8**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	7	11.6	47	2	6	14	15	20	21	21	1	3.0		3	3	3	3	3	3	3
55-74	3	23.3	220	12	13	18	34	40	40	40										
75 +																				
ALL AGES	12	14.9	99	3	9	14	19	27	38	40	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	1	39.0		39	39	39	39	39	39	39										
35-54	6	9.2	32	2	4	9	14	17	17	17	1	22.0		22	22	22	22	22	22	22
55-74	3	23.3	332	10	11	16	37	44	44	44										
75 +																				
ALL AGES	11	15.8	184	3	8	10	17	41	44	44	1	22.0		22	22	22	22	22	22	22
SUBTOTAL	**23**	**15.3**	**134**	**3**	**9**	**14**	**18**	**39**	**41**	**44**	**2**	**12.5**	**181**	**3**	**3**	**12**	**22**	**22**	**22**	**22**
GRAND TOTAL	**80**	**15.6**	**137**	**4**	**8**	**13**	**20**	**30**	**40**	**64**	**4**	**10.5**	**74**	**3**	**4**	**8**	**17**	**22**	**22**	**22**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	31.7	605	7	13	30	41	68	87	95	9	33.9	424	14	21	28	41	67	81	81
13-17	102	26.5	398	6	10	24	36	52	67	88	53	24.4	373	2	9	21	36	59	69	99
18-24	134	14.9	225	2	5	10	19	29	39	83	12	10.3	62	1	4	9	16	21	24	25
25-34	212	13.7	124	3	6	12	17	28	37	57	36	12.1	158	2	3	6	17	34	38	47
35-54	477	14.8	114	3	7	13	19	29	36	47	31	12.9	176	3	5	9	14	30	38	65
55-74	280	17.1	122	5	9	14	22	31	41	54	28	12.7	169	3	4	7	18	29	43	56
75 +	93	17.4	201	5	7	15	22	32	44	74	13	14.5	124	2	6	10	23	32	33	33
ALL AGES	1321	16.5	179	4	7	13	21	34	42	72	182	17.0	269	2	5	11	25	39	56	78
B. FEMALE																				
0-12 YRS.	19	22.1	245	2	8	22	31	43	52	59	9	40.4	781	8	14	50	69	89	99 +	99 +
13-17	203	24.3	368	4	9	21	37	49	68	98	65	27.1	292	9	15	27	37	50	58	99 +
18-24	202	14.4	141	3	6	11	20	28	37	52	21	13.2	93	2	4	16	21	25	28	30
25-34	475	14.3	114	2	6	12	20	28	36	44	68	10.3	92	2	4	7	15	21	24	54
35-54	812	15.1	126	3	7	13	20	29	37	56	97	10.6	101	2	4	7	15	21	28	55
55-74	560	19.1	183	5	10	16	25	36	46	66	67	12.5	171	2	4	7	18	23	44	65
75 +	238	19.3	147	5	11	18	24	34	43	68	36	15.9	155	2	4	14	26	33	39	46
ALL AGES	2509	17.0	168	4	8	14	22	34	43	64	363	15.3	216	2	4	12	21	33	48	78
SUBTOTAL	**3830**	**16.8**	**173**	**4**	**8**	**14**	**22**	**34**	**42**	**67**	**545**	**15.9**	**233**	**2**	**4**	**11**	**22**	**36**	**50**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	31	40.7	547	13	26	39	56	75	85	98	12	39.9	405	18	21	40	51	68	81	83
13-17	227	31.0	345	7	14	35	42	45	68	99	48	27.6	541	4	11	26	37	74	86	99 +
18-24	150	15.5	139	3	7	13	21	29	33	65	13	14.3	186	1	3	7	25	33	38	39
25-34	415	13.9	117	3	7	11	19	27	32	57	22	12.4	136	2	4	7	19	32	37	38
35-54	545	14.7	99	4	8	13	20	27	32	49	28	10.0	74	1	4	6	15	20	27	37
55-74	174	17.9	139	6	9	16	24	32	40	61	12	8.7	61	2	3	6	9	24	26	26
75 +	53	17.9	154	5	8	16	24	35	43	55	7	10.1	93	2	2	5	20	23	23	23
ALL AGES	1595	17.8	201	4	8	14	23	40	42	71	142	19.1	372	2	5	14	28	42	65	97
B. FEMALE																				
0-12 YRS.	14	31.3	492	5	12	28	49	66	68	68	3	7.3	38	2	3	6	12	14	14	14
13-17	264	29.6	385	6	14	28	42	59	77	99 +	43	27.5	421	3	10	26	43	59	73	99 +
18-24	268	16.5	157	4	7	14	23	32	41	66	14	10.5	137	2	3	5	16	22	40	45
25-34	618	15.3	118	4	7	14	20	28	35	55	42	10.7	80	1	4	7	16	26	30	32
35-54	726	17.1	136	5	9	15	23	31	38	55	52	11.3	162	2	4	5	16	26	34	63
55-74	341	18.4	175	6	10	15	23	35	46	70	39	13.3	95	3	5	13	19	25	27	49
75 +	142	19.8	202	6	11	17	25	38	44	78	10	10.1	101	2	4	5	14	27	31	31
ALL AGES	2373	18.4	190	5	9	15	24	37	45	76	203	14.8	222	2	4	10	21	32	48	77
SUBTOTAL	**3968**	**18.2**	**193**	**4**	**8**	**15**	**24**	**38**	**43**	**75**	**345**	**16.6**	**286**	**2**	**4**	**12**	**24**	**38**	**53**	**91**
GRAND TOTAL	**7798**	**17.5**	**184**	**4**	**8**	**14**	**23**	**36**	**43**	**70**	**890**	**16.1**	**256**	**2**	**4**	**12**	**23**	**37**	**52**	**84**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	6.7		6	6	7	7	7	7	7	1	33.0		33	33	33	33	33	33	33
13-17	24	23.8	423	7	10	20	29	46	65	99	19	33.1	476	12	16	26	51	77	89	99 +
18-24	53	12.0	96	3	6	9	16	22	37	47	5	10.6	192	1	3	5	15	35	35	35
25-34	116	12.2	124	2	5	8	15	28	40	49	22	10.5	145	2	4	8	13	16	34	60
35-54	295	13.7	103	4	6	11	19	27	32	52	27	17.3	258	4	6	12	25	36	61	63
55-74	212	18.5	173	6	9	15	25	35	43	62	13	16.6	151	3	5	13	31	33	36	37
75 +	59	19.8	148	8	12	16	24	34	44	63	5	10.8	93	2	2	8	20	22	22	22
ALL AGES	762	15.5	146	4	7	13	21	30	40	56	92	18.3	303	3	5	13	26	47	63	91
B. FEMALE																				
0-12 YRS.											5	23.8	654	1	6	14	39	65	65	65
13-17	46	23.3	355	5	9	17	32	55	62	70	27	24.5	605	4	9	18	26	80	98	99 +
18-24	78	12.4	99	3	5	10	16	28	33	44	15	19.9	411	4	7	13	29	38	70	81
25-34	258	12.5	99	3	6	10	17	24	33	47	49	15.1	227	3	6	13	18	29	47	99 +
35-54	670	15.5	129	4	8	13	20	31	38	54	94	18.3	351	2	5	12	23	47	67	99
55-74	628	18.5	141	6	10	16	25	35	41	58	41	19.1	228	5	11	17	24	28	35	96
75 +	211	22.1	174	9	14	19	28	40	48	77	17	21.4	284	3	8	15	32	43	55	62
ALL AGES	1891	16.9	146	4	8	14	22	33	41	61	248	18.9	336	3	7	14	24	42	69	99 +
SUBTOTAL	**2653**	**16.5**	**146**	**4**	**8**	**14**	**22**	**32**	**41**	**59**	**340**	**18.7**	**328**	**3**	**7**	**14**	**25**	**42**	**65**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	31.7	689	15	16	18	51	62	62	62	1	15.0		15	15	15	15	15	15	15
13-17	24	30.8	465	10	14	27	41	53	81	92	18	18.5	314	3	3	15	28	49	55	58
18-24	69	13.5	76	4	6	11	20	25	30	40	8	11.5	174	1	3	8	13	34	42	42
25-34	204	15.1	106	4	7	13	21	28	34	45	30	9.2	35	2	5	8	12	18	21	22
35-54	360	15.1	131	4	7	13	20	28	36	57	37	13.2	113	3	5	11	18	28	33	51
55-74	137	17.9	136	5	9	15	25	35	41	56	6	20.7	77	5	22	23	26	27	27	27
75 +	25	25.2	268	7	11	20	40	47	59	61	1	4.0		4	4	4	4	4	4	4
ALL AGES	822	16.2	148	4	7	14	21	31	40	58	101	13.2	134	2	4	10	18	27	37	55
B. FEMALE																				
0-12 YRS.	3	28.3	367	14	16	21	43	50	50	50										
13-17	52	24.7	404	3	11	17	37	53	67	84	15	23.1	215	5	7	26	34	44	46	47
18-24	132	16.2	152	4	7	13	21	30	42	60	13	17.7	140	5	8	13	30	34	36	36
25-34	380	15.9	134	4	7	14	22	31	38	56	53	12.0	79	3	5	9	18	24	30	41
35-54	617	17.0	178	5	8	14	22	32	42	67	62	11.8	99	3	6	9	14	21	36	48
55-74	359	20.0	186	6	11	16	26	38	51	63	20	19.6	275	5	7	12	33	44	54	60
75 +	119	20.7	129	8	12	18	27	35	39	61	6	14.5	259	3	5	8	16	43	46	46
ALL AGES	1662	17.9	174	5	8	15	23	35	44	66	169	14.3	143	4	6	10	18	33	40	49
SUBTOTAL	**2484**	**17.3**	**167**	**5**	**8**	**14**	**23**	**34**	**42**	**63**	**270**	**13.9**	**139**	**3**	**6**	**10**	**18**	**32**	**40**	**51**
GRAND TOTAL	**5137**	**16.9**	**156**	**4**	**8**	**14**	**22**	**33**	**42**	**62**	**610**	**16.6**	**249**	**3**	**6**	**12**	**22**	**36**	**49**	**96**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	18.0	234	3	4	15	28	41	43	43	5	20.2	172	4	8	24	31	34	34	34
18-24	46	19.9	248	4	7	14	28	47	54	57	1	11.0		11	11	11	11	11	11	11
25-34	133	17.0	169	6	8	14	20	34	47	70	8	16.1	60	5	10	17	22	25	25	25
35-54	182	16.5	145	4	8	14	22	31	38	63	10	11.8	89	1	4	11	15	26	32	32
55-74	87	21.3	155	6	11	20	28	39	48	57	5	14.2	74	7	8	10	21	27	27	27
75 +	13	20.5	222	9	11	16	25	39	58	62										
ALL AGES	467	18.0	169	5	9	15	24	37	45	61	29	14.8	89	4	8	13	22	29	32	34
B. FEMALE																				
0-12 YRS.	1	61.0		61	61	61	61	61	61	61										
13-17	2	13.0	72	7	7	13	19	19	19	19	2	33.5	1201	9	9	33	58	58	58	58
18-24	54	20.4	220	5	9	18	27	44	63	99										
25-34	159	17.4	208	4	8	14	22	35	45	79	11	15.9	88	3	9	15	23	29	30	30
35-54	354	17.7	178	5	9	15	23	36	43	81	16	22.1	310	6	12	16	29	44	63	71
55-74	219	19.2	191	5	9	16	26	38	48	90	17	15.9	49	9	11	14	21	25	29	31
75 +	19	18.3	90	6	11	19	22	32	37	40	1	19.0		19	19	19	19	19	19	19
ALL AGES	808	18.3	189	5	9	15	24	37	46	84	47	18.9	179	6	10	15	23	32	47	71
SUBTOTAL	**1275**	**18.2**	**181**	**5**	**9**	**15**	**24**	**37**	**46**	**71**	**76**	**17.3**	**148**	**4**	**9**	**15**	**23**	**31**	**37**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	65.0		65	65	65	65	65	65	65										
13-17	3	32.7	934	14	14	16	55	68	68	68										
18-24	26	19.0	173	4	11	18	22	40	46	59	2	22.0	392	8	8	22	36	36	36	36
25-34	59	18.6	224	4	9	16	21	40	43	81	5	15.0	148	5	9	10	19	36	36	36
35-54	77	16.7	121	6	9	15	23	30	35	61	6	21.3	105	4	20	24	26	31	31	31
55-74	20	16.1	76	6	10	14	20	30	34	35	1	22.0		22	22	22	22	22	22	22
75 +	1	14.0		14	14	14	14	14	14	14	2	14.0	338	1	1	14	27	27	27	27
ALL AGES	187	18.1	176	5	9	16	22	34	42	67	16	18.6	133	2	9	21	27	35	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	5	39.8	914	5	20	35	57	86	86	86	1	29.0		29	29	29	29	29	29	29
18-24	21	22.7	400	8	11	14	33	51	71	84	2	25.5	85	19	19	25	32	32	32	32
25-34	39	21.6	152	8	13	17	32	42	44	45	4	20.8	33	15	16	19	25	29	29	29
35-54	83	18.1	177	5	9	15	23	34	44	71	5	17.6	121	9	10	14	23	36	36	36
55-74	52	18.9	146	5	11	17	23	39	44	57	4	25.3	16	21	22	24	28	31	31	31
75 +	7	22.6	69	10	18	23	29	32	33	33	1	41.0		41	41	41	41	41	41	41
ALL AGES	207	20.1	206	7	10	16	25	39	44	79	17	23.1	82	11	17	21	30	35	39	41
SUBTOTAL	**394**	**19.1**	**194**	**6**	**10**	**16**	**23**	**38**	**44**	**72**	**33**	**20.9**	**109**	**7**	**13**	**21**	**29**	**36**	**36**	**41**
GRAND TOTAL	**1669**	**18.4**	**185**	**5**	**9**	**15**	**24**	**37**	**45**	**71**	**109**	**18.4**	**138**	**5**	**10**	**17**	**25**	**32**	**36**	**63**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	70.0		70	70	70	70	70	70	70										
13-17	4	10.0	30	3	6	10	14	16	16	16	1	2.0		2	2	2	2	2	2	2
18-24	16	13.4	121	1	6	9	18	33	37	38										
25-34	38	14.6	104	4	7	12	20	26	38	48	4	14.8	1	14	14	15	15	16	16	16
35-54	69	15.1	112	4	9	13	20	29	34	56	4	23.0	555	9	9	13	37	58	58	58
55-74	52	21.4	186	7	12	19	27	43	54	55	2	24.0	32	20	20	24	28	28	28	28
75 +	4	31.5	1075	8	12	19	50	80	80	80	2	18.5	41	14	14	18	23	23	23	23
ALL AGES	184	17.2	172	5	9	14	21	34	47	66	13	18.3	185	7	13	15	21	34	53	58
B. FEMALE																				
0-12 YRS.																				
13-17	3	10.3	90	3	4	7	17	21	21	21	1	6.0		6	6	6	6	6	6	6
18-24	19	19.7	404	6	8	14	23	40	68	90	5	13.0	39	3	10	14	17	19	19	19
25-34	56	11.3	56	3	7	9	15	20	24	38	7	12.9	68	5	6	11	16	27	29	29
35-54	165	15.0	115	5	7	13	19	29	39	50	6	18.8	54	8	12	21	23	27	27	27
55-74	97	19.6	188	7	10	17	25	39	47	69	13	25.3	203	6	15	26	31	49	49	49
75 +	21	21.1	178	5	11	18	29	44	45	46	1	63.0		63	63	63	63	63	63	63
ALL AGES	361	16.3	149	5	8	13	20	33	43	55	33	20.2	195	5	11	17	27	40	49	63
SUBTOTAL	**545**	**16.6**	**157**	**5**	**8**	**14**	**21**	**34**	**43**	**58**	**46**	**19.7**	**187**	**5**	**11**	**16**	**26**	**37**	**51**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	9.0	63	3	4	6	15	18	18	18	1	5.0		5	5	5	5	5	5	5
18-24	16	21.8	196	6	9	19	35	39	47	51	1	1.0		1	1	1	1	1	1	1
25-34	30	19.6	232	6	7	16	28	40	60	60	1	18.0		18	18	18	18	18	18	18
35-54	74	16.0	152	5	9	13	20	31	44	65	3	19.0	127	12	12	13	27	32	32	32
55-74	21	22.2	202	7	12	18	35	44	49	50										
75 +																				
ALL AGES	144	18.2	181	5	9	14	24	36	48	61	6	13.5	119	1	5	12	18	31	32	32
B. FEMALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40										
13-17	2	36.0	800	16	16	36	56	56	56	56										
18-24	13	13.2	136	2	4	10	21	31	37	38	1	18.0		18	18	18	18	18	18	18
25-34	53	14.9	170	4	8	10	17	31	50	58	3	15.3	98	4	8	21	21	21	21	21
35-54	95	15.3	129	4	7	12	20	32	40	53	8	12.3	47	2	8	12	17	21	23	23
55-74	30	24.1	279	5	11	22	35	47	50	73	4	25.5	111	10	19	29	32	33	33	33
75 +	7	12.9	27	7	8	12	18	20	20	20	1	16.0		16	16	16	16	16	16	16
ALL AGES	201	16.6	177	4	8	12	21	38	47	57	17	16.5	82	4	10	16	22	30	32	33
SUBTOTAL	**345**	**17.3**	**178**	**5**	**8**	**13**	**22**	**37**	**48**	**60**	**23**	**15.7**	**89**	**3**	**10**	**16**	**21**	**31**	**32**	**33**
GRAND TOTAL	**890**	**16.8**	**167**	**5**	**8**	**13**	**21**	**35**	**45**	**59**	**69**	**18.3**	**159**	**5**	**10**	**16**	**24**	**32**	**49**	**62**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	14.5	13	12	12	14	17	17	17	17	2	38.0	50	33	33	38	43	43	43	43
18-24	14	24.8	459	6	12	19	28	58	76	81										
25-34	48	16.3	124	5	8	13	21	29	43	50	1	56.0		56	56	56	56	56	56	56
35-54	60	15.7	183	3	7	11	21	31	39	71	2	10.0	72	4	4	10	16	16	16	16
55-74	22	20.4	264	8	10	14	24	40	58	77										
75 +	3	18.7	154	10	11	13	28	33	33	33	1	5.0		5	5	5	5	5	5	5
ALL AGES	149	17.5	200	5	9	13	23	35	46	77	6	26.2	450	4	5	24	43	55	56	56
B. FEMALE																				
0-12 YRS.																				
13-17	2	13.0	50	8	8	13	18	18	18	18	8	42.6	580	15	25	39	56	79	86	86
18-24	11	17.8	146	4	10	16	22	34	46	47	1	8.0		8	8	8	8	8	8	8
25-34	71	14.5	154	3	5	12	20	33	38	63	6	13.5	173	1	4	9	22	35	36	36
35-54	150	16.3	139	6	8	13	21	31	41	66	18	16.8	105	5	10	14	27	29	36	40
55-74	103	22.6	224	8	13	19	28	45	57	70	7	17.7	154	5	8	14	26	37	39	39
75 +	13	17.0	110	6	11	14	20	36	38	38										
ALL AGES	350	17.8	175	5	9	14	24	34	45	67	40	21.4	315	4	9	15	29	42	56	86
SUBTOTAL	**499**	**17.7**	**183**	**5**	**9**	**14**	**23**	**34**	**45**	**68**	**46**	**22.0**	**327**	**4**	**9**	**15**	**33**	**45**	**58**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	34.7	525	7	23	30	48	70	72	72	2	51.5	265	40	46	63	91	99 +	99 +	99 +
18-24	10	15.9	244	2	7	10	24	40	54	54	1	40.0		40	40	40	40	40	40	40
25-34	41	14.7	136	4	7	13	20	23	40	58	3	14.7	141	1	6	20	22	23	23	23
35-54	36	15.7	104	7	8	14	19	35	40	42										
55-74	13	16.8	91	6	10	18	22	29	35	36										
75 +	1	31.0		31	31	31	31	31	31	31										
ALL AGES	107	16.7	163	5	8	14	21	32	43	64	6	31.2	452	5	21	40	57	93	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	3	39.0	741	14	19	35	60	68	68	68	3	26.3	385	6	22	45	99 +	99 +	99 +	99 +
18-24	13	17.1	104	7	8	13	25	34	35	35										
25-34	47	15.0	100	4	8	14	20	25	35	52	4	25.3	322	6	12	23	38	49	49	49
35-54	70	20.1	147	6	10	17	26	37	45	58	8	14.1	228	5	5	8	16	41	49	49
55-74	29	22.5	303	8	10	16	27	46	65	75	4	11.8	33	6	7	11	16	19	19	19
75 +	2	37.5	925	16	16	37	59	59	59	59										
ALL AGES	164	19.4	183	6	10	16	25	36	47	67	19	17.9	229	5	6	14	32	69	99 +	99 +
SUBTOTAL	**271**	**18.3**	**178**	**6**	**9**	**15**	**23**	**36**	**47**	**67**	**25**	**21.1**	**299**	**5**	**7**	**20**	**43**	**89**	**99 +**	**99 +**
GRAND TOTAL	**770**	**17.9**	**181**	**5**	**9**	**14**	**23**	**35**	**45**	**68**	**71**	**21.7**	**312**	**5**	**9**	**17**	**33**	**50**	**82**	**99 +**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	30.0	1058	7	7	30	53	53	53	53
13-17	12	17.3	226	4	6	15	22	41	51	53	7	31.6	751	5	8	20	55	71	74	74
18-24	19	13.9	119	3	7	11	19	32	37	41	1	5.0		5	5	5	5	5	5	5
25-34	57	17.5	160	4	7	16	25	33	40	57	3	21.0	163	7	11	24	30	32	32	32
35-54	66	15.6	104	5	7	14	22	29	34	47	11	18.1	146	5	9	14	25	38	41	41
55-74	43	17.3	110	5	9	15	24	32	38	43	6	7.0	44	2	3	5	7	19	20	20
75 +	2	36.0	392	22	22	36	50	50	50	50	1	6.0		6	6	6	6	6	6	6
ALL AGES	199	16.7	132	4	7	15	23	32	40	54	31	19.2	340	4	6	14	25	46	60	74
B. FEMALE																				
0-12 YRS.	4	22.0	663	1	5	14	39	59	59	59										
13-17	16	25.6	366	3	12	21	32	57	67	71	4	31.0	550	7	11	31	51	54	54	54
18-24	18	14.8	111	2	6	11	23	29	35	39	4	15.5	58	8	9	14	21	25	25	25
25-34	73	13.9	102	4	7	12	19	26	29	57	6	28.3	646	3	3	25	46	65	67	67
35-54	136	15.7	105	5	9	14	19	28	33	54	13	15.8	138	3	10	14	19	38	40	40
55-74	80	17.9	213	5	9	14	21	31	53	74	8	25.5	371	9	13	17	40	56	56	56
75 +	9	14.1	120	4	6	9	19	32	36	36	1	24.0		24	24	24	24	24	24	24
ALL AGES	336	16.3	152	4	8	14	21	29	41	71	36	21.9	305	4	11	15	29	53	56	67
SUBTOTAL	**535**	**16.4**	**146**	**4**	**8**	**14**	**21**	**30**	**41**	**60**	**67**	**20.7**	**316**	**4**	**7**	**14**	**26**	**52**	**57**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	85.0		85	85	85	85	85	85	85										
13-17	12	28.2	419	10	13	20	38	60	72	74	6	31.7	650	7	10	27	45	70	73	73
18-24	27	19.1	192	6	8	14	33	41	43	46	1	22.0		22	22	22	22	22	22	22
25-34	56	18.4	141	6	8	17	25	38	42	46	12	21.4	325	5	9	15	26	55	60	61
35-54	82	15.9	117	4	7	14	21	27	34	56	7	18.9	143	4	10	17	31	33	33	33
55-74	23	24.6	244	6	10	24	35	49	53	56	1	32.0		32	32	32	32	32	32	32
75 +	2	17.0	162	8	8	17	26	26	26	26										
ALL AGES	203	19.1	193	5	8	16	26	39	44	65	27	23.4	324	5	10	17	32	51	63	73
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	13	30.2	669	4	9	29	39	68	87	91	5	41.4	1506	2	3	44	74	88	88	88
18-24	24	14.4	78	5	7	14	22	28	29	32	1	24.0		24	24	24	24	24	24	24
25-34	59	18.5	142	7	10	17	23	30	38	67	4	17.3	447	5	6	7	28	49	49	49
35-54	82	15.4	97	5	7	13	21	30	35	43	6	18.7	179	9	10	13	23	42	44	44
55-74	28	17.5	168	3	9	14	22	36	41	58	1	8.0		8	8	8	8	8	8	8
75 +	5	24.2	167	11	12	25	34	41	41	41										
ALL AGES	212	17.5	163	5	9	14	23	34	39	64	17	24.7	650	3	8	11	44	66	82	88
SUBTOTAL	**415**	**18.3**	**177**	**5**	**8**	**15**	**24**	**35**	**42**	**64**	**44**	**23.9**	**438**	**5**	**9**	**16**	**33**	**53**	**71**	**88**
GRAND TOTAL	**950**	**17.2**	**161**	**5**	**8**	**14**	**22**	**33**	**41**	**62**	**111**	**22.0**	**362**	**4**	**8**	**15**	**32**	**52**	**61**	**79**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	35.7	566	19	20	25	53	63	63	63										
13-17	11	25.9	386	5	12	20	43	55	61	62	1	66.0		66	66	66	66	66	66	66
18-24	8	12.9	98	2	5	15	23	72	99 +	99 +										
25-34	21	13.9	156	3	5	8	20	29	41	52										
35-54	40	11.8	81	2	5	9	18	26	27	35										
55-74	10	15.5	76	8	9	12	23	29	34	34	2	5.0	8	3	3	5	7	7	7	7
75 +	5	16.2	19	11	12	18	20	20	20	20	1	5.0		5	5	5	5	5	5	5
ALL AGES	98	15.2	164	3	6	12	22	30	50	82	4	20.3	930	3	4	6	36	66	66	66
B. FEMALE																				
0-12 YRS.	2	50.5	265	39	39	50	62	62	62	62										
13-17	23	19.5	363	3	6	15	30	39	58	86	1	91.0		91	91	91	91	91	91	91
18-24	24	16.9	220	2	6	13	22	44	49	59										
25-34	46	16.0	159	5	8	13	21	29	35	72	2	6.0	50	1	1	6	11	11	11	11
35-54	85	14.4	154	3	6	11	19	26	34	71	7	5.0	20	1	2	3	6	13	14	14
55-74	55	17.9	111	8	10	16	23	33	41	53	4	10.5	36	5	7	9	14	19	19	19
75 +	14	15.1	187	5	8	13	17	23	51	59	2	22.0	722	3	3	22	41	41	41	41
ALL AGES	249	16.5	181	4	8	13	21	32	44	72	16	14.0	520	1	3	6	12	39	76	91
SUBTOTAL	**347**	**16.1**	**177**	**4**	**7**	**13**	**21**	**32**	**45**	**72**	**20**	**15.3**	**563**	**2**	**3**	**6**	**12**	**53**	**78**	**91**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	23	27.8	329	8	11	31	43	69	99 +	99 +	1	56.0		56	56	56	56	56	56	56
18-24	25	20.4	354	1	8	16	24	43	58	88										
25-34	58	14.5	102	3	7	14	19	29	31	51	1	2.0		2	2	2	2	2	2	2
35-54	57	15.6	112	3	8	15	21	32	37	42	1	20.0		20	20	20	20	20	20	20
55-74	14	14.9	57	3	10	15	21	22	26	27										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	179	17.5	181	3	8	16	22	37	44	96	3	26.0	756	2	6	20	47	56	56	56
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	18	23.3	381	2	9	16	42	51	62	66										
18-24	40	18.6	297	3	7	12	23	43	55	81	4	13.0	51	5	7	13	19	20	20	20
25-34	54	17.7	203	4	9	14	22	33	49	66										
35-54	83	16.2	116	4	8	14	24	31	38	43	4	15.3	188	4	6	11	24	35	35	35
55-74	30	20.3	208	5	9	19	29	44	53	54	3	12.0	148	4	4	6	21	26	26	26
75 +	6	10.5	51	2	6	9	16	20	21	21	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	232	17.9	198	3	8	14	24	38	45	66	13	12.0	102	3	5	8	18	28	34	35
SUBTOTAL	**411**	**17.7**	**191**	**3**	**8**	**14**	**23**	**37**	**45**	**73**	**16**	**14.6**	**215**	**2**	**5**	**8**	**20**	**34**	**50**	**56**
GRAND TOTAL	**758**	**17.0**	**184**	**4**	**8**	**14**	**22**	**34**	**45**	**72**	**36**	**15.0**	**397**	**2**	**4**	**7**	**18**	**40**	**63**	**91**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	2	19.5	145	11	11	19	28	28	28	28										
13-17	3	15.0	229	3	5	10	26	32	32	32										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	6	11.3	19	7	9	10	13	18	19	19	2	10.5	113	3	3	10	18	18	18	18
35-54	8	10.8	18	5	7	11	14	16	17	17	2	4.5	13	2	2	4	7	7	7	7
55-74	8	17.1	105	5	9	16	26	30	31	31										
75 +	2	11.0	200	1	1	11	21	21	21	21										
ALL AGES	30	13.4	72	4	8	11	19	28	31	32	4	7.5	54	2	2	5	12	18	18	18
B. FEMALE																						
0-12 YRS.																						
13-17	3	10.0	48	6	6	6	15	18	18	18										
18-24	4	15.8	27	10	12	15	19	23	23	23										
25-34	12	15.8	181	4	5	14	20	38	45	46	1	20.0		20	20	20	20	20	20	20
35-54	14	14.7	191	2	5	10	22	30	48	53										
55-74	23	19.1	155	3	11	18	29	35	41	44	1	2.0		2	2	2	2	2	2	2
75 +	12	16.8	67	9	11	14	20	30	36	37	1	33.0		33	33	33	33	33	33	33
ALL AGES	68	16.6	137	4	7	14	22	34	40	52	3	18.3	244	2	6	20	30	33	33	33
SUBTOTAL	**98**	**15.6**	**119**	**4**	**8**	**13**	**21**	**31**	**36**	**50**	**7**	**12.1**	**142**	**2**	**2**	**7**	**19**	**30**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	4	30.5	658	13	14	20	47	68	68	68										
13-17	8	17.4	178	3	6	14	28	36	39	39	1	30.0		30	30	30	30	30	30	30
18-24	7	14.0	49	2	11	15	18	22	23	23										
25-34	24	11.3	88	2	4	8	18	27	30	34										
35-54	32	10.7	53	2	5	9	14	19	26	33										
55-74	8	15.6	141	6	7	9	25	34	37	37										
75 +																						
ALL AGES	83	13.2	121	3	6	10	18	27	33	58	1	30.0		30	30	30	30	30	30	30
B. FEMALE																						
0-12 YRS.	4	8.3	16	3	5	9	11	12	12	12										
13-17	9	20.4	444	7	9	11	27	55	72	72	1	24.0		24	24	24	24	24	24	24
18-24	15	15.3	144	1	6	14	23	26	41	46	1	9.0		9	9	9	9	9	9	9
25-34	20	14.0	82	2	7	13	20	27	30	31										
35-54	35	15.8	253	3	5	13	19	31	57	72										
55-74	22	15.4	128	4	6	12	22	34	38	42	3	9.3	38	4	5	8	14	16	16	16
75 +	3	15.3	14	12	13	15	18	19	19	19										
ALL AGES	108	15.4	177	3	6	12	21	30	38	72	5	12.2	62	4	7	9	18	24	24	24
SUBTOTAL	**191**	**14.4**	**154**	**3**	**6**	**11**	**19**	**29**	**35**	**70**	**6**	**15.2**	**101**	**4**	**8**	**12**	**24**	**29**	**30**	**30**
GRAND TOTAL	**289**	**14.8**	**142**	**3**	**6**	**12**	**20**	**29**	**35**	**66**	**13**	**13.5**	**117**	**2**	**4**	**9**	**21**	**31**	**33**	**33**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	1	8.0		8	8	8	8	8	8	8										
GRAND TOTAL	2	6.0	8	4	4	6	8	8	8	8										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	67.0		67	67	67	67	67	67	67										
18-24	2	24.0	800	4	4	24	44	44	44	44										
25-34	7	14.7	174	1	4	14	19	36	40	40										
35-54	8	13.3	100	5	7	10	15	30	36	36	1	1.0		1	1	1	1	1	1	1
55-74	6	12.7	56	5	6	12	14	25	26	26	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	24	16.7	246	4	6	12	18	40	51	67	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	6	11.5	88	5	5	9	11	28	30	30										
35-54	10	18.4	162	4	8	16	29	37	43	43	1	39.0		39	39	39	39	39	39	39
55-74	9	16.1	66	7	10	14	23	28	30	30	3	9.7	85	2	3	7	17	20	20	20
75 +	6	12.3	51	3	5	14	18	19	19	19										
ALL AGES	32	14.9	97	4	7	13	19	30	31	43	4	17.0	273	2	4	13	29	39	39	39
SUBTOTAL	**56**	**15.6**	**161**	**4**	**7**	**13**	**19**	**31**	**42**	**66**	**6**	**11.8**	**229**	**1**	**2**	**5**	**20**	**37**	**39**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	10	12.1	37	4	7	13	15	20	21	21	1	7.0		7	7	7	7	7	7	7
55-74	4	17.5	23	13	13	17	21	23	23	23										
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	17	13.1	44	4	7	14	20	22	23	23	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	43.0		43	43	43	43	43	43	43										
35-54	3	3.7	2	2	2	4	5	5	5	5										
55-74	6	17.0	98	8	8	16	18	33	35	35	1	7.0		7	7	7	7	7	7	7
75 +	3	14.3	54	6	9	18	19	19	19	19	1	21.0		21	21	21	21	21	21	21
ALL AGES	13	15.3	149	4	6	16	18	37	42	43	2	14.0	98	7	7	14	21	21	21	21
SUBTOTAL	**30**	**14.0**	**89**	**4**	**6**	**14**	**19**	**22**	**35**	**43**	**3**	**11.7**	**64**	**7**	**7**	**7**	**18**	**21**	**21**	**21**
GRAND TOTAL	**86**	**15.1**	**133**	**4**	**7**	**13**	**19**	**30**	**41**	**59**	**9**	**11.8**	**158**	**1**	**2**	**7**	**20**	**32**	**39**	**39**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	3	34.0	109	27	27	29	42	46	46	46	1	3.0		3	3	3	3	3	3	3
ALL AGES	5	22.4	307	4	5	27	33	46	46	46	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**5**	**22.4**	**307**	**4**	**5**	**27**	**33**	**46**	**46**	**46**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	46.0		46	46	46	46	46	46	46										
75 +																				
ALL AGES	1	46.0		46	46	46	46	46	46	46										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	38.0		38	38	38	38	38	38	38										
75 +	3	25.0	16	21	22	25	28	29	29	29										
ALL AGES	4	28.3	49	21	23	27	33	38	38	38										
SUBTOTAL	**5**	**31.8**	**103**	**21**	**24**	**29**	**40**	**46**	**46**	**46**										
GRAND TOTAL	**10**	**27.1**	**207**	**5**	**21**	**28**	**38**	**46**	**46**	**46**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
SUBTOTAL	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	41.0		41	41	41	41	41	41	41										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	41.0		41	41	41	41	41	41	41										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	25.0		25	25	25	25	25	25	25										
55-74																				
75 +																				
ALL AGES	1	25.0		25	25	25	25	25	25	25										
SUBTOTAL	**2**	**33.0**	**128**	**25**	**25**	**33**	**41**	**41**	**41**	**41**										
GRAND TOTAL	**6**	**12.3**	**283**	**1**	**2**	**3**	**25**	**39**	**41**	**41**										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	31.0		31	31	31	31	31	31	31										
75 +																				
ALL AGES	1	31.0		31	31	31	31	31	31	31										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74	2	15.0	98	8	8	15	22	22	22	22										
75 +																				
ALL AGES	3	14.0	52	8	9	12	19	22	22	22										
SUBTOTAL	**4**	**18.3**	**104**	**8**	**10**	**17**	**26**	**31**	**31**	**31**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34	2	32.0	968	10	10	32	54	54	54	54										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	5	19.8	409	4	8	10	30	54	54	54	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	79.0		79	79	79	79	79	79	79	1	2.0		2	2	2	2	2	2	2
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	2	44.5	2381	10	10	44	79	79	79	79	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**7**	**26.9**	**812**	**5**	**9**	**10**	**46**	**74**	**79**	**79**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**11**	**23.7**	**541**	**6**	**9**	**12**	**29**	**64**	**78**	**79**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-24	7	15.1	89	4	6	16	23	27	28	28										
25-34	21	17.1	193	3	7	13	25	40	45	46										
35-54	24	12.4	70	4	6	8	18	24	29	34	1	10.0		10	10	10	10	10	10	10
55-74	18	16.4	144	5	8	13	21	39	40	41	1	8.0		8	8	8	8	8	8	8
75 +	6	15.0	82	7	8	11	23	28	29	29										
ALL AGES	77	15.4	130	4	7	13	21	35	40	46	2	9.0	2	8	8	9	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	11.0	102	5	5	7	17	26	26	26										
25-34	14	15.0	73	5	9	12	19	27	31	32										
35-54	31	10.1	48	3	5	7	15	22	23	24	1	9.0		9	9	9	9	9	9	9
55-74	37	14.4	76	4	9	13	18	27	30	42	4	6.8	3	5	5	7	8	9	9	9
75 +	14	18.4	142	8	11	14	23	34	47	51	2	18.0	512	2	2	18	34	34	34	34
ALL AGES	100	13.6	81	4	6	12	18	26	30	46	7	10.3	116	3	5	8	9	29	34	34
SUBTOTAL	**177**	**14.4**	**102**	**4**	**7**	**12**	**20**	**28**	**36**	**46**	**9**	**10.0**	**88**	**3**	**5**	**8**	**9**	**24**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	9.2	24	5	5	7	14	15	15	15										
25-34	19	16.8	70	5	10	16	22	26	32	36										
35-54	28	12.5	76	3	6	11	16	27	31	34	1	20.0		20	20	20	20	20	20	20
55-74	15	19.5	175	6	7	17	26	38	46	49	1	22.0		22	22	22	22	22	22	22
75 +	8	17.6	76	7	12	15	24	31	32	32	1	15.0		15	15	15	15	15	15	15
ALL AGES	75	15.3	97	5	7	15	20	30	35	46	3	19.0	13	15	16	20	21	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	19	11.4	40	6	7	9	17	20	24	26										
35-54	24	15.4	151	5	6	11	22	36	41	43	1	4.0		4	4	4	4	4	4	4
55-74	26	21.8	89	11	14	20	28	37	38	41	4	22.5	166	5	14	24	30	36	36	36
75 +	13	15.9	52	8	10	14	23	27	27	27	2	27.5	1013	5	5	27	50	50	50	50
ALL AGES	83	16.4	104	6	8	14	23	33	37	42	7	21.3	315	4	5	24	33	47	50	50
SUBTOTAL	**158**	**15.9**	**100**	**5**	**7**	**14**	**21**	**30**	**37**	**43**	**10**	**20.6**	**214**	**4**	**5**	**21**	**25**	**43**	**50**	**50**
GRAND TOTAL	**335**	**15.1**	**101**	**5**	**7**	**13**	**20**	**29**	**36**	**45**	**19**	**15.6**	**175**	**4**	**5**	**9**	**23**	**35**	**44**	**50**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-24																				
25-34	2	10.5	5	9	9	10	12	12	12	12										
35-54	3	7.0	16	3	4	7	10	11	11	11	1	1.0		1	1	1	1	1	1	1
55-74	2	8.0	8	6	6	8	10	10	10	10	1	2.0		2	2	2	2	2	2	2
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	9	9.8	52	3	5	9	11	21	27	27	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	16.0	129	4	6	16	25	28	28	28										
35-54	6	13.8	18	7	13	15	17	17	17	17	1	6.0		6	6	6	6	6	6	6
55-74	10	12.5	47	4	9	11	16	22	27	27	1	28.0		28	28	28	28	28	28	28
75 +	4	14.5	150	6	6	10	23	32	32	32	2	27.5	1	27	27	27	28	28	28	28
ALL AGES	24	13.8	59	5	8	13	17	27	29	32	4	22.3	115	6	16	27	28	28	28	28
SUBTOTAL	**33**	**12.7**	**59**	**4**	**7**	**11**	**16**	**27**	**28**	**32**	**6**	**15.3**	**187**	**1**	**2**	**16**	**28**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	42.0		42	42	42	42	42	42	42										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	2	26.5	481	11	11	26	42	42	42	42										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	2	1.5	1	1	1	1	2	2	2	2	1	5.0		5	5	5	5	5	5	5
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	1	8.0		8	8	8	8	8	8	8	1	8.0		8	8	8	8	8	8	8
ALL AGES	6	8.3	53	1	2	7	11	20	21	21	2	6.5	5	5	5	6	8	8	8	8
SUBTOTAL	**8**	**12.9**	**176**	**1**	**4**	**9**	**16**	**36**	**42**	**42**	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**
GRAND TOTAL	**41**	**12.7**	**79**	**3**	**7**	**11**	**16**	**27**	**30**	**42**	**8**	**13.1**	**151**	**1**	**3**	**7**	**27**	**28**	**28**	**28**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	3	12.7	1	11	11	13	14	14	14	14										
35-54	3	12.7	29	7	8	13	17	18	18	18										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	10	11.8	25	6	7	12	14	19	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	3.0	12	1	1	1	5	7	7	7										
25-34	4	7.0	69	1	1	4	12	19	19	19										
35-54	4	16.5	111	1	10	20	23	24	24	24										
55-74	4	8.5	24	3	5	8	12	15	15	15	2	3.5	5	2	2	3	5	5	5	5
75 +											2	6.5	25	3	3	6	10	10	10	10
ALL AGES	15	9.1	71	1	1	7	18	22	23	24	4	5.0	13	2	2	4	7	10	10	10
SUBTOTAL	**25**	**10.2**	**52**	**1**	**5**	**8**	**16**	**21**	**22**	**24**	**4**	**5.0**	**13**	**2**	**2**	**4**	**7**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	13.5	63	3	7	15	19	21	21	21										
25-34	4	13.8	130	3	4	13	23	26	26	26										
35-54	4	7.3	50	1	2	5	12	17	17	17	2	3.5	5	2	2	3	5	5	5	5
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	13	10.8	77	2	3	8	19	22	25	26	2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	2	8.5	13	6	6	8	11	11	11	11	3	2.3	1	2	2	2	3	3	3	3
SUBTOTAL	**15**	**10.5**	**67**	**3**	**3**	**8**	**18**	**21**	**25**	**26**	**5**	**2.8**	**2**	**2**	**2**	**2**	**3**	**5**	**5**	**5**
GRAND TOTAL	**40**	**10.3**	**57**	**1**	**3**	**8**	**17**	**21**	**23**	**26**	**9**	**3.8**	**7**	**2**	**2**	**3**	**5**	**8**	**10**	**10**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES											2	7.0	50	2	2	7	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	2	4.5	13	2	2	4	7	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	3	3.7	8	2	2	2	6	7	7	7	3	3.0		3	3	3	3	3	3	3
SUBTOTAL	**3**	**3.7**	**8**	**2**	**2**	**2**	**6**	**7**	**7**	**7**	**5**	**4.6**	**17**	**2**	**2**	**3**	**5**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**4**	**4.0**	**6**	**2**	**2**	**4**	**6**	**7**	**7**	**7**	**5**	**4.6**	**17**	**2**	**2**	**3**	**5**	**12**	**12**	**12**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15	1	3.0		3	3	3	3	3	3	3
25-34	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
35-54	4	15.0	29	9	11	14	18	22	22	22	1	1.0		1	1	1	1	1	1	1
55-74	1	18.0		18	18	18	18	18	18	18	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	7	13.7	38	4	10	15	17	21	22	22	4	2.8	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	5	8.8	35	1	5	10	12	17	17	17										
55-74	3	10.7	225	1	1	3	22	28	28	28										
75 +	5	10.4	34	6	7	7	14	20	20	20	1	6.0		6	6	6	6	6	6	6
ALL AGES	14	9.3	61	1	3	7	12	21	26	28	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**21**	**10.8**	**55**	**2**	**5**	**10**	**16**	**21**	**25**	**28**	**6**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	5	16.4	82	8	9	13	25	28	28	28										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	10.0		10	10	10	10	10	10	10	1	6.0		6	6	6	6	6	6	6
ALL AGES	8	12.3	84	2	6	9	18	27	28	28	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	3	23.0	309	3	10	30	34	36	36	36										
35-54	3	16.0	57	8	10	17	21	23	23	23	1	4.0		4	4	4	4	4	4	4
55-74	3	12.0	16	8	9	12	15	16	16	16	2	31.0	392	17	17	31	45	45	45	45
75 +	2	6.0	2	5	5	6	7	7	7	7										
ALL AGES	12	15.2	104	4	7	14	20	32	35	36	3	22.0	439	4	7	17	38	45	45	45
SUBTOTAL	**20**	**14.0**	**94**	**4**	**7**	**11**	**20**	**29**	**33**	**36**	**4**	**18.0**	**357**	**4**	**5**	**11**	**31**	**45**	**45**	**45**
GRAND TOTAL	**41**	**12.3**	**76**	**2**	**6**	**10**	**17**	**25**	**29**	**36**	**10**	**9.3**	**177**	**1**	**3**	**5**	**6**	**31**	**45**	**45**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	45.0		45	45	45	45	45	45	45										
55-74																				
75 +																				
ALL AGES	1	45.0		45	45	45	45	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	2	10.0	2	9	9	10	11	11	11	11										
SUBTOTAL	**3**	**21.7**	**407**	**9**	**9**	**11**	**36**	**45**	**45**	**45**										
GRAND TOTAL	**3**	**21.7**	**407**	**9**	**9**	**11**	**36**	**45**	**45**	**45**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	3	22.0	624	2	5	14	41	50	50	50										
18-24	10	12.4	83	3	6	9	18	25	32	32										
25-34	15	6.3	22	1	2	5	9	14	15	16										
35-54	21	11.5	53	3	5	10	18	22	23	24	2	8.5	85	2	2	8	15	15	15	15
55-74	9	10.0	42	2	4	10	15	19	19	19	3	6.0	1	5	5	6	7	7	7	7
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	60	10.9	36	2	4	8	16	21	28	48	5	7.0	24	2	4	6	9	15	15	15
B. FEMALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40										
13-17	2	26.5	685	8	8	26	45	45	45	45										
18-24	12	10.8	57	4	5	9	16	22	25	26	2	5.0	2	4	4	5	6	6	6	6
25-34	30	11.7	56	3	7	11	13	20	27	36										
35-54	38	11.2	71	3	5	9	14	21	27	44	2	4.0		4	4	4	4	4	4	4
55-74	9	13.4	157	4	6	11	14	33	45	45	2	3.5	1	3	3	3	4	4	4	4
75 +	3	10.3	3	9	9	10	11	12	12	12	2	4.5	13	2	2	4	7	7	7	7
ALL AGES	95	12.1	86	3	6	10	14	22	34	45	8	4.3	2	2	3	4	5	7	7	7
SUBTOTAL	**155**	**11.6**	**87**	**3**	**5**	**10**	**15**	**22**	**31**	**45**	**13**	**5.3**	**11**	**2**	**3**	**4**	**6**	**9**	**14**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
18-24	16	13.4	121	3	5	10	17	29	38	42										
25-34	20	8.6	74	2	3	6	11	18	29	38										
35-54	13	9.6	24	3	5	10	12	15	19	20	2	2.5	5	1	1	2	4	4	4	4
55-74	1	22.0		22	22	22	22	22	22	22										
75 +	2	5.0	32	1	1	5	9	9	9	9	1	1.0		1	1	1	1	1	1	1
ALL AGES	53	10.5	76	2	4	9	13	21	29	42	4	2.0	2	1	1	1	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20	1	19.0		19	19	19	19	19	19	19
18-24	11	11.6	101	3	4	11	14	26	36	37										
25-34	24	13.3	107	4	5	10	20	28	35	42	1	31.0		31	31	31	31	31	31	31
35-54	22	11.6	101	1	6	10	13	25	38	40										
55-74	5	11.2	22	6	7	11	14	18	18	18										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	64	12.4	92	4	6	10	15	25	36	42	2	25.0	72	19	19	25	31	31	31	31
SUBTOTAL	**117**	**11.5**	**86**	**2**	**5**	**10**	**14**	**23**	**35**	**42**	**6**	**9.7**	**156**	**1**	**1**	**3**	**19**	**30**	**31**	**31**
GRAND TOTAL	**272**	**11.6**	**85**	**3**	**5**	**10**	**14**	**22**	**32**	**45**	**19**	**6.7**	**55**	**1**	**2**	**4**	**7**	**17**	**26**	**31**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	24.2	254	2	9	26	35	45	53	55	4	1.5		1	1	1	2	2	2	2
13-17	9	22.1	728	1	3	6	34	66	81	81	4	2.8	3	1	1	2	4	5	5	5
18-24	38	13.7	203	1	3	12	21	36	56	99 +	2	23.5	481	8	8	23	39	39	39	39
25-34	44	10.6	79	2	5	9	12	22	32	41	7	6.1	41	1	2	3	8	17	19	19
35-54	49	7.9	36	2	3	6	12	16	20	28	7	6.4	79	1	2	2	6	22	26	26
55-74	66	14.4	136	2	6	11	20	29	42	51	25	6.5	44	2	2	4	7	20	22	24
75 +	54	11.3	158	3	5	7	12	19	45	67	33	8.6	70	2	3	6	11	20	25	40
ALL AGES	273	12.6	158	2	4	9	17	29	41	68	82	7.3	66	1	2	4	9	20	25	40
B. FEMALE																				
0-12 YRS.	4	23.0	311	8	11	18	35	48	48	48	3	1.7	1	1	1	1	3	3	3	3
13-17	22	25.0	542	3	9	16	33	59	72	90										
18-24	32	16.5	216	4	6	12	22	32	57	64	6	8.0	24	2	4	8	10	15	16	16
25-34	59	10.6	80	2	5	8	13	23	30	40	6	5.5	22	1	1	5	8	12	13	13
35-54	95	11.5	114	2	5	8	15	25	32	54	16	4.1	17	1	2	3	4	11	15	16
55-74	123	11.2	52	3	5	11	16	21	26	29	40	8.8	63	2	4	7	12	15	18	48
75 +	99	10.0	76	3	4	8	13	18	27	50	67	7.5	36	2	3	6	10	16	21	28
ALL AGES	434	12.1	124	3	5	9	16	24	32	59	138	7.3	41	1	3	6	10	15	19	31
SUBTOTAL	**707**	**12.3**	**137**	**2**	**5**	**9**	**16**	**26**	**35**	**60**	**220**	**7.3**	**50**	**1**	**3**	**5**	**9**	**15**	**21**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	29.3	1024	8	11	16	47	77	77	77										
13-17	7	27.7	491	5	12	23	37	64	70	70	2	11.5	25	8	8	11	15	15	15	15
18-24	42	16.7	267	2	5	13	23	63	99 +	99 +	1	22.0		22	22	22	22	22	22	22
25-34	60	12.6	82	2	5	10	19	24	29	41	5	18.2	163	1	8	20	29	32	32	32
35-54	37	13.5	103	2	6	12	20	29	31	41	5	3.0	6	1	1	2	4	7	7	7
55-74	29	11.2	44	3	6	9	18	22	22	22	20	9.7	60	2	3	8	15	19	25	31
75 +	19	10.5	75	2	4	8	13	26	30	30	16	9.6	108	3	4	7	10	17	37	45
ALL AGES	198	14.1	159	3	5	11	20	29	41	99 +	49	10.2	87	2	3	8	15	21	31	45
B. FEMALE																				
0-12 YRS.																				
13-17	9	25.3	152	10	13	26	37	41	42	42	1	14.0		14	14	14	14	14	14	14
18-24	23	16.2	157	4	7	11	27	36	39	42	2	11.5	181	2	2	11	21	21	21	21
25-34	48	13.9	100	2	6	11	22	30	32	32	9	9.7	89	1	3	7	14	25	31	31
35-54	58	14.0	144	3	6	11	17	25	41	66	6	3.8	6	1	2	3	6	7	7	7
55-74	51	12.2	101	2	5	9	17	28	35	41	20	9.7	91	3	4	7	10	21	33	43
75 +	42	9.9	51	3	6	8	11	19	24	38	19	9.3	63	3	5	8	11	15	28	38
ALL AGES	231	13.5	116	3	[illegible]	10	18	29	36	44	57	9.1	71	2	4	7	11	19	28	43
SUBTOTAL	**429**	**13.8**	**135**	**3**	[illegible]	**11**	**19**	**29**	**38**	**74**	**106**	**9.6**	**78**	**2**	**3**	**7**	**11**	**20**	**31**	**44**
GRAND TOTAL	**1136**	**12.9**	**136**	**2**	**5**	**9**	**17**	**28**	**36**	**67**	**326**	**8.0**	**61**	**2**	**3**	**6**	**10**	**17**	**23**	**41**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	27.0	570	3	7	23	43	56	77	85	1	1.0		1	1	1	1	1	1	1
13-17	1	77.0		77	77	77	77	77	77	77	1	3.0		3	3	3	3	3	3	3
18-24	1	22.0		22	22	22	22	22	22	22										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	18	29.5	645	3	7	25	50	71	82	85	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	4	4.0	4	3	3	3	5	7	7	7										
13-17	1	25.0		25	25	25	25	25	25	25										
18-24	2	12.0	162	3	3	12	21	21	21	21										
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	8	9.4	78	3	3	5	15	24	25	25										
SUBTOTAL	**26**	**23.3**	**550**	**3**	**4**	**16**	**29**	**56**	**79**	**85**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	74.0		74	74	87	99 +	99 +	99 +	99 +										
13-17	1	35.0		35	35	35	35	35	35	35										
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	3	41.3	904	15	25	54	87	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**41.3**	**904**	**15**	**25**	**54**	**87**	**99 +**	**99 +**	**99 +**										
GRAND TOTAL	**29**	**25.2**	**585**	**3**	**7**	**19**	**37**	**75**	**85**	**99 +**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	33.8	469	12	19	22	51	66	75	75										
13-17	6	34.5	445	11	11	38	43	64	66	66										
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	16	32.6	435	11	13	28	47	65	72	75										
B. FEMALE																				
0-12 YRS.	3	23.0	361	4	9	23	37	42	42	42	1	6.0		6	6	6	6	6	6	6
13-17	3	38.0	961	14	17	27	61	73	73	73										
18-24	2	10.5	25	7	7	10	14	14	14	14										
25-34	1	19.0		19	19	19	19	19	19	19										
35-54	2	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	11	21.2	428	4	6	14	26	54	71	73	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**27**	**28.0**	**445**	**6**	**11**	**22**	**42**	**63**	**73**	**75**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	58.5	798	23	43	70	92	99 +	99 +	99 +										
13-17	3	29.0	28	25	25	27	33	35	35	35										
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	10	44.9	785	15	25	42	74	99	99 +	99 +										
B. FEMALE																				
0-12 YRS.	3	18.7	120	7	10	20	27	29	29	29										
13-17																				
18-24																				
25-34	1	37.0		37	37	37	37	37	37	37										
35-54																				
55-74																				
75 +																				
ALL AGES	4	23.3	162	7	13	24	33	37	37	37										
SUBTOTAL	**14**	**38.7**	**686**	**11**	**21**	**35**	**64**	**98**	**99 +**	**99 +**										
GRAND TOTAL	**41**	**31.6**	**542**	**7**	**14**	**26**	**43**	**74**	**84**	**99 +**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	31.5	113	24	24	31	39	39	39	39										
13-17	1	8.0		8	8	8	8	8	8	8										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.7	238	8	12	24	35	39	39	39										
B. FEMALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	42.0		42	42	42	42	42	42	42										
SUBTOTAL	**4**	**28.3**	**240**	**8**	**16**	**31**	**40**	**42**	**42**	**42**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42	1	10.0		10	10	10	10	10	10	10
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	42.0		42	42	42	42	42	42	42	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**42.0**		**42**	**42**	**42**	**42**	**42**	**42**	**42**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**5**	**31.0**	**221**	**8**	**20**	**39**	**42**	**42**	**42**	**42**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	25.0	242	14	14	25	36	36	36	36	2	5.5	5	4	4	5	7	7	7	7
13-17	8	9.6	100	1	2	8	11	26	32	32										
18-24	11	5.4	99	1	1	1	4	20	33	34	7	1.3		1	1	1	2	2	2	2
25-34	38	5.7	48	1	1	3	7	14	24	29	8	3.3	7	1	1	2	5	8	8	8
35-54	64	5.4	26	1	2	3	7	14	16	21	34	3.1	6	1	1	2	4	6	9	10
55-74	28	4.3	17	1	1	4	5	10	12	20	25	3.9	13	1	1	3	5	10	13	13
75 +	7	7.9	30	2	3	7	12	15	16	16	10	4.5	16	1	2	3	5	10	15	15
ALL AGES	158	5.8	45	1	2	3	8	14	19	34	86	3.4	9	1	1	2	4	7	10	14
B. FEMALE																				
0-12 YRS.	2	24.5	221	14	14	24	35	35	35	35	1	3.0		3	3	3	3	3	3	3
13-17	4	5.0	45	1	1	2	9	15	15	15	2	1.5	1	1	1	1	2	2	2	2
18-24	14	3.8	15	1	1	3	5	7	14	16	7	1.9	1	1	1	2	3	3	3	3
25-34	50	6.3	33	1	2	4	11	16	19	20	22	3.5	21	1	1	2	3	6	13	23
35-54	90	5.6	62	1	1	2	5	14	24	43	73	3.8	43	1	1	3	4	6	9	45
55-74	89	6.0	64	1	2	4	7	12	16	52	56	3.8	14	1	2	3	5	6	8	26
75 +	19	5.5	26	1	3	4	6	16	17	17	25	3.8	5	2	2	3	5	7	7	8
ALL AGES	268	5.9	54	1	2	3	7	15	18	46	186	3.7	24	1	1	3	4	6	8	26
SUBTOTAL	**426**	**5.9**	**50**	**1**	**2**	**3**	**8**	**14**	**18**	**35**	**272**	**3.6**	**19**	**1**	**1**	**3**	**4**	**7**	**9**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	7.5	1	7	7	7	8	8	8	8	1	27.0		27	27	27	27	27	27	27
13-17	5	17.2	142	3	7	19	24	34	34	34										
18-24	22	10.0	77	2	5	7	13	21	30	40	1	9.0		9	9	9	9	9	9	9
25-34	46	10.8	92	2	4	7	15	22	35	39	10	8.2	164	1	1	2	10	28	42	42
35-54	46	10.8	97	2	3	7	16	26	26	46	8	2.1	3	1	1	2	3	5	5	5
55-74	34	8.0	25	3	4	8	10	15	16	23	2	1.5	1	1	1	1	2	2	2	2
75 +	4	9.0	22	4	5	8	12	15	15	15										
ALL AGES	159	10.2	76	2	4	7	14	23	26	40	22	6.3	102	1	1	2	7	19	33	42
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	5	5.8	30	1	1	4	11	13	13	13	3	1.7	1	1	1	1	3	3	3	3
18-24	26	14.1	271	2	3	8	19	39	53	63	3	2.7	2	1	1	3	4	4	4	4
25-34	72	11.1	114	1	4	7	15	27	33	45	9	8.1	117	1	2	4	10	27	27	27
35-54	105	11.5	110	2	4	9	16	26	30	52	25	2.8	3	1	2	2	3	6	6	7
55-74	65	10.5	87	2	3	8	16	23	25	47	19	6.3	39	1	2	5	6	19	21	22
75 +	10	13.2	52	5	9	12	15	25	29	29	10	5.8	67	1	2	3	7	18	28	28
ALL AGES	284	11.4	115	2	4	8	16	26	32	51	69	4.9	38	1	2	3	5	8	22	28
SUBTOTAL	**443**	**10.9**	**103**	**2**	**4**	**8**	**15**	**25**	**29**	**50**	**91**	**5.2**	**53**	**1**	**2**	**3**	**5**	**12**	**26**	**36**
GRAND TOTAL	**869**	**8.4**	**84**	**1**	**2**	**5**	**11**	**20**	**27**	**47**	**363**	**4.0**	**28**	**1**	**1**	**3**	**5**	**7**	**11**	**27**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	7.7	70	1	2	6	7	22	24	24										
13-17	12	7.0	45	2	3	5	8	17	24	25	5	3.0	3	2	2	2	4	6	6	6
18-24	9	2.8	2	1	2	3	4	5	5	5	8	2.9	4	1	1	2	4	6	7	7
25-34	6	5.7	36	1	1	4	7	16	17	17	4	1.8	1	1	1	1	2	3	3	3
35-54	11	4.3	13	2	2	3	4	11	12	12	12	3.2	2	2	2	3	4	5	6	6
55-74	3	16.7	241	2	5	15	28	33	33	33	4	4.8	12	2	2	3	7	10	10	10
75 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	48	6.5	54	1	2	3	7	16	25	33	33	3.1	4	1	2	3	4	6	7	10
B. FEMALE																				
0-12 YRS.	9	12.0	232	2	3	8	15	37	50	50	4	3.3	6	1	1	2	5	7	7	7
13-17	26	5.8	100	1	2	3	6	26	54	99 +	16	2.5	2	1	1	2	3	5	6	6
18-24	24	13.8	238	1	3	9	29	58	99 +	99 +	11	2.6	3	1	1	2	4	5	6	6
25-34	46	8.4	122	1	2	4	8	23	37	46	18	4.1	4	1	3	4	5	7	8	8
35-54	52	8.0	78	1	2	4	10	25	28	37	17	3.8	8	1	2	3	5	9	10	10
55-74	17	6.4	22	2	3	4	9	15	16	16	10	4.9	7	2	3	4	5	9	11	11
75 +	3	8.0	21	4	5	7	11	13	13	13	3	5.3	3	4	4	5	6	7	7	7
ALL AGES	177	8.6	118	1	2	4	10	27	38	99 +	79	3.6	5	1	2	3	5	7	8	11
SUBTOTAL	**225**	**8.2**	**104**	**1**	**2**	**4**	**10**	**25**	**35**	**99 +**	**112**	**3.4**	**5**	**1**	**2**	**3**	**5**	**7**	**8**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	9.5	85	3	3	9	16	16	16	16										
13-17	1	7.0		7	7	53	99 +	99 +	99 +	99 +										
18-24	3	11.0	109	4	4	6	19	23	23	23	1	2.0		2	2	2	2	2	2	2
25-34	9	7.3	91	1	3	6	6	22	32	32										
35-54	15	7.3	44	1	2	5	9	20	21	22	5	4.0	17	1	1	2	6	11	11	11
55-74	4	6.8	43	1	1	7	12	13	13	13	2	18.0	288	6	6	18	30	30	30	30
75 +	1	32.0		32	32	32	32	32	32	32	3	3.7	6	1	1	4	5	6	6	6
ALL AGES	35	8.4	70	1	3	6	12	23	32	99 +	11	6.3	70	1	2	4	6	19	29	30
B. FEMALE																				
0-12 YRS.	4	43.3	1486	10	11	63	91	99 +	99 +	99 +	2	2.0	2	1	1	2	3	3	3	3
13-17	7	7.9	44	3	3	6	16	76	99 +	99 +	3	6.3	25	3	3	4	10	12	12	12
18-24	20	8.3	84	1	2	5	10	23	28	32	4	2.5	4	1	1	2	4	5	5	5
25-34	41	13.0	245	2	4	7	21	55	99 +	99 +	8	2.5	4	1	1	2	3	6	7	7
35-54	46	11.5	94	3	4	10	18	27	37	99 +	7	4.4	11	1	2	4	5	10	11	11
55-74	17	10.5	120	2	3	7	13	31	34	35	3	4.3	3	3	3	4	5	6	6	6
75 +	5	6.0	12	1	3	8	8	9	9	9	6	10.8	91	1	4	9	13	26	28	28
ALL AGES	140	11.9	193	2	4	7	18	35	70	99 +	33	4.9	29	1	1	3	5	11	13	28
SUBTOTAL	**175**	**11.2**	**170**	**2**	**3**	**7**	**17**	**32**	**64**	**99 +**	**44**	**5.3**	**38**	**1**	**2**	**3**	**6**	**11**	**17**	**30**
GRAND TOTAL	**400**	**9.5**	**135**	**1**	**3**	**5**	**12**	**28**	**44**	**99 +**	**156**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**11**	**27**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	3	7.0	21	2	3	8	10	11	11	11	1	2.0		2	2	2	2	2	2	2
25-34	1	6.0		6	6	6	6	6	6	6	1	10.0		10	10	10	10	10	10	10
35-54	5	6.0	57	1	1	2	9	19	19	19										
55-74	2	6.5	1	6	6	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	15	5.6	23	1	2	6	8	11	17	19	3	4.7	21	2	2	2	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17											2	1.0		1	1	1	1	1	1	1
18-24											1	3.0		3	3	3	3	3	3	3
25-34	9	11.6	64	1	2	14	16	21	24	24										
35-54	12	12.7	54	3	5	15	18	21	24	24	1	1.0		1	1	1	1	1	1	1
55-74	6	11.5	81	3	6	8	15	27	28	28										
75 +	2	23.5	761	4	4	23	43	43	43	43										
ALL AGES	29	12.8	91	2	5	14	17	24	29	43	4	1.5	1	1	1	1	2	3	3	3
SUBTOTAL	**44**	**10.4**	**78**	**2**	**3**	**8**	**16**	**20**	**25**	**43**	**7**	**2.9**	**10**	**1**	**1**	**2**	**3**	**9**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	22.3	145	14	15	17	31	36	36	36										
25-34	9	14.4	136	1	3	12	24	30	31	31	1	1.0		1	1	1	1	1	1	1
35-54	7	8.0	41	3	3	7	10	19	21	21										
55-74	2	29.5	421	15	15	29	44	44	44	44										
75 +																				
ALL AGES	21	14.9	146	2	4	12	22	33	40	44	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	7	15.3	98	1	6	17	23	26	27	27										
25-34	15	19.3	151	6	11	15	25	28	48	54										
35-54	23	15.3	113	3	6	14	22	30	36	41										
55-74	14	9.7	27	3	4	11	13	16	18	18										
75 +																				
ALL AGES	61	14.7	108	3	6	13	21	27	31	53										
SUBTOTAL	**82**	**14.7**	**117**	**3**	**6**	**13**	**21**	**28**	**34**	**51**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**126**	**13.2**	**107**	**2**	**5**	**12**	**19**	**27**	**31**	**46**	**8**	**2.6**	**10**	**1**	**1**	**2**	**3**	**8**	**10**	**10**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	18.0	98	11	11	18	25	25	25	25										
18-24	6	14.0	111	4	5	11	23	29	30	30										
25-34	4	12.3	123	2	5	9	19	28	28	28										
35-54	5	21.4	167	8	12	16	32	40	40	40										
55-74																				
75 +																				
ALL AGES	17	16.2	122	4	8	14	26	30	36	40										
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24																				
25-34	6	15.2	45	9	10	14	15	27	28	28	1	32.0		32	32	32	32	32	32	32
35-54	2	16.0	338	3	3	16	29	29	29	29										
55-74	7	12.1	19	7	8	13	15	17	18	18										
75 +																				
ALL AGES	16	14.3	51	7	9	14	17	27	29	29	1	32.0		32	32	32	32	32	32	32
SUBTOTAL	**33**	**15.3**	**85**	**5**	**8**	**14**	**21**	**29**	**30**	**40**	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	25.5	13	23	23	25	28	28	28	28										
18-24	4	17.5	110	8	9	25	46	99 +	99 +	99 +										
25-34	7	12.1	118	2	4	7	18	29	32	32										
35-54	7	14.7	102	3	6	12	22	30	31	31	1	44.0		44	44	44	44	44	44	44
55-74	2	9.0	2	8	8	9	10	10	10	10										
75 +																				
ALL AGES	22	14.9	96	4	7	12	25	31	56	99 +	1	44.0		44	44	44	44	44	44	44
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17																				
18-24	1	55.0		55	55	55	55	55	55	55										
25-34	5	14.8	326	4	4	5	23	46	46	46										
35-54	7	8.6	51	1	2	9	14	19	20	20										
55-74	9	22.6	268	6	8	20	35	48	51	51										
75 +																				
ALL AGES	23	17.8	274	3	5	13	22	47	52	55										
SUBTOTAL	**45**	**16.4**	**184**	**4**	**6**	**12**	**24**	**42**	**52**	**99 +**	**1**	**44.0**		**44**	**44**	**44**	**44**	**44**	**44**	**44**
GRAND TOTAL	**78**	**15.9**	**142**	**4**	**8**	**14**	**23**	**32**	**45**	**87**	**2**	**38.0**	**72**	**32**	**32**	**38**	**44**	**44**	**44**	**44**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	30.7	426	4	15	34	48	67	92	99 +										
13-17	61	22.7	246	4	11	21	31	40	55	72	8	10.5	112	3	3	6	16	29	31	31
18-24	57	11.6	196	2	4	9	15	22	30	93	5	3.2	2	2	2	3	4	5	5	5
25-34	84	8.4	45	2	3	7	11	18	23	29	7	5.9	66	1	1	3	5	20	24	24
35-54	106	9.5	70	2	4	8	12	20	26	42	15	3.3	9	1	1	2	4	7	11	12
55-74	34	7.9	22	3	4	7	12	15	19	99 +	14	8.4	80	2	4	5	7	25	30	32
75 +	14	12.5	84	3	4	11	20	23	31	33	5	14.4	365	3	4	5	21	48	48	48
ALL AGES	370	12.5	158	2	4	9	16	28	39	72	54	7.0	86	1	2	4	6	23	30	47
B. FEMALE																				
0-12 YRS.	19	25.3	478	5	8	20	37	60	72	81	1	32.0		32	32	32	32	32	32	32
13-17	169	20.0	245	3	8	16	31	43	50	77	10	8.8	119	1	1	5	13	26	36	36
18-24	102	9.6	66	2	3	8	14	20	26	37	12	4.6	13	1	1	4	7	10	11	11
25-34	179	9.3	61	2	3	7	13	20	25	35	18	7.1	29	1	3	6	10	16	18	18
35-54	239	9.9	92	2	4	8	12	22	29	52	43	5.3	27	1	2	3	6	13	15	28
55-74	102	11.4	71	3	5	9	15	22	28	43	44	5.4	19	2	2	4	7	12	16	18
75 +	43	14.1	96	4	8	12	18	25	32	50	19	10.8	76	3	4	7	17	26	29	30
ALL AGES	853	12.5	137	2	4	9	16	28	37	56	147	6.6	43	1	2	4	8	15	19	32
SUBTOTAL	**1223**	**12.5**	**143**	**2**	**4**	**9**	**16**	**28**	**37**	**62**	**201**	**6.7**	**54**	**1**	**2**	**4**	**8**	**15**	**23**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	53	35.5	567	12	17	29	53	71	85	99 +	2	6.0	8	4	4	6	8	8	8	8
13-17	126	26.6	345	6	12	26	41	55	75	99 +	10	15.4	192	2	4	10	26	37	43	43
18-24	128	15.2	184	2	6	11	21	31	40	73	4	9.0	24	5	5	8	13	15	15	15
25-34	192	11.0	68	3	5	9	15	21	28	37	5	3.8	6	2	2	3	5	8	8	8
35-54	185	11.2	75	3	5	8	16	23	28	41	11	5.9	59	1	2	3	6	16	27	28
55-74	36	8.8	47	2	4	7	12	21	25	27	6	3.7	8	1	2	3	4	8	9	9
75 +	4	9.3	12	4	7	10	11	12	12	12	2	23.0	98	16	16	23	30	30	30	30
ALL AGES	724	16.2	234	3	6	11	21	38	49	88	40	8.9	96	2	3	5	10	27	31	43
B. FEMALE																				
0-12 YRS.	15	27.7	370	5	13	28	50	92	99 +	99 +	1	2.0		2	2	2	2	2	2	2
13-17	210	30.0	386	7	15	28	42	60	71	99 +	10	15.4	253	1	2	10	25	42	44	44
18-24	144	12.1	137	2	4	8	16	25	36	57	9	5.3	16	2	2	4	7	12	13	13
25-34	262	11.9	87	3	5	10	16	24	32	43	12	6.1	92	1	1	2	6	18	33	35
35-54	274	11.5	91	3	5	9	15	24	29	57	28	9.0	124	1	3	5	10	23	41	45
55-74	108	13.3	77	4	8	12	17	25	31	45	19	9.7	96	2	4	6	13	20	34	43
75 +	20	13.5	53	5	6	14	19	23	26	28	7	13.3	142	1	2	12	25	29	29	29
ALL AGES	1033	15.9	212	3	6	11	21	36	49	80	86	9.4	119	2	2	5	12	27	40	45
SUBTOTAL	**1757**	**16.0**	**222**	**3**	**6**	**11**	**21**	**37**	**49**	**82**	**126**	**9.2**	**112**	**2**	**2**	**5**	**11**	**27**	**36**	**44**
GRAND TOTAL	**2980**	**14.6**	**192**	**3**	**5**	**10**	**19**	**33**	**44**	**75**	**327**	**7.7**	**77**	**1**	**2**	**4**	**9**	**17**	**28**	**43**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	3.0	3	2	2	2	4	5	5	5	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	3.0	1	2	2	3	4	4	4	4	1	5.0		5	5	5	5	5	5	5
35-54	1	9.0		9	9	9	9	9	9	9	3	2.0	3	1	1	1	3	4	4	4
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	5	4.6	7	2	3	4	6	9	9	9	4	2.8	4	1	1	3	4	5	5	5
SUBTOTAL	**8**	**4.0**	**6**	**2**	**2**	**3**	**5**	**8**	**9**	**9**	**6**	**2.7**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**8.0**	**50**	**3**	**3**	**8**	**13**	**13**	**13**	**13**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**10**	**4.8**	**13**	**2**	**2**	**4**	**5**	**11**	**13**	**13**	**7**	**2.9**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.0	18	2	2	5	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.0	18	2	2	5	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	3	6.7	44	1	2	5	12	14	14	14										
SUBTOTAL	**5**	**6.0**	**28**	**1**	**2**	**5**	**9**	**14**	**14**	**14**										
GRAND TOTAL	**5**	**6.0**	**28**	**1**	**2**	**5**	**9**	**14**	**14**	**14**										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	2	9.5	41	5	5	9	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74	2	10.5	13	8	8	10	13	13	13	13										
75 +																				
ALL AGES	3	12.0	13	8	9	13	14	15	15	15	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**5**	**11.0**	**19**	**5**	**7**	**13**	**14**	**15**	**15**	**15**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	3	6.3	21	2	3	6	10	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.5	13	2	2	4	7	7	7	7										
35-54	3	14.7	228	4	5	8	26	32	32	32										
55-74	2	10.0	50	5	5	10	15	15	15	15										
75 +																				
ALL AGES	7	10.4	108	2	4	7	13	29	32	32										
SUBTOTAL	**10**	**9.2**	**80**	**2**	**4**	**6**	**11**	**23**	**32**	**32**										
GRAND TOTAL	**15**	**9.8**	**58**	**2**	**5**	**8**	**14**	**15**	**28**	**32**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	2	2.5	1	2	2	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	3	5.3	9	2	3	7	7	7	7	7	2	2.5	5	1	1	2	4	4	4	4
55-74	1	31.0		31	31	31	31	31	31	31										
75 +																				
ALL AGES	7	8.1	107	2	2	5	7	26	31	31	4	3.3	2	1	2	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	2	5.0	2	4	4	5	6	6	6	6	1	3.0		3	3	3	3	3	3	3
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	6	15.8	55	6	10	16	21	25	25	25	1	5.0		5	5	5	5	5	5	5
35-54	9	9.7	36	3	5	8	13	19	21	21	2	6.0	2	5	5	6	7	7	7	7
55-74	6	6.7	20	3	4	4	12	13	13	13	3	6.7	6	4	5	7	8	9	9	9
75 +	2	23.5	613	6	6	23	41	41	41	41										
ALL AGES	26	10.8	81	3	4	8	13	21	28	41	8	5.5	4	3	4	5	7	8	9	9
SUBTOTAL	**33**	**10.2**	**85**	**2**	**4**	**7**	**13**	**22**	**30**	**41**	**12**	**4.8**	**4**	**2**	**4**	**4**	**6**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	3	6.0	3	4	5	7	7	7	7	7										
35-54	4	17.0	33	10	13	17	21	24	24	24										
55-74																				
75 +																				
ALL AGES	9	13.8	48	5	7	16	19	23	24	24	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	6	6.8	16	1	5	7	10	12	12	12	1	10.0		10	10	10	10	10	10	10
35-54	15	10.3	78	2	4	7	17	25	29	30	2	20.5	761	1	1	20	40	40	40	40
55-74	8	11.5	59	2	5	10	18	22	23	23	1	3.0		3	3	3	3	3	3	3
75 +	5	13.2	28	8	9	11	17	21	21	21	1	3.0		3	3	3	3	3	3	3
ALL AGES	37	10.1	51	2	5	8	13	21	24	30	5	11.4	267	1	2	3	17	40	40	40
SUBTOTAL	**46**	**10.8**	**52**	**3**	**5**	**9**	**16**	**21**	**24**	**30**	**6**	**10.0**	**226**	**1**	**3**	**3**	**10**	**37**	**40**	**40**
GRAND TOTAL	**79**	**10.6**	**64**	**3**	**5**	**8**	**16**	**21**	**25**	**38**	**18**	**6.5**	**76**	**2**	**3**	**4**	**7**	**10**	**28**	**40**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	4.0	5	1	3	4	6	7	7	7	3	2.3	6	1	1	1	4	5	5	5
13-17	6	2.5	6	1	1	1	5	6	6	6	6	3.7	12	1	1	2	5	9	10	10
18-24	6	8.8	93	1	2	4	20	22	22	22	2	3.5	1	3	3	3	4	4	4	4
25-34	8	6.0	38	1	1	4	9	16	18	18	6	2.3	4	1	1	2	3	6	6	6
35-54	8	9.1	61	1	2	8	14	21	22	22	4	4.5	4	3	3	4	6	7	7	7
55-74	11	5.8	15	3	4	5	7	12	16	16	7	10.7	208	2	5	6	8	36	43	43
75 +	5	8.2	9	5	6	7	10	13	13	13	2	6.0	32	2	2	6	10	10	10	10
ALL AGES	50	6.4	33	1	2	5	8	17	20	22	30	5.2	58	1	1	3	6	9	10	43
B. FEMALE																				
0-12 YRS.	8	9.8	100	1	3	5	14	26	31	31	2	1.5	1	1	1	1	2	2	2	2
13-17	16	6.1	61	1	1	3	6	20	24	26	6	2.2	1	1	1	2	3	4	4	4
18-24	13	10.3	137	1	3	4	14	31	37	39	4	3.0	3	1	2	3	4	5	5	5
25-34	13	5.2	21	1	1	5	9	12	14	15	7	1.7	1	1	1	2	2	3	3	3
35-54	15	11.0	98	2	3	7	17	22	32	36	5	1.4		1	1	1	2	90	99 +	99 +
55-74	8	8.1	75	1	2	5	11	22	27	27	5	4.0	1	3	3	4	4	5	5	5
75 +	9	7.3	37	2	4	7	8	17	22	22	7	5.4	11	1	3	4	8	10	10	10
ALL AGES	82	8.2	75	1	2	5	12	21	28	38	36	2.9	5	1	1	2	4	7	10	99 +
SUBTOTAL	**132**	**7.5**	**60**	**1**	**2**	**5**	**10**	**19**	**22**	**37**	**66**	**3.9**	**30**	**1**	**1**	**3**	**5**	**8**	**10**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	3.5	10	1	1	2	5	8	8	8	1	45.0		45	45	45	45	45	45	45
13-17	21	13.1	258	1	3	6	14	42	52	58	4	9.3	74	1	1	8	16	19	19	19
18-24	14	8.4	59	1	2	6	13	18	26	28	7	10.1	186	1	2	3	23	31	31	31
25-34	26	11.8	69	3	4	10	15	25	28	30	10	4.5	69	1	1	2	3	16	28	28
35-54	21	12.5	101	1	4	10	23	27	30	30	12	2.2	2	1	1	2	3	4	5	5
55-74	4	8.8	38	4	5	6	12	18	18	18	3	3.0	12	1	1	1	6	7	7	7
75 +	2	17.5	265	6	6	17	29	29	29	29	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	92	11.4	116	1	4	8	15	27	30	53	39	6.3	103	1	1	2	5	24	30	45
B. FEMALE																				
0-12 YRS.	6	9.5	75	1	5	7	10	24	26	26	1	8.0		8	8	8	8	8	8	8
13-17	33	11.4	295	2	3	6	11	26	41	92	8	2.5	1	1	1	2	3	4	4	4
18-24	27	11.8	91	2	4	9	18	27	32	34	7	1.1		1	1	1	1	2	2	2
25-34	33	15.8	154	2	6	14	25	35	38	41	9	1.7	1	1	1	1	2	3	3	3
35-54	32	8.9	50	2	4	7	13	20	21	32	7	5.1	32	1	2	3	6	15	17	17
55-74	8	11.4	146	1	4	9	13	32	39	39	3	9.7	29	4	5	10	14	15	15	15
75 +	6	5.0	12	1	2	5	8	9	9	9	3	4.7	2	3	3	5	6	6	6	6
ALL AGES	145	11.6	144	2	3	8	15	26	34	44	38	3.4	14	1	1	2	4	8	13	17
SUBTOTAL	**237**	**11.5**	**133**	**2**	**3**	**8**	**15**	**27**	**33**	**48**	**77**	**4.9**	**60**	**1**	**1**	**2**	**4**	**13**	**25**	**41**
GRAND TOTAL	**369**	**10.1**	**110**	**1**	**3**	**7**	**13**	**25**	**31**	**42**	**143**	**4.4**	**46**	**1**	**1**	**2**	**5**	**9**	**18**	**48**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74	2	15.5	41	11	11	15	20	20	20	20										
75 +																				
ALL AGES	3	14.3	26	11	11	12	18	20	20	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	10.0	50	5	5	10	15	15	15	15										
35-54	2	7.0	8	5	5	7	9	9	9	9	1	8.0		8	8	8	8	8	8	8
55-74	1	17.0		17	17	17	17	17	17	17										
75 +	1	36.0		36	36	36	36	36	36	36	1	2.0		2	2	2	2	2	2	2
ALL AGES	6	14.5	136	5	5	12	17	34	36	36	2	5.0	18	2	2	5	8	8	8	8
SUBTOTAL	**9**	**14.4**	**92**	**5**	**8**	**12**	**18**	**30**	**36**	**36**	**2**	**5.0**	**18**	**2**	**2**	**5**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.5	5	9	9	10	12	12	12	12										
25-34	2	8.5	5	7	7	8	10	10	10	10										
35-54	4	19.5	217	5	7	19	32	35	35	35										
55-74	1	24.0		24	24	24	24	24	24	24	1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	9	15.6	116	6	8	10	25	33	35	35	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	14.0	98	7	7	14	21	21	21	21										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	5	11.0	64	3	5	7	19	21	21	21										
SUBTOTAL	**14**	**13.9**	**98**	**5**	**7**	**10**	**21**	**30**	**34**	**35**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
GRAND TOTAL	**23**	**14.1**	**92**	**5**	**7**	**11**	**19**	**30**	**35**	**36**	**3**	**7.3**	**26**	**2**	**3**	**8**	**11**	**12**	**12**	**12**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	5.0	4	3	3	5	6	7	7	7										
35-54	2	4.0	2	3	3	4	5	5	5	5										
55-74	1	27.0		27	27	27	27	27	27	27										
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	8	8.9	88	1	3	5	13	25	27	27										
B. FEMALE																				
0-12 YRS.																				
13-17	1	35.0		35	35	35	35	35	35	35										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	8.3	36	1	4	8	12	16	16	16										
35-54	4	12.8	19	6	10	14	15	16	16	16	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	10	12.5	89	3	6	11	16	26	35	35	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**18**	**10.9**	**86**	**2**	**5**	**7**	**16**	**25**	**32**	**35**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	50.5	761	31	31	50	70	70	70	70										
13-17	2	22.5	85	16	16	22	29	29	29	29										
18-24	3	20.7	212	5	9	23	31	34	34	34										
25-34	5	12.0	45	3	7	12	16	21	21	21										
35-54	6	11.5	42	3	5	12	16	20	20	20										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	20	17.9	233	4	7	15	22	32	52	70										
B. FEMALE																				
0-12 YRS.																				
13-17	4	40.0	928	12	14	38	66	72	72	72										
18-24	4	8.3	15	5	5	7	11	14	14	14										
25-34	4	20.5	188	8	12	17	29	40	40	40										
35-54	5	12.2	17	9	9	10	16	18	18	18										
55-74	3	13.3	22	9	10	13	17	18	18	18										
75 +																				
ALL AGES	20	18.8	319	7	9	13	18	50	66	72										
SUBTOTAL	**40**	**18.4**	**267**	**5**	**9**	**14**	**19**	**37**	**65**	**72**										
GRAND TOTAL	**58**	**16.0**	**223**	**4**	**6**	**13**	**18**	**33**	**52**	**72**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	42.5	440	22	26	39	59	69	69	69										
13-17	4	27.5	490	9	10	22	45	56	56	56										
18-24	6	8.5	33	1	4	8	14	16	16	16										
25-34	3	8.3	50	1	3	9	13	15	15	15	1	1.0		1	1	1	1	1	1	1
35-54	2	18.0		18	18	18	18	18	18	18	2	13.0	18	10	10	13	16	16	16	16
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	20	20.2	346	3	9	14	26	52	62	69	3	9.0	57	1	3	10	14	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-24	2	11.0	50	6	6	11	16	16	16	16										
25-34	3	7.0	7	5	5	6	9	10	10	10										
35-54	2	29.5	1513	2	2	29	57	57	57	57	1	2.0		2	2	2	2	2	2	2
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	9	15.8	285	3	6	10	18	43	57	57	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**29**	**18.8**	**322**	**3**	**7**	**14**	**22**	**53**	**58**	**69**	**4**	**7.3**	**49**	**1**	**1**	**6**	**13**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	3	28.0	256	12	16	28	40	44	44	44										
18-24	4	34.5	110	27	28	30	40	50	50	50										
25-34	8	17.3	248	2	6	10	27	42	48	48										
35-54	3	18.0	79	8	11	21	24	25	25	25										
55-74																				
75 +																				
ALL AGES	19	21.9	228	4	9	25	30	46	49	50										
B. FEMALE																				
0-12 YRS.																				
13-17	1	31.0		31	31	31	31	31	31	31										
18-24	3	23.7	360	4	9	25	38	42	42	42										
25-34	4	21.5	775	5	5	9	37	63	63	63										
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	10	19.1	433	1	4	9	31	52	63	63										
SUBTOTAL	**29**	**21.0**	**285**	**2**	**6**	**21**	**30**	**46**	**51**	**63**										
GRAND TOTAL	**58**	**19.9**	**299**	**2**	**6**	**14**	**28**	**49**	**57**	**69**	**4**	**7.3**	**49**	**1**	**1**	**6**	**13**	**16**	**16**	**16**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	7.0	21	2	3	8	10	11	11	11										
13-17	4	8.0	87	3	3	4	13	22	22	22										
18-24	2	27.5	13	25	25	27	30	30	30	30										
25-34	4	15.5	99	5	9	14	22	29	29	29										
35-54	4	5.5	27	1	2	4	9	13	13	13										
55-74	2	7.5	41	3	3	7	12	12	12	12										
75 +																				
ALL AGES	19	10.9	88	2	3	8	14	27	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24	1	21.0		21	21	21	21	21	21	21										
25-34	3	30.7	1238	2	6	20	57	70	70	70										
35-54																				
55-74																				
75 +																				
ALL AGES	5	26.4	655	2	15	20	33	70	70	70										
SUBTOTAL	**24**	**14.1**	**225**	**2**	**3**	**11**	**20**	**29**	**42**	**70**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	35.3	617	4	13	35	59	65	66	66										
18-24	3	12.7	81	6	7	9	19	23	23	23										
25-34	6	13.0	25	8	10	11	15	21	22	22	2	1.5	1	1	1	1	2	2	2	2
35-54	4	7.3	15	3	4	7	10	12	12	12										
55-74																				
75 +																				
ALL AGES	19	18.8	327	4	8	12	23	51	63	66	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	1	16.0		16	16	16	16	16	16	16										
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74											1	1.0		1	1	1	1	1	1	1
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	6	12.3	78	4	7	10	16	27	28	28	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**25**	**17.2**	**271**	**4**	**7**	**12**	**22**	**39**	**61**	**66**	**4**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**49**	**15.7**	**245**	**3**	**5**	**12**	**21**	**31**	**59**	**70**	**4**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**	**2**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	9.0		9	9	9	9	9	9	9
18-24	2	13.5	41	9	9	13	18	18	18	18										
25-34	1	42.0		42	42	42	42	42	42	42										
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.0	291	9	11	18	36	42	42	42	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	6.3	34	3	3	3	11	13	13	13										
SUBTOTAL	**6**	**14.7**	**212**	**3**	**3**	**11**	**18**	**40**	**42**	**42**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	34.0		34	34	34	34	34	34	34										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	3	16.0	247	5	6	9	28	34	34	34										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	22.5	436	5	8	16	37	52	52	52										
35-54	2	11.0	72	5	5	11	17	17	17	17										
55-74																				
75 +																				
ALL AGES	6	18.7	310	5	5	14	22	49	52	52										
SUBTOTAL	**9**	**17.8**	**257**	**5**	**5**	**11**	**25**	**45**	**52**	**52**										
GRAND TOTAL	**15**	**16.5**	**227**	**3**	**5**	**11**	**21**	**42**	**49**	**52**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54	2	10.0	128	2	2	10	18	18	18	18										
55-74																				
75 +																				
ALL AGES	4	9.8	50	2	4	9	15	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17	3	20.7	124	11	13	18	29	33	33	33										
18-24	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
25-34	2	15.5	85	9	9	15	22	22	22	22	1	2.0		2	2	2	2	2	2	2
35-54	3	6.3	38	1	2	5	11	13	13	13										
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	9	13.7	91	3	8	11	19	29	33	33	3	4.3	17	2	2	2	7	9	9	9
SUBTOTAL	**13**	**12.5**	**76**	**2**	**6**	**11**	**18**	**24**	**31**	**33**	**3**	**4.3**	**17**	**2**	**2**	**2**	**7**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	2.0	2	1	1	1	3	3	3	3										
18-24	3	13.3	76	4	7	15	19	21	21	21	1	8.0		8	8	8	8	8	8	8
25-34	6	5.7	13	3	3	5	5	12	13	13	1	5.0		5	5	5	5	5	5	5
35-54											1	22.0		22	22	22	22	22	22	22
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	2	11.0	128	3	3	11	19	19	19	19										
ALL AGES	14	7.3	45	2	3	4	13	19	21	21	3	11.7	81	5	6	8	18	22	22	22
SUBTOTAL	**14**	**7.3**	**45**	**2**	**3**	**4**	**13**	**19**	**21**	**21**	**4**	**9.8**	**68**	**4**	**4**	**6**	**15**	**22**	**22**	**22**
GRAND TOTAL	**27**	**9.8**	**65**	**2**	**3**	**6**	**15**	**21**	**24**	**33**	**7**	**7.4**	**49**	**2**	**3**	**5**	**9**	**19**	**22**	**22**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	2	2.0		2	2	2	2	2	2	2	1	16.0		16	16	16	16	16	16	16
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	2.7	1	2	2	2	4	4	4	4	2	10.0	72	4	4	10	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	2	4.5	1	4	4	4	5	5	5	5										
55-74	2	2.5	5	1	1	2	4	4	4	4										
75 +																				
ALL AGES	5	3.0	4	1	1	4	4	5	5	5										
SUBTOTAL	**8**	**2.9**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**	**2**	**10.0**	**72**	**4**	**4**	**10**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	1.0		1	1	1	1	1	1	1										
25-34	4	2.8	1	2	2	3	3	4	4	4										
35-54	5	5.4	58	1	2	2	7	19	19	19										
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	11	3.6	27	1	1	2	3	10	18	19	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	3	6.0	13	3	3	5	9	10	10	10										
18-24											1	31.0		31	31	31	31	31	31	31
25-34	3	15.3	172	5	6	11	25	30	30	30										
35-54	5	10.0	26	5	6	7	15	16	16	16										
55-74	1	6.0		6	6	6	6	6	6	6	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	12	10.0	56	4	5	7	13	20	29	30	2	18.5	313	6	6	18	31	31	31	31
SUBTOTAL	**23**	**7.0**	**50**	**1**	**2**	**5**	**9**	**17**	**23**	**30**	**3**	**13.3**	**238**	**3**	**4**	**6**	**25**	**31**	**31**	**31**
GRAND TOTAL	**31**	**5.9**	**41**	**1**	**2**	**4**	**7**	**15**	**19**	**30**	**5**	**12.0**	**140**	**3**	**4**	**6**	**20**	**31**	**31**	**31**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	11.0		11	11	11	11	11	11	11
18-24	7	11.9	325	1	2	4	10	44	52	52	1	2.0		2	2	2	2	2	2	2
25-34	7	7.0	26	1	3	5	10	15	16	16	1	3.0		3	3	3	3	3	3	3
35-54	4	10.0	28	5	6	9	14	17	17	17										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	19	9.2	129	1	3	5	11	17	36	52	3	5.3	25	2	2	3	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**20**	**9.1**	**123**	**1**	**3**	**6**	**11**	**16**	**34**	**52**	**3**	**5.3**	**25**	**2**	**2**	**3**	**9**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	2	11.0	50	6	6	11	16	16	16	16										
18-24	10	4.9	40	1	1	3	5	14	22	22	1	22.0		22	22	22	22	22	22	22
25-34	9	4.9	3	2	4	5	6	7	7	7										
35-54	4	5.8	13	3	3	5	8	11	11	11										
55-74																				
75 +	2	6.0	50	1	1	5	11	11	11	11										
ALL AGES	28	5.5	22	1	3	5	6	11	17	22	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	2	12.0	200	2	2	12	22	22	22	22										
SUBTOTAL	**30**	**5.9**	**31**	**1**	**3**	**5**	**6**	**14**	**22**	**22**	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**
GRAND TOTAL	**50**	**7.2**	**68**	**1**	**3**	**5**	**8**	**16**	**22**	**52**	**4**	**9.5**	**86**	**2**	**2**	**7**	**16**	**22**	**22**	**22**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	35.9	126	16	35	41	42	43	43	43	2	78.0	722	59	68	97	99	99+	99+	99+
13-17	16	25.3	217	4	14	22	39	46	48	48	2	66.0	1458	39	52	93	98	99+	99+	99+
18-24	20	6.5	28	1	2	5	9	14	17	20										
25-34	16	10.2	78	1	4	8	14	20	30	35										
35-54	4	10.8	23	4	7	12	14	15	15	15										
55-74	2	11.5	13	9	9	11	14	14	14	14										
75 +																				
ALL AGES	65	15.6	195	2	4	11	21	41	42	48	4	72.0	775	41	59	95	99+	99+	99+	99+
B. FEMALE																				
0-12 YRS.	4	34.8	310	21	21	29	48	59	59	59	1	11.0		11	11	11	11	11	11	11
13-17	25	23.8	556	3	6	16	45	79	87	99+	6	46.0	1106	2	15	53	62	89	92	92
18-24	42	11.6	156	2	4	8	14	26	32	72										
25-34	48	9.1	48	2	4	6	13	22	24	26	4	9.8	43	2	5	9	14	18	18	18
35-54	35	11.3	83	1	3	10	17	25	30	32										
55-74	3	15.3	22	11	12	15	19	20	20	20	1	16.0		16	16	16	16	16	16	16
75 +	2	14.5	85	8	8	14	21	21	21	21										
ALL AGES	159	13.4	200	2	4	9	18	29	45	83	12	28.5	852	2	9	15	53	71	89	92
SUBTOTAL	**224**	**14.0**	**200**	**2**	**4**	**10**	**19**	**35**	**43**	**83**	**16**	**39.4**	**1156**	**4**	**11**	**43**	**92**	**99**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	57.5	41	53	53	57	62	62	62	62	1	15.0		15	15	15	15	15	15	15
13-17	13	21.6	518	5	7	11	41	81	96	99+	1	24.0		24	24	62	99+	99+	99+	99+
18-24	19	11.6	156	1	3	7	15	25	40	52	2	21.5	113	14	14	21	29	29	29	29
25-34	30	9.8	81	3	5	7	11	26	30	38	1	4.0		4	4	4	4	4	4	4
35-54	11	13.5	120	1	5	10	21	31	32	32										
55-74	2	14.5	221	4	4	14	25	25	25	25										
75 +																				
ALL AGES	77	14.1	238	3	5	8	20	39	53	94	5	17.2	94	5	14	19	29	93	99+	99+
B. FEMALE																				
0-12 YRS.	4	25.3	195	6	15	28	35	38	38	38										
13-17	22	33.2	532	6	14	36	49	68	99	99+										
18-24	52	10.6	123	1	3	6	14	26	35	50	1	1.0		1	1	1	1	1	1	1
25-34	65	14.1	200	3	5	11	17	28	47	74	3	20.3	766	1	3	8	41	52	52	52
35-54	49	15.4	122	5	7	11	22	31	36	50	1	53.0		53	53	53	53	53	53	53
55-74	4	5.5	2	4	4	5	6	7	7	7										
75 +																				
ALL AGES	196	15.7	234	3	6	11	22	38	49	88	5	23.0	734	1	1	8	52	53	53	53
SUBTOTAL	**273**	**15.3**	**233**	**3**	**5**	**10**	**22**	**38**	**49**	**93**	**10**	**20.1**	**377**	**1**	**5**	**15**	**46**	**72**	**98**	**99+**
GRAND TOTAL	**497**	**14.7**	**218**	**3**	**5**	**10**	**20**	**37**	**47**	**83**	**26**	**32.0**	**919**	**2**	**10**	**24**	**60**	**99**	**99+**	**99+**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	4	16.0	359	1	4	15	57	99 +	99 +	99 +										
18-24	5	4.8	55	1	1	1	7	18	18	18										
25-34	5	5.8	17	2	2	5	9	11	11	11										
35-54	4	4.3	2	2	3	4	5	6	6	6	2	1.0		1	1	1	1	1	1	1
55-74	2	5.5	1	5	5	5	6	6	6	6										
75 +																				
ALL AGES	21	8.1	106	1	2	5	11	31	66	99 +	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	3	15.0	343	1	3	8	29	36	36	36										
18-24	5	11.4	196	1	1	6	18	35	35	35	1	2.0		2	2	2	2	2	2	2
25-34	8	9.1	48	3	4	7	14	20	21	21										
35-54	9	15.0	157	1	3	18	23	32	34	34										
55-74	1	3.0		3	3	3	3	3	3	3	2	4.5	1	4	4	4	5	5	5	5
75 +																				
ALL AGES	26	12.0	134	1	3	7	20	34	35	36	3	3.7	2	2	2	4	5	5	5	5
SUBTOTAL	**47**	**10.3**	**121**	**1**	**2**	**6**	**18**	**33**	**37**	**99 +**	**5**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	30.0	7	27	28	31	32	32	32	32										
18-24	8	9.9	120	1	1	5	17	28	30	30										
25-34	3	14.7	113	3	6	17	22	24	24	24	1	1.0		1	1	1	1	1	1	1
35-54	1	30.0		30	30	30	30	30	30	30	2	5.0	18	2	2	5	8	8	8	8
55-74	1	23.0		23	23	23	23	23	23	23	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	16	16.6	149	1	3	19	28	31	32	32	4	3.8	9	1	1	3	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17											1	49.0		49	49	49	49	49	49	49
18-24	7	10.1	137	2	3	5	12	31	35	35	1	5.0		5	5	5	5	5	5	5
25-34	12	7.8	91	1	1	4	9	27	28	28	1	13.0		13	13	13	13	13	13	13
35-54	3	7.0	49	2	2	4	12	15	15	15										
55-74	3	10.3	115	1	3	8	18	22	22	22										
75 +																				
ALL AGES	25	8.7	91	1	2	5	12	26	30	35	3	22.3	552	5	7	13	40	49	49	49
SUBTOTAL	**41**	**11.8**	**125**	**1**	**2**	**7**	**22**	**30**	**31**	**35**	**7**	**11.7**	**287**	**1**	**2**	**5**	**12**	**42**	**49**	**49**
GRAND TOTAL	**88**	**11.0**	**122**	**1**	**2**	**6**	**19**	**30**	**35**	**78**	**12**	**7.9**	**180**	**1**	**1**	**4**	**7**	**24**	**45**	**49**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	4	12.5	50	4	7	12	17	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	4	12.5	50	4	7	12	17	21	21	21										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54	2	11.5	41	7	7	11	16	16	16	16										
55-74																				
75 +																				
ALL AGES	3	10.3	25	7	7	8	14	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	10.3	25	7	7	8	14	16	16	16										
GRAND TOTAL	7	11.6	34	5	7	11	15	20	21	21										

EXHIBITIONISM (302.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24																				
25-34																				
35-54	1	22.0		22	22	22	22	22	22	22										
55-74																				
75 +																				
ALL AGES	2	20.0	8	18	18	20	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	20.0	8	18	18	20	22	22	22	22										
GRAND TOTAL	3	14.3	102	3	7	18	21	22	22	22										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	22.5	41	18	18	22	27	27	27	27	28	8.8	67	1	1	9	13	24	24	26
35-54	3	17.7	109	7	10	18	25	28	28	28	17	11.3	118	1	5	8	14	27	36	41
55-74	1	6.0		6	6	6	6	6	6	6	2	2.5	5	1	1	2	4	4	4	4
75 +																				
ALL AGES	6	17.3	90	6	7	18	27	28	28	28	47	9.4	85	1	1	8	13	24	26	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	40.0		40	40	40	40	40	40	40										
25-34	3	14.7	69	5	8	19	20	20	20	20	6	14.2	39	5	10	15	19	21	21	21
35-54	2	8.5	13	6	6	8	11	11	11	11										
55-74																				
75 +																				
ALL AGES	6	16.8	170	5	6	15	20	38	40	40	6	14.2	39	5	10	15	19	21	21	21
SUBTOTAL	**12**	**17.1**	**116**	**6**	**7**	**18**	**23**	**32**	**39**	**40**	**53**	**10.0**	**80**	**1**	**1**	**9**	**14**	**24**	**26**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**12**	**17.1**	**116**	**6**	**7**	**18**	**23**	**32**	**39**	**40**	**53**	**10.0**	**80**	**1**	**1**	**9**	**14**	**24**	**26**	**41**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	74.0		74	74	74	74	74	74	74										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	74.0		74	74	74	74	74	74	74										
SUBTOTAL	**1**	**74.0**		**74**	**74**	**74**	**74**	**74**	**74**	**74**										
GRAND TOTAL	**1**	**74.0**		**74**	**74**	**74**	**74**	**74**	**74**	**74**										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	8.0		8	8	8	8	8	8	8
35-54	5	2.6		2	2	3	3	3	3	3	4	2.8	1	2	2	3	3	4	4	4
55-74	8	2.6	2	1	2	3	4	4	4	4	5	4.4	19	1	2	3	6	12	12	12
75 +																				
ALL AGES	13	2.6	1	1	2	3	3	4	4	4	10	4.1	11	1	2	3	4	10	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	13	2.6	1	1	2	3	3	4	4	4	10	4.1	11	1	2	3	4	10	12	12
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	13	2.6	1	1	2	3	3	4	4	4	10	4.1	11	1	2	3	4	10	12	12

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	2	10.0	50	5	5	10	15	15	15	15										
SUBTOTAL	**4**	**5.8**	**40**	**1**	**1**	**3**	**10**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	85.0		85	85	85	85	85	85	85										
18-24	2	37.5	1405	11	11	37	64	64	64	64										
25-34	1	43.0		43	43	43	43	43	43	43										
35-54																				
55-74																				
75 +																				
ALL AGES	4	50.8	989	11	27	53	74	85	85	85										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**50.8**	**989**	**11**	**27**	**53**	**74**	**85**	**85**	**85**										
GRAND TOTAL	**8**	**28.3**	**1020**	**1**	**3**	**13**	**53**	**79**	**85**	**85**										

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	17.0		17	17	17	17	17	17	17										
55-74																				
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**										
GRAND TOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	14	1.9	1	1	1	1	2	3	5	5	5	1.8	1	1	1	2	2	3	3	3
18-24	51	3.6	36	1	1	2	3	6	20	29	11	4.9	67	1	1	2	5	15	28	29
25-34	220	4.0	32	1	1	2	3	10	18	29	63	8.1	84	1	1	3	18	21	27	31
35-54	474	5.4	58	1	2	3	4	20	28	31	133	5.9	54	1	2	3	5	21	25	28
55-74	194	5.9	53	1	2	3	5	18	27	32	70	5.9	61	1	2	3	5	18	21	44
75 +	14	4.4	11	2	2	3	5	9	13	14	8	4.9	9	2	2	4	7	9	10	10
ALL AGES	967	5.0	49	1	2	3	4	14	25	31	290	6.2	61	1	2	3	6	21	25	29
B. FEMALE																				
0-12 YRS.																				
13-17	6	10.0	238	1	2	3	9	38	41	41	2	2.5	1	2	2	2	3	3	3	3
18-24	16	3.1	16	1	1	1	3	11	13	14	5	1.6	1	1	1	1	2	3	3	3
25-34	67	4.5	41	1	2	2	3	14	22	29	26	4.0	29	1	1	2	3	10	21	21
35-54	119	4.9	44	1	2	3	4	11	23	32	53	6.5	74	1	2	3	6	21	27	38
55-74	39	8.5	119	1	2	3	10	30	32	40	19	7.1	88	1	1	3	6	23	29	34
75 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	248	5.3	60	1	2	3	4	16	27	33	106	5.7	61	1	1	3	5	21	25	36
SUBTOTAL	**1215**	**5.1**	**51**	**1**	**2**	**3**	**4**	**14**	**26**	**31**	**396**	**6.1**	**61**	**1**	**2**	**3**	**6**	**21**	**25**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	6.0	18	3	3	6	9	9	9	9
13-17	19	9.0	128	1	1	3	17	29	30	30	9	24.4	621	1	2	21	34	65	77	77
18-24	81	5.4	55	1	1	2	5	21	24	30	53	13.1	84	2	4	14	21	23	24	35
25-34	385	6.1	61	1	2	3	5	21	26	31	280	12.0	108	2	3	7	21	24	27	50
35-54	602	6.0	54	1	2	3	6	20	26	31	401	10.0	83	2	3	5	21	24	26	35
55-74	193	7.0	57	2	3	4	7	16	22	32	114	9.0	76	2	3	5	14	24	28	32
75 +	19	8.7	102	2	2	5	9	27	35	35	5	7.8	28	4	5	6	9	17	17	17
ALL AGES	1299	6.2	59	1	2	3	6	21	26	32	864	10.8	99	2	3	6	21	24	27	40
B. FEMALE																				
0-12 YRS.																				
13-17	10	17.0	234	1	2	17	28	36	40	40	3	28.3	759	1	8	28	49	56	56	56
18-24	28	6.6	94	1	1	3	5	20	34	40	12	11.7	95	1	2	9	21	23	25	25
25-34	120	6.8	71	1	2	3	5	22	27	31	75	9.5	93	1	3	4	20	22	27	42
35-54	168	5.4	48	1	2	3	5	15	23	32	90	7.5	61	1	3	5	7	21	22	32
55-74	53	10.4	78	3	3	7	14	27	30	32	31	10.4	94	2	3	5	18	24	28	35
75 +	5	10.0	28	2	6	11	14	15	15	15	4	10.3	142	2	3	5	17	28	28	28
ALL AGES	384	7.0	71	1	2	3	6	22	28	33	215	9.2	91	1	3	5	14	22	28	39
SUBTOTAL	**1683**	**6.4**	**61**	**1**	**2**	**3**	**6**	**21**	**27**	**32**	**1079**	**10.5**	**97**	**2**	**3**	**5**	**21**	**24**	**27**	**39**
GRAND TOTAL	**2898**	**5.8**	**58**	**1**	**2**	**3**	**5**	**20**	**26**	**32**	**1475**	**9.3**	**91**	**1**	**3**	**5**	**17**	**23**	**27**	**35**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	17.5	313	5	5	17	30	30	30	30										
13-17	60	25.4	288	3	11	28	40	42	46	85	51	28.3	192	6	21	30	39	43	48	56
18-24	243	18.3	118	2	7	21	28	29	32	39	134	18.4	101	2	10	21	28	29	30	37
25-34	789	16.6	109	2	5	20	27	28	29	31	447	16.7	96	2	6	21	24	28	29	35
35-54	1331	15.9	112	3	4	19	27	28	30	32	784	16.5	106	3	5	21	25	29	30	33
55-74	418	16.5	105	3	6	18	26	28	30	35	240	16.2	114	3	5	19	26	29	30	37
75 +	19	17.3	100	4	6	19	27	29	30	30	18	16.4	141	2	5	13	29	32	34	35
ALL AGES	2862	16.6	116	2	5	20	27	28	30	36	1674	17.0	112	3	5	21	26	29	30	40
B. FFMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	14.0		14	14	14	14	14	14	14
13-17	28	30.3	337	6	18	30	39	43	63	91	38	26.2	219	7	15	27	38	46	51	62
18-24	85	18.1	124	2	6	21	28	29	31	42	39	19.3	123	2	13	21	28	30	40	43
25-34	280	14.4	109	2	3	14	24	28	29	34	132	18.0	113	3	8	21	28	30	34	40
35-54	353	15.6	112	3	5	15	26	28	30	34	199	14.8	141	2	3	14	26	29	34	42
55-74	142	18.6	87	4	10	21	27	29	31	36	75	13.8	108	3	5	10	23	30	31	35
75 +	8	13.5	55	2	9	16	17	21	22	22	7	11.6	55	5	5	10	16	23	25	25
ALL AGES	897	16.4	122	3	5	17	26	29	31	41	491	16.7	142	2	4	18	28	30	35	46
SUBTOTAL	**3759**	**16.6**	**116**	**2**	**5**	**19**	**27**	**28**	**30**	**39**	**2165**	**16.9**	**120**	**3**	**5**	**21**	**26**	**29**	**31**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	36.0	18	33	33	36	39	39	39	39										
13-17	312	28.3	180	9	21	29	36	42	43	75	158	26.3	202	7	16	27	35	43	51	63
18-24	524	19.9	108	3	14	22	28	29	31	40	271	20.8	103	4	14	22	28	30	32	47
25-34	1264	17.4	96	3	7	21	26	28	29	34	629	19.0	103	3	10	21	27	29	30	34
35-54	1068	16.2	99	3	6	19	23	28	29	37	413	18.2	116	3	6	21	27	29	31	39
55-74	271	15.3	84	3	7	14	21	28	28	34	81	16.2	139	2	5	14	27	30	31	47
75 +	26	15.7	81	4	13	14	15	28	31	39	4	9.3	96	4	4	5	14	24	24	24
ALL AGES	3467	18.2	118	3	8	21	27	29	32	42	1556	19.7	123	3	10	21	28	30	33	47
B. FEMALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31	3	18.7	127	6	10	22	26	28	28	28
13-17	170	32.1	221	14	26	31	41	42	46	91	107	24.4	149	5	16	26	32	42	44	48
18-24	167	17.8	100	3	8	20	27	29	32	39	97	21.1	114	3	15	22	29	31	37	45
25-34	389	15.6	107	2	4	16	25	28	30	35	182	18.0	110	3	7	21	27	29	31	45
35-54	326	16.2	111	3	5	18	25	28	30	41	129	17.9	117	3	7	21	27	29	33	44
55-74	131	16.6	76	3	11	17	22	28	29	35	29	17.8	199	4	6	13	28	34	40	62
75 +	11	13.9	30	7	10	14	15	23	24	24	4	13.3	213	4	4	7	22	35	35	35
ALL AGES	1195	18.5	151	3	7	20	28	31	40	46	551	19.7	132	3	9	21	28	32	38	47
SUBTOTAL	**4662**	**18.3**	**125**	**3**	**8**	**21**	**27**	**30**	**34**	**42**	**2107**	**19.7**	**125**	**3**	**9**	**21**	**28**	**30**	**34**	**47**
GRAND TOTAL	**8421**	**17.5**	**123**	**3**	**6**	**20**	**27**	**29**	**32**	**42**	**4272**	**18.3**	**124**	**3**	**7**	**21**	**27**	**30**	**33**	**45**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	3.2	8	1	2	2	3	8	9	9	3	18.7	14	14	16	21	21	21	21	21
25-34	50	10.1	91	2	3	5	15	27	28	36	22	15.6	76	4	6	20	21	26	27	28
35-54	46	9.4	108	2	3	4	14	21	30	49	36	13.8	97	3	5	11	22	26	28	34
55-74	2	4.5	1	4	4	4	5	5	5	5	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	104	9.3	94	2	3	4	14	26	29	42	62	14.6	84	4	5	17	21	26	28	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	8.0	21	2	5	8	11	13	13	13	3	7.7	20	3	4	8	11	12	12	12
25-34	32	8.6	67	2	3	6	10	23	27	32	16	9.4	67	3	4	7	10	25	27	28
35-54	33	7.9	59	2	3	4	11	21	25	28	19	10.8	73	3	5	8	13	25	28	31
55-74	3	17.0	127	4	9	23	24	24	24	24	2	20.5	221	10	10	20	31	31	31	31
75 +																				
ALL AGES	72	8.6	63	2	3	6	10	23	25	31	40	10.5	72	3	4	8	11	25	29	31
SUBTOTAL	**176**	**9.0**	**81**	**2**	**3**	**5**	**13**	**24**	**28**	**35**	**102**	**13.0**	**82**	**3**	**5**	**9**	**21**	**26**	**28**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	9	11.0	72	2	4	7	17	23	26	26	3	4.7	6	2	3	5	6	7	7	7
25-34	101	12.9	89	2	4	10	21	27	28	29	52	11.0	77	3	4	6	21	23	26	33
35-54	154	13.1	73	3	5	10	21	22	28	28	53	13.0	101	3	4	9	22	28	31	34
55-74	5	13.4	36	3	11	16	17	18	18	18	1	9.0		9	9	9	9	9	9	9
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	269	13.0	76	3	4	10	21	26	28	28	111	11.6	88	3	4	7	21	26	28	34
B. FEMALE																				
0-12 YRS.																				
13-17	3	26.7	304	9	13	27	40	44	44	44										
18-24	8	16.5	95	3	7	18	25	27	28	28	8	7.4	63	1	2	4	12	20	21	21
25-34	62	14.2	134	2	3	10	22	28	32	44	42	11.9	75	4	5	8	18	26	28	39
35-54	63	12.9	95	2	3	10	21	28	28	33	27	11.6	97	3	6	8	16	27	30	43
55-74	4	9.0	146	1	2	4	16	27	27	27	1	9.0		9	9	9	9	9	9	9
75 +	3	11.0	63	2	5	14	16	17	17	17										
ALL AGES	143	13.8	117	2	3	10	22	28	29	44	78	11.3	80	3	5	8	18	24	28	42
SUBTOTAL	**412**	**13.3**	**90**	**2**	**4**	**10**	**21**	**27**	**28**	**34**	**189**	**11.5**	**84**	**3**	**4**	**7**	**20**	**25**	**28**	**37**
GRAND TOTAL	**588**	**12.0**	**91**	**2**	**3**	**9**	**21**	**27**	**28**	**35**	**291**	**12.0**	**84**	**3**	**4**	**8**	**21**	**26**	**28**	**34**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	9.8	61	3	4	7	15	21	21	21	4	19.8	46	13	14	18	25	29	29	29
35-54	9	17.8	198	2	3	28	30	31	31	31	1	21.0		21	21	21	21	21	21	21
55-74	2	24.0	50	19	19	24	29	29	29	29	1	21.0		21	21	21	21	21	21	21
75 +	2	16.0	50	11	11	16	21	21	21	21										
ALL AGES	17	16.4	137	2	5	19	28	31	31	31	6	20.2	28	13	16	21	21	28	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	14.3	77	5	7	13	20	27	28	28	8	14.1	185	4	5	11	16	37	45	45
35-54	10	17.1	118	5	6	15	28	32	32	32	12	14.2	126	4	5	9	25	31	34	34
55-74	10	17.0	114	4	6	16	26	31	33	33	7	25.0	155	5	15	30	33	36	37	37
75 +	1	5.0		5	5	5	5	5	5	5	1	29.0		29	29	29	29	29	29	29
ALL AGES	27	16.0	101	5	6	14	25	31	32	33	28	17.4	162	4	5	13	29	34	38	45
SUBTOTAL	**44**	**16.2**	**111**	**3**	**6**	**15**	**28**	**31**	**32**	**33**	**34**	**17.9**	**137**	**4**	**8**	**16**	**29**	**34**	**36**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	31.7	259	13	20	40	41	42	42	42	1	32.0		32	32	32	32	32	32	32
18-24	7	23.9	278	3	8	29	31	47	51	51										
25-34	15	22.0	151	5	12	22	30	35	45	48	6	10.0	41	3	5	8	17	18	18	18
35-54	17	13.1	101	2	4	11	21	27	30	31	9	22.0	103	6	19	22	29	34	36	36
55-74	3	21.3	4	20	20	21	22	23	23	23	1	22.0		22	22	22	22	22	22	22
75 +	2	11.5	13	9	9	11	14	14	14	14										
ALL AGES	47	19.2	162	3	8	19	28	34	43	51	17	18.4	108	3	10	21	26	32	35	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	12.0	193	1	2	3	25	30	30	30	1	28.0		28	28	28	28	28	28	28
25-34	23	16.6	107	4	6	21	25	30	31	31	14	14.1	109	4	7	9	27	29	30	31
35-54	31	17.4	115	5	8	14	29	32	33	33	21	21.9	115	5	13	26	29	31	36	42
55-74	38	17.1	92	3	12	14	27	28	32	41	10	16.8	132	3	5	14	28	31	33	33
75 +	4	19.3	42	14	14	18	24	28	28	28										
ALL AGES	101	16.9	103	3	8	14	27	30	32	37	46	18.5	125	4	7	21	28	30	32	42
SUBTOTAL	**148**	**17.6**	**123**	**3**	**8**	**17**	**27**	**31**	**33**	**48**	**63**	**18.5**	**118**	**4**	**7**	**21**	**28**	**30**	**32**	**41**
GRAND TOTAL	**192**	**17.3**	**119**	**3**	**7**	**17**	**27**	**31**	**33**	**45**	**97**	**18.3**	**123**	**4**	**8**	**18**	**28**	**31**	**34**	**44**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	41.3	3	39	40	42	42	42	42	42	3	21.3	267	10	11	14	33	40	40	40
18-24	155	11.8	98	2	3	8	21	28	28	31	56	14.2	66	3	6	16	21	23	24	27
25-34	392	12.9	109	2	3	10	22	28	28	32	221	14.9	89	3	5	15	22	26	28	37
35-54	203	12.1	92	2	3	9	21	26	28	31	73	14.7	87	2	6	17	21	24	28	40
55-74	5	13.8	122	3	3	14	23	28	28	28	5	11.0	55	1	6	11	16	21	21	21
75 +																				
ALL AGES	759	12.6	106	2	3	10	21	28	28	32	358	14.7	87	3	5	16	21	25	28	39
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	3	37.0	61	28	31	41	42	42	42	42	4	9.8	219	2	2	3	17	32	32	32
18-24	116	10.1	83	2	3	5	18	25	28	31	45	10.9	63	3	5	8	18	21	28	29
25-34	242	9.1	75	2	3	5	12	25	28	29	117	10.5	67	2	4	8	15	23	26	33
35-54	56	10.1	83	2	3	5	19	25	28	31	14	10.9	69	2	3	8	21	21	23	23
55-74																				
75 +																				
ALL AGES	418	9.7	84	2	3	5	17	26	28	31	180	10.6	68	2	4	8	17	22	26	31
SUBTOTAL	**1177**	**11.6**	**99**	**2**	**3**	**7**	**21**	**28**	**28**	**32**	**538**	**13.3**	**85**	**2**	**5**	**13**	**21**	**24**	**28**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	36	32.6	201	13	27	31	42	47	66	99 +	17	26.1	292	3	8	28	37	50	55	56
18-24	314	16.2	94	2	7	19	24	28	29	31	121	17.2	84	3	9	20	23	28	31	38
25-34	867	14.8	100	2	4	17	22	28	28	31	347	15.6	98	3	5	19	23	27	29	42
35-54	409	13.9	88	3	4	12	21	28	28	32	192	15.3	85	2	6	20	23	26	28	34
55-74	3	17.3	42	10	13	21	21	21	21	21	2	20.5	25	17	17	20	24	24	24	24
75 +																				
ALL AGES	1629	15.2	106	3	4	17	22	28	29	40	679	16.1	98	3	6	20	23	28	29	42
B. FEMALE																				
0-12 YRS.																				
13-17	21	25.2	212	4	12	26	41	42	44	45	6	28.7	594	2	6	27	45	63	65	65
18-24	149	14.0	97	2	5	13	22	28	29	33	67	13.2	97	3	4	11	21	29	30	34
25-34	333	11.4	79	2	3	9	19	27	28	31	147	12.3	85	3	5	8	21	26	28	32
35-54	85	13.5	97	3	4	10	21	28	28	31	33	9.9	78	3	4	6	14	23	28	35
55-74																				
75 +																				
ALL AGES	588	12.8	99	2	4	10	21	28	28	40	253	12.6	104	3	4	8	21	27	30	38
SUBTOTAL	**2217**	**14.6**	**104**	**2**	**4**	**14**	**22**	**28**	**29**	**40**	**932**	**15.1**	**103**	**3**	**5**	**16**	**22**	**28**	**29**	**42**
GRAND TOTAL	**3394**	**13.6**	**104**	**2**	**3**	**11**	**21**	**28**	**28**	**38**	**1470**	**14.5**	**96**	**3**	**5**	**14**	**22**	**27**	**29**	**41**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	55	31.0	222	9	21	32	42	42	42	89	39	27.7	169	10	19	28	35	44	51	57
18-24	25	19.3	82	3	14	21	27	29	30	30	4	13.3	67	2	7	15	19	20	20	20
25-34	21	21.1	91	6	12	26	28	29	30	30	13	16.6	74	3	10	21	21	26	27	27
35-54	4	20.0	75	8	14	22	26	28	28	28	5	22.4	29	14	20	22	26	28	28	28
55-74																				
75 +																				
ALL AGES	105	25.8	185	8	16	27	33	42	42	65	61	24.0	153	8	17	21	31	41	47	57
B. FEMALE																				
0-12 YRS.																				
13-17	10	27.4	138	12	20	26	42	42	42	42	10	32.0	595	1	6	37	57	61	64	64
18-24	7	25.0	92	13	18	27	28	39	42	42	1	30.0		30	30	30	30	30	30	30
25-34	5	15.2	75	6	7	14	23	26	26	26	3	21.3	107	10	13	24	28	30	30	30
35-54	1	30.0		30	30	30	30	30	30	30	3	18.7	184	3	8	25	27	28	28	28
55-74																				
75 +																				
ALL AGES	23	24.1	122	8	17	25	28	42	42	42	17	27.6	409	2	9	28	40	58	62	64
SUBTOTAL	**128**	**25.5**	**173**	**8**	**17**	**26**	**32**	**42**	**42**	**53**	**78**	**24.8**	**206**	**5**	**16**	**23**	**33**	**42**	**55**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	18.0		18	18	18	18	18	18	18
13-17	125	31.2	315	7	19	30	42	43	59	91	116	29.7	233	10	18	29	41	55	57	66
18-24	85	18.9	105	2	11	21	27	28	31	42	59	23.3	84	8	20	26	29	31	37	42
25-34	68	19.5	74	5	14	21	27	29	30	31	49	23.6	65	9	22	27	29	30	30	34
35-54	9	17.8	111	3	7	21	27	28	29	29	14	23.1	27	16	17	25	27	29	29	29
55-74																				
75 +																				
ALL AGES	287	24.4	222	5	14	25	30	42	42	85	239	26.4	159	10	20	27	30	42	54	64
B. FEMALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17	53	32.3	240	10	23	34	42	43	44	91	28	29.6	205	9	18	29	42	46	50	55
18-24	18	17.2	112	3	7	19	25	29	34	37	9	20.8	80	7	14	23	29	30	30	30
25-34	19	13.1	66	3	7	13	19	26	28	29	11	21.3	29	14	16	22	25	29	29	29
35-54	5	16.2	134	2	7	14	28	28	28	28	5	20.2	52	10	16	21	24	30	30	30
55-74																				
75 +																				
ALL AGES	96	24.9	248	6	11	25	40	42	43	79	53	25.5	147	12	17	23	31	42	46	55
SUBTOTAL	**383**	**24.5**	**229**	**6**	**13**	**25**	**31**	**42**	**42**	**85**	**292**	**26.3**	**154**	**10**	**19**	**27**	**30**	**42**	**49**	**63**
GRAND TOTAL	**511**	**24.8**	**213**	**7**	**14**	**25**	**31**	**42**	**42**	**85**	**370**	**25.9**	**169**	**10**	**18**	**26**	**30**	**42**	**53**	**63**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33	1	28.0		28	28	28	28	28	28	28
18-24	2	12.5	145	4	4	12	21	21	21	21	4	16.0	178	4	4	15	27	29	29	29
25-34	1	7.0		7	7	7	7	7	7	7	4	25.8	176	9	16	26	35	41	41	41
35-54	2	14.5	181	5	5	14	24	24	24	24										
55-74																				
75 +																				
ALL AGES	6	15.7	143	4	5	14	24	32	33	33	9	21.7	162	4	8	26	29	37	41	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	9	10.7	163	1	2	3	27	28	28	28	1	28.0		28	28	28	28	28	28	28
35-54																				
55-74											1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	9	10.7	163	1	2	3	27	28	28	28	2	19.5	145	11	11	19	28	28	28	28
SUBTOTAL	**15**	**12.7**	**151**	**1**	**2**	**5**	**26**	**28**	**32**	**33**	**11**	**21.3**	**145**	**5**	**9**	**26**	**29**	**34**	**40**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30	1	30.0		30	30	30	30	30	30	30
18-24	3	23.3	33	17	19	26	27	27	27	27	7	22.1	121	4	14	28	29	29	29	29
25-34	10	18.8	125	2	11	24	28	29	30	30	8	21.3	141	2	14	27	28	29	29	29
35-54	7	17.1	179	2	3	25	29	29	29	29	3	27.0	28	21	23	29	30	31	31	31
55-74																				
75 +																				
ALL AGES	21	19.4	123	2	9	25	28	29	30	30	19	22.9	108	3	22	28	29	30	31	31
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28	1	20.0		20	20	20	20	20	20	20
18-24	4	17.5	170	3	6	19	28	29	29	29	5	20.2	119	3	13	25	28	29	29	29
25-34	6	14.8	134	2	4	14	26	28	28	28	9	22.9	133	5	12	29	30	33	35	35
35-54	4	27.5	168	13	17	27	38	42	42	42										
55-74	2	14.5	85	8	8	14	21	21	21	21										
75 +																				
ALL AGES	17	19.2	142	3	8	21	28	33	39	42	15	21.8	112	3	14	28	29	30	34	35
SUBTOTAL	**38**	**19.3**	**128**	**2**	**8**	**24**	**28**	**30**	**32**	**42**	**34**	**22.4**	**107**	**3**	**16**	**28**	**29**	**30**	**31**	**35**
GRAND TOTAL	**53**	**17.4**	**142**	**2**	**4**	**21**	**28**	**29**	**33**	**42**	**45**	**22.2**	**110**	**3**	**13**	**28**	**29**	**30**	**32**	**41**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	48.0		48	48	48	48	48	48	48										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	1	48.0		48	48	48	48	48	48	48	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	39.0		39	39	39	39	39	39	39										
SUBTOTAL	**2**	**43.5**	**41**	**39**	**39**	**43**	**48**	**48**	**48**	**48**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											3	28.7	51	23	24	26	34	37	37	37
18-24	5	28.0	285	3	19	30	36	50	50	50	1	2.0		2	2	2	2	2	2	2
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	6	24.2	314	3	5	27	32	48	50	50	4	22.0	214	2	12	24	31	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	34	34	34	34	34	1	31.0		31	31	31	31	31	31	31
18-24																				
25-34											1	28.0		28	28	28	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	1	34.0		34	34	34	34	34	34	34	2	29.5	5	28	28	29	31	31	31	31
SUBTOTAL	**7**	**25.6**	**275**	**3**	**10**	**30**	**33**	**47**	**50**	**50**	**6**	**24.5**	**144**	**4**	**23**	**27**	**31**	**36**	**37**	**37**
GRAND TOTAL	**9**	**29.6**	**272**	**4**	**20**	**32**	**41**	**49**	**50**	**50**	**7**	**21.6**	**179**	**2**	**9**	**26**	**30**	**36**	**37**	**37**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	20.7	262	8	10	15	33	39	39	39	1	24.0		24	24	24	24	24	24	24
18-24											1	1.0		1	1	1	1	1	1	1
25-34	8	8.0	107	2	2	4	9	26	32	32	1	3.0		3	3	3	3	3	3	3
35-54	4	12.0	118	4	5	8	18	28	28	28	2	17.0	392	3	3	17	31	31	31	31
55-74																				
75 +																				
ALL AGES	15	11.6	142	2	3	7	14	32	37	39	5	12.4	197	1	2	3	26	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.0	8	2	2	4	6	6	6	6										
25-34	5	17.6	127	2	9	21	25	31	31	31	2	10.5	41	6	6	10	15	15	15	15
35-54	3	18.0	84	8	11	20	24	26	26	26	1	4.0		4	4	4	4	4	4	4
55-74	2	18.0	128	10	10	18	26	26	26	26										
75 +																				
ALL AGES	12	15.5	103	2	7	15	24	28	31	31	3	8.3	35	4	4	6	13	15	15	15
SUBTOTAL	**27**	**13.3**	**124**	**2**	**4**	**9**	**22**	**30**	**33**	**39**	**8**	**10.9**	**126**	**2**	**3**	**5**	**19**	**29**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	22.0	206	4	8	29	31	38	38	38										
18-24	2	26.5	25	23	23	26	30	30	30	30										
25-34	11	14.3	99	2	4	14	23	27	28	28	7	15.4	101	2	6	21	23	25	25	25
35-54	2	28.0		28	28	28	28	28	28	28										
55-74	1	50.0		50	50	50	50	50	50	50	1	25.0		25	25	25	25	25	25	25
75 +																				
ALL AGES	21	20.3	166	3	8	23	28	33	43	50	8	16.6	98	2	7	21	24	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	16.0	392	2	2	16	30	30	30	30										
25-34	2	7.5	61	2	2	7	13	13	13	13	2	6.0		6	6	6	6	6	6	6
35-54	4	12.0	97	3	3	12	20	21	21	21	1	20.0		20	20	20	20	20	20	20
55-74	1	15.0		15	15	15	15	15	15	15	2	6.5	41	2	2	6	11	11	11	11
75 +	1	40.0		40	40	40	40	40	40	40										
ALL AGES	10	15.0	169	2	3	14	21	35	40	40	5	9.0	48	2	5	6	13	20	20	20
SUBTOTAL	**31**	**18.6**	**167**	**3**	**5**	**20**	**28**	**33**	**40**	**50**	**13**	**13.7**	**87**	**2**	**5**	**11**	**22**	**25**	**25**	**25**
GRAND TOTAL	**58**	**16.1**	**153**	**2**	**4**	**14**	**27**	**31**	**39**	**49**	**21**	**12.6**	**99**	**2**	**4**	**11**	**22**	**25**	**28**	**31**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	50.8	781	30	30	41	71	90	90	90										
18-24	2	15.0	338	2	2	15	28	28	28	28										
25-34	42	8.8	84	2	2	3	15	24	26	28	14	17.1	91	3	7	20	24	28	28	28
35-54	35	11.7	75	2	4	10	20	21	27	33	14	13.3	46	5	7	13	21	22	23	24
55-74	2	11.0	200	1	1	11	21	21	21	21	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	85	12.2	182	2	3	6	21	28	30	77	29	14.8	72	3	7	17	21	25	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	12.6	121	3	4	7	24	26	26	26										
25-34	17	8.8	69	2	3	4	15	21	26	28	7	19.3	320	1	3	23	27	46	51	51
35-54	14	9.2	92	2	3	5	12	29	31	31	4	24.8	117	11	16	26	33	35	35	35
55-74	2	15.0	72	9	9	15	21	21	21	21										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	39	9.6	79	2	3	5	14	25	29	31	11	21.3	235	2	6	23	31	41	50	51
SUBTOTAL	**124**	**11.4**	**150**	**2**	**3**	**5**	**20**	**26**	**29**	**62**	**40**	**16.6**	**120**	**3**	**6**	**18**	**23**	**28**	**33**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	22.5	502	5	8	15	37	55	55	55	1	28.0		28	28	28	28	28	28	28
18-24	8	14.0	117	1	5	12	23	29	29	29	4	9.0	49	2	3	9	15	16	16	16
25-34	35	12.0	95	3	3	10	21	28	28	29	7	20.9	99	4	17	22	28	30	30	30
35-54	41	11.3	108	2	3	5	21	29	30	34	9	12.7	125	3	3	7	27	28	28	28
55-74																				
75 +																				
ALL AGES	88	12.3	120	2	3	10	21	28	29	47	21	15.4	119	2	4	16	27	29	29	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	6	18.0	139	5	9	15	31	33	33	33										
25-34	19	14.7	149	2	4	12	24	28	37	45	7	15.7	158	3	5	10	27	32	33	33
35-54	8	12.4	54	2	4	16	18	19	20	20	5	11.6	41	4	7	11	16	21	21	21
55-74	1	22.0		22	22	22	22	22	22	22										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	35	14.6	120	3	4	16	21	28	32	45	12	14.0	105	4	6	10	23	29	32	33
SUBTOTAL	**123**	**13.0**	**119**	**2**	**3**	**10**	**21**	**28**	**30**	**48**	**33**	**14.9**	**111**	**3**	**4**	**14**	**27**	**28**	**30**	**33**
GRAND TOTAL	**247**	**12.2**	**134**	**2**	**3**	**8**	**21**	**28**	**30**	**52**	**73**	**15.8**	**116**	**3**	**6**	**16**	**24**	**28**	**32**	**47**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	19	23.9	402	3	10	22	27	53	71	80	1	43.0		43	43	43	43	43	43	43
18-24	30	15.9	114	2	6	15	27	28	32	33	4	16.8	266	1	3	15	30	35	35	35
25-34	43	15.4	133	2	3	16	27	30	30	31	12	20.5	86	3	17	24	26	29	30	30
35-54	14	11.8	80	3	3	12	16	28	28	28	4	22.8	28	15	19	24	26	28	28	28
55-74																				
75 +																				
ALL AGES	107	16.5	176	2	3	15	27	30	32	69	21	21.3	120	3	16	24	28	32	39	43
B. FEMALE																				
0-12 YRS.																				
13-17	7	31.4	214	9	24	34	42	48	49	49	2	27.5	421	13	13	27	42	42	42	42
18-24	7	11.7	98	3	3	11	17	28	30	30	7	19.3	106	4	14	21	28	29	29	29
25-34	22	11.2	110	2	3	6	18	28	29	30	6	6.2	64	1	2	3	7	20	22	22
35-54	11	9.0	34	3	4	7	13	18	20	20	3	15.0	127	8	8	9	23	28	28	28
55-74	3	15.7	340	5	5	5	29	37	37	37	1	22.0		22	22	22	22	22	22	22
75 +																				
ALL AGES	50	13.9	159	2	3	8	23	32	38	49	19	15.5	143	1	4	14	26	29	36	42
SUBTOTAL	**157**	**15.7**	**170**	**2**	**3**	**14**	**27**	**30**	**36**	**59**	**40**	**18.5**	**138**	**2**	**7**	**22**	**28**	**30**	**38**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	24	32.6	635	6	14	28	40	80	87	91										
18-24	21	17.7	195	2	3	22	27	35	43	45	4	14.0	140	3	4	13	24	27	27	27
25-34	36	15.1	99	3	4	17	25	28	28	28	17	13.1	93	4	4	10	23	27	29	30
35-54	21	12.3	96	2	3	13	20	28	28	28	6	9.2	66	2	3	7	12	23	24	24
55-74																				
75 +																				
ALL AGES	102	19.2	295	3	4	18	28	34	47	88	27	12.4	88	3	4	9	22	26	28	30
B. FEMALE																				
0-12 YRS.																				
13-17	17	31.8	253	9	25	33	42	61	85	99 +										
18-24	10	16.1	111	1	5	17	27	28	29	29	2	19.0	392	5	5	19	33	33	33	33
25-34	29	14.0	108	2	3	13	21	29	34	35	5	16.2	118	1	8	20	23	29	29	29
35-54	12	13.3	57	5	8	10	18	25	28	28	3	15.7	148	5	7	13	25	29	29	29
55-74	2	13.5	265	2	2	13	25	25	25	25	3	17.7	189	2	7	23	27	28	28	28
75 +																				
ALL AGES	70	18.5	188	2	7	17	28	39	42	92	13	16.8	132	2	5	20	28	30	32	33
SUBTOTAL	**172**	**18.9**	**251**	**3**	**5**	**18**	**28**	**37**	**45**	**90**	**40**	**13.8**	**104**	**2**	**4**	**11**	**23**	**28**	**30**	**33**
GRAND TOTAL	**329**	**17.4**	**213**	**2**	**4**	**16**	**27**	**32**	**42**	**81**	**80**	**16.2**	**124**	**2**	**5**	**15**	**25**	**29**	**32**	**43**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	3.5	3	2	2	3	5	6	6	6	3	12.0	7	9	10	13	14	14	14	14
18-24	13	14.5	127	1	2	14	24	28	28	28	1	1.0		1	1	1	1	1	1	1
25-34	25	17.0	107	3	6	21	28	28	29	30	6	6.5	49	1	1	4	10	18	19	19
35-54	13	16.2	152	1	3	18	28	29	30	30	6	12.7	100	1	1	15	21	22	22	22
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	56	15.2	119	2	3	15	28	28	28	30	16	9.5	65	1	1	9	16	21	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	5	26.8	256	5	16	27	37	48	48	48	3	20.7	79	12	14	20	27	30	30	30
18-24	4	19.5	107	7	11	21	28	28	28	28	2	24.5	25	21	21	24	28	28	28	28
25-34	14	13.1	134	1	4	7	28	28	28	28	2	1.0		1	1	1	1	1	1	1
35-54	8	9.9	82	2	3	7	16	24	26	26	1	1.0		1	1	1	1	1	1	1
55-74	1	31.0		31	31	31	31	31	31	31	1	7.0		7	7	7	7	7	7	7
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	32	15.8	159	2	5	12	28	29	34	48	10	12.7	127	1	1	9	21	29	30	30
SUBTOTAL	**88**	**15.4**	**133**	**2**	**4**	**14**	**28**	**28**	**30**	**43**	**26**	**10.7**	**88**	**1**	**1**	**9**	**20**	**22**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	21.9	162	5	13	22	27	41	46	46	3	6.3	38	1	2	5	11	13	13	13
18-24	8	17.1	161	2	4	21	25	33	36	36	1	8.0		8	8	8	8	8	8	8
25-34	14	14.3	242	3	3	5	26	31	49	54	10	16.6	174	2	9	11	27	35	42	42
35-54	11	10.1	113	3	4	5	14	30	32	32	4	21.0	190	9	9	19	32	37	37	37
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	41	15.2	181	3	4	9	25	30	40	54	19	14.8	154	2	6	10	26	34	40	42
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9	1	28.0		28	28	28	28	28	28	28
18-24	3	15.7	15	11	13	18	18	16	18	18	3	18.7	112	7	10	21	26	28	28	28
25-34	8	10.8	95	3	3	5	19	26	28	28	4	14.3	138	2	5	13	23	29	29	29
35-54	5	10.8	110	2	3	7	17	28	28	28	2	22.0	128	14	14	22	30	30	30	30
55-74											1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	17	11.5	76	3	4	9	18	26	28	28	11	17.9	101	5	9	18	28	29	30	30
SUBTOTAL	**58**	**14.1**	**152**	**3**	**4**	**9**	**23**	**28**	**34**	**53**	**30**	**15.9**	**134**	**2**	**8**	**12**	**28**	**30**	**37**	**42**
GRAND TOTAL	**146**	**14.9**	**139**	**2**	**4**	**13**	**27**	**28**	**30**	**48**	**56**	**13.5**	**117**	**1**	**4**	**10**	**21**	**29**	**30**	**42**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	1.0		1	1	1	1	1	1	1	6	1.5	1	1	1	1	2	3	3	3
13-17	67	2.8	22	1	1	1	2	9	14	26	44	2.4	20	1	1	1	2	5	7	29
18-24	91	2.3	24	1	1	1	1	3	6	30	32	2.5	28	1	1	1	1	3	16	27
25-34	75	6.6	105	1	1	1	3	28	30	33	47	3.3	30	1	1	2	3	6	11	29
35-54	84	6.2	94	1	1	2	3	28	30	31	64	2.9	15	1	1	2	3	6	9	25
55-74	38	5.2	46	1	2	3	4	14	23	31	31	5.0	29	1	2	3	6	12	16	25
75 +	3	3.3	3	2	2	3	4	5	5	5	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	364	4.5	61	1	1	1	3	16	28	31	226	3.1	23	1	1	1	3	6	11	28
B. FEMALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4	4	1.0		1	1	1	1	1	1	1
13-17	34	2.5	8	1	1	1	2	8	10	11	37	1.5	5	1	1	1	1	2	2	15
18-24	43	2.7	29	1	1	1	1	4	17	27	17	1.5	1	1	1	1	2	3	4	4
25-34	27	6.0	78	1	1	1	7	19	29	32	11	4.8	70	1	1	1	3	18	27	28
35-54	22	2.1	5	1	1	1	3	5	8	9	20	3.4	28	1	1	2	3	5	15	25
55-74	7	7.7	170	1	1	3	5	31	37	37	7	2.7	4	1	1	2	4	6	6	6
75 +	4	3.8	8	2	2	3	5	8	8	8										
ALL AGES	139	3.5	37	1	1	1	3	9	15	33	96	2.3	17	1	1	1	2	4	6	27
SUBTOTAL	**503**	**4.2**	**54**	**1**	**1**	**1**	**3**	**14**	**26**	**31**	**322**	**2.9**	**21**	**1**	**1**	**1**	**3**	**5**	**10**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
13-17	41	13.3	266	1	1	4	25	40	45	59	22	3.0	5	1	1	2	5	6	7	8
18-24	45	8.3	105	1	1	2	19	27	28	32	15	8.5	117	1	1	3	11	28	31	32
25-34	80	7.2	88	1	1	3	8	28	29	31	23	4.8	37	1	2	3	4	13	22	25
35-54	66	6.2	68	1	2	3	5	23	28	32	32	5.0	35	1	2	3	5	12	19	28
55-74	16	6.2	71	1	1	3	6	24	27	28	10	3.2	6	1	1	3	4	7	9	9
75 +	3	12.3	114	1	4	14	20	22	22	22	3	5.7	1	5	5	5	7	7	7	7
ALL AGES	252	8.1	118	1	1	3	9	28	31	45	106	4.8	38	1	1	3	5	11	21	30
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	2	1.0		1	1	1	1	1	1	1
13-17	44	11.4	200	1	1	3	20	36	39	50	13	8.2	162	1	1	3	8	33	39	41
18-24	23	5.0	31	1	1	3	7	13	19	20	5	4.4	21	1	1	3	7	12	12	12
25-34	38	5.9	61	1	1	2	8	19	25	28	19	5.4	56	1	1	2	5	16	25	30
35-54	31	2.8	3	1	1	3	4	5	7	7	11	5.2	56	1	1	3	5	15	26	27
55-74	6	7.5	76	1	4	5	6	23	25	25	5	4.2	20	1	2	3	5	12	12	12
75 +	1	3.0		3	3	3	3	3	3	3	4	5.3	7	2	3	5	7	8	8	8
ALL AGES	144	6.8	95	1	1	3	7	22	28	46	59	5.6	67	1	1	3	6	12	29	40
SUBTOTAL	**396**	**7.7**	**109**	**1**	**1**	**3**	**8**	**27**	**30**	**45**	**165**	**5.1**	**48**	**1**	**1**	**3**	**5**	**11**	**24**	**32**
GRAND TOTAL	**899**	**5.7**	**82**	**1**	**1**	**2**	**4**	**21**	**28**	**37**	**487**	**3.6**	**31**	**1**	**1**	**2**	**4**	**7**	**14**	**29**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											4	3.3	4	1	1	3	5	6	6	6
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +																				
ALL AGES											6	3.2	3	1	2	3	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24											1	2.0		2	2	2	2	2	2	2
25-34											1	4.0		4	4	4	4	4	4	4
35-54											2	4.0		4	4	4	4	4	4	4
55-74											2	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											7	3.4	1	2	3	4	4	4	4	4
SUBTOTAL											**13**	**3.3**	**2**	**1**	**2**	**4**	**4**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL											**15**	**3.4**	**2**	**2**	**2**	**4**	**4**	**4**	**6**	**6**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NC 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	9.3	163	1	1	4	17	28	28	28	3	16.7	489	1	2	7	33	42	42	42
18-24	4	7.5	84	1	2	4	13	21	21	21	2	24.0	18	21	21	24	27	27	27	27
25-34	5	19.2	126	3	10	22	28	30	30	30	1	1.0		1	1	1	1	1	1	1
35-54	2	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	15	13.5	123	1	3	13	22	28	30	30	6	16.5	270	1	1	14	27	40	42	42
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	3	12.7	43	7	8	11	18	20	20	20										
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	2	17.5	25	14	14	17	21	21	21	21	1	28.0		28	28	28	28	28	28	28
35-54	1	28.0		28	28	28	28	28	28	28	1	14.0		14	14	14	14	14	14	14
55-74																				
75 +																				
ALL AGES	8	15.1	71	3	9	16	20	26	28	28	2	21.0	98	14	14	21	28	28	28	28
SUBTOTAL	**23**	**14.1**	**100**	**1**	**4**	**14**	**21**	**28**	**29**	**30**	**8**	**17.6**	**212**	**1**	**4**	**17**	**27**	**38**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	24	23.5	430	3	6	17	37	47	68	80	2	26.5	613	9	9	26	44	44	44	44
18-24	12	17.4	112	2	7	21	27	29	30	30	2	15.5	365	2	2	15	29	29	29	29
25-34	11	10.9	55	3	5	10	18	22	22	22	5	21.0	129	1	17	26	27	28	28	28
35-54	1	1.0		1	1	1	1	1	1	1	3	18.7	31	12	14	22	22	22	22	22
55-74																				
75 +																				
ALL AGES	49	18.9	283	2	6	14	27	39	46	80	12	20.4	154	2	10	23	27	33	42	44
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	10	28.9	452	4	13	22	47	58	60	60										
18-24	2	25.5	41	21	21	25	30	30	30	30	1	26.0		26	26	26	26	26	26	26
25-34	3	20.0	97	9	12	23	27	28	28	28	3	22.0	108	10	14	28	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	16	25.5	321	6	11	22	37	55	59	60	4	23.0	76	10	18	27	28	28	28	28
SUBTOTAL	**65**	**20.6**	**292**	**3**	**7**	**16**	**29**	**44**	**57**	**77**	**16**	**21.1**	**128**	**3**	**11**	**24**	**28**	**29**	**39**	**44**
GRAND TOTAL	**88**	**18.9**	**249**	**2**	**6**	**16**	**28**	**40**	**48**	**74**	**24**	**19.9**	**152**	**1**	**9**	**23**	**28**	**30**	**43**	**44**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	3	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	15.8	89	6	8	15	23	27	27	27										
18-24	3	16.0	217	3	5	13	27	32	32	32	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	7	15.9	116	4	7	13	25	31	32	32	2	2.0	2	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	87.0		87	87	87	87	87	87	87										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	2	45.5	3445	4	4	45	87	87	87	87	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**9**	**22.4**	**692**	**3**	**5**	**13**	**28**	**65**	**87**	**87**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**12**	**17.1**	**595**	**1**	**2**	**8**	**23**	**48**	**81**	**87**	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	14.5	61	9	9	14	20	20	20	20	1	28.0		28	28	28	28	28	28	28
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	4	11.0	37	7	7	8	14	20	20	20	1	28.0		28	28	28	28	28	28	28
SUBTOTAL	**6**	**8.2**	**42**	**1**	**4**	**7**	**9**	**19**	**20**	**20**	**2**	**15.0**	**338**	**2**	**2**	**15**	**28**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	1.5	1	1	1	1	2	2	2	2										
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74	2	12.5	85	6	6	12	19	19	19	19										
75 +																				
ALL AGES	6	5.2	49	1	1	2	6	18	19	19	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	3	6.3	58	1	1	3	12	15	15	15	1	1.0		1	1	1	1	1	1	1
35-54	3	12.7	205	2	3	7	23	29	29	29	5	13.6	129	2	2	17	21	28	28	28
55-74	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	7	8.4	107	1	2	3	13	26	29	29	8	9.3	109	1	2	3	18	25	28	28
SUBTOTAL	**13**	**6.9**	**77**	**1**	**2**	**2**	**9**	**21**	**27**	**29**	**9**	**8.6**	**100**	**1**	**2**	**3**	**17**	**24**	**28**	**28**
GRAND TOTAL	**19**	**7.3**	**63**	**1**	**2**	**4**	**9**	**20**	**25**	**29**	**11**	**9.7**	**122**	**1**	**2**	**3**	**18**	**28**	**28**	**28**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	8	10.6	56	2	4	11	16	20	21	21										
35-54	3	11.3	111	1	3	11	19	22	22	22	3	3.3	1	3	3	3	4	4	4	4
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	12	10.5	57	2	4	9	16	21	22	22	3	3.3	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	2.0	2	1	1	2	3	3	3	3
25-34	2	1.5	1	1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
35-54	4	8.5	83	2	3	5	14	22	22	22										
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	7	6.6	53	1	2	5	8	19	22	22	3	2.3	2	1	1	3	3	3	3	3
SUBTOTAL	**19**	**9.1**	**55**	**1**	**2**	**7**	**16**	**21**	**22**	**22**	**6**	**2.8**	**1**	**1**	**3**	**3**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	8.3	103	2	2	3	16	20	20	20										
25-34	1	6.0		6	6	6	6	6	6	6	2	8.5	85	2	2	8	15	15	15	15
35-54	6	11.0	123	2	3	5	22	27	28	28	3	2.0	3	1	1	1	3	4	4	4
55-74	1	9.0		9	9	9	9	9	9	9										
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	12	10.0	79	2	3	6	17	24	27	28	5	4.6	35	1	1	2	7	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	21.0		21	21	21	21	21	21	21										
25-34	5	2.4	3	1	1	2	3	5	5	5	2	19.0	288	7	7	19	31	31	31	31
35-54	2	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	8	4.9	44	1	1	3	4	16	21	21	4	12.0	164	3	5	7	19	31	31	31
SUBTOTAL	**20**	**8.0**	**68**	**1**	**2**	**4**	**11**	**21**	**25**	**28**	**9**	**7.9**	**94**	**1**	**2**	**4**	**9**	**25**	**31**	**31**
GRAND TOTAL	**39**	**8.5**	**61**	**1**	**2**	**5**	**15**	**21**	**22**	**28**	**15**	**5.9**	**60**	**1**	**2**	**3**	**6**	**15**	**27**	**31**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	20	5.8	54	1	2	3	6	18	24	28	8	4.9	23	1	1	3	8	13	14	14
25-34	31	7.6	79	1	2	3	14	22	27	28	27	9.6	118	1	1	5	18	28	29	35
35-54	15	9.1	67	2	2	5	18	22	22	22	7	7.1	96	1	1	2	9	24	28	28
55-74	1	21.0		21	21	21	21	21	21	21	1	21.0		21	21	21	21	21	21	21
75 +																				
ALL AGES	68	7.6	69	1	2	3	14	22	23	28	43	8.6	98	1	1	4	13	27	28	35
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	9	10.3	119	1	3	4	16	28	29	29	6	4.3	23	1	2	3	3	13	14	14
25-34	20	9.9	58	2	4	6	18	21	22	22	18	11.0	112	1	3	6	21	28	28	28
35-54	3	17.0	133	4	8	21	25	26	26	26	5	12.8	162	2	2	7	26	28	28	28
55-74																				
75 +																				
ALL AGES	32	10.7	78	2	4	6	20	23	27	29	30	9.6	104	1	2	3	20	27	28	28
SUBTOTAL	**100**	**8.6**	**73**	**1**	**2**	**4**	**15**	**22**	**26**	**29**	**73**	**9.0**	**99**	**1**	**2**	**3**	**14**	**27**	**28**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	26.0	72	20	20	26	32	32	32	32	1	21.0		21	21	21	21	21	21	21
18-24	22	10.5	97	1	2	6	21	25	28	29	7	10.3	103	1	2	6	20	25	25	25
25-34	63	13.3	123	2	2	12	24	28	29	38	19	9.4	89	2	3	4	16	27	28	28
35-54	20	11.0	93	2	3	7	19	27	28	28	10	16.9	156	1	4	20	28	30	31	31
55-74																				
75 +																				
ALL AGES	107	12.5	114	2	2	8	22	28	28	35	37	11.9	114	2	3	6	22	28	29	31
B. FEMALE																				
0-12 YRS.																				
13-17	5	26.8	104	10	23	28	33	37	37	37	4	12.0	178	1	1	9	23	28	28	28
18-24	13	12.8	115	2	3	8	24	28	28	28	4	6.0	14	2	3	5	8	11	11	11
25-34	19	14.3	112	1	5	13	25	28	30	31	10	15.5	112	2	5	19	24	27	28	28
35-54	5	16.6	197	3	6	10	30	35	35	35	5	8.0	112	1	2	2	13	26	26	26
55-74																				
75 +																				
ALL AGES	42	15.6	131	2	5	12	28	29	33	37	23	11.6	108	1	2	6	22	27	28	28
SUBTOTAL	**149**	**13.4**	**119**	**2**	**3**	**10**	**24**	**28**	**29**	**37**	**60**	**11.8**	**110**	**1**	**3**	**6**	**22**	**28**	**28**	**31**
GRAND TOTAL	**249**	**11.5**	**105**	**1**	**2**	**7**	**21**	**28**	**28**	**35**	**133**	**10.3**	**104**	**1**	**2**	**5**	**20**	**28**	**28**	**32**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	13.5	265	2	2	13	25	25	25	25										
55-74																				
75 +																				
ALL AGES	3	10.0	169	2	2	3	19	25	25	25	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	11.0	217	2	2	3	22	28	28	28										
35-54																				
55-74																				
75 +																				
ALL AGES	3	11.0	217	2	2	3	22	28	28	28										
SUBTOTAL	**6**	**10.5**	**155**	**2**	**2**	**3**	**25**	**28**	**28**	**28**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34											2	4.0	2	3	3	4	5	5	5	5
35-54	3	18.7	168	4	9	23	27	29	29	29										
55-74																				
75 +																				
ALL AGES	4	14.8	173	3	3	13	26	29	29	29	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	3	14.7	169	1	5	16	24	27	27	27										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	39.0		39	39	39	39	39	39	39										
35-54																				
55-74																				
75 +																				
ALL AGES	5	17.0	267	1	2	16	30	39	39	39										
SUBTOTAL	**9**	**16.0**	**200**	**1**	**3**	**16**	**27**	**35**	**39**	**39**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**15**	**13.8**	**177**	**2**	**2**	**4**	**26**	**29**	**36**	**39**	**4**	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	2	10.0	18	7	7	10	13	13	13	13										
SUBTOTAL	**2**	**10.0**	**18**	**7**	**7**	**10**	**13**	**13**	**13**	**13**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	29.0		29	29	29	29	29	29	29	3	1.7		1	1	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	15.0	392	1	1	15	29	29	29	29	3	1.7		1	1	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	1.0		1	1	1	1	1	1	1										
35-54																				
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	4	7.8	181	1	1	1	15	28	28	28										
SUBTOTAL	**6**	**10.2**	**201**	**1**	**1**	**1**	**28**	**29**	**29**	**29**	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**8**	**10.1**	**147**	**1**	**1**	**4**	**20**	**29**	**29**	**29**	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	5.0	2	4	4	5	6	6	6	6
13-17	4	18.8	375	1	2	16	35	41	41	41	1	7.0		7	7	7	7	7	7	7
18-24	8	14.5	152	1	2	16	24	31	32	32	5	6.0	91	1	1	2	8	23	23	23
25-34	29	16.1	146	1	3	21	27	29	30	34	15	10.1	180	1	2	4	12	28	43	48
35-54	13	12.3	108	1	3	7	22	27	28	28	18	15.4	134	1	4	17	27	28	28	28
55-74																				
75 +																				
ALL AGES	54	15.1	148	1	2	18	27	29	31	41	41	11.6	143	1	2	5	23	28	28	48
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	1.5	1	1	1	1	2	2	2	2	4	4.8	18	1	1	5	8	9	9	9
18-24	7	17.4	177	3	3	25	29	30	30	30	4	15.3	215	2	2	15	28	28	28	28
25-34	12	16.1	163	1	2	21	26	32	34	34	8	20.9	113	4	13	27	28	28	28	28
35-54	11	11.9	123	2	3	6	21	29	30	30	12	15.5	160	1	3	16	27	29	30	30
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	33	13.7	146	1	2	6	26	30	31	34	29	15.4	142	1	3	14	28	28	29	30
SUBTOTAL	**87**	**14.6**	**145**	**1**	**2**	**16**	**27**	**29**	**31**	**38**	**70**	**13.2**	**144**	**1**	**3**	**7**	**27**	**28**	**28**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	12	26.4	498	3	7	27	37	57	74	77	2	29.5	1	29	29	30	82	99 +	99 +	99 +
18-24	22	10.2	84	1	2	6	16	24	28	32	8	18.0	223	2	4	17	29	39	42	42
25-34	32	12.1	115	1	2	8	22	29	29	30	7	7.0	92	1	2	2	7	24	28	28
35-54	11	8.9	90	2	3	6	10	26	31	31	7	13.1	126	3	3	8	24	28	28	28
55-74	2	4.0	8	2	2	4	6	6	6	6	3	4.3	1	4	4	4	5	5	5	5
75 +																				
ALL AGES	80	13.0	183	1	3	7	22	29	31	69	27	13.2	158	2	3	7	28	31	48	99 +
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	16	21.8	372	1	5	17	35	44	59	65	7	21.3	475	1	2	22	31	55	61	61
18-24	7	4.6	9	1	2	5	6	9	10	10	6	10.5	179	1	2	5	14	34	36	36
25-34	12	10.5	130	1	2	5	19	29	31	31	9	11.6	362	1	1	2	15	45	56	56
35-54	6	7.3	68	1	2	4	9	22	23	23	7	7.4	62	2	3	3	12	21	22	22
55-74	5	18.2	148	7	7	15	30	32	32	32	1	31.0		31	31	31	31	31	31	31
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	47	13.7	222	1	3	7	25	34	43	65	31	13.0	273	1	2	3	22	34	55	61
SUBTOTAL	**127**	**13.3**	**195**	**1**	**3**	**7**	**23**	**30**	**37**	**68**	**58**	**13.1**	**215**	**1**	**2**	**5**	**27**	**32**	**50**	**96**
GRAND TOTAL	**214**	**13.8**	**175**	**1**	**3**	**8**	**25**	**30**	**33**	**55**	**128**	**13.1**	**176**	**1**	**2**	**6**	**27**	**29**	**32**	**69**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	2	5.0	18	2	2	5	8	8	8	8
55-74																				
75 +																				
ALL AGES	2	4.0	2	3	3	4	5	5	5	5	2	5.0	18	2	2	5	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	6.0		6	6	6	6	6	6	6	2	3.0	2	2	2	3	4	4	4	4
55-74																				
75 +																				
ALL AGES	3	7.7	4	6	6	7	9	10	10	10	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	**5**	**6.2**	**7**	**3**	**4**	**6**	**8**	**10**	**10**	**10**	**4**	**4.0**	**8**	**2**	**2**	**3**	**6**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	2	9.0	50	4	4	9	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	6.5	25	3	3	6	10	10	10	10										
35-54											1	2.0		2	2	2	2	2	2	2
55-74	2	6.0		6	6	6	6	6	6	6										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	5	6.0	7	3	4	6	7	10	10	10	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**7**	**6.9**	**14**	**3**	**4**	**6**	**9**	**13**	**14**	**14**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**12**	**6.6**	**10**	**3**	**4**	**6**	**8**	**11**	**14**	**14**	**5**	**3.6**	**7**	**2**	**2**	**2**	**5**	**8**	**8**	**8**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
13-17	1	2.0		2	2	2	2	2	2	2	3	1.7	1	1	1	1	3	3	3	3
18-24	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
25-34											1	3.0		3	3	3	3	3	3	3
35-54	9	1.9	1	1	1	2	2	3	4	4	6	2.0	1	1	1	2	3	3	3	3
55-74	6	2.5	1	1	2	2	3	4	4	4	4	2.8	1	2	2	3	3	4	4	4
75 +	3	1.3		1	1	1	2	2	2	2	2	2.0		2	2	2	2	2	2	2
ALL AGES	22	2.0	1	1	1	2	3	3	4	4	18	2.3	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.	3	1.7	1	1	1	1	3	3	3	3										
13-17	5	2.4	2	1	1	2	4	4	4	4	6	2.7	7	1	1	1	5	7	7	7
18-24	5	1.4		1	1	1	2	2	2	2	3	1.0		1	1	1	1	1	1	1
25-34	4	2.5	4	1	1	2	4	5	5	5	2	6.0	32	2	2	6	10	10	10	10
35-54	9	3.2	1	2	2	3	4	5	5	5	11	2.1		1	2	2	3	3	3	3
55-74	9	3.1	2	1	2	3	4	5	5	5	7	2.6	1	1	2	2	3	5	5	5
75 +	5	2.2	1	1	1	2	3	4	4	4	4	4.0	9	1	1	4	6	7	7	7
ALL AGES	40	2.6	1	1	1	2	4	5	5	5	33	2.7	4	1	1	2	3	6	7	10
SUBTOTAL	**62**	**2.4**	1	**1**	**1**	**2**	**3**	**4**	**5**	**5**	**51**	**2.5**	4	**1**	**1**	**2**	**3**	**5**	**7**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-24	2	4.5	1	4	4	4	5	5	5	5	3	2.0		2	2	2	2	2	2	2
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	4.0	18	1	1	4	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74											3	4.0	13	1	1	3	7	8	8	8
75 +	5	7.0	24	2	3	6	11	13	13	13										
ALL AGES	12	4.9	14	1	2	4	6	12	13	13	8	2.6	5	1	1	2	3	6	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
18-24	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
25-34	3	2.3	3	1	1	2	3	4	4	4	4	2.0	1	1	1	2	3	3	3	3
35-54	3	3.7	1	3	3	3	5	5	5	5	6	1.8	1	1	1	2	2	3	3	3
55-74	2	5.0	8	3	3	5	7	7	7	7	6	3.7	4	1	2	3	5	7	7	7
75 +	1	4.0		4	4	4	4	4	4	4	3	4.0	3	3	3	3	5	6	6	6
ALL AGES	12	3.3	2	1	2	3	4	6	7	7	21	2.7	3	1	2	2	3	5	6	7
SUBTOTAL	**24**	**4.1**	**9**	**2**	**2**	**3**	**5**	**8**	**12**	**13**	**29**	**2.7**	3	**1**	**2**	**2**	**3**	**6**	**7**	**8**
GRAND TOTAL	**86**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**6**	**12**	**80**	**2.6**	3	**1**	**1**	**2**	**3**	**5**	**7**	**9**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	3.0		3	3	3	3	3	3	3
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54	2	4.0		4	4	4	4	4	4	4	5	1.4	1	1	1	1	2	3	3	3
55-74	3	2.3	1	2	2	2	3	3	3	3	2	3.0	8	1	1	3	5	5	5	5
75 +	1	3.0		3	3	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	7	2.7	1	1	2	3	4	4	4	4	12	2.2	1	1	1	2	3	4	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54	4	5.0	23	2	2	3	8	12	12	12	4	1.8	1	1	1	2	2	3	3	3
55-74	6	5.0	15	2	2	3	7	11	12	12	3	2.3	1	2	2	2	3	3	3	3
75 +	1	6.0		6	6	6	6	6	6	6	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	14	4.6	13	2	2	3	6	12	12	12	9	2.6	2	1	2	2	3	5	5	5
SUBTOTAL	**21**	**4.0**	**10**	**1**	**2**	**3**	**5**	**9**	**12**	**12**	**21**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	2	2.5	1	2	2	2	3	3	3	3										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	3	3.7	4	2	2	3	5	6	6	6	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
35-54	1	8.0		8	8	8	8	8	8	8	4	2.0		2	2	2	2	2	2	2
55-74	7	5.1	26	2	2	4	6	14	16	16	1	16.0		16	16	16	16	16	16	16
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	11	5.7	26	1	2	4	7	15	16	16	6	4.5	32	2	2	2	3	15	16	16
SUBTOTAL	**14**	**5.3**	**21**	**2**	**2**	**4**	**6**	**14**	**16**	**16**	**8**	**3.8**	**24**	**1**	**2**	**2**	**3**	**12**	**16**	**16**
GRAND TOTAL	**35**	**4.5**	**14**	**2**	**2**	**3**	**6**	**12**	**14**	**16**	**29**	**2.7**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	2	8.0	18	5	5	8	11	11	11	11
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	10.5	85	4	4	10	17	17	17	17	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2	1	7.0		7	7	7	7	7	7	7
ALL AGES	6	5.5	33	2	2	3	5	16	17	17	5	5.4	14	2	2	5	8	11	11	11
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2	5	1.6		1	1	2	2	2	2	2
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	2	2.5	1	2	2	2	3	3	3	3	2	3.5	5	2	2	3	5	5	5	5
25-34	3	4.7	14	2	2	3	7	9	9	9	2	4.0	8	2	2	4	6	6	6	6
35-54	4	6.0	7	3	4	6	8	9	9	9	2	7.5	1	7	7	7	8	8	8	8
55-74	1	3.0		3	3	3	3	3	3	3	3	4.3	10	1	2	5	6	7	7	7
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	13	4.1	7	2	2	3	5	9	9	9	15	3.8	6	1	2	2	6	7	8	8
SUBTOTAL	**19**	**4.5**	**14**	**2**	**2**	**3**	**5**	**9**	**14**	**17**	**20**	**4.2**	**8**	**1**	**2**	**4**	**6**	**8**	**9**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											8	23.1	160	10	14	23	26	43	50	50
18-24	1	15.0		15	15	15	15	15	15	15	8	22.3	397	1	4	21	32	52	60	60
25-34	1	8.0		8	8	8	8	8	8	8	9	18.0	226	3	7	14	26	42	47	47
35-54	4	4.5	14	2	2	3	7	10	10	10										
55-74	4	6.8	3	5	5	7	8	9	9	9										
75 +											3	8.3	87	2	2	4	15	19	19	19
ALL AGES	10	6.8	16	2	4	6	9	12	15	15	28	19.6	241	2	7	18	26	43	51	60
SUBTOTAL	**12**	**6.1**	**16**	**2**	**3**	**5**	**9**	**11**	**14**	**15**	**29**	**19.0**	**242**	**2**	**6**	**16**	**26**	**42**	**50**	**60**
GRAND TOTAL	**31**	**5.1**	**15**	**2**	**2**	**3**	**8**	**10**	**15**	**17**	**49**	**13.0**	**198**	**1**	**2**	**7**	**21**	**33**	**47**	**60**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.0	2	2	2	3	4	4	4	4										
SUBTOTAL	2	3.0	2	2	2	3	4	4	4	4										
GRAND TOTAL	3	2.3	3	1	1	2	3	4	4	4										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54											2	3.5	5	2	2	3	5	5	5	5
55-74																				
75 +																				
ALL AGES											3	3.0	3	2	2	2	4	5	5	5
SUBTOTAL											**3**	**3.0**	**3**	**2**	**2**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	11.0		11	11	11	11	11	11	11
55-74											1	14.0		14	14	14	14	14	14	14
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6	2	12.5	5	11	11	12	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	3	4.3	1	4	4	4	5	5	5	5	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**4**	**4.8**		**4**	**4**	**5**	**5**	**6**	**6**	**6**	**3**	**10.0**	**21**	**5**	**6**	**11**	**13**	**14**	**14**	**14**
GRAND TOTAL	**4**	**4.8**		**4**	**4**	**5**	**5**	**6**	**6**	**6**	**6**	**6.5**	**24**	**2**	**2**	**5**	**11**	**14**	**14**	**14**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	7.0	8	5	5	7	9	9	9	9										
75 +																				
ALL AGES	3	5.0	16	1	2	5	8	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	4	9.3	156	2	2	3	16	28	28	28										
55-74	2	5.0	2	4	4	5	6	6	6	6	1	5.0		5	5	5	5	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	9	6.4	67	2	3	4	5	19	28	28	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**12**	**6.1**	**52**	**2**	**3**	**4**	**6**	**15**	**26**	**28**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +	2	5.0	2	4	4	5	6	6	6	6										
ALL AGES	5	5.2	23	1	2	4	8	13	13	13										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
18-24											1	4.0		4	4	4	4	4	4	4
25-34	1	24.0		24	24	24	24	24	24	24	1	5.0		5	5	5	5	5	5	5
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	5	11.0	55	4	5	7	18	20	20	20										
75 +																				
ALL AGES	9	10.7	59	4	5	7	18	22	24	24	3	3.7	2	2	2	4	5	5	5	5
SUBTOTAL	**14**	**8.7**	**52**	**2**	**4**	**6**	**13**	**20**	**23**	**24**	**3**	**3.7**	**2**	**2**	**2**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**26**	**7.5**	**51**	**2**	**3**	**5**	**8**	**20**	**25**	**28**	**4**	**4.0**	**2**	**2**	**3**	**4**	**5**	**5**	**5**	**5**

STAMMERING & STUTTERING (307.0)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	2.5	1	2	2	2	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	2.5	1	2	2	2	3	3	3	3										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
13-17											2	3.0	2	2	2	3	4	4	4	4
18-24											1	53.0		53	53	53	53	53	53	53
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	2	10.5	13	8	8	10	13	13	13	13	4	15.5	626	2	2	3	28	53	53	53
B. FEMALE																				
0-12 YRS.	9	24.0	550	2	4	18	36	61	71	71	7	54.6	675	27	35	51	77	93	95	95
13-17	39	26.2	337	3	8	25	37	53	60	70	13	25.5	546	1	5	17	44	61	63	63
18-24	14	24.5	129	9	14	26	31	35	45	48	6	17.8	196	3	11	13	25	40	42	42
25-34	17	19.6	544	3	5	14	29	36	76	97	2	4.5	5	3	3	4	6	6	6	6
35-54	10	27.6	199	8	20	28	34	46	56	56	6	14.5	278	3	9	9	10	44	48	48
55-74	2	15.5	145	7	7	15	24	24	24	24	1	7.0		7	7	7	7	7	7	7
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	92	24.2	338	4	8	24	33	47	56	86	35	26.4	622	2	7	14	43	60	79	95
SUBTOTAL	**94**	**23.9**	**335**	**4**	**8**	**24**	**33**	**47**	**56**	**86**	**39**	**25.3**	**616**	**2**	**6**	**13**	**43**	**57**	**75**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	2	44.0	3528	2	2	44	86	86	86	86										
18-24	2	62.5	61	57	57	62	68	68	68	68										
25-34																				
35-54																				
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	5	51.8	993	2	35	57	72	86	86	86	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	8	29.8	411	3	11	43	50	80	99 +	99 +										
13-17	26	31.3	385	4	16	31	51	60	67	99 +	3	27.0	403	6	12	29	42	46	46	46
18-24	23	32.0	632	5	11	29	50	87	94	99 +	3	30.7	471	13	16	24	47	55	55	55
25-34	15	29.0	232	18	19	25	35	55	63	66	5	44.8	1095	16	20	34	65	98	98	98
35-54	9	23.6	751	2	6	20	23	66	93	93	1	2.0		2	2	2	2	2	2	2
55-74											1	63.0		63	63	63	63	63	63	63
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	81	30.1	450	5	16	28	46	62	92	99 +	14	33.6	725	6	13	26	54	66	91	98
SUBTOTAL	**86**	**31.3**	**501**	**4**	**16**	**29**	**49**	**66**	**92**	**99 +**	**15**	**31.7**	**727**	**5**	**10**	**24**	**52**	**63**	**89**	**98**
GRAND TOTAL	**180**	**27.5**	**422**	**4**	**10**	**25**	**37**	**57**	**70**	**99 +**	**54**	**27.1**	**641**	**2**	**6**	**16**	**46**	**60**	**81**	**98**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	2.3	1	1	2	2	3	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17	2	22.0	800	2	2	22	42	42	42	42	2	2.5	1	2	2	2	3	3	3	3
18-24																				
25-34																				
35-54	2	14.5	145	6	6	14	23	23	23	23										
55-74																				
75 +																				
ALL AGES	10	8.7	179	1	2	3	6	32	42	42	3	2.7		2	2	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	4	4.8	4	2	3	5	6	7	7	7	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**14**	**7.6**	**128**	**2**	**2**	**3**	**6**	**25**	**38**	**42**	**4**	**2.5**		**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	47.0	1948	2	10	68	97	99 +	99 +	99 +	4	3.8	8	1	2	3	6	8	8	8
13-17	1	9.0		9	9	54	99 +	99 +	99 +	99 +										
18-24																				
25-34	2	7.0	50	2	2	7	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	9	33.9	1610	2	8	15	97	99 +	99 +	99 +	4	3.8	8	1	2	3	6	8	8	8
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	3	8.7	31	4	5	7	13	15	15	15										
SUBTOTAL	**12**	**27.6**	**1307**	**2**	**7**	**13**	**91**	**99 +**	**99 +**	**99 +**	**4**	**3.8**	**8**	**1**	**2**	**3**	**6**	**8**	**8**	**8**
GRAND TOTAL	**26**	**16.8**	**746**	**2**	**2**	**6**	**19**	**97**	**99 +**	**99 +**	**8**	**3.1**	**5**	**1**	**2**	**3**	**3**	**7**	**8**	**8**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																			
A. MALE																			
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
13-17																			
18-24																			
25-34																			
35-54																			
55-74																			
75 +																			
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
B. FEMALE																			
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17																			
18-24																			
25-34																			
35-54																			
55-74																			
75 +																			
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	2	1.5	1	1	1	1	2	2	2	2	2	3.0	8	1	1	3	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																			
A. MALE																			
0-12 YRS.																			
13-17																			
18-24																			
25-34																			
35-54																			
55-74																			
75 +																			
ALL AGES																			
B. FEMALE																			
0-12 YRS.																			
13-17																			
18-24																			
25-34																			
35-54																			
55-74																			
75 +																			
ALL AGES																			
SUBTOTAL																			
GRAND TOTAL	2	1.5	1	1	1	1	2	2	2	2	2	3.0	8	1	1	3	5	5	5	5

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**2**	**6.5**	**25**	**3**	**3**	**6**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**5**	**3.4**	**14**	**1**	**1**	**2**	**5**	**10**	**10**	**10**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	25.0	453	2	5	27	39	55	59	59	1	2.0		2	2	2	2	2	2	2
13-17	2	28.0	338	15	15	28	41	41	41	41	2	24.5	1013	2	2	24	47	47	47	47
18-24	1	32.0		32	32	32	32	32	32	32										
25-34																				
35-54	2	17.5	481	2	2	17	33	33	33	33										
55-74																				
75 +																				
ALL AGES	12	24.8	340	2	6	29	37	47	57	59	3	17.0	675	2	2	2	36	47	47	47
B. FEMALE																				
0-12 YRS.	6	42.2	1324	5	11	41	71	83	84	84	5	11.0	146	2	3	3	21	29	29	29
13-17	25	21.4	173	3	9	23	29	35	47	48	5	22.6	122	4	19	24	29	33	33	33
18-24	42	21.5	133	7	11	21	30	37	42	49	8	21.0	340	2	4	20	34	46	50	50
25-34	16	18.1	130	1	8	17	29	30	31	31	1	2.0		2	2	2	2	2	2	2
35-54	3	23.3	313	3	10	33	34	34	34	34	4	6.3	41	3	3	3	10	16	16	16
55-74	1	8.0		8	8	8	8	8	8	8	2	4.5	5	3	3	4	6	6	6	6
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	94	21.9	239	4	10	22	30	36	48	78	25	14.9	205	2	3	6	28	33	40	50
SUBTOTAL	**106**	**22.3**	**245**	**3**	**10**	**23**	**30**	**40**	**48**	**77**	**28**	**15.1**	**233**	**2**	**3**	**5**	**28**	**36**	**47**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	6.5	13	4	4	6	9	9	9	9	1	5.0		5	5	5	5	5	5	5
13-17	3	11.7	179	2	3	6	22	27	27	27										
18-24	2	8.0	18	5	5	8	11	11	11	11										
25-34	4	16.3	144	3	6	17	26	27	27	27										
35-54	3	11.3	291	1	1	2	24	31	31	31										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	16	11.1	109	2	3	7	19	27	30	31	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	4	23.5	152	5	17	29	30	30	30	30	1	2.0		2	2	2	2	2	2	2
13-17	31	27.2	279	8	16	28	37	52	64	67	4	24.5	474	5	6	22	43	48	48	48
18-24	78	24.0	235	4	11	24	33	46	50	70	7	22.6	85	6	23	25	28	28	28	28
25-34	46	23.2	280	4	11	22	33	43	48	87	7	17.1	173	3	6	13	28	34	36	36
35-54	23	28.6	322	9	15	26	41	56	64	68	4	10.8	78	5	5	7	16	24	24	24
55-74	2	19.5	545	3	3	19	36	36	36	36	1	22.0		22	22	22	22	22	22	22
75 +	4	11.3	99	1	3	10	19	24	24	24										
ALL AGES	188	24.6	260	4	12	24	33	45	53	74	24	18.5	172	2	6	22	28	36	41	48
SUBTOTAL	**204**	**23.5**	**263**	**4**	**11**	**23**	**31**	**44**	**52**	**72**	**25**	**17.9**	**175**	**2**	**6**	**22**	**28**	**36**	**40**	**48**
GRAND TOTAL	**310**	**23.1**	**256**	**4**	**10**	**23**	**31**	**43**	**51**	**73**	**53**	**16.4**	**205**	**2**	**3**	**9**	**28**	**36**	**46**	**50**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	4.8	46	1	1	2	8	15	15	15										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	4.8	46	1	1	2	8	15	15	15										
B. FEMALE																				
0-12 YRS.	3	13.7	407	2	2	2	28	37	37	37										
13-17	1	22.0		22	22	22	22	22	22	22										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	15.8	287	2	2	12	29	37	37	37										
SUBTOTAL	**8**	**10.3**	**178**	**1**	**1**	**2**	**18**	**32**	**37**	**37**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.5	365	13	13	26	40	40	40	40	1	9.0		9	9	9	9	9	9	9
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	26.5	365	13	13	26	40	40	40	40	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**2**	**26.5**	**365**	**13**	**13**	**26**	**40**	**40**	**40**	**40**	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**
GRAND TOTAL	**10**	**13.5**	**227**	**1**	**2**	**8**	**22**	**38**	**40**	**40**	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2	3	2.3	1	2	2	2	3	3	3	3
13-17	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-24	2	4.0	8	2	2	4	6	6	6	6	2	3.0		3	3	3	3	3	3	3
25-34	5	2.2	1	1	2	2	3	3	3	3	4	3.8	4	1	2	4	5	6	6	6
35-54	4	3.8	7	1	1	3	6	7	7	7	6	4.8	7	2	3	4	6	9	9	9
55-74	5	5.8	1	4	5	6	6	7	7	7	2	4.5	13	2	2	4	7	7	7	7
75 +	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
ALL AGES	20	3.6	4	1	2	3	6	7	7	7	19	3.7	5	2	2	3	5	7	8	9
B. FEMALE																				
0-12 YRS.	4	2.5	2	1	1	2	3	4	4	4	2	2.5	1	2	2	2	3	3	3	3
13-17	5	2.4	2	1	1	2	3	5	5	5	5	1.8		1	1	2	2	2	2	2
18-24	7	2.6	1	2	2	2	3	5	5	5	3	4.7	9	2	2	4	7	8	8	8
25-34	16	5.2	44	1	2	3	5	16	23	25	11	3.9	6	1	2	3	6	8	8	8
35-54	29	4.5	21	1	2	4	6	8	11	25	22	4.2	13	1	2	3	6	8	13	15
55-74	12	3.9	5	2	2	3	6	7	8	8	7	3.1	4	1	2	3	4	6	7	7
75 +	3	4.3	1	4	4	4	5	5	5	5	1	8.0		8	8	8	8	8	8	3
ALL AGES	76	4.1	19	1	2	3	5	8	10	25	51	3.8	8	1	2	3	5	7	8	15
SUBTOTAL	**96**	**4.0**	**16**	**1**	**2**	**3**	**5**	**7**	**8**	**25**	**70**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	13.7	340	3	3	3	27	35	35	35										
13-17	3	8.3	27	4	5	7	12	14	14	14										
18-24	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54	5	3.0	2	2	2	2	4	5	5	5	2	8.0		8	8	8	8	8	8	8
55-74	5	14.2	355	2	2	4	24	46	46	46	2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	19	8.3	149	1	2	3	6	28	41	46	5	5.6	5	3	4	5	8	8	8	8
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5	2	3.5	1	3	3	3	4	4	4	4
13-17	2	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
25-34	7	6.0	39	3	3	4	5	17	20	20	3	5.0	19	2	2	3	8	10	10	10
35-54	20	8.2	63	2	3	5	10	23	27	28	9	4.6	3	3	3	4	6	7	7	7
55-74	7	7.6	100	1	2	5	6	25	30	30	4	5.0	2	3	4	5	6	6	6	6
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	40	6.8	57	1	2	4	8	20	27	30	20	4.4	4	2	3	4	6	7	9	10
SUBTOTAL	**59**	**7.3**	**85**	**1**	**2**	**4**	**7**	**20**	**29**	**45**	**25**	**4.6**	**5**	**2**	**3**	**4**	**6**	**8**	**9**	**10**
GRAND TOTAL	**155**	**5.2**	**45**	**1**	**2**	**3**	**6**	**10**	**20**	**35**	**95**	**4.0**	**7**	**2**	**2**	**3**	**6**	**7**	**8**	**14**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	8.0	8	6	6	8	10	10	10	10	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34	2	12.0	128	4	4	12	20	20	20	20	1	5.0		5	5	5	5	5	5	5
35-54	4	2.8	2	1	1	3	4	4	4	4										
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	10	6.7	38	1	2	4	10	17	20	20	3	4.7	2	3	3	5	6	6	6	6
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	4.0		4	4	4	4	4	4	4	2	4.5	25	1	1	4	8	8	8	8
ALL AGES	8	4.5	9	1	3	4	5	9	11	11	4	3.5	10	1	1	2	5	8	8	8
SUBTOTAL	**18**	**5.7**	**25**	**1**	**2**	**4**	**6**	**13**	**18**	**20**	**7**	**4.0**	**6**	**1**	**2**	**3**	**6**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
ALL AGES	2	3.5	13	1	1	3	6	6	6	6	4	2.5	3	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8	1	7.0		7	7	7	7	7	7	7
55-74																				
75 +	4	7.0	21	1	3	7	10	12	12	12	3	5.0	7	3	3	4	7	8	8	8
ALL AGES	5	7.2	16	1	5	8	9	12	12	12	4	5.5	6	3	3	5	7	8	8	8
SUBTOTAL	**7**	**6.1**	**16**	**1**	**2**	**7**	**8**	**11**	**12**	**12**	**8**	**4.0**	**6**	**1**	**2**	**4**	**6**	**8**	**8**	**8**
GRAND TOTAL	**25**	**5.8**	**22**	**1**	**2**	**4**	**8**	**12**	**15**	**20**	**15**	**4.0**	**6**	**1**	**2**	**4**	**6**	**8**	**8**	**8**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.5	85	4	4	10	17	17	17	17	2	1.5	1	1	1	1	2	2	2	2
25-34	5	3.4	2	1	2	4	4	5	5	5	2	2.5	1	2	2	2	3	3	3	3
35-54	7	4.0	17	1	2	3	4	11	13	13	3	1.7	1	1	1	1	3	3	3	3
55-74	3	4.7	22	1	1	3	8	10	10	10	1	2.0		2	2	2	2	2	2	2
75 +	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
ALL AGES	18	4.6	19	1	3	3	4	12	15	17	9	1.9	1	1	1	2	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
18-24	3	2.0	1	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	3	2.7		2	2	3	3	3	3	3	7	2.6	1	1	2	3	3	4	4	4
35-54	11	4.9	8	1	2	5	8	9	9	9	6	1.7	1	1	1	1	2	4	4	4
55-74	5	2.0	2	1	1	2	3	4	4	4	2	1.5	1	1	1	1	2	2	2	2
75 +	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
ALL AGES	24	3.3	6	1	1	3	4	8	8	9	19	2.0	1	1	1	2	3	4	4	4
SUBTOTAL	**42**	**3.9**	**12**	**1**	**2**	**3**	**4**	**8**	**11**	**17**	**28**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	13.5	265	2	2	13	25	25	25	25	1	3.0		3	3	3	3	3	3	3
35-54	2	5.5	41	1	1	5	10	10	10	10	1	2.0		2	2	2	2	2	2	2
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	9.5	123	1	1	6	17	25	25	25	3	2.3	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	8	7.8	70	1	3	4	11	22	24	24	1	1.0		1	1	1	1	1	1	1
25-34	7	7.6	56	1	2	3	14	19	20	20	3	1.7		1	1	2	2	2	2	2
35-54	3	6.7	12	3	4	7	9	10	10	10	4	3.8	12	2	2	2	6	9	9	9
55-74	1	4.0		4	4	4	4	4	4	4	5	2.4	2	1	1	3	3	4	4	4
75 +	3	4.7	6	2	3	5	6	7	7	7										
ALL AGES	22	7.0	43	2	3	4	8	19	22	24	13	2.5	5	1	1	2	3	5	8	9
SUBTOTAL	**26**	**7.3**	**53**	**1**	**2**	**4**	**10**	**20**	**24**	**25**	**16**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**68**	**5.2**	**29**	**1**	**2**	**3**	**6**	**12**	**18**	**25**	**44**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**9**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	6.0		6	6	6	6	6	6	6	2	2.0	2	1	1	2	3	3	3	3

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3										

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	28.3	489	14	15	23	71	99 +	99 +	99 +										
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	5.7	21	3	3	3	9	11	11	11										
25-34											1	10.0		10	10	10	10	10	10	10
35-54	5	11.0	321	2	3	3	14	43	43	43	2	5.5	25	2	2	5	9	9	9	9
55-74	2	5.5	25	2	2	5	9	9	9	9										
75 +																				
ALL AGES	14	14.0	311	2	3	9	21	61	90	99 +	4	5.5	22	1	1	5	9	10	10	10
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	36.0		36	36	36	36	36	36	36										
18-24	3	7.7	17	3	4	9	10	11	11	11	1	4.0		4	4	4	4	4	4	4
25-34	5	16.2	70	3	10	20	22	23	23	23	2	5.5	5	4	4	5	7	7	7	7
35-54	6	20.7	181	7	12	18	22	44	46	46										
55-74	3	3.3	11	1	1	2	6	7	7	7	1	6.0		6	6	6	6	6	6	6
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	19	15.4	136	2	7	13	21	31	41	46	5	4.4	5	1	3	4	6	7	7	7
SUBTOTAL	**33**	**14.8**	**203**	**2**	**3**	**12**	**22**	**43**	**58**	**99 +**	**9**	**4.9**	**11**	**1**	**2**	**4**	**7**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-24	4	13.8	391	1	1	5	26	43	43	43										
25-34	3	1.3		1	1	1	2	2	2	2	1	10.0		10	10	10	10	10	10	10
35-54	6	17.8	116	9	9	13	27	34	35	35	1	2.0		2	2	2	2	2	2	2
55-74	3	23.7	994	3	4	8	47	60	60	60										
75 +																				
ALL AGES	16	14.8	306	1	2	9	20	42	55	60	3	14.0	208	2	4	10	25	30	30	30
B. FEMALE																				
0-12 YRS.	2	28.5	85	22	22	28	35	35	35	35	1	15.0		15	15	15	15	15	15	15
13-17	7	28.1	652	5	13	16	53	65	66	66	2	12.5	265	1	1	12	24	24	24	24
18-24	9	11.9	351	1	3	5	10	43	60	60										
25-34	15	11.8	246	2	3	5	14	35	53	59	1	2.0		2	2	2	2	2	2	2
35-54	15	8.7	110	1	1	4	13	23	34	38	1	2.0		2	2	2	2	2	2	2
55-74	2	29.5	1405	3	3	29	56	56	56	56	1	6.0		6	6	6	6	6	6	6
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	51	14.4	321	1	3	6	17	45	60	66	6	8.3	87	1	2	4	15	23	24	24
SUBTOTAL	**67**	**14.5**	**313**	**1**	**3**	**7**	**17**	**42**	**60**	**65**	**9**	**10.2**	**114**	**1**	**2**	**6**	**17**	**28**	**30**	**30**
GRAND TOTAL	**100**	**14.6**	**274**	**1**	**3**	**9**	**19**	**43**	**60**	**83**	**18**	**7.6**	**66**	**1**	**2**	**5**	**10**	**21**	**28**	**30**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16	1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**3**	**8.3**	**51**	**2**	**3**	**7**	**14**	**16**	**16**	**16**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.5	1	3	3	3	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**5**	**6.4**	**32**	**2**	**3**	**4**	**9**	**16**	**16**	**16**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	3	2.7	4	1	1	2	4	5	5	5	2	2.5	5	1	1	2	4	4	4	4
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	8	2.4	3	1	1	2	4	5	5	5	3	2.0	3	1	1	1	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39	1	3.0		3	3	3	3	3	3	3
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
25-34	2	8.0	72	2	2	8	14	14	14	14										
35-54	3	3.7	8	2	2	2	6	7	7	7	1	5.0		5	5	5	5	5	5	5
55-74	4	4.3	10	2	2	3	6	9	9	9	1	1.0		1	1	1	1	1	1	1
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	12	7.2	115	1	2	2	8	21	36	39	5	2.8	2	1	2	3	4	5	5	5
SUBTOTAL	**20**	**5.3**	**73**	**1**	**1**	**2**	**5**	**11**	**26**	**39**	**8**	**2.5**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54	4	1.5		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74											1	2.0		2	2	2	2	2	2	2
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	6	1.5		1	1	1	2	2	2	2	4	2.8	1	2	2	3	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
35-54	6	2.7	4	1	1	2	4	6	6	6										
55-74	1	20.0		20	20	20	20	20	20	20										
75 +																				
ALL AGES	9	4.9	36	1	2	2	6	14	20	20	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**15**	**3.5**	**24**	**1**	**1**	**2**	**4**	**6**	**17**	**20**	**6**	**2.7**		**2**	**2**	**3**	**3**	**4**	**4**	**4**
GRAND TOTAL	**35**	**4.5**	**52**	**1**	**1**	**2**	**5**	**9**	**18**	**39**	**14**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**5**	**5**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	20.4	295	5	8	15	30	46	56	58										
13-17	76	12.9	164	2	4	10	18	38	60	99+	9	4.7	24	1	1	2	9	13	13	13
18-24	118	6.9	59	1	2	5	9	14	20	41	5	5.4	23	1	2	4	8	13	13	13
25-34	106	6.3	28	1	3	5	9	13	16	27	6	1.8	2	1	1	1	3	4	4	4
35-54	115	6.0	32	1	2	4	8	13	18	28	8	3.6	19	1	1	2	3	11	14	14
55-74	33	7.6	32	1	3	7	10	16	19	22	4	4.5	1	3	4	5	5	5	5	5
75 +	11	7.1	14	3	4	6	9	13	14	14	3	8.0	48	4	4	4	13	16	16	16
ALL AGES	471	7.9	74	1	3	5	10	18	24	56	35	4.3	18	1	1	3	5	13	14	16
B. FEMALE																				
0-12 YRS.	11	12.9	125	4	5	7	19	32	36	36	1	7.0		7	7	7	7	7	7	7
13-17	178	12.6	178	2	3	8	16	30	41	60	18	9.1	73	2	3	7	13	20	30	35
18-24	160	6.9	47	1	2	5	8	16	21	37	6	4.7	7	2	3	4	7	9	9	9
25-34	166	6.7	37	1	2	5	9	14	19	29	21	4.3	4	2	3	4	5	7	9	10
35-54	157	7.7	53	1	3	5	10	18	22	35	26	3.4	7	1	2	3	4	7	10	12
55-74	46	10.5	49	3	5	8	13	23	25	30	10	5.2	15	1	2	4	10	11	11	11
75 +	18	14.0	67	5	10	13	18	21	32	39	2	15.0	50	10	10	15	20	20	20	20
ALL AGES	736	8.9	85	1	3	6	11	20	28	42	84	5.5	27	1	2	4	7	10	15	31
SUBTOTAL	**1207**	**8.5**	**81**	**1**	**3**	**6**	**11**	**19**	**28**	**44**	**119**	**5.1**	**25**	**1**	**2**	**4**	**7**	**11**	**14**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	25.3	401	3	5	32	37	53	61	63										
13-17	61	15.3	167	4	6	11	19	33	43	58	2	3.0	8	1	1	2	5	5	5	5
18-24	158	9.4	109	2	4	7	11	19	29	47	9	3.8	8	1	1	3	6	8	8	8
25-34	198	8.1	51	2	3	5	11	19	21	32	4	5.8	16	1	3	5	8	11	11	11
35-54	162	8.6	46	2	4	7	12	18	22	32	9	6.8	71	1	2	4	7	21	28	28
55-74	32	11.3	92	3	5	8	14	23	29	49	4	5.3	12	2	2	4	8	10	10	10
75 +	8	14.6	59	4	8	16	19	24	26	26	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	632	9.8	94	2	4	7	13	21	29	47	30	5.1	27	1	2	4	6	10	11	28
B. FEMALE																				
0-12 YRS.	9	9.1	103	3	4	5	10	26	35	35	1	10.0		10	10	10	10	10	10	10
13-17	104	16.6	271	3	5	9	26	42	45	77	13	21.4	187	2	10	19	32	38	42	43
18-24	164	7.8	49	1	2	6	11	17	21	34	6	9.3	126	3	3	4	12	29	31	31
25-34	212	9.3	80	2	3	7	12	21	26	41	10	4.7	9	2	3	4	6	10	10	10
35-54	203	9.5	76	2	4	8	12	19	26	40	12	11.3	296	2	2	3	9	39	57	60
55-74	33	12.9	94	3	6	10	18	25	31	46	3	4.0	4	2	2	4	5	6	6	6
75 +	11	13.9	220	4	5	9	17	33	54	56	1	14.0		14	14	14	14	14	14	14
ALL AGES	736	10.3	109	2	4	7	13	23	32	46	46	12.0	182	2	3	5	18	32	38	60
SUBTOTAL	**1368**	**10.1**	**101**	**2**	**4**	**7**	**13**	**21**	**30**	**47**	**76**	**9.3**	**130**	**1**	**3**	**4**	**10**	**29**	**33**	**56**
GRAND TOTAL	**2575**	**9.3**	**93**	**2**	**3**	**7**	**12**	**21**	**29**	**46**	**195**	**6.7**	**70**	**1**	**2**	**4**	**8**	**14**	**28**	**40**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	6	11.0	49	2	6	10	18	20	20	20	1	2.0		2	2	2	2	2	2	2
55-74	1	29.0		29	29	29	29	29	29	29	1	2.0		2	2	2	2	2	2	2
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	9	12.3	73	4	7	9	18	25	29	29	3	8.3	121	2	2	2	16	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	3	16.0	217	7	7	8	27	33	33	33										
18-24	4	9.8	86	2	2	7	17	22	22	22										
25-34	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
35-54	6	11.8	79	1	6	10	20	24	24	24										
55-74	6	8.3	74	2	2	6	8	23	25	25	3	12.7	159	3	4	8	22	27	27	27
75 +	3	10.3	13	7	8	10	13	14	14	14										
ALL AGES	23	10.5	76	2	4	7	14	24	28	33	5	8.2	118	1	2	3	13	27	27	27
SUBTOTAL	**32**	**11.0**	**74**	**2**	**6**	**8**	**16**	**24**	**29**	**33**	**8**	**8.3**	**101**	**1**	**2**	**3**	**14**	**25**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	28.0	450	13	13	28	43	43	43	43										
18-24	5	11.4	130	2	4	9	15	31	31	31	1	4.0		4	4	4	4	4	4	4
25-34	9	12.0	60	3	9	11	14	23	29	29										
35-54	5	10.2	45	5	5	8	14	21	21	21	1	6.0		6	6	6	6	6	6	6
55-74	3	14.0	193	5	5	7	24	30	30	30										
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	24	13.1	110	4	5	10	14	30	35	43	3	10.3	87	4	4	6	17	21	21	21
B. FEMALE																				
0-12 YRS.	1	77.0		77	77	77	77	77	77	77										
13-17	2	24.5	925	3	3	24	46	46	46	46										
18-24	2	30.5	925	9	9	30	52	52	52	52										
25-34	6	11.2	220	3	3	5	10	38	41	41										
35-54	11	14.1	47	6	8	14	17	24	28	28	2	5.0	8	3	3	5	7	7	7	7
55-74	5	13.8	28	6	10	14	18	20	20	20	1	22.0		22	22	22	22	22	22	22
75 +											2	5.5	1	5	5	5	6	6	6	6
ALL AGES	27	17.7	306	3	6	14	19	45	56	77	5	8.6	58	3	4	6	11	22	22	22
SUBTOTAL	**51**	**15.5**	**216**	**4**	**6**	**11**	**18**	**35**	**46**	**77**	**8**	**9.3**	**58**	**3**	**4**	**6**	**14**	**22**	**22**	**22**
GRAND TOTAL	**83**	**13.8**	**163**	**3**	**6**	**10**	**18**	**29**	**42**	**69**	**16**	**8.8**	**74**	**2**	**3**	**5**	**14**	**22**	**25**	**27**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	27	15.8	221	1	4	9	21	38	46	51	2	3.5	13	1	1	3	6	6	6	6
13-17	26	16.3	198	3	6	10	21	40	45	51										
18-24	44	10.1	334	1	2	4	9	23	53	98										
25-34	55	7.3	40	1	3	6	10	18	24	96	2	9.0	2	8	8	9	10	10	10	10
35-54	54	7.1	52	1	3	6	9	13	16	48	8	15.4	215	1	1	14	30	31	31	31
55-74	11	8.5	20	3	5	8	10	16	18	18	1	28.0		28	28	28	28	28	28	28
75 +	4	9.8	15	5	6	10	13	14	14	14	3	9.7	13	7	7	8	12	14	14	14
ALL AGES	221	10.0	150	1	3	6	11	22	37	73	16	12.8	139	1	3	8	26	30	31	31
B. FEMALE																				
0-12 YRS.	17	20.2	330	2	4	13	41	45	51	55										
13-17	56	12.0	124	1	4	9	19	29	40	96	7	13.3	287	2	2	7	19	43	48	48
18-24	55	7.8	128	1	2	5	8	16	25	75	2	16.0	338	3	3	16	29	29	29	29
25-34	89	7.6	45	1	3	6	9	17	24	31	10	20.7	158	1	5	27	29	30	31	31
35-54	72	7.0	29	1	3	6	9	15	19	22	28	18.1	142	2	4	22	29	30	30	30
55-74	18	8.2	56	2	3	5	10	22	26	27	12	14.8	93	4	8	13	19	29	37	38
75 +	11	13.5	102	3	4	12	20	29	30	30	2	9.5	61	4	4	9	15	15	15	15
ALL AGES	318	9.2	96	1	3	6	12	22	28	51	61	17.0	146	2	4	17	29	30	31	47
SUBTOTAL	**539**	**9.5**	**119**	**1**	**3**	**6**	**11**	**22**	**31**	**56**	**77**	**16.1**	**147**	**2**	**4**	**14**	**29**	**30**	**31**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	30.8	229	7	18	35	43	48	49	49	1	2.0		2	2	2	2	2	2	2
13-17	33	12.2	154	2	3	7	20	30	42	44										
18-24	59	10.6	108	1	2	6	17	29	32	40	1	30.0		30	30	30	30	30	30	30
25-34	82	7.6	51	2	3	6	10	14	23	38	1	2.0		2	2	2	2	2	2	2
35-54	83	8.1	46	2	3	6	11	16	21	35	3	10.0	193	1	1	3	20	26	26	26
55-74	13	7.8	35	2	3	6	13	16	19	20										
75 +	2	20.5	421	6	6	20	35	35	35	35	1	37.0		37	37	37	37	37	37	37
ALL AGES	293	10.6	120	2	3	6	13	29	37	46	7	14.4	252	1	2	3	29	36	37	37
B. FEMALE																				
0-12 YRS.	7	26.3	193	8	12	30	38	42	43	43										
13-17	54	13.1	128	2	4	9	20	32	39	97	2	14.5	313	2	2	14	27	27	27	27
18-24	62	10.9	165	2	4	7	14	26	29	84	2	5.0		5	5	5	5	5	5	5
25-34	73	7.3	61	1	3	5	8	16	22	43	6	29.7	1	28	29	29	30	33	33	33
35-54	89	8.6	47	1	3	7	12	20	22	29	8	23.9	83	7	22	28	29	29	29	29
55-74	24	11.0	88	3	5	9	13	19	36	42	2	13.0	98	6	6	13	20	20	20	20
75 +	7	11.0	13	7	8	11	12	17	18	18	1	40.0		40	40	40	40	40	40	40
ALL AGES	316	10.1	102	2	4	7	13	23	30	44	21	22.6	127	4	15	28	29	31	36	40
SUBTOTAL	**609**	**10.4**	**109**	**2**	**3**	**7**	**13**	**25**	**34**	**45**	**28**	**20.5**	**165**	**2**	**5**	**27**	**29**	**32**	**37**	**40**
GRAND TOTAL	**1148**	**10.0**	**113**	**1**	**3**	**6**	**13**	**23**	**33**	**49**	**105**	**17.3**	**153**	**2**	**4**	**17**	**29**	**30**	**32**	**44**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	13.8	190	2	5	9	17	31	48	56	1	14.0		14	14	14	14	14	14	14
13-17	13	12.5	133	1	3	11	18	33	35	35	1	3.0		3	3	3	3	3	3	3
18-24	5	11.4	191	1	1	2	26	28	28	28										
25-34	2	18.0	162	9	9	18	27	27	27	27										
35-54	6	3.2	15	1	1	2	3	10	11	11										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	44	11.8	145	1	2	9	17	28	34	56	2	8.5	61	3	3	8	14	14	14	14
B. FEMALE																				
0-12 YRS.	3	13.7	84	3	7	19	19	19	19	19										
13-17	15	17.9	401	1	3	11	26	45	66	73										
18-24	7	10.0	101	2	4	5	14	27	30	30										
25-34	2	10.5	61	5	5	10	16	16	16	16	1	1.0		1	1	1	1	1	1	1
35-54	4	13.0	89	4	6	11	19	26	26	26										
55-74																				
75 +																				
ALL AGES	31	14.5	236	2	4	9	19	30	44	73	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**75**	**12.9**	**183**	**1**	**3**	**9**	**19**	**30**	**35**	**69**	**3**	**6.0**	**49**	**1**	**1**	**3**	**11**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	18.4	443	1	3	11	33	52	52	52										
13-17	14	13.9	288	2	4	7	20	54	88	99 +	1	23.0		23	23	23	23	23	23	23
18-24	7	2.1	4	1	1	1	3	5	6	6										
25-34	9	7.6	18	4	5	6	8	15	18	18										
35-54	5	22.0	755	1	7	13	30	70	70	70	2	4.0	18	1	1	4	7	7	7	7
55-74	1	7.0		7	7	7	7	7	7	7										
75 +											2	10.5	181	1	1	10	20	20	20	20
ALL AGES	44	12.3	275	1	3	6	14	51	58	99 +	5	10.4	110	1	1	7	21	23	23	23
B. FEMALE																				
0-12 YRS.	2	8.0	8	6	6	8	10	10	10	10										
13-17	12	10.8	139	2	3	6	15	33	34	34										
18-24	3	6.0	49	1	1	3	11	14	14	14										
25-34	6	7.7	65	1	1	4	15	19	20	20										
35-54	3	2.7	1	2	2	2	4	4	4	4										
55-74																				
75 +																				
ALL AGES	26	8.4	86	1	2	5	10	21	33	34										
SUBTOTAL	**70**	**10.8**	**207**	**1**	**2**	**6**	**14**	**33**	**52**	**94**	**5**	**10.4**	**110**	**1**	**1**	**7**	**21**	**23**	**23**	**23**
GRAND TOTAL	**145**	**11.9**	**194**	**1**	**3**	**7**	**16**	**31**	**49**	**74**	**8**	**8.8**	**81**	**1**	**1**	**5**	**17**	**22**	**23**	**23**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	24.7	446	6	10	17	40	76	95	99 +	1	30.0		30	30	30	30	30	30	30
13-17	50	17.5	202	3	5	13	31	39	45	99 +	7	24.9	487	3	8	21	30	61	69	69
18-24	37	14.4	453	2	3	5	12	48	66	84										
25-34	25	7.7	52	1	2	5	11	18	21	30										
35-54	22	10.4	173	2	5	7	11	21	39	64	1	10.0		10	10	10	10	10	10	10
55-74	4	7.8	6	4	6	8	9	10	10	10										
75 +	3	4.3	13	1	1	4	7	8	8	8										
ALL AGES	157	14.5	267	2	4	7	22	39	49	98	9	23.8	396	3	8	21	30	54	69	69
B. FEMALE																				
0-12 YRS.	8	29.4	433	6	12	27	48	54	56	56	1	63.0		63	63	63	63	63	63	63
13-17	74	18.9	298	3	5	15	28	32	51	90	9	9.2	52	2	3	7	17	19	20	20
18-24	41	9.3	142	1	2	6	9	30	48	99 +	2	4.5	1	4	4	4	5	5	5	5
25-34	23	10.9	93	3	5	7	14	22	33	45	3	3.0	1	2	2	3	4	4	4	4
35-54	21	7.0	36	1	2	8	10	15	19	21	3	3.3	3	2	2	3	4	5	5	5
55-74	4	9.0	78	3	3	5	14	22	22	22										
75 +	3	7.3	3	6	6	7	8	9	9	9										
ALL AGES	174	14.2	228	2	4	9	21	31	49	90	18	9.7	210	2	3	4	8	19	46	63
SUBTOTAL	**331**	**14.3**	**247**	**2**	**4**	**8**	**21**	**37**	**49**	**97**	**27**	**14.4**	**305**	**2**	**3**	**6**	**20**	**31**	**64**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	26.0	478	3	7	20	40	60	69	70										
13-17	39	23.2	253	4	10	22	33	45	48	71	6	33.3	1130	3	7	27	43	87	92	92
18-24	50	9.2	105	2	3	5	9	21	32	46	4	5.5	10	1	3	6	7	8	8	8
25-34	53	7.8	39	2	3	6	12	16	19	28	1	1.0		1	1	1	1	1	1	1
35-54	26	8.1	35	2	3	6	11	17	18	22	1	6.0		6	6	6	6	6	6	6
55-74	5	8.8	7	6	7	8	11	12	12	12	1	22.0		22	22	22	22	22	22	22
75 +																				
ALL AGES	184	12.6	171	2	4	8	17	31	43	64	13	19.3	678	1	5	7	27	53	85	92
B. FEMALE																				
0-12 YRS.	4	28.0	125	13	21	29	35	40	40	40	3	42.7	952	17	21	34	66	77	77	77
13-17	49	15.3	209	3	5	10	21	38	45	58	12	18.1	255	3	6	10	33	44	45	45
18-24	41	9.5	49	2	4	7	15	20	22	26	4	18.5	924	2	2	4	35	64	64	64
25-34	42	8.0	55	1	3	6	12	17	20	39	1	5.0		5	5	5	5	5	5	5
35-54	38	10.2	61	1	4	9	13	22	26	31	1	1.0		1	1	1	1	1	1	1
55-74	9	16.4	68	5	12	16	22	27	27	27										
75 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	184	11.7	111	2	4	9	16	26	33	52	21	20.2	486	1	5	9	34	53	70	77
SUBTOTAL	**368**	**12.1**	**142**	**2**	**4**	**8**	**17**	**28**	**39**	**55**	**34**	**19.9**	**539**	**1**	**5**	**8**	**34**	**47**	**74**	**92**
GRAND TOTAL	**699**	**13.2**	**191**	**2**	**4**	**8**	**18**	**32**	**43**	**71**	**61**	**17.4**	**438**	**2**	**4**	**8**	**23**	**44**	**66**	**90**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	18.5	358	1	4	14	32	44	44	44										
13-17	16	12.2	121	3	4	7	20	28	34	37	2	10.0	8	8	8	10	12	12	12	12
18-24	4	3.0	11	1	1	2	5	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	4	4.0	13	1	1	3	7	8	8	8										
35-54	9	4.2	6	1	3	4	6	8	8	8	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	37	9.1	110	1	3	5	9	25	34	44	4	5.5	30	1	1	5	10	12	12	12
B. FEMALE																				
0-12 YRS.	7	30.7	587	4	13	23	53	65	66	66	1	2.0		2	2	2	2	2	2	2
13-17	26	16.9	239	2	6	13	24	41	52	61										
18-24	15	5.7	26	1	1	5	8	12	17	19										
25-34	10	12.0	134	1	3	6	21	29	36	36	1	3.0		3	3	3	3	3	3	3
35-54	5	8.0	43	1	2	7	13	17	17	17										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	64	14.1	235	1	3	8	21	31	53	65	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**101**	**12.2**	**195**	**1**	**3**	**7**	**18**	**28**	**43**	**64**	**6**	**4.5**	**20**	**1**	**1**	**2**	**8**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	26.8	355	3	10	31	38	49	63	65										
13-17	7	16.3	69	5	9	21	21	26	27	27										
18-24	6	6.8	69	1	2	3	8	21	23	23	1	29.0		29	29	29	29	29	29	29
25-34	7	12.3	51	1	7	15	17	20	21	21	1	2.0		2	2	2	2	2	2	2
35-54	23	12.0	93	1	4	12	18	25	30	36	2	12.0	8	10	10	12	14	14	14	14
55-74	8	13.3	17	9	10	12	15	20	22	22										
75 +																				
ALL AGES	63	15.0	153	2	5	13	21	32	38	62	4	13.8	126	2	6	12	21	29	29	29
B. FEMALE																				
0-12 YRS.	4	38.8	183	23	27	39	50	53	53	53										
13-17	19	14.9	219	2	4	9	25	42	43	43	1	4.0		4	4	4	4	4	4	4
18-24	20	15.0	297	1	3	8	20	41	57	64	1	16.0		16	16	16	16	16	16	16
25-34	19	12.4	104	3	4	9	19	28	34	38										
35-54	22	20.0	403	3	4	15	27	48	67	78	3	15.7	143	4	7	15	25	28	28	28
55-74	2	22.5	313	10	10	22	35	35	35	35										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	87	16.9	275	2	4	10	26	42	51	73	5	13.4	100	4	4	15	19	28	28	28
SUBTOTAL	**150**	**16.1**	**223**	**2**	**4**	**12**	**22**	**38**	**43**	**65**	**9**	**13.6**	**97**	**3**	**4**	**14**	**19**	**29**	**29**	**29**
GRAND TOTAL	**251**	**14.6**	**213**	**2**	**4**	**9**	**21**	**35**	**43**	**65**	**15**	**9.9**	**85**	**1**	**2**	**8**	**15**	**28**	**29**	**29**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	10.7	104	1	2	9	16	27	33	33	1	13.0		13	13	13	13	13	13	13
13-17	15	10.7	176	3	4	6	10	35	45	49	4	2.8	5	1	1	2	4	6	6	6
18-24	16	13.6	444	1	1	4	17	36	67	80	3	2.3	6	1	1	1	4	5	5	5
25-34	10	7.4	26	1	4	6	12	15	15	15	2	1.5	1	1	1	1	2	2	2	2
35-54	9	10.6	45	1	6	11	15	21	21	21	2	12.0	162	3	3	12	21	21	21	21
55-74	3	12.3	74	4	6	12	19	21	21	21										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	63	10.8	179	1	3	7	12	25	35	76	12	4.8	38	1	1	2	5	15	20	21
B. FEMALE																				
0-12 YRS.	7	7.0	25	3	5	5	7	16	18	18	2	11.5	85	5	5	11	18	18	18	18
13-17	51	6.9	67	1	2	3	9	20	32	99	10	7.4	120	1	2	3	5	26	36	36
18-24	15	6.5	49	1	2	4	10	26	78	99 +	2	5.0		5	5	5	5	5	5	5
25-34	18	4.9	15	1	2	3	8	11	13	14	1	3.0		3	3	3	3	3	3	3
35-54	16	8.0	54	1	2	7	10	18	25	28	9	2.7	4	1	1	2	3	6	8	8
55-74	10	5.0	9	1	3	5	8	9	9	9	4	5.8	31	1	1	5	10	12	12	12
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	117	6.5	47	1	2	4	9	15	26	99 +	29	5.8	54	1	2	3	6	14	19	36
SUBTOTAL	**180**	**8.0**	**97**	**1**	**2**	**5**	**10**	**20**	**32**	**93**	**41**	**5.5**	**49**	**1**	**2**	**3**	**6**	**14**	**19**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	6.5	18	2	2	6	11	12	12	12	1	6.0		6	6	6	6	6	6	6
13-17	19	14.1	380	2	3	6	15	47	64	73	3	3.3	6	2	2	2	5	6	6	6
18-24	23	6.8	50	1	2	4	9	19	22	26	3	1.3		1	1	1	2	2	2	2
25-34	24	3.8	9	1	1	3	5	8	11	12										
35-54	20	9.1	42	1	5	8	12	18	24	27	2	2.0	2	1	1	2	3	3	3	3
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	93	8.0	112	1	2	5	10	18	25	64	9	2.7	4	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.	4	4.5	10	2	2	3	6	9	9	9	2	5.5	13	3	4	8	77	99 +	99 +	99 +
13-17	28	9.1	99	2	2	6	11	23	29	43	7	16.3	567	1	2	6	21	59	67	67
18-24	20	7.6	35	2	3	5	10	16	20	24	5	2.0	1	1	1	2	3	3	3	3
25-34	33	7.1	49	1	3	5	8	15	26	30	6	2.2		1	2	2	3	3	3	3
35-54	31	7.8	63	1	2	6	11	22	27	30	4	6.5	59	2	2	3	11	18	18	18
55-74	2	9.5	85	3	3	9	16	16	16	16										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	119	7.9	59	2	2	5	10	21	25	34	24	7.3	194	1	2	3	6	25	75	99 +
SUBTOTAL	**212**	**7.9**	**83**	**1**	**2**	**5**	**10**	**19**	**26**	**47**	**33**	**6.0**	**145**	**1**	**2**	**3**	**6**	**19**	**59**	**99 +**
GRAND TOTAL	**392**	**8.0**	**88**	**1**	**2**	**5**	**10**	**19**	**27**	**64**	**74**	**5.7**	**91**	**1**	**2**	**3**	**6**	**16**	**24**	**92**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	3	16.7	115	9	10	12	25	29	29	29										
75 +																				
ALL AGES	3	16.7	115	9	10	12	25	29	29	29	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**3**	**16.7**	**115**	**9**	**10**	**12**	**25**	**29**	**29**	**29**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +	2	13.5	85	7	7	13	20	20	20	20										
ALL AGES	3	12.0	49	7	7	9	17	20	20	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**4**	**10.3**	**44**	**5**	**6**	**8**	**14**	**20**	**20**	**20**										
GRAND TOTAL	**7**	**13.0**	**73**	**5**	**7**	**9**	**18**	**27**	**29**	**29**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	3	19.0	243	10	10	10	30	37	37	37
13-17	1	21.0		21	21	21	21	21	21	21	1	74.0		74	74	74	74	74	74	74
18-24	6	33.7	1234	6	7	19	54	92	96	96										
25-34	8	15.3	314	3	3	5	29	44	45	45										
35-54	7	13.6	12	8	11	15	16	17	17	17										
55-74	4	22.5	718	3	6	12	38	62	62	62										
75 +	3	7.0	19	2	4	9	10	10	10	10	3	5.3	15	1	2	7	8	8	8	8
ALL AGES	30	18.5	447	3	6	12	18	49	62	96	7	21.0	679	2	7	10	30	67	74	74
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24	2	78.5	545	62	62	78	95	95	95	95	1	13.0		13	13	13	13	13	13	13
25-34	3	19.0	244	1	7	27	28	29	29	29										
35-54	2	9.5	145	1	1	9	18	18	18	18	1	17.0		17	17	17	17	17	17	17
55-74	3	13.7	191	2	4	10	24	29	29	29										
75 +	11	8.0	20	3	4	9	10	13	18	18	2	4.0	8	2	2	4	6	6	6	6
ALL AGES	22	16.6	503	2	3	9	18	39	75	95	4	9.5	46	2	4	9	15	17	17	17
SUBTOTAL	**52**	**17.7**	**462**	**2**	**4**	**10**	**18**	**48**	**62**	**96**	**11**	**16.8**	**455**	**2**	**6**	**10**	**16**	**52**	**72**	**74**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	43.0	1250	18	18	43	68	68	68	68
13-17											1	70.0		70	70	70	70	70	70	70
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	9	16.6	148	4	6	13	27	35	39	39										
35-54	4	20.3	54	10	15	21	25	28	28	28										
55-74	11	13.0	66	6	7	12	17	24	32	33										
75 +	5	12.0	13	8	9	12	15	16	16	16										
ALL AGES	30	15.0	81	6	7	13	18	28	33	39	3	52.0	868	18	30	68	69	70	70	70
B. FEMALE																				
0-12 YRS.																				
13-17	3	29.7	1693	2	4	10	60	77	77	77										
18-24	1	4.0		4	4	52	99 +	99 +	99 +	99 +										
25-34	1	25.0		25	25	25	25	25	25	25	1	13.0		13	13	13	13	13	13	13
35-54	3	24.7	454	9	11	16	41	49	49	49										
55-74	2	6.0	32	2	2	6	10	10	10	10										
75 +	6	13.8	65	3	7	14	20	24	24	24										
ALL AGES	16	17.9	390	2	6	12	24	71	92	99 +	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**46**	**16.0**	**184**	**4**	**7**	**13**	**21**	**32**	**53**	**99 +**	**4**	**42.3**	**953**	**13**	**15**	**43**	**69**	**70**	**70**	**70**
GRAND TOTAL	**98**	**16.9**	**329**	**3**	**6**	**11**	**20**	**40**	**62**	**98**	**15**	**23.6**	**666**	**2**	**7**	**13**	**32**	**70**	**73**	**74**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	20	1.3		1	1	1	1	2	3	4	22	1.4		1	1	1	2	2	2	2
13-17	9	2.1	2	1	1	2	3	4	4	4	24	1.9	3	1	1	1	2	4	5	8
18-24	15	3.7	10	1	2	3	4	10	11	12	14	4.9	78	1	1	2	5	9	29	35
25-34	16	3.0	7	1	1	2	4	8	9	9	18	3.3	12	1	2	2	3	8	12	15
35-54	21	4.2	21	1	2	3	4	11	16	18	13	3.8	12	1	1	2	5	10	10	10
55-74	2	8.0	2	7	7	8	9	9	9	9	6	5.0	13	1	2	4	8	10	10	10
75 +	3	5.3	35	1	1	3	10	12	12	12	4	2.5	4	1	1	2	4	5	5	5
ALL AGES	86	3.1	11	1	1	2	4	8	10	17	101	2.9	17	1	1	2	3	7	9	25
B. FEMALE																				
0-12 YRS.	11	1.4		1	1	1	2	3	3	3	9	1.4	1	1	1	1	2	3	3	3
13-17	11	1.8	1	1	1	2	2	3	4	4	13	1.9	1	1	1	2	2	3	3	3
18-24	18	4.3	18	1	1	2	6	11	13	15	14	3.3	17	1	1	1	3	9	14	15
25-34	16	5.6	16	2	3	4	8	12	13	14	23	4.9	31	1	2	4	5	11	19	25
35-54	20	3.7	9	1	2	3	4	7	11	14	17	3.6	3	1	2	3	5	6	7	7
55-74	2	2.0	2	1	1	2	3	3	3	3	12	4.8	15	2	3	4	5	10	15	16
75 +	3	2.7	4	1	1	2	4	5	5	5	12	6.2	14	2	3	6	8	12	13	13
ALL AGES	81	3.5	12	1	1	2	4	9	12	15	100	3.9	15	1	1	3	5	8	12	21
SUBTOTAL	**167**	**3.3**	**11**	**1**	**1**	**2**	**4**	**9**	**11**	**15**	**201**	**3.4**	**16**	**1**	**1**	**2**	**4**	**8**	**10**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0	200	4	4	14	24	24	24	24										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	3	5.0	28	1	1	3	9	11	11	11	1	2.0		2	2	2	2	2	2	2
25-34	4	3.0	6	1	1	2	5	6	6	6	5	2.6	3	1	1	2	4	5	5	5
35-54	4	6.3	13	2	3	6	9	11	11	11	1	2.0		2	2	2	2	2	2	2
55-74	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
75 +											2	4.0	2	3	3	4	5	5	5	5
ALL AGES	15	5.7	36	1	2	4	7	11	21	24	10	2.9	2	1	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.											1	10.0		10	10	10	10	10	10	10
13-17	3	15.3	94	5	8	17	22	24	24	24										
18-24	2	11.5	113	4	4	11	19	19	19	19										
25-34	4	5.8	3	4	4	6	7	8	8	8	4	2.8	4	1	1	3	4	5	5	5
35-54	1	9.0		9	9	9	9	9	9	9	4	9.8	118	3	3	5	16	26	26	26
55-74																				
75 +	2	5.0	2	4	4	5	6	6	6	6	1	5.0		5	5	5	5	5	5	5
ALL AGES	12	9.3	46	4	4	6	13	20	23	24	10	6.5	54	1	3	4	6	18	26	26
SUBTOTAL	**27**	**7.3**	**42**	**1**	**4**	**5**	**9**	**19**	**24**	**24**	**20**	**4.7**	**30**	**1**	**2**	**4**	**5**	**8**	**18**	**26**
GRAND TOTAL	**194**	**3.9**	**17**	**1**	**1**	**3**	**4**	**9**	**12**	**22**	**221**	**3.5**	**18**	**1**	**1**	**2**	**4**	**8**	**10**	**25**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.5	5	3	3	4	6	6	6	6										
13-17																				
18-24																				
25-34	2	9.0	8	7	7	9	11	11	11	11										
35-54																				
55-74	4	8.8	17	4	5	8	12	14	14	14										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	9	7.3	14	3	4	7	10	13	14	14										
B. FEMALE																				
0-12 YRS.											2	1.5	1	1	1	1	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	2	5.0	8	3	3	5	7	7	7	7	1	6.0		6	6	6	6	6	6	6
ALL AGES	3	7.3	21	3	4	7	11	12	12	12	3	3.0	7	1	1	2	5	6	6	6
SUBTOTAL	**12**	**7.3**	**14**	**3**	**4**	**7**	**10**	**13**	**14**	**14**	**3**	**3.0**	**7**	**1**	**1**	**2**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74											1	18.0		18	18	18	18	18	18	18
75 +	3	11.7	16	7	8	13	14	15	15	15										
ALL AGES	4	11.5	12	7	9	12	14	15	15	15	1	18.0		18	18	18	18	18	18	18
SUBTOTAL	**4**	**11.5**	**12**	**7**	**9**	**12**	**14**	**15**	**15**	**15**	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**
GRAND TOTAL	**16**	**8.4**	**15**	**3**	**5**	**7**	**12**	**14**	**15**	**15**	**4**	**6.8**	**60**	**1**	**1**	**4**	**12**	**18**	**18**	**18**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22	2	2.0		2	2	2	2	2	2	2
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	5	17.6	48	12	13	13	24	27	27	27	1	10.0		10	10	10	10	10	10	10
35-54	14	17.4	212	2	5	13	27	41	43	43	2	5.0	18	2	2	5	8	8	8	8
55-74	26	9.8	44	3	4	10	13	19	25	27	15	7.5	38	3	4	6	9	10	24	28
75 +	40	9.5	86	3	4	6	11	18	31	46	40	6.9	29	2	4	5	9	14	23	99 +
ALL AGES	87	11.4	99	3	4	8	14	26	37	45	61	6.8	29	2	4	6	8	13	22	91
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	3	9.0	97	1	2	6	16	20	20	20	1	4.0		4	4	4	4	4	4	4
35-54	12	12.9	97	3	5	10	20	28	31	31	1	3.0		3	3	3	3	3	3	3
55-74	22	14.5	177	3	5	9	21	34	46	51	6	6.5	9	3	4	6	10	10	10	10
75 +	69	9.1	146	2	4	7	10	16	19	84	52	6.9	26	2	3	5	10	13	19	21
ALL AGES	108	10.5	146	2	4	7	13	21	29	70	60	6.8	23	2	3	5	10	13	17	21
SUBTOTAL	**195**	**10.9**	**124**	**2**	**4**	**7**	**14**	**23**	**30**	**49**	**121**	**6.8**	**26**	**2**	**4**	**5**	**9**	**13**	**19**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24	4	10.5	14	8	8	9	13	16	16	16	1	5.0		5	5	5	5	5	5	5
25-34	5	21.6	294	2	7	20	36	44	44	44	2	1.5	1	1	1	1	2	2	2	2
35-54	6	16.2	82	4	7	17	25	26	26	26	3	5.7	22	2	2	4	9	11	11	11
55-74	19	13.8	183	3	5	11	15	28	47	61	3	3.7	8	2	2	2	6	7	7	7
75 +	26	11.3	127	3	4	7	14	29	35	48	12	7.8	20	2	5	8	9	13	18	19
ALL AGES	60	13.4	146	3	5	9	17	30	38	60	22	5.9	19	1	2	5	9	10	14	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	23.5	365	10	10	23	37	37	37	37										
25-34	5	11.2	37	2	7	13	15	18	18	18	1	13.0		13	13	13	13	13	13	13
35-54	11	10.7	64	3	5	10	14	23	28	29										
55-74	27	12.7	69	3	5	13	18	25	28	29	9	14.6	192	2	4	12	16	37	47	47
75 +	25	11.3	47	3	6	10	17	21	23	26	11	5.5	5	2	3	6	7	9	10	10
ALL AGES	70	12.1	63	3	6	11	17	23	28	35	21	9.7	101	2	4	6	12	18	34	47
SUBTOTAL	**130**	**12.7**	**101**	**3**	**5**	**10**	**17**	**26**	**30**	**51**	**43**	**7.8**	**61**	**2**	**3**	**6**	**10**	**14**	**20**	**47**
GRAND TOTAL	**325**	**11.6**	**116**	**3**	**4**	**8**	**16**	**25**	**30**	**49**	**164**	**7.0**	**36**	**2**	**3**	**5**	**10**	**13**	**19**	**44**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	15.5	227	1	4	11	23	40	42	42										
13-17	18	8.9	108	3	4	5	8	25	37	41	4	9.3	37	4	4	9	14	16	16	16
18-24	30	6.5	35	1	2	4	10	13	19	27	2	4.5	5	3	3	4	6	6	6	6
25-34	45	9.4	87	1	3	6	13	24	30	43	8	8.5	23	4	5	7	11	16	17	17
35-54	41	11.2	109	1	3	8	16	23	34	44	8	2.4	4	1	1	2	4	6	6	6
55-74	30	8.0	43	2	3	6	10	18	24	27	8	6.6	57	3	3	4	6	19	25	25
75 +	12	13.3	150	3	3	8	20	33	39	40	10	4.2	7	1	2	4	6	8	9	9
ALL AGES	182	9.5	88	1	3	7	13	23	30	43	40	5.7	26	1	3	4	6	13	16	25
B. FEMALE																				
0-12 YRS.	5	16.4	347	2	3	11	25	48	48	48	1	2.0		2	2	2	2	2	2	2
13-17	57	11.3	138	1	4	8	16	24	33	67	6	5.3	46	1	3	3	3	17	19	19
18-24	32	7.0	53	1	2	4	8	20	24	25	11	9.7	579	1	1	2	4	37	78	82
25-34	68	8.0	69	1	2	5	11	22	25	39	19	4.2	10	1	2	3	6	9	11	12
35-54	93	8.7	84	1	2	5	11	22	29	39	23	6.6	70	1	2	3	6	23	29	29
55-74	85	11.0	155	2	4	8	13	23	26	78	24	4.9	9	2	3	4	6	9	12	14
75 +	42	11.0	59	3	5	8	15	20	30	34	12	4.7	6	2	3	4	6	9	9	9
ALL AGES	382	9.7	104	1	3	7	13	22	28	46	96	5.7	87	1	2	3	6	9	17	58
SUBTOTAL	**564**	**9.6**	**99**	**1**	**3**	**7**	**13**	**22**	**28**	**43**	**136**	**5.7**	**69**	**1**	**2**	**4**	**6**	**9**	**17**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	17.3	419	1	3	8	29	52	56	56										
13-17	29	20.1	371	3	7	17	26	57	84	99 +	7	10.3	94	1	2	6	19	24	25	25
18-24	31	11.5	150	2	4	7	15	32	37	53										
25-34	68	7.8	46	2	3	6	10	17	23	31	8	6.9	19	1	3	7	9	13	15	15
35-54	69	10.2	64	1	4	8	15	23	25	35	10	7.0	82	1	2	3	9	23	28	28
55-74	33	10.9	69	2	4	10	15	21	25	39	5	7.0	30	3	3	5	10	16	16	16
75 +	7	15.6	180	3	4	15	24	37	39	39	2	32.0	512	16	16	32	48	48	48	48
ALL AGES	244	11.3	131	2	4	8	16	25	35	68	32	9.3	103	1	2	6	15	21	28	48
B. FEMALE																				
0-12 YRS.	5	28.0	368	5	12	28	44	52	52	52	1	18.0		18	18	18	18	18	18	18
13-17	62	18.6	270	3	6	13	30	47	54	58	6	13.0	341	1	1	3	26	43	45	45
18-24	44	11.3	117	1	4	7	16	30	35	45	11	8.5	40	1	3	9	12	17	22	22
25-34	88	10.3	105	1	4	7	14	24	32	51	22	5.5	34	1	2	3	6	16	20	22
35-54	74	11.8	105	2	4	8	18	29	35	40	24	12.5	207	2	3	5	19	37	44	46
55-74	36	14.3	166	3	6	10	20	26	49	51	18	5.6	36	1	2	4	6	11	20	26
75 +	23	12.0	60	3	6	12	17	22	27	32	4	6.0	26	1	2	5	9	13	13	13
ALL AGES	332	13.1	155	2	4	8	18	31	41	53	86	8.5	110	1	2	4	10	22	34	46
SUBTOTAL	**576**	**12.4**	**143**	**2**	**4**	**8**	**17**	**29**	**38**	**55**	**118**	**8.7**	**107**	**1**	**2**	**4**	**11**	**22**	**32**	**47**
GRAND TOTAL	**1140**	**11.0**	**124**	**2**	**4**	**7**	**15**	**25**	**34**	**53**	**254**	**7.1**	**88**	**1**	**2**	**4**	**8**	**17**	**26**	**46**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	27	26.3	540	6	10	20	34	67	75	95	2	3.0	8	1	1	3	5	5	5	5
13-17	27	22.3	439	2	7	18	31	47	64	96	11	26.0	669	7	9	17	30	66	92	94
18-24	2	26.0	1058	3	3	26	49	49	49	49										
25-34	2	13.0	50	8	8	13	18	18	18	18										
35-54	2	12.5	5	11	11	12	14	14	14	14										
55-74	3	12.7	8	10	10	12	15	16	16	16										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	64	22.8	444	4	8	17	31	49	71	96	13	22.5	631	4	7	16	29	57	87	94
B. FEMALE																				
0-12 YRS.	4	7.3	5	4	5	7	9	10	10	10										
13-17	8	18.5	285	2	5	16	25	45	53	53	2	29.5	113	22	22	29	37	37	37	37
18-24	1	49.0		49	49	49	49	49	49	49										
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	14	17.2	265	3	7	11	23	49	52	53	2	29.5	113	22	22	29	37	37	37	37
SUBTOTAL	**78**	**21.8**	**412**	**4**	**7**	**15**	**29**	**49**	**65**	**96**	**15**	**23.4**	**556**	**5**	**8**	**17**	**30**	**48**	**82**	**94**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	20	29.7	464	11	16	28	38	81	99	99 +	6	30.3	515	10	14	20	56	61	62	62
13-17	22	23.3	515	2	6	15	34	66	90	99 +	5	56.0	1320	10	24	61	86	97	97	97
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	42	26.4	487	5	13	21	36	71	99	99 +	11	42.0	964	10	15	29	62	89	96	97
B. FEMALE																				
0-12 YRS.	4	18.0	121	7	10	16	25	33	33	33										
13-17	17	26.8	239	11	15	21	37	50	58	62	1	41.0		41	41	41	41	41	41	41
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	23	24.1	215	7	14	19	32	45	55	62	2	21.0	800	1	1	21	41	41	41	41
SUBTOTAL	**65**	**25.6**	**386**	**6**	**14**	**20**	**35**	**61**	**86**	**99 +**	**13**	**38.8**	**930**	**8**	**13**	**29**	**61**	**86**	**95**	**97**
GRAND TOTAL	**143**	**23.5**	**403**	**5**	**10**	**18**	**32**	**54**	**71**	**99 +**	**28**	**30.5**	**766**	**5**	**10**	**21**	**44**	**77**	**94**	**97**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	11.5	85	5	5	11	18	18	18	18										
13-17	7	23.7	246	6	10	22	39	42	43	43	1	14.0		14	14	14	14	14	14	14
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	21.0	224	5	8	18	36	42	43	43	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	15.0		15	15	15	15	15	15	15
13-17	6	10.5	37	5	6	8	16	20	20	20										
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	8	9.0	34	4	5	6	12	19	20	20	1	15.0		15	15	57	99 +	99 +	99 +	99 +
SUBTOTAL	**17**	**15.4**	**163**	**5**	**5**	**9**	**20**	**39**	**42**	**43**	**2**	**14.5**	**1**	**14**	**14**	**15**	**79**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	4	37.5	791	7	14	37	60	69	69	69										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	37.5	791	7	14	37	60	69	69	69	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	9	23.6	193	6	11	23	36	43	45	45										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	23.6	193	6	11	23	36	43	45	45										
SUBTOTAL	**13**	**27.8**	**375**	**7**	**12**	**23**	**40**	**55**	**66**	**69**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**30**	**20.8**	**283**	**5**	**7**	**17**	**35**	**44**	**52**	**69**	**3**	**10.3**	**53**	**2**	**8**	**14**	**57**	**99 +**	**99 +**	**99 +**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	27.8	430	6	13	23	39	61	66	66	3	14.3	387	3	3	3	29	37	37	37
13-17	37	22.5	419	3	6	17	30	46	60	97	4	29.0	1209	1	3	19	54	77	77	77
18-24	2	7.0	72	1	1	7	13	13	13	13										
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	48	22.3	411	3	6	18	30	49	65	97	7	22.7	795	1	3	6	36	69	77	77
B. FEMALE																				
0-12 YRS.	5	21.4	590	4	4	17	30	63	63	63	1	99.0		99	99	99	99	99	99 +	99 +
13-17	19	21.5	363	2	4	23	32	42	62	74	1	13.0		13	13	13	13	13	13	13
18-24	1	27.0		27	27	27	27	27	27	27										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	25	21.7	371	3	4	19	31	47	66	74	2	56.0	3698	13	13	56	99	99	99	99 +
SUBTOTAL	**73**	**22.1**	**392**	**3**	**5**	**19**	**30**	**48**	**65**	**92**	**9**	**30.1**	**1274**	**2**	**3**	**13**	**47**	**90**	**99**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	36.8	569	10	21	29	56	76	77	77										
13-17	45	24.1	552	3	7	14	35	61	74	93	4	13.3	63	2	8	15	18	21	21	21
18-24	2	26.0	338	13	13	26	39	39	39	39										
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	60	26.5	553	4	8	21	37	63	76	92	4	13.3	63	2	8	15	18	21	21	21
B. FEMALE																				
0-12 YRS.	2	16.5	145	8	8	16	25	25	25	25	1	25.0		25	25	25	25	25	25	25
13-17	27	19.9	434	3	5	13	24	59	70	77										
18-24	2	12.0	162	3	3	12	21	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	31	19.2	389	3	5	13	24	50	69	77	1	25.0		25	25	25	25	25	25	25
SUBTOTAL	**91**	**24.0**	**505**	**3**	**7**	**15**	**35**	**62**	**75**	**91**	**5**	**15.6**	**76**	**2**	**11**	**16**	**22**	**25**	**25**	**25**
GRAND TOTAL	**164**	**23.2**	**451**	**3**	**6**	**17**	**32**	**57**	**69**	**92**	**14**	**24.9**	**861**	**2**	**3**	**15**	**32**	**79**	**95**	**99**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	51.0	963	25	28	42	73	94	94	94										
13-17	11	19.9	117	9	14	17	24	38	41	41	3	21.7	238	6	10	22	33	37	37	37
18-24	11	18.9	732	4	8	9	17	55	94	98										
25-34	6	27.2	717	4	8	18	39	72	76	76	1	18.0		18	18	18	18	18	18	18
35-54	5	7.2	9	3	5	8	9	11	11	11										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	38	22.1	538	4	8	14	26	49	87	98	4	20.8	161	6	12	20	29	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17	8	22.4	534	2	6	13	37	60	66	66										
18-24	3	7.7	10	4	5	9	10	10	10	10										
25-34	7	22.4	839	2	3	5	45	69	72	72										
35-54	1	29.0		29	29	29	29	29	29	29										
55-74																				
75 +																				
ALL AGES	19	20.4	524	2	4	9	28	62	69	72										
SUBTOTAL	**57**	**21.5**	**526**	**3**	**7**	**13**	**27**	**55**	**75**	**98**	**4**	**20.8**	**161**	**6**	**12**	**20**	**29**	**37**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	29.9	142	17	20	29	44	67	97	99 +	2	31.0	1352	5	5	31	57	57	57	57
13-17	57	28.5	270	7	16	28	42	46	58	99	1	93.0		93	93	93	93	93	93	93
18-24	18	18.7	207	4	7	15	26	42	50	53										
25-34	16	18.1	340	2	4	10	30	39	58	66	1	3.0		3	3	3	3	3	3	3
35-54	6	7.3	33	2	3	5	11	16	17	17										
55-74	2	8.5	41	4	4	8	13	13	13	13										
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	110	24.0	272	4	11	21	38	45	52	99 +	4	39.5	1897	3	4	31	75	93	93	93
B. FEMALE																				
0-12 YRS.	3	15.7	63	8	10	15	22	24	24	24										
13-17	19	26.0	200	5	14	29	37	42	47	50										
18-24	3	10.7	4	8	9	12	12	12	12	12										
25-34	4	15.8	77	5	9	16	22	26	26	26	2	25.0	32	21	21	25	29	29	29	29
35-54	3	13.0	196	3	4	7	23	29	29	29	1	4.0		4	4	4	4	4	4	4
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	32	21.1	179	4	8	21	30	40	43	50	4	15.8	127	4	6	15	25	29	29	29
SUBTOTAL	**142**	**23.3**	**253**	**4**	**10**	**21**	**37**	**44**	**48**	**99 +**	**8**	**27.6**	**1031**	**3**	**4**	**15**	**43**	**82**	**93**	**93**
GRAND TOTAL	**199**	**22.8**	**329**	**4**	**8**	**19**	**36**	**45**	**59**	**99**	**12**	**25.3**	**713**	**4**	**5**	**19**	**33**	**68**	**89**	**93**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	18.7	22	13	15	21	22	22	22	22										
13-17	2	33.0	72	27	27	33	39	39	39	39										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	24.4	92	13	19	22	30	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17	2	23.0	50	18	18	23	28	28	28	28	2	15.5	13	13	13	15	18	18	18	18
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	23.0	50	18	18	23	28	28	28	28	2	15.5	13	13	13	15	18	18	18	18
SUBTOTAL	**7**	**24.0**	**70**	**14**	**19**	**22**	**28**	**37**	**39**	**39**	**2**	**15.5**	**13**	**13**	**13**	**15**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	17.6	303	2	3	13	31	43	43	43										
13-17	2	10.0	128	2	2	10	18	18	18	18										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	15.4	238	2	2	13	25	40	43	43										
B. FEMALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	2	11.0	50	6	6	11	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	4	13.5	138	3	4	11	22	29	29	29										
SUBTOTAL	**11**	**14.7**	**185**	**2**	**3**	**13**	**25**	**35**	**42**	**43**										
GRAND TOTAL	**18**	**18.3**	**156**	**2**	**6**	**18**	**27**	**36**	**41**	**43**	**2**	**15.5**	**13**	**13**	**13**	**15**	**18**	**18**	**18**	**18**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	7.9	47	2	3	4	13	18	20	20	3	3.0	7	1	1	2	5	6	6	6
13-17	7	8.9	36	2	3	9	14	17	18	18	1	2.0		2	2	2	2	2	2	2
18-24	4	5.0	23	1	1	3	8	12	12	12										
25-34																				
35-54	3	10.7	55	3	5	11	16	18	18	18										
55-74											1	4.0		4	4	4	4	4	4	4
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	22	8.0	39	2	3	5	12	18	19	20	6	2.8	4	1	2	2	4	6	6	6
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16	1	2.0		2	2	2	2	2	2	2
13-17	4	6.0	44	1	1	4	11	15	15	15	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	7	6.9	40	1	1	6	13	16	16	16	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**29**	**7.8**	**37**	**1**	**3**	**5**	**13**	**17**	**18**	**20**	**9**	**2.6**	**2**	**1**	**2**	**2**	**3**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	6.0		6	6	6	6	6	6	6
13-17	15	20.6	394	2	3	16	33	60	60	60										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +											3	5.3	13	2	3	5	8	9	9	9
ALL AGES	19	17.2	359	1	2	14	27	50	60	60	5	5.2	7	2	3	5	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	3	7.3	31	2	3	7	11	13	13	13										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34											2	6.5	41	2	2	6	11	11	11	11
35-54																				
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	6	6.5	21	1	2	6	10	13	13	13	2	6.5	41	2	2	6	11	11	11	11
SUBTOTAL	**25**	**14.6**	**296**	**1**	**2**	**7**	**18**	**36**	**60**	**60**	**7**	**5.6**	**11**	**2**	**3**	**5**	**8**	**11**	**11**	**11**
GRAND TOTAL	**54**	**10.9**	**166**	**1**	**3**	**6**	**15**	**23**	**36**	**60**	**16**	**3.9**	**8**	**1**	**2**	**3**	**5**	**9**	**10**	**11**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	19.4	590	1	3	7	29	72	76	80	6	20.7	342	1	6	19	32	45	47	47
13-17	44	19.3	225	4	7	15	28	40	49	67	12	16.9	296	2	3	11	26	43	54	56
18-24	5	6.8	33	1	3	5	10	16	16	16										
25-34																				
35-54																				
55-74	1	26.0		26	26	26	26	26	26	26	1	16.0		16	16	16	16	16	16	16
75 +																				
ALL AGES	75	18.5	338	2	5	12	28	40	63	79	19	18.1	278	1	4	12	30	43	52	56
B. FEMALE																				
0-12 YRS.	12	15.0	720	1	3	6	15	43	90	98	3	2.7	2	1	1	3	4	4	4	4
13-17	19	14.6	262	4	5	9	16	34	55	70	14	23.1	325	2	8	21	33	50	57	59
18-24	3	9.7	29	6	6	7	14	16	16	16										
25-34																				
35-54	6	28.8	632	2	7	23	57	61	61	61										
55-74																				
75 +																				
ALL AGES	40	16.5	435	2	5	8	18	46	65	98	17	19.5	329	1	3	18	31	47	55	59
SUBTOTAL	**115**	**17.8**	**369**	**2**	**5**	**11**	**25**	**40**	**65**	**86**	**36**	**18.7**	**296**	**1**	**3**	**14**	**31**	**46**	**54**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	19	11.2	171	2	4	7	10	36	45	47	4	4.0	7	2	2	3	6	8	8	8
13-17	44	24.7	517	3	7	16	35	50	78	90	8	31.4	348	11	20	26	44	60	61	61
18-24	6	12.5	135	3	3	9	16	32	34	34	1	1.0		1	1	1	1	1	1	1
25-34	3	6.0	48	2	2	2	11	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	72	19.4	412	3	6	11	29	45	64	90	13	20.6	408	2	3	17	28	59	61	61
B. FEMALE																				
0-12 YRS.	3	23.3	503	8	9	13	40	49	49	49	1	9.0		9	9	9	9	9	9	9
13-17	24	20.0	264	1	3	21	30	45	52	56	6	21.7	249	7	8	19	28	47	49	49
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74	1	26.0		26	26	26	26	26	26	26										
75 +																				
ALL AGES	29	20.1	262	1	7	21	30	47	50	56	7	19.9	230	7	8	14	27	45	49	49
SUBTOTAL	**101**	**19.6**	**366**	**2**	**6**	**14**	**30**	**45**	**53**	**89**	**20**	**20.4**	**328**	**2**	**7**	**15**	**28**	**53**	**59**	**61**
GRAND TOTAL	**216**	**18.6**	**368**	**2**	**5**	**11**	**28**	**44**	**60**	**89**	**56**	**19.3**	**303**	**2**	**4**	**15**	**29**	**49**	**57**	**61**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	29.7	195	13	17	30	41	45	55	61	1	2.0		2	2	2	2	2	2	2
13-17	2	7.0	18	4	4	7	10	10	10	10										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	20	27.4	226	7	15	28	38	44	53	61	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	7	27.3	144	6	28	29	35	36	36	36										
13-17	6	21.0	104	4	17	23	30	30	30	30										
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	13	24.4	126	3	20	29	31	36	36	36	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**33**	**26.2**	**185**	**5**	**17**	**29**	**34**	**42**	**45**	**61**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	19	35.7	489	13	17	35	43	62	85	99										
13-17	5	25.2	78	16	22	27	85	99 +	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	24	33.5	416	14	22	34	44	96	99 +	99 +										
B. FEMALE																				
0-12 YRS.	10	39.3	394	19	23	31	56	67	70	70										
13-17	11	23.8	201	5	10	26	33	42	47	47										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	21	31.2	340	7	20	26	41	59	67	70										
SUBTOTAL	**45**	**32.4**	**375**	**13**	**20**	**29**	**43**	**67**	**99**	**99 +**										
GRAND TOTAL	**78**	**29.8**	**299**	**9**	**19**	**29**	**39**	**55**	**69**	**99 +**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	42.0		42	42	42	42	42	42	42
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	42.0		42	42	42	42	42	42	42
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**42.0**		**42**	**42**	**42**	**42**	**42**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	16.5	365	3	3	16	30	30	30	30
SUBTOTAL											**2**	**16.5**	**365**	**3**	**3**	**16**	**30**	**30**	**30**	**30**
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**3**	**25.0**	**399**	**3**	**10**	**30**	**39**	**42**	**42**	**42**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	42.0		42	42	42	42	42	42	42										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	42.0		42	42	42	42	42	42	42										
GRAND TOTAL	1	42.0		42	42	42	42	42	42	42										

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	28.9	522	10	13	24	54	99+	99+	99+	2	23.5	925	2	2	23	45	45	45	45
13-17	29	21.3	225	3	8	21	32	42	45	52	4	10.3	91	1	2	9	18	22	22	22
18-24	4	43.0	189	28	32	42	53	60	60	60										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	58	26.1	374	4	11	25	39	72	99+	99+	6	14.7	286	1	2	9	22	43	45	45
B. FEMALE																				
0-12 YRS.	9	25.2	486	4	9	23	56	82	99+	99+	2	3.5	5	2	2	3	5	5	5	5
13-17	35	18.3	209	3	8	15	25	41	60	99+	2	13.5	221	3	3	13	24	24	24	24
18-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	45	19.7	259	3	8	16	28	54	71	99+	4	8.5	108	2	2	4	14	24	24	24
SUBTOTAL	**103**	**23.3**	**331**	**4**	**11**	**19**	**38**	**63**	**99+**	**99+**	**10**	**12.2**	**206**	**1**	**2**	**4**	**22**	**34**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	51	27.3	273	8	16	28	37	52	99	99+	3	16.3	146	4	7	17	25	28	28	28
13-17	38	24.8	359	5	12	22	35	46	64	91	5	23.6	180	6	14	21	37	37	37	37
18-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	90	26.1	304	6	14	26	36	49	87	99+	8	20.9	157	5	11	19	32	37	37	37
B. FEMALE																				
0-12 YRS.	15	39.1	683	13	19	41	66	98	99+	99+										
13-17	37	25.1	441	4	12	18	42	71	92	99+	2	17.0	392	3	3	17	31	31	31	31
18-24	2	20.5	365	7	7	20	34	34	34	34										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	54	28.9	524	6	13	24	43	87	99+	99+	2	17.0	392	3	3	17	31	31	31	31
SUBTOTAL	**144**	**27.1**	**388**	**6**	**13**	**26**	**40**	**62**	**97**	**99+**	**10**	**20.1**	**169**	**3**	**6**	**19**	**31**	**37**	**37**	**37**
GRAND TOTAL	**247**	**25.5**	**367**	**5**	**12**	**23**	**38**	**62**	**98**	**99+**	**20**	**16.2**	**192**	**2**	**3**	**15**	**26**	**37**	**41**	**45**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	8.0		8	8	8	8	8	8	8	1	9.0		9	9	9	9	9	9	9
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	4.5	25	1	1	4	8	8	8	8	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**	**2**	**5.0**	**32**	**1**	**1**	**5**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	1	21.0		21	21	21	21	21	21	21	1	63.0		63	63	81	99 +	99 +	99 +	99 +
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	22.5	5	21	21	22	24	24	24	24	1	63.0		63	63	81	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	2	10.0	128	2	2	10	18	18	18	18										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.0	128	2	2	10	18	18	18	18										
SUBTOTAL	**4**	**16.3**	**94**	**2**	**10**	**19**	**22**	**24**	**24**	**24**	**1**	**63.0**		**63**	**63**	**81**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**6**	**12.3**	**100**	**1**	**2**	**13**	**21**	**24**	**24**	**24**	**3**	**24.3**	**1140**	**1**	**5**	**36**	**81**	**99 +**	**99 +**	**99 +**

ATTENTION DEFICIT DIS (314.0)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	34	17.3	219	3	4	16	30	55	99 +	99 +	10	10.3	240	1	1	3	10	39	43	43
13-17	9	27.4	496	6	11	21	43	62	73	73										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	43	19.4	284	3	5	16	30	56	99 +	99 +	10	10.3	240	1	1	3	10	39	43	43
B. FEMALE																				
0-12 YRS.	7	22.3	167	6	10	20	35	36	36	36	1	2.0		2	2	2	2	2	2	2
13-17											2	37.0	98	30	30	37	44	44	44	44
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	22.3	167	6	10	20	35	36	36	36	3	25.3	460	2	9	30	40	44	44	44
SUBTOTAL	**50**	**19.8**	**265**	**3**	**6**	**17**	**34**	**48**	**96**	**99 +**	**13**	**13.8**	**299**	**1**	**2**	**3**	**31**	**43**	**44**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	79	33.4	508	7	16	31	48	76	99	99 +	16	20.7	487	2	5	11	28	64	65	65
13-17	24	28.9	332	5	13	29	42	50	62	68	9	18.7	150	3	10	13	29	33	36	36
18-24	4	21.3	139	6	13	22	29	35	35	35										
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	109	31.4	466	6	14	30	45	72	81	99 +	25	20.0	354	3	6	13	29	54	65	65
B. FEMALE																				
0-12 YRS.	11	38.6	553	7	15	45	53	66	79	80	5	9.6	18	3	7	11	13	13	13	13
13-17	3	40.7	1200	4	35	73	99 +	99 +	99 +	99 +	1	39.0		39	39	39	39	39	39	39
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	15	36.7	650	4	12	45	60	96	99 +	99 +	7	12.6	157	1	4	11	13	34	39	39
SUBTOTAL	**124**	**32.1**	**482**	**5**	**13**	**31**	**48**	**74**	**98**	**99 +**	**32**	**18.3**	**318**	**2**	**5**	**13**	**29**	**43**	**64**	**65**
GRAND TOTAL	**174**	**28.6**	**447**	**4**	**11**	**29**	**45**	**72**	**99**	**99 +**	**45**	**17.0**	**309**	**1**	**3**	**11**	**29**	**43**	**57**	**65**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3										

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	12.0		12	12	12	12	12	12	12										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.0	8	8	8	10	12	12	12	12										
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL	2	10.0	8	8	8	10	12	12	12	12	1	5.0		5	5	5	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	35.0		35	35	35	35	35	35	35										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	35.0		35	35	35	35	35	35	35										
GRAND TOTAL	3	18.3	214	8	9	12	29	35	35	35	1	5.0		5	5	5	5	5	5	5

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	2	2.0	2	1	1	2	3	3	3	3										
SUBTOTAL	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	1	37.0		37	37	37	37	37	37	37										
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	19.5	613	2	2	19	37	37	37	37	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**3**	**14.0**	**397**	**2**	**2**	**3**	**28**	**37**	**37**	**37**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**6**	**8.0**	**202**	**1**	**2**	**2**	**3**	**34**	**37**	**37**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

Appendix

APPENDIX 1

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**
Northeast	71	22.5	36,849	20.1	177	23.5	20,503	28.6
North Central	121	38.4	78,113	42.7	218	28.9	21,405	29.9
South	49	15.6	27,196	14.8	143	19.0	10,653	14.9
West	74	23.5	41,026	22.4	215	28.6	19,031	26.6
U.S.	315	100.0	183,184	100.0	753	100.0	71,592	100.0

APPENDIX 2

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes (Summary Table)	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
293.82	Organic hallucinosis syndrome	25
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.4	Psychogenic paranoid psychosis	61
298.8	Other and unspecified reactive psychosis	62
298.9	Unspecified psychosis	63
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 Current or active	
	1 Residual state	
299.0	Infantile autism	64
299.8	Other specified early childhood psychoses	65
299.9	Unspecified childhood psychosis	66
300	**Neurotic disorders**	
300.0	Anxiety states	67
300.00	Anxiety state, unspecified	67
300.01	Panic disorder	67
300.02	Generalized anxiety disorder	67
300.09	Other anxiety states	67
300.1	Hysteria	68
300.10	Hysteria, unspecified	68
300.11	Conversion disorder	68
300.12	Psychogenic amnesia	68
300.13	Psychogenic fugue	68
300.14	Multiple personality	68
300.15	Dissociative disorder or reaction, unspecified	68
300.16	Factitious illness with psychological symptoms	68
300.19	Other and unspecified factitious illness	68
300.2	Phobic disorders	69
300.20	Phobia, unspecified	69
300.21	Agoraphobia with panic attacks	69
300.22	Agoraphobia without mention of panic attacks	69
300.23	Social phobia	69
300.29	Other isolated or simple phobias	69
300.3	Obsessive-compulsive disorders	70
300.4	Neurotic depression	71
300.5	Neurasthenia	72
300.6	Depersonalization syndrome	73
300.7	Hypochondriasis	74
300.8	Other neurotic disorders	75

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
300.81	Somatization disorder	75
300.89	Other neurotic disorders	75
300.9	Unspecified neurotic disorder	76
301	**Personality disorders**	
301.0	Paranoid personality disorder	77
301.1	Affective personality disorder	78
301.10	Affective personality disorder, unspecified	78
301.11	Chronic hypomanic personality disorder	78
301.12	Chronic depressive personality disorder	78
301.13	Cyclothymic disorder	78
301.2	Schizoid personality disorder	79
301.20	Schizoid personality disorder, unspecified	79
301.21	Introverted personality	79
301.22	Schizotypal personality	79
301.3	Explosive personality disorder	80
301.4	Compulsive personality disorder	81
301.5	Histrionic personality disorder	82
301.50	Histrionic personality disorder, unspecified	82
301.51	Chronic factitious illness with physical symptoms	82
301.59	Other histrionic personality disorder	82
301.6	Dependent personality disorder	83
301.7	Antisocial personality disorder	84
301.8	Other personality disorders	85
301.81	Narcissistic personality	85
301.82	Avoidant personality	85
301.83	Borderline personality	85
301.84	Passive-aggressive personality	85
301.89	Other personality disorders	85
301.9	Unspecified personality disorder	86
302	**Sexual deviations and disorders**	
302.2	Pedophilia	87
302.4	Exhibitionism	88
302.5	Trans-sexualism	89
302.50	Trans-sexualism with unspecified sexual history	89
302.51	Trans-sexualism with asexual history	89
302.52	Trans-sexualism with homosexual history	89
302.53	Trans-sexualism with heterosexual history	89
302.6	Disorders of psychosexual identity	90
302.7	Psychosexual dysfunction	91
302.70	Psychosexual dysfunction, unspecified	91
302.71	Psychosexual dysfunction with inhibited sexual desire	91
302.72	Psychosexual dysfunction with inhibited sexual excitement	91
302.73	Psychosexual dysfunction with inhibited female orgasm	91
302.74	Psychosexual dysfunction with inhibited male orgasm	91
302.75	Psychosexual dysfunction with premature ejaculation	91
302.76	Psychosexual dysfunction with functional dyspareunia	91
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	91
302.8	Other specified psychosexual disorders	92
302.81	Fetishism	92
302.82	Voyeurism	92
302.83	Sexual masochism	92
302.84	Sexual sadism	92

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
302.85	Gender identity disorder of adolescent or adult life	92
302.89	Other specified psychosexual disorders	92
302.9	Unspecified psychosexual disorder	93
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
303.0	Acute alcoholic intoxication	94
303.9	Other and unspecified alcohol dependence	95
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	96
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	97
304.2	Cocaine dependence	98
304.3	Cannabis dependence	99
304.4	Amphetamine and other psychostimulant dependence	100
304.5	Hallucinogen dependence	101
304.6	Other specified drug dependence	102
304.7	Combinations of opioid type drug with any other drug dependence	103
304.8	Combinations of drug dependence excluding opioid type drug	104
304.9	Unspecified drug dependence	105
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	106
305.1	Tobacco use disorder	107
305.2	Cannabis abuse	108
305.3	Hallucinogen abuse	109
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	110
305.5	Opioid abuse	111
305.6	Cocaine abuse	112
305.7	Amphetamine or related acting sympathomimetic abuse	113
305.8	Antidepressant type abuse	114
305.9	Other, mixed, or unspecified drug abuse	115
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	116
306.1	Respiratory malfunction arising from mental factors	117
306.2	Cardiovascular malfunction arising from mental factors	118
306.3	Skin disorder arising from mental factors	119
306.4	Gastrointestinal malfunction arising from mental factors	120
306.5	Genitourinary malfunction arising from mental factors	121

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
306.50	Psychogenic genitourinary malfunction, unspecified	121
306.51	Psychogenic vaginismus	121
306.52	Psychogenic dysmenorrhea	121
306.53	Psychogenic dysuria	121
306.59	Other genitourinary malfunction arising from mental factors	121
306.8	Other specified psychophysiological malfunction	122
306.9	Unspecified psychophysiological malfunction	123
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	124
307.1	Anorexia nervosa	125
307.2	Tics	126
307.20	Tic disorder, unspecified	126
307.21	Transient tic disorder of childhood	126
307.22	Chronic motor tic disorder	126
307.23	Gilles de la Tourette's disorder	126
307.3	Stereotyped repetitive movements	127
307.4	Specific disorders of sleep of nonorganic origin	128
307.40	Nonorganic sleep disorder, unspecified	128
307.41	Transient disorder of initiating or maintaining sleep	128
307.42	Persistent disorder of initiating or maintaining sleep	128
307.43	Transient disorder of initiating or maintaining wakefulness	128
307.44	Persistent disorder of initiating or maintaining wakefulness	128
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	128
307.46	Somnambulism or night terrors	128
307.47	Other dysfunctions of sleep stages or arousal from sleep	128
307.48	Repetitive intrusions of sleep	128
307.49	Other specific disorders of sleep of nonorganic origin	128
307.5	Other and unspecified disorders of eating	129
307.50	Eating disorder, unspecified	129
307.51	Bulimia	129
307.52	Pica	129
307.53	Psychogenic rumination	129
307.54	Psychogenic vomiting	129
307.59	Other disorders of eating	129
307.6	Enuresis	130
307.7	Encopresis	131
307.8	Psychalgia	132
307.80	Psychogenic pain, site unspecified	132
307.81	Tension headache	132
307.89	Other psychalgia	132
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	133
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	134
308.1	Predominant disturbance of consciousness	135
308.2	Predominant psychomotor disturbance	136
308.3	Other acute reactions to stress	137
308.4	Mixed disorders as reaction to stress	138
308.9	Unspecified acute reaction to stress	139
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	140
309.1	Adjustment reaction with prolonged depressive reaction	141

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
309.2	Adjustment reaction with predominant disturbance of other emotions	142
309.21	Separation anxiety disorder	142
309.22	Emancipation disorder of adolescence and early adult life	142
309.23	Specific academic or work inhibition	142
309.24	Adjustment reaction with anxious mood	142
309.28	Adjustment reaction with mixed emotional features	142
309.29	Other adjustment reactions with predominant disturbance of other emotions	142
309.3	Adjustment reaction with predominant disturbance of conduct	143
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	144
309.8	Other specified adjustment reactions	145
309.81	Prolonged posttraumatic stress disorder	145
309.82	Adjustment reaction with physical symptoms	145
309.83	Adjustment reaction with withdrawal	145
309.89	Other specified adjustment reactions	145
309.9	Unspecified adjustment reaction	146
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	147
310.1	Organic personality syndrome	148
310.2	Postconcussion syndrome	149
310.8	Other specified nonpsychotic mental disorders following organic brain damage	150
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	151
311	**Depressive disorder, not elsewhere classified**	152
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	153
312.1	Undersocialized conduct disorder, unaggressive type	154
312.2	Socialized conduct disorder	155
312.3	Disorders of impulse control, not elsewhere classified	156
312.30	Impulse control disorder, unspecified	156
312.31	Pathological gambling	156
312.32	Kleptomania	156
312.33	Pyromania	156
312.34	Intermittent explosive disorder	156
312.35	Isolated explosive disorder	156
312.39	Other disorders of impulse control	156
312.4	Mixed disturbance of conduct and emotions	157
312.8	Other specified disturbances of conduct, not elsewhere classified	158
312.9	Unspecified disturbance of conduct	159
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	160
313.1	Misery and unhappiness disorder specific to childhood and adolescence	161
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	162
313.21	Shyness disorder of childhood	162
313.22	Introverted disorder of childhood	162
313.23	Elective mutism specific to childhood and adolescence	162

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
313.3	Relationship problems specific to childhood and adolescence	163
313.8	Other or mixed emotional disturbances of childhood or adolescence	164
313.81	Oppositional disorder of childhood or adolescence	164
313.82	Identity disorder of childhood or adolescence	164
313.83	Academic underachievement disorder of childhood or adolescence	164
313.89	Other emotional disturbances of childhood or adolescence	164
313.9	Unspecified emotional disturbance of childhood or adolescence	165
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	166
314.00	Attention deficit disorder of childhood without mention of hyperactivity	166
314.01	Attention deficit disorder of childhood with hyperactivity	166
314.1	Hyperkinesis of childhood with developmental delay	167
314.2	Hyperkinetic conduct disorder of childhood	168
314.9	Unspecified hyperkinetic syndrome of childhood	169

APPENDIX 3

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	164
Acute alcoholic intoxication	303.0	94
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0-308.9	134-139
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0-309.9	140-146
Adjustment reaction with anxious mood	309.24	142
Adjustment reaction with brief depressive reaction	309.0	140
Adjustment reaction with mixed emotional features	309.28	142
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	144
Adjustment reaction with physical symptoms	309.82	145
Adjustment reaction with predominant disturbance of other emotions	309.2	142
Adjustment reaction with predominant disturbance of conduct	309.3	143
Adjustment reaction with prolonged depressive reaction	309.1	141
Adjustment reaction with withdrawal	309.83	145
Affective personality disorder	301.1	78
Affective personality disorder, unspecified	301.10	78
Affective psychoses	296.0-296.99	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	69
Agoraphobia without mention of panic attacks	300.22	69
Alcohol abuse	305.0	106
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0-303.9	94-95
Fifth-digit subclassification for use with 303		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0-291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	100
Amphetamine or related acting sympathomimetic abuse	305.7	113
Anorexia nervosa	307.1	125
Antidepressant type abuse	305.8	114
Antisocial personality disorder	301.7	84
Anxiety state, unspecified	300.00	67
Anxiety states	300.0	67
Arteriosclerotic dementia	290.4	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delirium	290.41	7
Arteriosclerotic dementia with delusional features	290 42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	166
Attention deficit disorder of childhood without mention of hyperactivity	314.00	166
Attention deficit disorder of childhood with hyperactivity	314.01	166
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	85
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	97
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	110
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	85
Bulimia	307.51	129
Cannabis abuse	305.2	108
Cannabis dependence	304.3	99
Cardiovascular malfunction arising from mental factors	306.2	118
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	78
Chronic factitious illness with physical symptoms	301.51	82
Chronic hypomanic personality disorder	301.11	78
Chronic motor tic disorder	307.22	126
Cocaine abuse	305.6	112
Cocaine dependence	304.2	98
Combinations of drug dependence excluding opioid type drug	304.8	104
Combinations of opioid type drug with any other drug dependence	304.7	103
Compulsive personality disorder	301.4	81
Conversion disorder	300.11	68
Cyclothymic disorder	301.13	78
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	83
Depersonalization syndrome	300.6	73
Depressive disorder, not elsewhere classified	311	152
Depressive type psychosis	298.0	57
Disorders of impulse control, not elsewhere classified	312.3	156
Disorders of psychosexual identity	302.6	90
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	68
Disturbance of conduct, not elsewhere classified	312.0-312.9	153-159
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	160-165

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Drug dependence	304.0-304.9	96-105
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	129
Elective mutism specific to childhood and adolescence	313.23	162
Emancipation disorder of adolescence and early adult life	309.22	142
Encopresis	307.7	131
Enuresis	307.6	130
Excitative type psychosis	298.1	58
Exhibitionism	302.4	88
Explosive personality disorder	301.3	80
Factitious illness with psychological symptoms	300.16	68
Fetishism	302.81	92
Frontal lobe syndrome	310.0	147
Gastrointestinal malfunction arising from mental factors	306.4	120
Gender identity disorder of adolescent or adult life	302.85	92
Generalized anxiety disorder	300.02	67
Genitourinary malfunction arising from mental factors	306.5	121
Gilles de la Tourette's disorder	307.23	126
Hallucinogen abuse	305.3	109
Hallucinogen dependence	304.5	101
Histrionic personality disorder	301.5	82
Histrionic personality disorder, unspecified	301.50	82
Hyperkinesis of childhood with developmental delay	314.1	167
Hyperkinetic conduct disorder of childhood	314.2	168
Hyperkinetic syndrome of childhood	314.0-314.9	166-169
Hypochondriasis	300.7	74
Hysteria	300.1	68
Hysteria, unspecified	300.10	68
Identity disorder of childhood or adolescence	313.82	164
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	156
Infantile autism	299.0	64
Intermittent explosive disorder	312.34	156
Introverted disorder of childhood	313.22	162
Introverted personality	301.21	79
Isolated explosive disorder	312.35	156

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Kleptomania	312.32	156
Latent schizophrenia	295.5	36
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Misery and unhappiness disorder specific to childhood and adolescence	313.1	161
Mixed disorders as reaction to stress	308.4	138
Mixed disturbance of conduct and emotions	312.4	157
Multiple personality	300.14	68
Musculoskeletal malfunction arising from mental factors	306.0	116
Narcissistic personality	301.81	85
Neurasthenia	300.5	72
Neurotic depression	300.4	71
Neurotic disorders	300.0-300.9	67-76
Nondependent abuse of drugs	305.0-305.9	106-115
Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission		
Nonorganic sleep disorder, unspecified	307.40	128
Obsessive-compulsive disorders	300.3	70
Opioid abuse	305.5	111
Opioid type dependence	304.0	96
Oppositional disorder of childhood or adolescence	313.81	164
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	148
Other acute reactions to stress	308.3	137
Other adjustment reactions with predominant disturbance of other emotions	309.29	142
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	95
Other and unspecified disorders of eating	307.5	129
Other and unspecified factitious illness	300.19	68
Other and unspecified reactive psychosis	298.8	62
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	133
Other anxiety states	300.09	67
Other disorders of eating	307.59	129
Other disorders of impulse control	312.39	156
Other dysfunctions of sleep stages or arousal from sleep	307.47	128
Other emotional disturbances of childhood or adolescence	313.89	164
Other genitourinary malfunction arising from mental factors	306.59	121
Other histrionic personality disorder	301.59	82
Other isolated or simple phobias	300.29	69
Other manic-depressive psychosis	296.89	49

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Other neurotic disorders	300.8	75
Other neurotic disorders	300.89	75
Other nonorganic psychoses	298.0-298.9	57-63
Other or mixed emotional disturbances of childhood or adolescence	313.8	164
Other organic psychotic conditions (chronic)	294.0-294.9	27-30
Other personality disorders	301.8	85
Other personality disorders	301.89	85
Other psychalgia	307.89	132
Other specific disorders of sleep of nonorganic origin	307.49	128
Other specified adjustment reactions	309.8	145
Other specified adjustment reactions	309.89	145
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	158
Other specified drug dependence	304.6	102
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	65
Other specified nonpsychotic mental disorders following organic brain damage	310.8	150
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	122
Other specified psychosexual disorders	302.8	92
Other specified psychosexual disorders	302.89	92
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	115
Overanxious disorder specific to childhood and adolescence	313.0	160
Panic disorder	300.01	67
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	77
Paranoid state, simple	297.0	51
Paranoid states	297.0-297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	85
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	156
Pedophilia	302.2	87
Persistent disorder of initiating or maintaining sleep	307.42	128
Persistent disorder of initiating or maintaining wakefulness	307.44	128
Personality disorders	301.0-301.9	77-86
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	128
Phobia, unspecified	300.20	69
Phobic disorders	300.2	69
Physiological malfunction arising from mental factors	306.0-306.9	116-123
Pica	307.52	129
Postconcussion syndrome	310.2	149
Predominant disturbance of consciousness	308.1	135
Predominant disturbance of emotions	308.0	134

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Predominant psychomotor disturbance	308.2	136
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	145
Psychalgia	307.8	132
Psychogenic amnesia	300.12	68
Psychogenic dysmenorrhea	306.52	121
Psychogenic dysuria	306.53	121
Psychogenic fugue	300.13	68
Psychogenic genitourinary malfunction, unspecified	306.50	121
Psychogenic pain, site unspecified	307.80	132
Psychogenic paranoid psychosis	298.4	61
Psychogenic rumination	307.53	129
Psychogenic vaginismus	306.51	121
Psychogenic vomiting	307.54	129
Psychoses with origin specific to childhood	299.0-299.9	64-66
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	91
Psychosexual dysfunction with inhibited sexual desire	302.71	91
Psychosexual dysfunction with inhibited sexual excitement	302.72	91
Psychosexual dysfunction with inhibited female orgasm	302.73	91
Psychosexual dysfunction with inhibited male orgasm	302.74	91
Psychosexual dysfunction with premature ejaculation	302.75	91
Psychosexual dysfunction with functional dyspareunia	302.76	91
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	91
Psychosexual dysfunction, unspecified	302.70	91
Pyromania	312.33	156
Reactive confusion	298.2	59
Relationship problems specific to childhood and adolescence	313.3	163
Repetitive intrusions of sleep	307.48	128
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	117
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	79
Schizoid personality disorder, unspecified	301.20	79
Schizophrenic disorders	295.0-295.9	31-40
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	79
Senile and presenile organic psychotic conditions	290.0-290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	162
Separation anxiety disorder	309.21	142
Sexual deviations and disorders	302.2-302.9	87-93
Sexual masochism	302.83	92
Sexual sadism	302.84	92
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	162
Simple type schizophrenia	295.0	31
Skin disorder arising from mental factors	306.3	119
Social phobia	300.23	69
Socialized conduct disorder	312.2	155
Somatization disorder	300.81	75
Somnambulism or night terrors	307.46	128
Special symptoms or syndromes, not elsewhere classified	307.0-307.9	124-133
Specific academic or work inhibition	309.23	142
Specific disorders of sleep of nonorganic origin	307.4	128
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	147-151
Stammering and stuttering	307.0	124
Stereotyped repetitive movements	307.3	127
Subacute delirium	293.1	24
Tension headache	307.81	132
Tic disorder, unspecified	307.20	126
Tics	307.2	126
Tobacco use disorder	305.1	107
Trans-sexualism	302.5	89
Trans-sexualism with asexual history	302.51	89
Trans-sexualism with heterosexual history	302.53	89
Trans-sexualism with homosexual history	302.52	89
Trans-sexualism with unspecified sexual history	302.50	89
Transient disorder of initiating or maintaining sleep	307.41	128
Transient disorder of initiating or maintaining wakefulness	307.43	128
Transient organic psychotic conditions	293.0-293.9	23-26
Transient tic disorder of childhood	307.21	126
Undersocialized conduct disorder, aggressive type	312.0	153
Undersocialized conduct disorder, unaggressive type	312.1	154
Unspecified acute reaction to stress	308.9	139
Unspecified adjustment reaction	309.9	146
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	66
Unspecified disturbance of conduct	312.9	159
Unspecified drug dependence	304.9	105
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	165
Unspecified hyperkinetic syndrome of childhood	314.9	169
Unspecified neurotic disorder	300.9	76
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	151
Unspecified organic brain syndrome (chronic)	294.9	30

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	86
Unspecified psychophysiological malfunction	306.9	123
Unspecified psychosexual disorder	302.9	93
Unspecified psychosis	298.9	63
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	92

Appendix 4

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[*] It was developed in response to a need expressed by medical records administrators for a standard means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal agencies). This crosswalk has been specifically developed to facilitate such coding, and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association, and is available through the APA Office of Research.

INSTRUCTIONS

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code, and the combined *DSM-III-R*/*ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*. *ICD-9-CM* is the more inclusive system, however, since one of its primary purpose is to serve as a complete list of medical terms to assist in the coding of medical records. There are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote 1 for general notes about the crosswalk.

---

[*] Developed by J. Thompson and H. A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
	—	Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

LOS

PSYCHIATRIC

LENGTH OF STAY

HKS PUBLICATIONS

by Diagnosis
United States, Northeastern Region, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
November, 1989

PSYCHIATRIC LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This publication represents one volume in the third annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1988
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1988
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1988
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1988
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1988
ISSN 0898-0535

The Length of Stay series has been published annually since 1963. In addition to *Psychiatric Length of Stay*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Description of the Database

Data Collection v
Data Quality v
Database Characteristics vi

Organization of Psychiatric Length of Stay Tables x

Explanation of Psychiatric Length of Stay Statistics xii

Application of Psychiatric Length of Stay Tables xiii

Trends in Psychiatric Length of Stay xiv

Length of Stay Tables 1

APPENDIX:

1: State Inclusions and Hospital Counts by Region 165

2: Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 166

3: Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 174

4: Crosswalk From *DSM-III-R* to *ICD-9-CM* 182

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Psychiatric Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available, and to Philip M. Margolis, Professor of Psychiatry, University of Michigan Medical Center and Professor of Community Mental Health, School of Public Health, University of Michigan.

1988 PSYCHIATRIC LENGTH OF STAY BOOKS

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS
Linda E. Vanek, Assistant Manager, Normative Publications

INFORMATION SERVICES
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Stacey Koepke, Customer Service Representive,
Mary Kay Murray, Marketing Specialist,
Tracey Stewart, Publication Specialist,
Robert Travis, Librarian.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer disk, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports.

5. Data are standardized to create an aggregated patient record base.

   This annually updated database is used to create the Psychiatric Length of Stay (LOS) series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specifc diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40% of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,068 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages vii-ix. Table definitions are as follows:

Hospitals with or without a Psychiatric Unit or Beds

The 1987 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Average Occupancy

According to *AHA Guide*, 1989, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."[2]

Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

---

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

[2] *American Hospital Association Guide to the Health Care Field*, American Hospital Association, Chicago, Illinois, 1989.

Table 1
1988 PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS*

	Hospitals with Psychiatric Unit/Beds	Hospitals without Psychiatric Unit/Beds	Total
Number of Hospitals			
Universe**	1,322	4,198	5,520
Sample	315	753	1,068
Hospitals as Percent of Universe			
Universe	100.0	100.0	100.0
Sample	23.8	17.9	19.3
Number of Urban Hospitals			
Universe	1,061	1,839	2,900
Sample	237	359	596
Urban Hospitals as Percent of Universe			
Universe	80.3	43.8	52.5
Sample	17.9	8.6	10.8
Number of High/Medium Teaching Intensity Hospitals			
Universe	601	329	930
Sample	124	90	214
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe			
Universe	45.5	7.8	16.8
Sample	9.4	2.1	3.9
Average Occupancy as Percent of Universe			
Universe	66.3	51.6	55.1
Sample	66.3	55.5	58.6

---

*Hospitals with average stay less than 30 days.

**The Universe means all hospitals recording facility information on the 1987 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	315	100.0	183,184	100.0
Control				
Public	39	12.4	19,263	10.5
Private	251	79.7	150,721	82.3
Unknown	25	7.9	13,200	7.2
Bedsize				
< 100 Beds	27	8.6	6,079	3.3
100-199	71	22.5	31,592	17.2
200-299	70	22.2	35,744	19.5
300-399	64	20.3	46,289	25.3
400-499	35	11.1	24,542	13.4
500+	48	15.2	38,938	21.3
Teaching Intensity				
Low	191	60.6	96,313	52.6
Medium	77	24.4	51,963	28.4
High	47	14.9	34,908	19.1
Location				
Rural	78	24.8	30,143	16.5
Urban	237	75.2	153,041	83.5

---

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	753	100.0	71,592	100.0
Control				
Public	167	22.2	8,669	12.1
Private	566	75.2	60,350	84.3
Private	20	2.7	2,573	3.6
Bedsize				
<100 Beds	409	54.3	19,894	27.8
100-199	187	24.8	17,638	24.6
200-299	88	11.7	16,615	23.2
300-399	37	4.9	7,242	10.1
400-499	15	2.0	7,357	10.3
500+	17	2.3	2,846	4.0
Teaching Intensity				
Low	663	88.0	54,509	76.1
Medium	71	9.4	15,150	21.2
High	19	2.5	1,933	2.7
Location				
Rural	394	52.3	20,518	28.7
Urban	359	47.7	51,074	71.3

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the four census regions. Appendix 1 lists the states comprising each region, and the number of hospitals and patients included in each volume.



Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included at the end of the Appendix.) The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 2 lists, in numerical order, the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying description, and the page number in the particular volume where a table is located. Appendix 3 lists, in alphabetical order, the psychiatric diagnoses and accompanying numerical codes.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

a. Hospitals with a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.

b. Hospitals without a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 2 or 3 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The 1988 Psychiatric Length of Stay series represents the third annual edition of this publication. The series provides a comparative view of inpatient psychiatric patterns in short-term general hospitals throughout the United States.

Profile of Psychiatric Database

For each of the three years (1986-1988), 4% of the patient records included in the standard length of stay database list a psychiatric disorder as a principal diagnosis. Approximately 72% percent of the discharge records included in the 1988 tables are from hospitals with psychiatric units or beds, with the remaining 28% from hospitals without psychiatric units.

Diagnoses most often reported for patients in hospitals with psychiatric unit/beds, along with the frequency and length of stay for each, are shown in TABLE 4. These can be compared to the most frequently reported diagnoses in hospitals without psychiatric units in TABLE 5. Hospitals with psychiatric units are more likely to report adjustment reactions (ICD-9-CM 309) for younger age groups and affective psychoses (ICD-9-CM 296) for older ages, whereas diagnoses in hospitals without psychiatric units are more often substance abuse related (ICD-9-CM codes 303-305). The prevalence of substance abuse problems with psychiatric patients is further evidenced when secondary diagnoses are examined. Alcohol dependence (ICD-9-CM 303) is found as a secondary diagnosis in 24% of the patients with a psychiatric principal diagnosis in hospitals with psychiatric units and in 50% of the same patients in hospitals without units.

Table 4
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITH PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	309 Adjustment Reaction	21%	14.2
	296 Affective Psychoses	17%	24.6
	300 Neurotic Disorders	14%	21.9
18-24	296 Affective Psychoses	20%	15.7
	309 Adjustment Reaction	16%	7.6
	295 Schizophrenic Disorders	14%	17.4
25-54	296 Affective Psychoses	27%	15.2
	303 Alcohol Dependence Syndrome	18%	12.7
	295 Schizophrenic Disorders	17%	15.8
55-74	296 Affective Psychoses	40%	19.1
	303 Alcohol Dependence Syndrome	14%	12.7
	295 Schizophrenic Disorders	11%	19.2
75+	296 Affective Psychoses	32%	21.4
	290 Senile/Presenile Psychoses	23%	13.3
	293 Transient Org. Mental Disorders	7%	11.9
All Ages	296 Affective Psychoses	27%	17.2
	303 Alcohol Dependence Syndrome	14%	13.6
	295 Schizophrenic Disorders	13%	16.7

Table 5
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITHOUT PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	303 Alcohol Dependence Syndrome	15%	24.2
	296 Affective Psychoses	13%	25.8
	305 Nondependent Drug Abuse	11%	6.4
18-24	303 Alcohol Dependence Syndrome	27%	16.2
	304 Drug Dependence	20%	15.9
	296 Affective Psychoses	8%	11.4
25-54	303 Alcohol Dependence Syndrome	35%	13.0
	291 Alcohol Psychoses	14%	5.2
	304 Drug Dependence	12%	14.3
55-74	303 Alcohol Dependence Syndrome	29%	11.5
	291 Alcohol Psychoses	14%	6.9
	296 Affective Psychoses	13%	13.2
75+	290 Senile/Presenile Psychoses	28%	11.5
	296 Affective Psychoses	9%	14.7
	300 Neurotic Disorders	8%	6.7
All Ages	303 Alcohol Dependence Syndrome	29%	13.5
	291 Alcohol Psychoses	11%	5.6
	304 Drug Dependence	10%	15.5

Psychiatric drug therapy (ICD-9-CM 94.25) and CAT scan of head (ICD-9-CM 87.03) are procedures most frequently recorded for patients with a principal psychiatric diagnosis code. The incidence of drug therapy is higher (33%) in hospitals without psychiatric units/beds, than hospitals with psychiatric units (17%).

Psychiatric Length of Stay

In the United States, the average stay for psychiatric patients in short-term general hospitals with a psychiatric unit is 30% longer (14.4 days) than in hospitals without units (11.0 days). This ratio has remained constant over three years. Recent research indicates an even larger difference between the length of stay in the two types of hospitals, suggesting that many of the patients in hospitals without units are transferred to other hospitals to be treated by a psychiatrist. Since patients transferred to other acute care facilities are excluded from our data, this would explain the longer stays.

Age and sex differences are noted in length of stay for both types of hospitals. Children under the age of 18, constituting 10% of the discharges with a psychiatric principal diagnosis, have the longest length of stay of any age group. Generally, females of any age have longer stays than males.

TABLE 6 displays three years of hospital stay trends in the United States and four regions for all psychiatric codes (290.0-314.9) in hospitals with a psychiatric unit.

Table 6
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88 ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITH PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	13.9	14.8	15.4
North Central	14.9	14.7	14.9
South	13.2	14.1	14.6
West	11.8	12.3	12.4
U.S.	13.7	14.1	14.4

A continuing increase in length of stay for psychiatric inpatient care is evident for U.S. hospitals with psychiatric units; from 1986 to 1988 there is a 5% increase in stay (.7 days). The established pattern of high lengths of stay in the northeast and low stays in the west remains constant in 1988, as it did in 1987. For all psychiatric diagnoses, the difference between the northeastern and western regions in 1988 is 3 days.

One possible explanation for the increasing days of inpatient stay may relate to the fact that patients staying over 99 days are excluded from the computation of the average length of stay. If there has been a decrease in total days for the outliers, for example, from 120 to 94 days, their stay would now be included in the average, causing that figure to be higher. This theory needs to be tested out in future studies.

Differences in average length of stay from 1986-1988 are not as steady in hospitals without psychiatric units/beds. As Table 7 shows below, there has been a 6% increase in stay (.6 days) throughout the United States, but regional differences are not consistent with the usual pattern. Length of stay increases in the northeast, north central and southern regions, but continues to decline in the west. Despite the increase, hospitals without psychiatric units/beds in the northeast continue to have a considerably shorter hospital stay for psychiatric patients than any other region.

Table 7
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88 ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITHOUT PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	7.6	8.7	9.2
North Central	10.9	11.9	12.3
South	9.7	10.3	11.4
West	11.6	11.4	11.2
U.S.	10.4	10.7	11.0

In summary, this analysis of the 1988 Psychiatric Length of Stay data reveals:

1. In the United States, for all psychiatric codes, the average length of stay continues to increase in short-term hospitals either with or without a psychiatric unit.

2. For hospitals with a psychiatric unit or beds regional variations in length of stay are consistent with the widely acknowledged patterns, high length of stays in the northeast and north central and low stays in the south and west region.

3. For the same group of diagnoses in hospitals without a psychiatric unit/beds, although length of stay generally increases, the above mentioned regional patterns do not hold.

This discussion introduces a few of the analyses possible using the Psychiatric Length of Stay series. As readers conduct their own inquiries, it is essential to remember that the statistics in this section are merely descriptive, drawn from the discharge records of 1,068 short-term general hospitals in the United States. In the course of using psychiatric length of stay data it is important that readers routinely:

1. examine the characteristics of the database;
2. look at the patient counts in each diagnosis table; and
3. consider any clinical, financial, legal, and social issues which might affect the data.

Such caution, paired with expertise, will make the statistics and tables presented in the next section an appropriate tool for developing cost and quality of care guidelines for patients with psychiatric conditions.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	192	16.8	326	1	3	12	27	44	66	99 +	124	25.5	790	1	2	20	55	86	99 +	99 +
13-17	420	15.3	234	1	4	12	21	38	49	99 +	157	5.4	106	1	1	2	4	18	28	83
18-24	860	14.9	240	1	4	9	22	35	48	78	352	7.1	62	1	2	5	7	20	28	30
25-34	1854	13.7	178	2	5	9	20	31	40	71	996	7.8	67	2	3	5	7	24	28	35
35-54	2441	12.6	153	2	5	8	18	28	38	68	1579	7.3	54	2	4	5	7	14	28	30
55-74	1210	16.4	228	3	5	12	23	36	49	94	668	9.2	103	2	4	6	11	24	30	74
75 +	499	18.5	307	3	7	14	25	47	74	99 +	376	15.3	265	3	5	9	21	41	64	99 +
ALL AGES	7476	14.4	204	2	5	10	21	33	44	92	4252	8.9	120	2	3	5	9	26	29	84
B. FEMALE																						
0-12 YRS.	96	15.4	322	1	3	9	25	61	99 +	99 +	80	18.7	546	1	2	5	34	59	70	99
13-17	675	15.6	258	1	4	11	22	40	56	99 +	237	11.9	248	1	1	4	18	35	47	79
18-24	837	14.5	240	2	4	9	20	35	56	99	315	9.8	159	1	2	5	9	29	37	66
25-34	1759	15.7	220	2	5	12	21	34	46	81	647	8.2	88	2	3	5	8	19	28	46
35-54	2766	16.5	187	3	6	13	23	34	44	72	939	8.8	89	1	3	6	10	21	28	55
55-74	2195	19.8	244	4	8	16	27	40	55	95	686	10.9	135	2	4	7	14	25	40	99 +
75 +	1138	20.5	314	4	7	16	29	48	66	99 +	644	14.3	248	2	4	9	20	47	79	99 +
ALL AGES	9466	17.3	239	3	6	14	24	37	51	91	3548	10.6	160	2	3	6	13	28	42	99 +
SUBTOTAL	**16942**	**16.0**	**2[illegible]6**	**3**	**5**	**12**	**23**	**35**	**48**	**92**	**7800**	**9.7**	**138**	**2**	**3**	**5**	**11**	**28**	**34**	**99**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	130	37.5	771	5	11	35	63	89	99 +	99 +	62	26.5	216	5	18	28	35	42	50	67
13-17	380	16.8	276	2	4	11	27	45	58	99 +	133	11.4	140	1	2	6	19	31	35	43
18-24	1221	13.5	187	2	4	8	20	29	40	79	613	9.8	78	2	4	6	14	25	28	36
25-34	2676	12.2	128	2	5	7	17	28	33	56	1977	8.2	53	3	4	5	8	20	27	28
35-54	2711	11.4	120	3	5	7	15	26	32	57	2892	6.9	31	3	5	5	7	13	19	28
55-74	794	14.9	217	3	5	10	21	34	45	90	720	7.8	72	3	4	5	8	15	23	74
75 +	192	19.2	357	3	6	14	27	43	75	99 +	128	13.4	234	3	5	8	17	34	54	99 +
ALL AGES	8104	13.2	177	3	5	8	19	29	40	77	6525	8.0	61	3	5	5	8	18	27	36
B. FEMALE																						
0-12 YRS.	49	34.9	831	3	8	34	67	99 +	99 +	99 +	32	22.5	213	2	8	23	36	42	49	99 +
13-17	549	18.8	388	2	5	11	29	56	69	99 +	171	20.4	297	1	4	21	30	43	48	75
18-24	975	15.7	267	2	5	10	22	38	55	99 +	353	11.8	143	1	3	6	20	28	34	52
25-34	1937	14.4	182	3	5	10	20	30	42	77	942	9.1	62	2	4	6	11	22	28	31
35-54	2047	15.3	189	3	5	11	21	33	43	77	949	8.3	63	2	4	5	10	18	25	37
55-74	1033	19.3	240	4	8	16	27	40	49	94	405	9.9	111	2	4	7	12	23	31	99 +
75 +	439	20.9	285	4	9	18	29	47	72	99 +	232	15.4	254	3	5	11	20	39	64	99 +
ALL AGES	7029	16.5	237	3	6	12	23	37	50	99 +	3084	10.5	118	2	4	6	14	27	31	58
SUBTOTAL	**15133**	**14.7**	**208**	**3**	**5**	**10**	**21**	**33**	**46**	**90**	**9609**	**8.8**	**80**	**3**	**5**	**5**	**10**	**21**	**28**	**46**
GRAND TOTAL	**32075**	**15.4**	**218**	**3**	**5**	**11**	**22**	**34**	**47**	**91**	**17409**	**9.2**	**107**	**2**	**4**	**5**	**10**	**24**	**29**	**68**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	20.7	359	2	6	20	35	40	40	40	3	13.7	64	5	10	18	60	99+	99+	99+
75 +	38	21.6	453	5	8	14	31	68	98	99+	30	17.2	261	4	8	13	17	45	61	64
ALL AGES	41	21.5	438	5	8	14	32	66	98	99+	33	16.9	241	5	8	14	18	47	63	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	12	21.2	305	5	7	15	30	43	63	66	4	12.5	123	4	5	13	46	99+	99+	99+
75 +	67	17.0	351	3	4	9	27	69	99+	99+	36	10.8	116	2	4	9	20	99+	99+	99+
ALL AGES	79	17.6	344	3	5	10	27	65	99+	99+	40	11.0	113	2	4	9	23	99+	99+	99+
SUBTOTAL	**120**	**19.0**	**373**	**3**	**6**	**12**	**29**	**65**	**99+**	**99+**	**73**	**13.6**	**179**	**2**	**5**	**10**	**20**	**62**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	66.0		66	66	66	66	66	66	66	1	21.0		21	21	21	21	21	21	21
75 +	7	18.4	184	4	7	20	22	40	44	44	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	8	24.4	438	4	9	20	33	59	66	66	3	11.0	79	4	5	8	18	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	23.0	259	3	11	24	35	41	41	41	2	6.5	1	6	6	7	77	99+	99+	99+
75 +	9	23.1	284	5	11	20	46	75	99+	99+	8	17.5	191	6	7	13	25	40	42	42
ALL AGES	13	23.1	252	3	11	20	41	56	90	99+	10	15.3	170	6	6	13	31	65	97	99+
SUBTOTAL	**21**	**23.6**	**305**	**4**	**11**	**20**	**41**	**55**	**80**	**99+**	**13**	**14.3**	**144**	**5**	**6**	**11**	**21**	**48**	**88**	**99+**
GRAND TOTAL	**141**	**19.7**	**363**	**3**	**7**	**14**	**30**	**65**	**99+**	**99+**	**86**	**13.7**	**172**	**3**	**6**	**10**	**21**	**61**	**99+**	**99+**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	21.0	578	4	4	21	38	38	38	38	1	8.0		8	8	8	8	8	8	8
55-74	13	10.8	53	2	4	11	17	20	22	22	15	18.7	475	4	5	12	28	71	92	99 +
75 +	33	17.9	202	4	7	15	27	41	59	99 +	49	20.9	510	3	7	12	35	89	99 +	99 +
ALL AGES	48	16.1	174	3	6	13	22	39	46	99 +	65	20.2	489	3	7	12	34	87	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	1	12.0		12	12	56	99 +	99 +	99 +	99 +
55-74	25	15.8	347	2	4	9	22	51	85	99 +	14	12.9	111	4	8	15	99 +	99 +	99 +	99 +
75 +	54	19.1	294	4	7	14	27	48	78	99 +	57	20.7	483	3	6	13	40	94	99 +	99 +
ALL AGES	80	17.9	307	3	6	12	26	48	83	99 +	72	19.1	410	3	6	15	46	99 +	99 +	99 +
SUBTOTAL	**128**	**17.2**	**257**	**3**	**6**	**13**	**24**	**45**	**61**	**99 +**	**137**	**19.6**	**446**	**3**	**6**	**13**	**40**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74	2	13.0	2	12	12	14	78	99 +	99 +	99 +	2	32.5	1513	5	5	32	60	60	60	60
75 +	2	9.5	85	3	3	9	16	16	16	16	5	42.4	639	12	28	34	60	79	79	79
ALL AGES	4	11.3	31	3	10	14	37	99 +	99 +	99 +	8	35.3	747	5	9	33	57	73	79	79
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	42.0		42	42	42	42	42	42	42	1	7.0		7	7	7	7	7	7	7
55-74	7	19.4	179	6	9	19	26	41	44	44	2	11.0	72	5	5	11	17	17	17	17
75 +	11	18.2	240	4	5	10	29	43	44	44	12	24.8	646	5	8	18	28	60	91	96
ALL AGES	19	19.9	222	4	7	19	29	43	44	44	15	21.7	556	5	7	14	26	45	83	96
SUBTOTAL	**23**	**18.4**	**197**	**4**	**7**	**15**	**29**	**44**	**61**	**99 +**	**23**	**26.4**	**637**	**5**	**7**	**17**	**34**	**64**	**85**	**96**
GRAND TOTAL	**151**	**17.4**	**246**	**3**	**6**	**13**	**25**	**44**	**60**	**99 +**	**160**	**20.6**	**474**	**3**	**6**	**13**	**38**	**98**	**99 +**	**99 +**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	17.4	78	7	11	19	28	79	99 +	99 +	2	26.0	882	5	5	26	47	47	47	47
75 +	18	19.7	543	3	6	18	28	97	99 +	99 +	8	25.6	337	5	10	24	40	51	54	54
ALL AGES	25	19.1	404	5	7	18	28	98	99 +	99 +	10	25.7	359	4	10	24	45	50	54	54
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	14	18.8	74	10	13	20	22	43	86	99 +	1	92.0		92	92	92	92	92	92	92
75 +	35	20.2	288	5	8	15	33	47	68	99 +	11	18.7	152	5	7	15	30	35	38	38
ALL AGES	49	13.8	224	6	10	17	29	45	74	99 +	12	24.8	586	6	8	18	32	54	87	92
SUBTOTAL	**74**	**19.6**	**279**	**5**	**9**	**17**	**28**	**57**	**99 +**	**99 +**	**22**	**25.2**	**462**	**5**	**9**	**20**	**35**	**49**	**69**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	14.7	32	8	10	18	18	18	18	18										
75 +	8	24.3	238	7	12	19	40	44	45	45	3	6.0	7	4	4	5	8	9	9	9
ALL AGES	11	21.6	197	7	10	18	34	43	45	45	3	6.0	7	4	4	5	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	6	34.5	524	19	22	24	39	75	79	79	1	4.0		4	4	4	4	4	4	4
75 +	9	17.9	104	5	14	18	20	33	39	39	5	14.8	66	6	9	13	20	27	27	27
ALL AGES	15	24.5	319	10	17	19	25	39	69	79	6	13.0	72	4	6	11	18	26	27	27
SUBTOTAL	**26**	**23.3**	**258**	**8**	**16**	**19**	**25**	**42**	**52**	**79**	**9**	**10.7**	**58**	**4**	**5**	**9**	**14**	**23**	**27**	**27**
GRAND TOTAL	**100**	**20.5**	**276**	**6**	**10**	**18**	**28**	**47**	**96**	**99 +**	**31**	**21.0**	**383**	**4**	**6**	**13**	**31**	**46**	**54**	**92**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	41.1	1349	4	12	47	84	98	99+	99+	3	16.3	84	6	9	20	22	23	23	23
75 +	23	26.0	677	8	11	15	40	95	99+	99+	31	15.7	204	3	6	11	21	35	45	65
ALL AGES	30	29.6	830	8	11	18	69	96	99+	99+	34	15.8	189	4	6	11	22	35	43	65
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	8	20.4	140	6	10	21	26	38	42	42	8	19.0	331	4	9	15	18	49	62	62
75 +	60	23.5	486	6	9	15	42	72	99+	99+	43	17.7	384	4	5	12	30	97	99+	99+
ALL AGES	68	23.1	446	6	9	16	38	70	99	99+	51	17.9	369	4	6	13	28	89	99+	99+
SUBTOTAL	**98**	**25.1**	**564**	**6**	**9**	**17**	**42**	**84**	**99+**	**99+**	**85**	**17.0**	**297**	**4**	**6**	**12**	**23**	**56**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	21.0	181	10	12	17	31	36	36	36										
75 +	5	11.4	63	3	4	13	17	22	22	22	4	7.3	20	2	4	7	10	13	13	13
ALL AGES	8	15.0	113	3	7	14	19	32	36	36	4	7.3	20	2	4	7	10	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	13.5	13	11	11	13	16	16	16	16										
75 +	6	29.0	1009	5	11	18	76	98	99+	99+	8	10.1	29	4	6	9	13	18	20	20
ALL AGES	8	25.1	776	6	11	16	49	96	99+	99+	8	10.1	29	4	6	9	13	18	20	20
SUBTOTAL	**16**	**20.1**	**440**	**4**	**10**	**16**	**25**	**79**	**96**	**99+**	**12**	**9.2**	**25**	**3**	**5**	**8**	**12**	**16**	**19**	**20**
GRAND TOTAL	**114**	**24.4**	**546**	**6**	**10**	**16**	**36**	**86**	**99+**	**99+**	**97**	**16.1**	**267**	**4**	**6**	**11**	**22**	**49**	**94**	**99+**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											3	5.7	10	2	3	7	8	8	8	8
55-74	13	20.0	178	7	8	17	33	51	89	99+	11	8.6	78	2	3	6	17	48	93	99+
75 +	22	23.9	495	5	9	23	62	99+	99+	99+	28	16.4	141	5	8	13	23	39	47	99+
ALL AGES	35	22.5	370	6	9	19	38	99+	99+	99+	42	13.6	129	3	6	11	19	39	61	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	18	18.8	285	6	9	14	34	83	99+	99+	11	16.5	89	6	7	14	26	30	32	32
75 +	41	19.0	316	5	8	13	25	57	88	99+	37	22.2	485	7	9	14	35	89	99+	99+
ALL AGES	59	18.9	303	6	8	14	25	65	99+	99+	48	20.9	396	6	8	14	29	71	99+	99+
SUBTOTAL	**94**	**20.2**	**329**	**6**	**8**	**15**	**31**	**83**	**99+**	**99+**	**90**	**17.5**	**282**	**5**	**7**	**13**	**27**	**51**	**99**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	49.0		49	49	49	49	49	49	49										
55-74	7	22.1	158	7	13	24	36	82	99+	99+	2	8.5	61	3	6	14	78	99+	99+	99+
75 +	3	40.0	403	19	25	42	55	59	59	59	2	11.0	72	5	8	17	79	99+	99+	99+
ALL AGES	11	29.5	280	8	18	30	45	71	96	99+	4	9.8	45	3	5	15	99+	99+	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	20.6	90	7	12	24	29	30	30	30	3	15.7	57	9	10	14	21	24	24	24
75 +	7	13.6	207	2	3	11	17	38	43	43	7	19.4	177	9	10	15	22	42	47	47
ALL AGES	14	17.1	150	3	6	16	26	32	40	43	10	18.3	133	9	9	14	23	35	47	47
SUBTOTAL	**25**	**22.5**	**240**	**4**	**10**	**20**	**32**	**48**	**67**	**99+**	**14**	**15.9**	**117**	**5**	**9**	**15**	**23**	**94**	**99+**	**99+**
GRAND TOTAL	**119**	**20.7**	**308**	**5**	**9**	**16**	**31**	**66**	**99+**	**99+**	**104**	**17.3**	**258**	**5**	**8**	**13**	**26**	**51**	**99+**	**99+**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES											1	8.0		8	8	8	8	8	8	8
SUBTOTAL											1	8.0		8	8	8	8	8	8	8
GRAND TOTAL											1	8.0		8	8	8	8	8	8	8

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	76.0		76	76	76	76	76	76	76										
75 +																				
ALL AGES	1	76.0		76	76	76	76	76	76	76										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											2	14.0	242	3	3	14	25	25	25	25
75 +	1	7.0		7	7	7	7	7	7	7	1	55.0		55	55	55	55	55	55	55
ALL AGES	1	7.0		7	7	7	7	7	7	7	3	27.7	679	3	8	25	47	55	55	55
SUBTOTAL	**2**	**41.5**	**2381**	**7**	**7**	**41**	**76**	**76**	**76**	**76**	**3**	**27.7**	**679**	**3**	**8**	**25**	**47**	**55**	**55**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**41.5**	**2381**	**7**	**7**	**41**	**76**	**76**	**76**	**76**	**3**	**27.7**	**679**	**3**	**8**	**25**	**47**	**55**	**55**	**55**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	9	8.4	38	2	4	7	10	18	22	22	3	8.0	49	3	3	5	13	16	16	16
35-54	20	6.6	18	2	4	5	8	14	15	15	17	6.0	22	1	3	4	9	13	16	17
55-74	12	8.1	36	2	3	8	11	16	21	22	7	21.3	498	4	8	12	30	60	66	66
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	41	7.4	27	2	3	6	11	14	18	22	29	9.9	167	2	3	5	12	17	37	66
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
35-54	3	9.3	1	9	9	9	10	10	10	10	6	5.2	3	2	4	5	7	7	7	7
55-74	4	5.3		5	5	5	6	6	6	6	2	4.0	8	2	2	4	6	6	6	6
75 +																				
ALL AGES	9	6.3	6	4	5	5	9	10	10	10	9	4.4	6	1	2	5	6	7	7	7
SUBTOTAL	**50**	**7.2**	**23**	**2**	**3**	**6**	**9**	**14**	**15**	**22**	**38**	**8.6**	**133**	**2**	**3**	**5**	**10**	**15**	**28**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	5.5	6	3	3	5	7	8	8	8	1	5.0		5	5	5	5	5	5	5
25-34	36	7.1	38	2	3	6	9	13	20	32	47	5.3	9	2	4	5	5	7	12	18
35-54	100	6.6	22	2	4	6	8	12	16	26	154	6.1	13	3	4	5	7	10	14	21
55-74	35	9.4	62	3	4	8	10	20	31	36	55	9.0	56	4	5	6	11	20	31	96
75 +	4	17.0	232	3	4	16	30	33	33	33	3	7.3	5	5	6	8	9	9	9	9
ALL AGES	179	7.5	38	2	4	6	9	13	21	34	260	6.6	23	3	4	5	7	11	17	32
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	12	4.9	14	1	2	3	7	11	13	13	11	3.9	3	1	2	4	5	6	7	7
35-54	15	7.3	54	3	4	6	7	9	27	33	29	6.0	15	3	4	5	6	10	12	23
55-74	16	7.8	49	2	3	6	10	13	26	31	15	8.9	45	3	4	7	11	19	25	27
75 +	1	5.0		5	5	5	5	5	5	5	1	15.0		15	15	15	15	15	15	15
ALL AGES	45	6.7	39	2	3	5	7	11	18	33	56	6.5	25	3	4	5	7	12	18	27
SUBTOTAL	**224**	**7.3**	**39**	**2**	**4**	**6**	**9**	**13**	**21**	**33**	**316**	**6.6**	**23**	**3**	**4**	**5**	**7**	**11**	**17**	**29**
GRAND TOTAL	**274**	**7.3**	**36**	**2**	**4**	**6**	**9**	**13**	**19**	**33**	**354**	**6.8**	**35**	**3**	**4**	**5**	**7**	**12**	**17**	**36**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	58.5	2665	22	22	58	95	95	95	95										
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	3	48.7	1617	22	24	29	78	95	95	95										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	52	99 +	99 +	99 +	99 +
75 +																				
ALL AGES											1	4.0		4	4	52	99 +	99 +	99 +	99 +
SUBTOTAL	**3**	**48.7**	**1617**	**22**	**24**	**29**	**78**	**95**	**95**	**95**	**1**	**4.0**		**4**	**28**	**99 +**	**99 +**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	11.0	72	5	5	11	17	17	17	17
55-74	6	33.7	1186	3	8	26	47	87	92	92	5	10.2	105	3	3	5	16	27	27	27
75 +	2	18.0	242	7	7	18	29	29	29	29										
ALL AGES	8	29.8	933	4	7	19	45	78	92	92	7	10.4	83	3	4	9	22	78	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74	2	23.0	8	21	21	23	25	25	25	25	2	19.0	392	5	5	19	33	33	33	33
75 +	2	9.0	50	4	4	9	14	14	14	14	1	43.0		43	43	43	43	43	43	43
ALL AGES	5	13.8	88	4	5	14	22	25	25	25	3	27.0	388	5	12	33	40	43	43	43
SUBTOTAL	**13**	**23.6**	**642**	**4**	**6**	**14**	**33**	**56**	**85**	**92**	**10**	**15.4**	**205**	**3**	**5**	**13**	**31**	**66**	**97**	**99 +**
GRAND TOTAL	**16**	**28.3**	**832**	**4**	**7**	**21**	**37**	**87**	**94**	**95**	**11**	**14.4**	**195**	**3**	**5**	**15**	**43**	**99 +**	**99 +**	**99 +**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	15.3	68	6	9	19	20	21	21	21	2	2.0		2	2	2	2	2	2	2
55-74	5	25.0	1337	4	5	14	89	99	99 +	99 +	4	12.5	18	8	9	12	16	17	17	17
75 +	3	35.3	174	23	26	34	45	49	49	49										
ALL AGES	11	25.2	641	5	6	21	41	92	99	99 +	6	9.0	40	2	2	9	15	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	2	12.5	145	4	4	12	21	21	21	21	1	15.0		15	15	57	99 +	99 +	99 +	99 +
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	3	12.7	71	4	6	13	19	21	21	21	2	9.0	72	3	6	15	79	99 +	99 +	99 +
SUBTOTAL	**14**	**22.5**	**533**	**4**	**5**	**21**	**31**	**89**	**97**	**99 +**	**8**	**9.0**	**39**	**2**	**3**	**10**	**16**	**67**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	20.0		20	20	20	20	20	20	20
35-54	7	14.1	129	4	5	8	24	31	32	32	2	7.5	25	4	4	7	11	11	11	11
55-74	10	12.2	80	3	5	9	19	26	27	27	9	19.3	459	2	4	14	57	99 +	99 +	99 +
75 +	3	23.3	361	10	12	30	72	99 +	99 +	99 +	9	11.6	121	2	4	7	15	31	34	34
ALL AGES	20	14.6	130	4	5	12	25	37	70	99 +	21	14.9	254	2	4	11	31	71	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	2	25.5	25	22	22	25	29	29	29	29	2	12.0	50	7	7	12	17	17	17	17
55-74	9	25.0	746	8	12	16	22	72	94	94	6	11.8	94	1	3	11	18	26	27	27
75 +	1	19.0		19	19	19	19	19	19	19	2	44.5	2381	10	10	44	79	79	79	79
ALL AGES	12	24.6	547	9	13	17	25	55	88	94	11	17.1	478	2	5	11	18	48	76	79
SUBTOTAL	**32**	**18.3**	**300**	**5**	**8**	**15**	**25**	**39**	**87**	**99 +**	**32**	**15.7**	**318**	**2**	**4**	**11**	**26**	**65**	**96**	**99 +**
GRAND TOTAL	**46**	**19.6**	**363**	**5**	**7**	**16**	**26**	**48**	**95**	**99 +**	**40**	**14.3**	**269**	**2**	**4**	**11**	**19**	**67**	**99 +**	**99 +**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	4.0	2	3	3	4	5	5	5	5										
35-54	3	2.7	4	1	1	2	4	5	5	5										
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	7	4.6	16	1	2	3	5	11	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**7**	**4.6**	**16**	**1**	**2**	**3**	**5**	**11**	**13**	**13**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	7	6.3	41	1	2	4	7	17	20	20	17	5.2	1	5	5	5	5	7	8	8
35-54	12	7.9	61	2	3	6	9	19	28	30	66	5.7	8	5	5	5	5	7	8	24
55-74	4	10.5	65	2	4	10	17	20	20	20	15	6.9	56	5	5	5	5	6	27	34
75 +											2	6.5	25	3	3	6	10	10	10	10
ALL AGES	23	7.9	52	2	3	6	9	20	24	30	101	5.8	14	5	5	5	5	7	9	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13	1	5.0		5	5	5	5	5	5	5
25-34											3	4.0	3	2	3	5	5	5	5	5
35-54	7	10.6	11	5	9	11	12	14	15	15	13	5.3	3	4	5	5	5	8	10	10
55-74	5	9.8	17	4	7	10	13	15	15	15	2	7.5	1	7	7	7	8	8	8	8
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	13	10.5	11	4	9	11	12	15	15	15	20	5.2	3	3	5	5	5	8	9	10
SUBTOTAL	**36**	**8.8**	**39**	**2**	**4**	**7**	**12**	**15**	**20**	**30**	**121**	**5.7**	**12**	**5**	**5**	**5**	**5**	**7**	**9**	**28**
GRAND TOTAL	**43**	**8.1**	**37**	**2**	**4**	**6**	**12**	**15**	**20**	**30**	**121**	**5.7**	**12**	**5**	**5**	**5**	**5**	**7**	**9**	**28**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.5	1	3	3	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34	3	2.3	3	1	1	2	3	4	4	4										
35-54	3	3.3	17	1	1	1	6	8	8	8										
55-74																				
75 +																				
ALL AGES	8	3.0	6	1	1	2	4	7	8	8	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
SUBTOTAL	**10**	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**8**	**8**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**12**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**8**	**8**	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	2	11.0	32	7	7	11	15	15	15	15										
SUBTOTAL	**2**	**11.0**	**32**	**7**	**7**	**11**	**15**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	16.0		16	16	16	16	16	16	16										
35-54	2	10.0	8	8	8	10	12	12	12	12	1	15.0		15	15	15	15	15	15	15
55-74																				
75 +																				
ALL AGES	3	12.0	16	8	9	12	15	16	16	16	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54											1	9.0		9	9	9	9	9	9	9
55-74	1	77.0		77	77	77	77	77	77	77										
75 +																				
ALL AGES	2	41.0	2592	5	5	41	77	77	77	77	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**5**	**23.6**	**908**	**5**	**7**	**12**	**31**	**77**	**77**	**77**	**2**	**12.0**	**18**	**9**	**9**	**12**	**15**	**15**	**15**	**15**
GRAND TOTAL	**7**	**20.0**	**649**	**5**	**7**	**12**	**16**	**65**	**77**	**77**	**2**	**12.0**	**18**	**9**	**9**	**12**	**15**	**15**	**15**	**15**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	9	4.3	2	2	4	5	5	5	5	5	3	3.3	3	2	2	3	4	5	5	5
25-34	126	4.5	2	3	4	5	5	5	6	8	16	4.4	5	1	3	4	6	8	8	8
35-54	241	5.1	3	4	5	5	5	6	9	12	78	5.9	20	2	3	5	7	10	13	28
55-74	70	6.6	48	3	5	5	5	9	24	42	35	5.7	32	2	3	5	6	9	16	32
75 +	6	8.3	37	3	5	6	12	18	19	19	3	6.3	7	4	5	7	54	99 +	99 +	99 +
ALL AGES	452	5.2	11	3	5	5	5	6	8	19	135	5.6	21	2	3	5	7	10	13	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	3.8	3	1	2	4	5	5	5	5	1	5.0		5	5	5	5	5	5	5
25-34	22	4.5	1	3	4	5	5	5	6	6	9	3.6	3	1	2	4	4	6	7	7
35-54	61	4.9	2	4	5	5	5	5	6	13	16	4.9	15	2	3	4	5	8	15	18
55-74	20	5.8	11	4	5	5	5	7	14	19	8	5.0	9	1	2	5	7	9	9	9
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	107	4.9	4	3	5	5	5	5	6	16	35	4.6	10	2	3	4	5	8	9	18
SUBTOTAL	**559**	**5.2**	**9**	**3**	**5**	**5**	**5**	**6**	**8**	**18**	**170**	**5.4**	**18**	**2**	**3**	**5**	**6**	**9**	**13**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	5.0		5	5	5	5	5	5	5
13-17											1	1.0		1	1	1	1	1	1	1
18-24	24	4.9	7	1	4	5	5	10	35	99 +	29	4.8	7	2	3	5	5	6	8	16
25-34	170	5.8	12	3	5	5	5	11	14	19	366	5.0	3	3	5	5	5	6	7	14
35-54	289	6.2	24	2	4	5	6	13	14	21	1066	5.3	8	5	5	5	5	6	7	16
55-74	63	9.1	119	2	4	6	8	20	42	95	243	6.2	79	3	5	5	5	7	9	72
75 +	5	13.6	147	6	7	9	17	35	35	35	6	9.5	55	4	5	5	18	20	20	20
ALL AGES	551	6.4	33	3	5	5	6	13	14	38	1713	5.4	17	4	5	5	5	6	7	16
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	4	9.5	27	5	5	9	14	14	14	14	13	4.3	2	2	4	5	5	6	6	6
25-34	46	5.6	11	3	4	5	5	13	14	14	64	5.0	4	3	5	5	5	6	7	17
35-54	63	6.6	17	3	4	5	8	14	14	18	176	5.2	5	5	5	5	5	6	7	16
55-74	28	9.5	52	4	5	7	13	14	17	40	31	7.5	28	4	5	5	8	13	20	28
75 +	2	16.0	162	7	7	16	25	25	25	25	5	5.8	3	4	5	5	7	8	8	8
ALL AGES	144	7.0	26	3	4	5	8	14	14	26	289	5.4	7	4	5	5	5	7	8	20
SUBTOTAL	**695**	**6.5**	**32**	**3**	**4**	**5**	**6**	**14**	**14**	**37**	**2002**	**5.4**	**15**	**4**	**5**	**5**	**5**	**6**	**7**	**17**
GRAND TOTAL	**1254**	**5.9**	**22**	**3**	**5**	**5**	**5**	**10**	**14**	**26**	**2172**	**5.4**	**16**	**4**	**5**	**5**	**5**	**6**	**8**	**18**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	46.0		46	46	46	46	46	46	46										
75 +																				
ALL AGES	2	24.0	968	2	2	24	46	46	46	46	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	13.0		13	13	13	13	13	13	13
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	2	7.5	61	2	2	7	13	13	13	13
SUBTOTAL	**3**	**18.0**	**592**	**2**	**3**	**6**	**36**	**46**	**46**	**46**	**3**	**5.3**	**45**	**1**	**1**	**2**	**10**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54	3	16.7	135	4	8	19	25	27	27	27	1	5.0		5	5	5	5	5	5	5
55-74	3	11.3	147	2	3	7	20	25	25	25	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	7	13.3	104	2	5	9	23	27	27	27	2	8.0	18	5	5	8	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**8**	**12.0**	**103**	**2**	**3**	**8**	**22**	**26**	**27**	**27**	**2**	**8.0**	**18**	**5**	**5**	**8**	**11**	**11**	**11**	**11**
GRAND TOTAL	**11**	**13.6**	**200**	**2**	**3**	**7**	**23**	**35**	**45**	**46**	**5**	**6.4**	**29**	**1**	**1**	**5**	**11**	**13**	**13**	**13**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	19.0	242	8	8	19	30	30	30	30
13-17	1	1.0		1	1	1	1	1	1	1	2	7.0		7	7	7	7	7	7	7
18-24	1	4.0		4	4	4	4	4	4	4	15	4.9	1	4	4	5	5	7	8	8
25-34	3	4.0	1	3	3	4	5	5	5	5	54	5.4	5	3	4	5	7	8	10	13
35-54	5	7.4	34	2	2	8	11	16	16	16	66	6.0	9	3	4	5	7	11	12	14
55-74	1	2.0		2	2	2	2	2	2	2	3	4.7	5	2	3	6	6	6	6	6
75 +																				
ALL AGES	11	5.1	19	1	2	4	7	12	16	16	142	5.8	11	3	4	5	7	10	11	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											4	6.8	1	6	6	7	7	7	7	7
25-34	2	6.0	50	1	1	5	11	11	11	11	29	5.7	6	3	4	5	7	9	11	12
35-54	1	3.0		3	3	3	3	3	3	3	15	7.0	6	4	5	7	9	11	11	11
55-74	3	4.7	10	1	2	6	7	7	7	7	3	8.3	9	5	6	10	10	10	10	10
75 +	3	4.3	6	3	3	3	6	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	9	4.7	11	1	2	3	7	9	11	11	52	6.3	5	3	4	6	8	10	11	12
SUBTOTAL	**20**	**4.9**	**15**	**1**	**2**	**4**	**7**	**10**	**13**	**16**	**194**	**5.9**	**10**	**3**	**4**	**5**	**7**	**10**	**11**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											16	4.6	2	3	4	5	5	6	7	8
18-24	9	7.6	25	2	3	6	14	14	14	14	62	5.7	7	3	4	5	7	8	10	16
25-34	15	7.1	27	1	2	5	13	14	16	16	156	5.8	10	3	4	5	7	8	10	20
35-54	13	7.3	26	2	3	6	14	14	14	14	106	6.9	60	4	5	6	7	11	13	44
55-74	2	5.5	5	4	4	5	7	7	7	7	2	6.0	8	4	4	6	8	8	8	8
75 +											2	11.0	98	4	4	11	18	18	18	18
ALL AGES	39	7.2	24	2	3	6	14	14	14	16	344	6.1	25	3	4	5	7	9	12	20
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14	2	3.5	13	1	1	3	6	6	6	6
18-24	3	13.7	1	13	13	14	14	14	14	14	17	4.8	3	3	4	5	6	7	8	8
25-34	11	12.7	77	3	9	11	14	26	33	34	74	6.1	7	3	5	6	7	9	10	19
35-54	9	7.0	13	2	5	7	8	12	14	14	32	7.6	36	3	5	7	9	11	11	37
55-74	4	6.3	18	2	3	5	9	12	12	12	3	2.7	4	1	1	2	4	5	5	5
75 +	3	9.3	37	3	5	10	14	15	15	15	2	8.0	18	5	5	8	11	11	11	11
ALL AGES	31	10.0	43	3	5	9	14	15	20	34	130	6.2	15	3	4	6	7	10	11	24
SUBTOTAL	**70**	**8.4**	**34**	**2**	**4**	**7**	**14**	**14**	**15**	**31**	**474**	**6.1**	**22**	**3**	**4**	**5**	**7**	**9**	**12**	**20**
GRAND TOTAL	**90**	**7.7**	**31**	**2**	**3**	**7**	**13**	**14**	**15**	**28**	**668**	**6.1**	**18**	**3**	**4**	**5**	**7**	**9**	**11**	**19**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	27.0		27	27	27	27	27	27	27										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3	3	4.0	7	2	2	3	6	7	7	7
35-54	2	3.0	8	1	1	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
55-74	3	12.3	46	8	8	9	17	20	20	20	4	4.3	8	1	2	4	6	8	8	8
75 +	3	12.0	63	6	7	9	18	21	21	21	1	40.0		40	40	40	40	40	40	40
ALL AGES	11	10.1	75	2	3	8	17	23	27	27	10	7.2	139	1	2	3	7	24	40	40
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16	1	7.0		7	7	7	7	7	7	7
25-34	2	5.5	13	3	3	5	8	8	8	8										
35-54	2	6.0	8	4	4	6	8	8	8	8	1	7.0		7	7	7	7	7	7	7
55-74	3	5.3	7	3	3	5	7	8	8	8	4	12.8	126	2	3	13	22	23	23	23
75 +	3	9.3	31	4	5	9	13	15	15	15	4	21.8	164	4	19	24	51	99 +	99 +	99 +
ALL AGES	12	7.1	21	3	3	6	9	15	16	16	11	14.5	128	3	5	15	24	54	93	99 +
SUBTOTAL	**23**	**8.5**	**47**	**2**	**3**	**8**	**9**	**20**	**23**	**27**	**21**	**11.0**	**141**	**2**	**3**	**7**	**23**	**36**	**64**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	12.0	2	11	11	12	13	13	13	13	1	1.0		1	1	1	1	1	1	1
18-24	10	23.8	641	4	8	18	26	63	89	89	1	8.0		8	8	8	8	8	8	8
25-34	14	10.0	56	2	5	8	15	23	25	25	2	1.5	1	1	1	1	2	2	2	2
35-54	3	9.0	25	4	5	9	13	14	14	14	1	1.0		1	1	1	1	1	1	1
55-74											1	60.0		60	60	60	60	60	60	60
75 +	1	9.0		9	9	9	9	9	9	9	1	6.0		6	6	6	6	6	6	6
ALL AGES	30	14.6	270	3	6	10	17	25	37	89	7	11.3	469	1	1	2	7	50	60	60
B. FEMALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	3	8.3	27	4	5	7	12	14	14	14	3	3.3	17	1	1	1	6	8	8	8
25-34	3	6.3	11	4	4	5	9	10	10	10										
35-54	4	7.5	76	1	1	4	13	20	20	20	1	15.0		15	15	15	15	15	15	15
55-74	2	12.5	1	12	12	12	13	13	13	13	3	7.0	7	4	5	8	9	9	9	9
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	13	8.8	35	2	4	7	13	17	19	20	8	7.4	26	1	2	8	11	14	15	15
SUBTOTAL	**43**	**12.9**	**202**	**2**	**5**	**9**	**15**	**24**	**30**	**89**	**15**	**9.2**	**218**	**1**	**1**	**6**	**9**	**15**	**49**	**60**
GRAND TOTAL	**66**	**11.3**	**153**	**2**	**4**	**8**	**15**	**23**	**26**	**81**	**36**	**10.3**	**168**	**1**	**2**	**7**	**13**	**33**	**53**	**99 +**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12										
SUBTOTAL	**2**	**7.5**	**41**	**3**	**3**	**7**	**12**	**12**	**12**	**12**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**5.5**	**41**	**1**	**1**	**5**	**10**	**10**	**10**	**10**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**4**	**6.5**	**28**	**1**	**2**	**6**	**11**	**12**	**12**	**12**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-24	2	7.5	25	4	4	7	11	11	11	11	1	4.0		4	4	4	4	4	4	4
25-34											1	1.0		1	1	1	1	1	1	1
35-54	5	3.0	4	1	2	3	4	6	6	6										
55-74	6	8.3	24	3	4	7	13	15	15	15	9	5.7	7	2	4	6	8	9	10	10
75 +	8	5.9	13	3	4	5	6	12	14	14	11	6.4	43	1	3	5	7	14	24	25
ALL AGES	22	6.0	16	2	3	5	7	13	14	15	22	5.7	25	1	3	5	7	9	16	25
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.0	2	2	2	3	4	4	4	4										
18-24											1	6.0		6	6	6	6	6	6	6
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	4	7.5	42	2	2	6	12	16	16	16	3	7.0	61	2	2	3	13	16	16	16
55-74	10	7.2	25	3	4	5	9	15	19	19	13	4.0	6	2	2	3	5	7	9	10
75 +	17	12.6	265	2	4	6	12	42	54	59	14	13.0	407	2	3	4	10	53	64	67
ALL AGES	34	9.6	150	2	3	5	9	20	42	59	31	8.4	202	2	3	3	8	14	50	67
SUBTOTAL	**56**	**8.2**	**99**	**2**	**3**	**5**	**8**	**15**	**26**	**58**	**53**	**7.3**	**128**	**2**	**3**	**4**	**7**	**11**	**24**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	12	9.2	55	2	3	7	14	19	25	26	2	9.5	13	7	7	9	12	12	12	12
25-34	14	10.4	77	2	2	7	17	23	27	28	3	3.3	11	1	1	2	6	7	7	7
35-54	14	9.3	65	5	5	6	10	18	31	35	4	15.8	55	11	11	12	20	27	27	27
55-74	7	14.1	92	2	7	13	21	27	28	28	2	6.0	8	4	4	6	8	8	8	8
75 +	11	19.2	736	2	4	9	19	62	90	93	8	8.6	46	3	4	6	11	20	23	23
ALL AGES	58	12.0	196	2	5	8	16	25	32	89	20	8.8	45	2	4	7	12	18	25	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	6.5	1	6	6	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
25-34	8	8.5	51	3	4	6	10	21	24	24	1	7.0		7	7	7	7	7	7	7
35-54	7	11.6	99	3	6	8	14	29	32	32	2	4.5	5	3	3	4	6	6	6	6
55-74	4	9.0	15	6	6	8	12	14	14	14	8	18.0	267	4	7	11	29	44	45	45
75 +	13	10.9	72	3	5	7	16	26	28	28	4	13.3	104	3	4	13	22	24	24	24
ALL AGES	34	10.0	58	3	5	7	14	24	27	32	16	13.4	180	3	4	8	18	40	44	45
SUBTOTAL	**92**	**11.3**	**144**	**2**	**5**	**7**	**15**	**24**	**28**	**72**	**36**	**10.8**	**108**	**2**	**4**	**7**	**13**	**24**	**37**	**45**
GRAND TOTAL	**148**	**10.1**	**129**	**2**	**4**	**6**	**13**	**22**	**28**	**60**	**89**	**8.7**	**122**	**2**	**3**	**5**	**10**	**19**	**28**	**61**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
18-24	2	19.5	685	1	1	19	38	38	38	38										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74											3	7.3	47	2	3	5	12	15	15	15
75 +											1	12.0		12	12	56	99 +	99 +	99 +	99 +
ALL AGES	5	10.2	243	1	3	4	13	38	38	38	5	7.8	30	2	5	9	15	91	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	4.8	8	1	2	5	7	8	8	8	1	3.0		3	3	3	3	3	3	3
55-74	1	15.0		15	15	15	15	15	15	15	1	24.0		24	24	24	24	24	24	24
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	6	6.3	24	1	4	5	8	14	15	15	2	13.5	221	3	3	13	24	24	24	24
SUBTOTAL	**11**	**8.1**	**113**	**1**	**4**	**4**	**7**	**24**	**37**	**38**	**7**	**9.4**	**65**	**2**	**4**	**9**	**19**	**77**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	6.2	7	3	4	6	7	11	11	11	2	8.5	13	6	6	8	11	11	11	11
25-34	4	7.5	63	1	2	5	12	19	19	19	3	10.7	68	4	5	8	17	20	20	20
35-54	5	29.6	662	12	16	19	37	75	75	75										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	2	16.5	145	8	8	16	25	25	25	25										
ALL AGES	18	14.1	285	3	5	7	19	25	55	75	5	9.8	39	4	5	8	13	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	91.0		91	91	91	91	91	91	91	1	10.0		10	10	10	10	10	10	10
25-34	2	15.5	85	9	9	15	22	22	22	22										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	16.0		16	16	16	16	16	16	16										
75 +	1	26.0		26	26	26	26	26	26	26	1	4.0		4	4	4	4	4	4	4
ALL AGES	6	28.8	976	9	9	19	26	84	91	91	2	7.0	18	4	4	7	10	10	10	10
SUBTOTAL	**24**	**17.8**	**464**	**4**	**6**	**10**	**21**	**31**	**80**	**91**	**7**	**9.0**	**31**	**4**	**5**	**8**	**11**	**18**	**20**	**20**
GRAND TOTAL	**35**	**14.7**	**370**	**3**	**4**	**8**	**19**	**26**	**66**	**91**	**14**	**9.2**	**44**	**3**	**4**	**8**	**14**	**24**	**81**	**99 +**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	2	12.0	162	3	3	12	21	21	21	21	1	1.0		1	1	1	1	1	1	1
25-34	2	4.5	25	1	1	4	8	8	8	8	2	8.5	61	3	3	8	14	14	14	14
35-54	5	6.8	68	2	2	2	10	21	21	21										
55-74	18	6.2	13	2	4	8	9	12	61	99 +	16	6.1	24	1	3	4	8	14	17	18
75 +	16	13.8	508	1	2	6	12	35	75	91	30	8.7	42	3	4	8	12	19	30	99 +
ALL AGES	44	9.1	208	1	2	6	10	21	50	99 +	49	7.7	36	2	3	6	11	16	22	99 +
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	5	9.0	27	3	6	8	12	17	17	17										
35-54	4	6.8	55	3	3	3	11	18	18	18	8	5.1	22	1	2	3	7	13	14	14
55-74	24	7.1	12	4	5	7	8	12	14	18	25	7.6	34	2	3	5	11	16	21	21
75 +	54	11.6	190	2	4	7	14	29	38	80	44	9.6	123	2	4	8	11	21	51	99 +
ALL AGES	91	9.7	124	2	4	7	11	18	29	68	78	8.4	84	2	3	6	11	16	22	88
SUBTOTAL	**135**	**9.5**	**150**	**2**	**3**	**7**	**10**	**20**	**30**	**92**	**127**	**8.2**	**64**	**2**	**3**	**6**	**11**	**16**	**22**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.5	1	4	4	4	5	5	5	5										
35-54	4	6.8	9	4	4	6	9	11	11	11	3	2.0	1	1	1	2	3	3	3	3
55-74	7	9.6	73	4	4	7	11	25	28	28	2	5.5	5	4	4	5	7	7	7	7
75 +	8	8.3	46	2	3	6	12	19	22	22	12	13.0	126	2	4	8	26	29	30	30
ALL AGES	21	8.0	43	3	4	5	11	17	25	28	17	10.2	108	1	3	7	13	29	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	28.0		28	28	28	28	28	28	28	2	2.0	2	1	1	2	3	3	3	3
25-34	4	20.3	1022	1	2	6	38	68	68	68										
35-54	4	9.5	156	1	1	4	17	28	28	28	3	30.3	2083	4	4	4	63	83	83	83
55-74	12	9.2	49	2	3	7	14	19	24	25	2	19.0	288	7	7	19	31	31	31	31
75 +	22	16.5	374	3	6	9	16	40	59	87	22	21.2	553	5	7	14	31	78	98	99 +
ALL AGES	43	14.4	305	2	4	8	16	34	50	87	29	20.7	607	3	6	11	31	78	97	99 +
SUBTOTAL	**64**	**12.3**	**226**	**3**	**4**	**7**	**13**	**28**	**40**	**84**	**46**	**16.8**	**443**	**2**	**4**	**8**	**26**	**37**	**85**	**99 +**
GRAND TOTAL	**199**	**10.4**	**175**	**2**	**4**	**7**	**12**	**22**	**34**	**89**	**173**	**10.5**	**177**	**2**	**3**	**7**	**13**	**25**	**36**	**99 +**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	1.5	1	1	1	1	2	2	2	2
25-34																				
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15										
25-34																				
35-54																				
55-74	2	22.5	5	21	21	22	24	24	24	24										
75 +	1	21.0		21	21	21	21	21	21	21	1	39.0		39	39	39	39	39	39	39
ALL AGES	4	20.3	12	15	18	21	23	24	24	24	1	39.0		39	39	39	39	39	39	39
SUBTOTAL	**5**	**18.4**	**28**	**11**	**14**	**21**	**22**	**24**	**24**	**24**	**3**	**14.0**	**469**	**1**	**1**	**2**	**30**	**39**	**39**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	21.0		21	21	21	21	21	21	21
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	2	16.0	50	11	11	16	21	21	21	21
SUBTOTAL	**2**	**12.0**	**8**	**10**	**10**	**12**	**14**	**14**	**14**	**14**	**2**	**16.0**	**50**	**11**	**11**	**16**	**21**	**21**	**21**	**21**
GRAND TOTAL	**7**	**16.6**	**29**	**10**	**12**	**15**	**21**	**23**	**24**	**24**	**5**	**14.8**	**248**	**1**	**2**	**11**	**25**	**39**	**39**	**39**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	15.0	31	10	11	14	19	21	21	21										
18-24	3	8.0	4	6	7	9	55	99 +	99 +	99 +										
25-34	14	25.8	201	6	14	26	36	44	51	53										
35-54	14	19.2	336	5	6	19	26	75	94	99 +	1	4.0		4	4	4	4	4	4	4
55-74	15	17.9	107	6	11	17	21	34	41	43	1	2.0		2	2	2	2	2	2	2
75 +	13	12.9	53	1	6	16	19	20	20	20	1	33.0		33	33	33	33	33	33	33
ALL AGES	62	18.3	176	5	10	17	24	38	60	99 +	3	13.0	301	2	2	4	26	33	33	33
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	9	9.7	41	4	5	6	14	20	22	22										
35-54	11	19.9	200	4	7	17	29	42	43	43	1	64.0		64	64	64	64	64	64	64
55-74	31	24.8	468	4	11	19	32	60	72	91	2	51.0	4050	6	6	51	96	96	96	96
75 +	25	23.7	618	4	7	18	26	70	90	91	4	9.8	75	2	2	8	17	20	20	20
ALL AGES	78	21.7	429	4	7	15	25	49	71	91	7	29.3	1325	2	4	14	53	90	96	96
SUBTOTAL	**140**	**20.2**	**318**	**4**	**8**	**17**	**25**	**43**	**71**	**99 +**	**10**	**24.4**	**1012**	**2**	**3**	**10**	**33**	**80**	**96**	**96**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	3	13.3	52	7	8	12	19	21	21	21										
18-24	17	7.9	47	2	3	6	10	17	24	28										
25-34	29	12.2	102	4	5	7	17	29	33	42	3	5.7	10	2	3	7	8	8	8	8
35-54	22	13.2	38	7	10	11	17	21	27	28										
55-74	10	34.5	389	13	21	29	43	67	69	69	1	7.0		7	7	7	7	7	7	7
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	83	14.2	159	4	6	10	18	28	40	68	4	6.0	7	2	4	7	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24	5	24.2	145	12	13	26	31	42	42	42										
25-34	18	13.6	165	5	6	11	15	26	46	58										
35-54	20	18.0	250	6	7	15	19	40	57	69	1	3.0		3	3	3	3	3	3	3
55-74	14	36.9	574	16	19	34	46	96	99	99 +	2	7.5	41	3	5	12	78	99 +	99 +	99 +
75 +	9	19.2	323	5	5	9	29	49	53	53	1	24.0		24	24	24	24	24	24	24
ALL AGES	67	21.2	352	5	8	15	29	47	70	99	4	10.5	99	3	3	12	43	99 +	99 +	99 +
SUBTOTAL	**150**	**17.3**	**256**	**4**	**7**	**12**	**21**	**42**	**53**	**96**	**8**	**8.3**	**50**	**2**	**3**	**7**	**15**	**70**	**99 +**	**99 +**
GRAND TOTAL	**290**	**18.7**	**287**	**4**	**7**	**14**	**23**	**42**	**64**	**98**	**18**	**17.2**	**626**	**2**	**3**	**7**	**23**	**83**	**98**	**99 +**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	33.0	907	7	12	26	56	66	66	66										
55-74	6	10.3	108	1	5	7	12	28	30	30	2	4.5	5	3	3	4	6	6	6	6
75 +	2	25.0	1152	1	1	25	49	49	49	49	1	1.0		1	1	1	1	1	1	1
ALL AGES	11	19.2	460	1	5	9	29	56	65	66	3	3.3	7	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	2	8.0	98	1	1	8	15	15	15	15	1	14.0		14	14	14	14	14	14	14
75 +	6	5.8	21	1	2	5	9	13	13	13	4	2.3	1	1	1	2	3	3	3	3
ALL AGES	9	6.9	28	1	2	6	11	14	15	15	5	4.6	28	1	2	3	6	14	14	14
SUBTOTAL	**20**	**13.7**	**293**	**1**	**3**	**8**	**14**	**39**	**57**	**66**	**8**	**4.1**	**19**	**1**	**2**	**3**	**5**	**12**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54	3	10.3	67	1	4	14	15	16	16	16										
55-74	2	27.0	968	5	5	27	49	49	49	49	1	3.0		3	3	3	3	3	3	3
75 +											2	20.0	450	5	5	20	35	35	35	35
ALL AGES	8	11.9	256	1	2	6	24	80	99 +	99 +	3	14.3	323	3	3	5	27	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	20.0		20	20	20	20	20	20	20										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	4	9.0	67	1	2	7	15	20	20	20										
SUBTOTAL	**12**	**10.9**	**184**	**1**	**2**	**6**	**17**	**59**	**92**	**99 +**	**3**	**14.3**	**323**	**3**	**3**	**5**	**27**	**35**	**35**	**35**
GRAND TOTAL	**32**	**12.6**	**248**	**1**	**2**	**7**	**15**	**49**	**63**	**99 +**	**11**	**6.9**	**100**	**1**	**2**	**3**	**6**	**22**	**34**	**35**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54	1	5.0		5	5	5	5	5	5	5	2	12.5	265	1	1	12	24	24	24	24
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	2.8	3	1	1	2	4	5	5	5	3	9.0	169	1	1	2	18	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	2	6.5	1	6	6	6	7	7	7	7										
SUBTOTAL	**6**	**4.0**	**6**	**1**	**2**	**4**	**6**	**7**	**7**	**7**	**3**	**9.0**	**169**	**1**	**1**	**2**	**18**	**24**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**2**	**5.5**	**5**	**4**	**4**	**5**	**7**	**7**	**7**	**7**										
GRAND TOTAL	**8**	**4.4**	**5**	**1**	**2**	**4**	**6**	**7**	**7**	**7**	**3**	**9.0**	**169**	**1**	**1**	**2**	**18**	**24**	**24**	**24**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	64.0		64	64	64	64	64	64	64										
35-54																				
55-74	2	10.0	18	7	7	10	13	13	13	13										
75 +	5	14.6	124	3	6	10	26	27	27	27	2	12.0	32	8	8	12	16	16	16	16
ALL AGES	8	19.6	401	4	7	11	26	53	64	64	2	12.0	32	8	8	12	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	24.0		24	24	24	24	24	24	24
35-54	3	20.0	273	1	8	28	30	31	31	31										
55-74	3	24.7	90	16	18	23	32	35	35	35										
75 +	3	12.0	193	3	3	5	22	28	28	28	1	29.0		29	29	29	29	29	29	29
ALL AGES	9	18.9	170	2	4	23	29	33	35	35	2	26.5	13	24	24	26	29	29	29	29
SUBTOTAL	**17**	**19.2**	**262**	**3**	**6**	**16**	**28**	**34**	**54**	**64**	**4**	**19.3**	**82**	**8**	**12**	**20**	**26**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	41.5	1741	12	12	41	71	71	71	71										
75 +																				
ALL AGES	2	41.5	1741	12	12	41	71	71	71	71										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	10.0		10	10	10	10	10	10	10
35-54																				
55-74	3	15.7	35	10	11	15	20	22	22	22										
75 +																				
ALL AGES	3	15.7	35	10	11	15	20	22	22	22	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**5**	**26.0**	**654**	**10**	**11**	**15**	**34**	**71**	**71**	**71**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**22**	**20.8**	**330**	**3**	**7**	**15**	**28**	**44**	**67**	**71**	**5**	**17.4**	**81**	**8**	**9**	**16**	**25**	**29**	**29**	**29**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	20.0		20	20	20	20	20	20	20	1	18.0		18	18	18	18	18	18	18
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	4	22.8	420	4	6	19	39	49	49	49										
55-74	6	30.0	917	3	4	24	39	80	85	85	1	42.0		42	42	42	42	42	42	42
75 +																				
ALL AGES	12	25.4	562	4	7	21	34	60	81	85	3	20.7	403	2	6	18	36	42	42	42
B. FEMALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11										
25-34											1	9.0		9	9	9	9	9	9	9
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	1	7.0		7	7	7	7	7	7	7	1	12.0		12	12	12	12	12	12	12
75 +	6	34.7	853	4	12	45	68	94	99 +	99 +	2	24.0	648	6	6	24	42	42	42	42
ALL AGES	10	26.8	623	5	10	15	61	81	98	99 +	4	17.3	276	6	7	10	27	42	42	42
SUBTOTAL	**22**	**26.0**	**563**	**4**	**9**	**20**	**43**	**72**	**90**	**99 +**	**7**	**18.7**	**278**	**3**	**7**	**12**	**36**	**42**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	50.0	4608	2	2	50	98	98	98	98										
25-34	2	10.0	2	9	9	10	11	11	11	11										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	3	17.7	249	4	6	14	30	35	35	35										
75 +																				
ALL AGES	8	22.5	1035	3	5	10	24	79	98	98										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	36.0		36	36	36	36	36	36	36										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	39.0		39	39	69	99 +	99 +	99 +	99 +										
ALL AGES	3	26.7	352	5	20	37	69	99 +	99 +	99 +										
SUBTOTAL	**11**	**23.6**	**801**	**3**	**6**	**12**	**37**	**99**	**99 +**	**99 +**										
GRAND TOTAL	**33**	**25.2**	**621**	**4**	**8**	**15**	**39**	**85**	**99**	**99 +**	**7**	**18.7**	**278**	**3**	**7**	**12**	**36**	**42**	**42**	**42**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	41.0		41	41	41	41	41	41	41										
25-34	1	55.0		55	55	55	55	55	55	55										
35-54											1	43.0		43	43	43	43	43	43	43
55-74	2	16.0	50	11	11	16	21	21	21	21	1	11.0		11	11	11	11	11	11	11
75 +	8	12.0	51	3	6	13	15	23	25	25	3	5.0	27	2	2	2	9	11	11	11
ALL AGES	12	18.7	235	4	9	13	23	45	54	55	5	13.8	287	2	2	11	19	43	43	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	30.3	1324	1	5	19	58	71	71	71										
35-54	1	20.0		20	20	20	20	20	20	20										
55-74	4	23.5	103	14	15	22	32	35	35	35	2	14.5	85	8	8	14	21	21	21	21
75 +	11	22.8	336	9	14	17	25	49	72	74	6	21.5	248	9	16	19	76	99+	99+	99+
ALL AGES	19	24.0	359	9	15	17	28	57	73	74	8	19.8	197	7	15	19	52	99+	99+	99+
SUBTOTAL	**31**	**21.9**	**310**	**6**	**13**	**17**	**26**	**47**	**70**	**74**	**13**	**17.5**	**219**	**2**	**9**	**18**	**37**	**99+**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	28.0		28	28	28	28	28	28	28										
35-54	4	23.5	274	7	9	23	37	41	41	41										
55-74	4	35.0	987	13	15	23	55	81	81	81										
75 +																				
ALL AGES	9	29.1	507	9	13	28	36	65	81	81										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	93.0		93	93	93	93	93	93	93										
35-54	3	17.0	436	3	4	7	32	41	41	41										
55-74	9	20.0	145	7	9	19	26	38	44	44										
75 +	8	25.1	352	10	13	21	27	57	68	68	1	14.0		14	14	14	14	14	14	14
ALL AGES	21	25.0	477	7	10	19	30	54	79	93	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**30**	**26.2**	**474**	**7**	**12**	**21**	**30**	**56**	**81**	**93**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
GRAND TOTAL	**61**	**24.0**	**390**	**7**	**12**	**17**	**29**	**48**	**72**	**92**	**14**	**17.2**	**205**	**3**	**9**	**16**	**32**	**95**	**99+**	**99+**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	2	18.0	578	1	1	18	35	35	35	35										
35-54																				
55-74																				
75 +	2	20.5	85	14	14	20	27	27	27	27	2	10.5	5	9	9	10	12	12	12	12
ALL AGES	5	17.2	188	1	7	14	29	35	35	35	2	10.5	5	9	9	10	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6	1	11.0		11	11	11	11	11	11	11
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	10.0		10	10	10	10	10	10	10	1	20.0		20	20	20	20	20	20	20
ALL AGES	4	15.5	132	6	8	12	23	32	32	32	2	15.5	41	11	11	15	20	20	20	20
SUBTOTAL	**9**	**16.4**	**146**	**3**	**8**	**14**	**28**	**34**	**35**	**35**	**4**	**13.0**	**23**	**9**	**10**	**11**	**16**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	1	17.0		17	17	17	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	11.0		11	11	11	11	11	11	11										
75 +	1	14.0		14	14	14	14	14	14	14	2	7.5	61	2	2	7	13	13	13	13
ALL AGES	2	12.5	5	11	11	12	14	14	14	14	3	5.7	40	2	2	2	10	13	13	13
SUBTOTAL	**3**	**14.0**	**9**	**11**	**12**	**14**	**16**	**17**	**17**	**17**	**3**	**5.7**	**40**	**2**	**2**	**2**	**10**	**13**	**13**	**13**
GRAND TOTAL	**12**	**15.8**	**109**	**4**	**12**	**14**	**22**	**33**	**35**	**35**	**7**	**9.9**	**39**	**2**	**4**	**11**	**13**	**19**	**20**	**20**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	31.5	221	21	21	31	42	42	42	42										
25-34	5	22.8	136	8	14	21	34	35	35	35										
35-54	2	18.0	8	16	16	18	20	20	20	20										
55-74	2	39.5	1405	13	13	39	56	66	66	66										
75 +																				
ALL AGES	11	26.5	280	11	16	21	35	52	65	66										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	26.5	730	4	5	20	48	61	61	61										
25-34	7	40.0	654	22	25	29	43	85	95	95										
35-54	5	30.2	374	8	12	35	44	54	54	54										
55-74	4	33.3	654	7	13	30	53	65	65	65										
75 +																				
ALL AGES	20	33.5	533	6	16	32	44	63	80	95										
SUBTOTAL	**31**	**31.0**	**444**	**7**	**16**	**28**	**42**	**63**	**66**	**95**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	30.5	1405	4	4	30	57	57	57	57										
25-34	1	22.0		22	22	22	22	22	22	22										
35-54	1	4.0		4	4	4	4	4	4	4	1	9.0		9	9	9	9	9	9	9
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	5	21.8	468	4	4	22	31	57	57	57	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	2	13.0	8	11	12	15	79	99 +	99 +	99 +										
55-74																				
75 +																				
ALL AGES	3	11.0	16	7	9	13	57	99 +	99 +	99 +										
SUBTOTAL	**8**	**17.8**	**301**	**4**	**6**	**15**	**31**	**83**	**99 +**	**99 +**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**39**	**28.3**	**435**	**6**	**13**	**22**	**41**	**63**	**80**	**99 +**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	19.5	545	3	3	19	36	36	36	36										
25-34	7	28.9	578	11	13	22	35	71	79	79	1	11.0		11	11	11	11	11	11	11
35-54	5	15.6	305	1	2	7	31	40	40	40										
55-74	3	15.0	16	11	12	15	18	19	19	19										
75 +																				
ALL AGES	17	21.4	374	2	9	15	30	40	65	79	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	16.0	8	14	14	16	18	18	18	18										
25-34	4	27.8	64	19	22	32	53	99 +	99 +	99 +	1	5.0		5	5	5	5	5	5	5
35-54	4	28.8	294	4	18	33	39	44	44	44	3	4.3	25	1	1	2	8	10	10	10
55-74	2	17.5	85	11	11	17	24	24	24	24										
75 +	2	26.0	8	24	24	26	28	28	28	28										
ALL AGES	14	24.6	122	11	18	24	34	44	86	99 +	4	4.5	16	1	1	3	7	10	10	10
SUBTOTAL	**31**	**22.9**	**252**	**4**	**12**	**22**	**34**	**41**	**75**	**99 +**	**5**	**5.8**	**21**	**1**	**1**	**5**	**10**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74											1	16.0		16	16	16	16	16	16	16
75																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	16.0		16	16	16	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	26.0		26	26	26	26	26	26	26										
25-34	3	15.3	16	11	12	17	18	18	18	18										
35-54	4	10.3	178	1	2	5	18	30	30	30										
55-74	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	51	99 +	99 +	99 +	99 +
75 +											1	37.0		37	37	37	37	37	37	37
ALL AGES	9	13.3	103	2	6	11	20	28	30	30	2	20.0	578	3	11	37	84	99 +	99 +	99 +
SUBTOTAL	**10**	**12.6**	**96**	**2**	**6**	**9**	**18**	**28**	**30**	**30**	**3**	**18.7**	**292**	**3**	**9**	**26**	**68**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**41**	**20.4**	**230**	**3**	**10**	**18**	**30**	**39**	**69**	**99 +**	**8**	**10.6**	**141**	**1**	**3**	**10**	**21**	**75**	**99 +**	**99 +**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	36.4	535	10	17	40	58	85	98	99 +	1	21.0		21	21	21	21	21	21	21
18-24	76	23.9	429	5	8	18	33	50	75	87	7	12.0	101	2	3	9	17	27	30	30
25-34	280	19.0	236	3	8	16	25	36	46	85	20	15.2	188	3	5	9	24	38	44	45
35-54	252	19.0	217	4	8	16	25	39	49	97	10	8.4	14	3	6	9	12	48	96	99 +
55-74	38	19.2	129	7	13	16	25	36	51	99 +	5	12.6	52	3	8	11	18	22	22	22
75 +	2	43.0	3042	4	4	43	82	82	82	82										
ALL AGES	659	19.9	262	4	8	16	27	42	53	95	43	12.9	117	2	6	9	18	31	44	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	4	41.3	139	30	31	40	51	54	54	54										
18-24	35	19.4	216	4	7	16	27	44	61	99 +	5	24.6	823	1	6	14	38	73	73	73
25-34	122	22.1	304	5	8	20	30	50	57	92	10	24.6	402	7	13	19	24	59	72	72
35-54	196	22.2	244	5	11	19	30	43	56	81	26	9.7	67	3	3	7	17	22	25	30
55-74	95	24.3	290	6	14	22	32	49	83	99 +	8	23.3	376	7	12	14	33	56	62	62
75 +	12	21.6	166	6	8	21	30	40	43	44	5	27.4	893	9	10	11	41	79	79	79
ALL AGES	464	22.6	264	5	11	20	30	46	57	99 +	54	17.5	337	3	6	12	23	43	70	79
SUBTOTAL	**1123**	**21.0**	**265**	**5**	**9**	**18**	**29**	**43**	**56**	**98**	**97**	**15.5**	**242**	**3**	**6**	**10**	**21**	**33**	**56**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	17.0	32	13	13	17	21	21	21	21	1	5.0		5	5	5	5	5	5	5
18-24	56	18.4	247	4	8	14	22	43	57	99	5	32.6	815	7	11	18	57	73	73	73
25-34	134	19.1	237	4	8	15	28	40	54	65	12	12.9	239	2	3	8	16	32	53	57
35-54	69	18.5	256	7	10	14	23	46	70	99 +	6	11.5	169	1	3	7	15	34	36	36
55-74	9	16.7	79	3	12	16	26	27	28	28										
75 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	271	18.7	236	5	8	14	26	40	57	96	24	16.3	369	2	4	9	19	52	62	73
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	13	16.7	143	4	7	15	22	31	44	47										
25-34	41	19.2	349	4	7	13	22	43	53	99	2	6.5	61	1	1	6	12	12	12	12
35-54	62	21.1	203	7	10	20	28	42	54	97	4	19.8	278	3	5	19	34	37	37	37
55-74	26	30.0	515	7	15	22	42	76	91	99 +	4	18.5	78	8	13	23	46	99 +	99 +	99 +
75 +	3	16.3	12	14	14	17	60	99 +	99 +	99 +										
ALL AGES	145	21.7	300	6	9	19	28	49	63	99 +	10	16.6	155	2	8	15	30	62	97	99 +
SUBTOTAL	**416**	**19.8**	**258**	**5**	**9**	**15**	**27**	**45**	**59**	**99 +**	**34**	**16.4**	**299**	**2**	**5**	**11**	**23**	**52**	**69**	**99 +**
GRAND TOTAL	**1539**	**20.7**	**262**	**5**	**9**	**17**	**28**	**43**	**56**	**99 +**	**131**	**15.7**	**255**	**3**	**6**	**10**	**21**	**38**	**61**	**99 +**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	38.3	994	15	20	28	85	99 +	99 +	99 +										
18-24	19	29.4	386	8	15	23	43	59	69	71	2	1.0		1	1	1	1	1	1	1
25-34	7	12.0	105	3	4	9	16	29	32	32										
35-54	2	23.0	8	21	21	23	25	25	25	25	1	1.0		1	1	1	1	1	1	1
55-74	1	24.0		24	24	24	24	24	24	24										
75 +																				
ALL AGES	35	26.9	444	5	14	21	40	65	90	99 +	3	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	6	26.3	465	13	14	23	58	94	99 +	99 +										
18-24	11	32.9	383	12	15	30	55	72	96	99 +										
25-34	7	14.3	64	5	9	13	18	27	29	29										
35-54	7	11.1	29	3	7	13	14	16	17	17	1	5.0		5	5	5	5	5	5	5
55-74	1	24.0		24	24	24	24	24	24	24										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	32	22.6	300	8	13	16	29	61	94	99 +	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	**67**	**24.8**	**377**	**6**	**13**	**19**	**35**	**63**	**98**	**99 +**	**5**	**2.0**	**3**	**1**	**1**	**1**	**3**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	59.0	919	41	41	42	81	94	94	94										
18-24	7	24.7	528	9	12	16	25	65	75	75										
25-34	7	20.0	201	6	9	14	31	41	43	43										
35-54	2	15.0	98	8	8	15	22	22	22	22										
55-74																				
75 +																				
ALL AGES	19	27.4	556	8	11	22	39	62	85	94										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	23.6	124	10	15	23	31	39	39	39										
25-34	4	11.3	17	7	7	11	15	15	15	15										
35-54	3	23.0	124	11	14	25	31	33	33	33										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	13	18.5	108	8	10	15	26	34	38	39										
SUBTOTAL	**32**	**23.8**	**383**	**8**	**10**	**16**	**31**	**42**	**72**	**94**										
GRAND TOTAL	**99**	**24.5**	**374**	**7**	**12**	**19**	**33**	**58**	**83**	**99 +**	**5**	**2.0**	**3**	**1**	**1**	**1**	**3**	**5**	**5**	**5**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	22.0		22	22	22	22	22	22	22										
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	3	7.7	10	4	5	9	10	10	10	10										
35-54	1	30.0		30	30	30	30	30	30	30	1	4.0		4	4	4	4	4	4	4
55-74	2	11.0	162	2	2	11	20	20	20	20										
75 +																				
ALL AGES	7	11.9	96	2	5	9	17	28	30	30	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**8**	**13.1**	**97**	**3**	**6**	**9**	**21**	**28**	**30**	**30**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**10**	**11.0**	**95**	**1**	**4**	**8**	**20**	**26**	**30**	**30**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	60.0		60	60	60	60	60	60	60										
18-24	45	19.3	251	2	6	15	28	37	45	77										
25-34	78	16.6	97	6	9	15	23	31	39	99 +	5	11.6	205	3	4	6	15	37	37	37
35-54	94	16.5	104	5	9	14	22	31	38	78	4	6.3	29	2	2	4	10	14	14	14
55-74	26	23.5	362	6	12	20	34	74	99 +	99 +	1	8.0		8	8	8	8	8	8	8
75 +	4	10.8	67	5	6	7	15	23	23	23	2	29.0	800	9	9	29	49	49	49	49
ALL AGES	248	17.9	163	5	9	15	26	35	49	99 +	12	12.4	222	3	4	7	11	41	48	49
B. FEMALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16	1	7.0		7	7	7	7	7	7	7
18-24	15	24.0	304	4	9	21	41	45	54	57	2	12.5	181	3	3	12	22	22	22	22
25-34	63	20.9	277	4	8	18	29	40	51	78	7	12.0	223	1	5	6	11	38	45	45
35-54	91	19.2	251	4	7	14	28	43	54	91	8	21.3	278	2	10	15	34	47	50	50
55-74	57	25.3	396	7	12	19	33	69	82	99 +	5	15.0	217	2	6	12	20	40	40	40
75 +	9	15.9	155	1	3	16	27	33	33	33										
ALL AGES	236	21.3	294	4	8	18	30	44	62	99 +	23	15.7	217	2	6	11	20	41	47	50
SUBTOTAL	**484**	**19.5**	**232**	**4**	**9**	**16**	**28**	**39**	**57**	**99 +**	**35**	**14.6**	**214**	**2**	**5**	**8**	**15**	**40**	**48**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	24	16.3	127	3	9	13	22	33	40	46	3	7.0	91	1	1	2	14	18	18	18
25-34	49	16.7	141	5	9	14	22	31	36	65	4	23.5	796	2	7	13	40	65	65	65
35-54	31	14.6	119	4	6	13	20	30	52	99 +	2	20.5	5	19	19	20	22	22	22	22
55-74	7	14.0	67	5	6	14	21	24	25	25										
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	112	15.7	127	4	8	13	21	31	38	78	10	17.0	342	1	5	15	21	79	98	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	6	27.2	1121	4	4	14	35	85	91	91										
25-34	28	17.7	192	3	5	15	27	39	44	50	4	8.5	35	3	3	8	13	15	15	15
35-54	29	17.6	226	4	7	15	20	38	48	71	2	6.5	41	2	2	6	11	11	11	11
55-74	22	19.3	131	7	10	18	28	40	65	99 +	3	24.0	637	7	8	12	43	53	53	53
75 +	2	26.5	85	20	23	33	83	99 +	99 +	99 +	1	6.0		6	6	6	6	6	6	6
ALL AGES	87	18.9	240	4	7	17	27	41	51	99 +	10	12.5	222	2	4	9	12	34	53	53
SUBTOTAL	**199**	**17.1**	**178**	**4**	**7**	**14**	**23**	**35**	**46**	**99 +**	**20**	**14.8**	**271**	**2**	**4**	**12**	**18**	**58**	**81**	**99 +**
GRAND TOTAL	**683**	**18.8**	**217**	**4**	**8**	**16**	**27**	**39**	**52**	**99 +**	**55**	**14.6**	**232**	**2**	**5**	**10**	**17**	**44**	**52**	**98**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	17.5	313	5	5	17	30	30	30	30										
13-17	7	31.3	258	11	17	37	45	48	48	48	1	6.0		6	6	6	6	6	6	6
18-24	45	20.7	160	4	10	22	28	34	44	53	6	25.2	169	7	11	30	32	39	40	40
25-34	143	21.7	228	4	10	18	30	43	50	83	13	13.4	83	3	7	11	18	30	32	32
35-54	112	21.3	302	6	9	15	29	45	58	77	5	9.0	22	2	6	10	12	14	14	14
55-74	34	28.9	466	5	16	26	38	53	81	96										
75 +																				
ALL AGES	343	22.3	272	4	10	19	30	46	53	88	25	15.0	120	3	7	11	23	32	34	40
B. FEMALE																				
0-12 YRS.																				
13-17	7	35.1	205	12	30	41	44	50	51	51	1	27.0		27	27	27	27	27	27	27
18-24	38	32.8	543	7	14	28	56	70	84	99 +	2	15.0	338	2	2	15	28	28	28	28
25-34	172	23.1	260	7	12	18	30	46	55	85	15	9.1	53	3	4	6	13	23	24	25
35-54	253	20.6	196	6	9	17	28	42	48	90	33	13.2	158	2	6	8	17	27	29	67
55-74	127	26.6	302	8	15	23	31	49	63	92	13	21.8	138	9	13	18	30	40	46	47
75 +	6	38.0	688	17	19	28	52	81	84	84	1	20.0		20	20	20	20	20	20	20
ALL AGES	603	23.7	274	7	12	21	30	47	58	90	65	14.3	145	3	6	12	20	29	33	64
SUBTOTAL	**946**	**23.2**	**273**	**6**	**11**	**20**	**30**	**46**	**57**	**90**	**90**	**14.5**	**136**	**3**	**6**	**12**	**21**	**30**	**32**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	30.5	243	16	19	27	41	52	52	52										
18-24	32	26.4	427	3	11	23	39	66	75	99 +	2	13.5	113	6	6	13	21	21	21	21
25-34	68	20.4	162	6	11	18	28	39	48	56	4	9.5	90	1	3	7	15	23	23	23
35-54	54	19.8	178	7	11	15	27	36	53	60	3	11.3	15	7	10	13	57	99 +	99 +	99 +
55-74	8	25.4	475	4	8	22	34	60	70	70	1	24.0		24	24	24	24	24	24	24
75 +	1	42.0		42	42	42	42	42	42	42										
ALL AGES	167	22.0	236	6	11	18	30	43	57	75	10	12.3	65	4	6	13	22	54	96	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	4	20.0	297	2	7	31	53	99 +	99 +	99 +										
18-24	19	27.8	425	5	12	27	33	50	73	91										
25-34	71	22.2	245	7	13	17	27	45	61	95	3	10.0	112	2	3	6	18	22	22	22
35-54	102	23.8	304	5	8	20	33	50	63	93	8	9.4	38	1	5	10	11	18	21	21
55-74	33	24.7	241	7	14	22	30	53	56	57	4	19.0	50	14	14	17	24	29	29	29
75 +	1	47.0		47	47	47	47	47	47	47										
ALL AGES	230	23.8	285	6	11	21	32	50	60	99 +	15	12.1	64	2	7	11	18	22	27	29
SUBTOTAL	**397**	**23.0**	**266**	**6**	**11**	**19**	**31**	**48**	**57**	**95**	**25**	**12.2**	**61**	**2**	**6**	**11**	**21**	**24**	**43**	**99 +**
GRAND TOTAL	**1343**	**23.1**	**273**	**6**	**11**	**20**	**30**	**46**	**57**	**91**	**115**	**14.0**	**120**	**3**	**6**	**11**	**21**	**29**	**32**	**78**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-24	5	29.0	179	14	18	28	39	47	47	47										
25-34	9	20.8	240	6	8	21	25	45	56	56	1	2.0		2	2	2	2	2	2	2
35-54	5	14.4	87	6	7	11	21	29	29	29	1	10.0		10	10	10	10	10	10	10
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	21	20.4	198	6	8	19	28	41	51	56	2	6.0	32	2	2	6	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	12.3	111	4	4	9	20	27	27	27										
25-34	6	36.3	843	6	13	30	56	80	83	83	1	2.0		2	2	2	2	2	2	2
35-54	2	10.5	25	7	7	10	14	14	14	14	4	4.5	2	3	3	4	5	6	6	6
55-74	5	22.8	950	1	5	14	30	77	77	77	1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	17	23.6	640	4	6	14	29	73	81	83	6	5.5	16	2	3	4	6	12	13	13
SUBTOTAL	**38**	**21.9**	**383**	**5**	**7**	**15**	**28**	**53**	**69**	**83**	**8**	**5.6**	**16**	**2**	**3**	**4**	**8**	**12**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	22.0	422	2	7	18	36	50	50	50										
25-34	4	22.5	384	5	9	17	36	50	50	50										
35-54	3	6.0	19	1	2	8	9	9	9	9										
55-74	1	22.0		22	22	22	22	22	22	22	1	1.0		1	1	1	1	1	1	1
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	12	18.2	276	1	6	13	23	50	50	50	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34	1	15.0		15	15	15	15	15	15	15	1	1.0		1	1	1	1	1	1	1
35-54	7	18.1	87	6	12	20	23	30	32	32										
55-74	2	25.0	200	15	15	25	35	35	35	35										
75 +																				
ALL AGES	11	19.5	79	9	13	20	24	33	35	35	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**23**	**18.8**	**175**	**4**	**10**	**15**	**23**	**38**	**50**	**50**	**3**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**	**3**
GRAND TOTAL	**61**	**20.7**	**304**	**4**	**8**	**15**	**26**	**48**	**56**	**82**	**11**	**4.5**	**15**	**1**	**2**	**3**	**6**	**11**	**13**	**13**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS: TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES: 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS: TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES: 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	56.0		56	56	56	56	56	56	56										
13-17	9	12.7	90	2	3	9	23	24	24	24										
18-24	41	23.4	417	3	6	19	37	56	66	73	6	16.8	47	8	13	16	22	26	26	26
25-34	71	23.1	352	5	11	18	28	51	72	99	10	18.2	281	5	7	14	19	46	59	59
35-54	72	19.2	237	4	9	15	26	40	59	95	5	6.4	6	4	4	7	9	91	99 +	99 +
55-74	18	20.6	194	6	11	20	23	42	55	59	2	38.5	2113	6	6	38	71	71	71	71
75 +																				
ALL AGES	213	21.5	311	4	9	18	28	49	63	97	23	17.0	292	5	6	13	20	60	80	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	3	5.0	7	3	3	6	54	99 +	99 +	99 +	1	15.0		15	15	15	15	15	15	15
18-24	21	19.6	182	7	10	16	26	44	49	50	3	24.3	757	2	5	16	45	55	55	55
25-34	53	20.7	223	5	12	16	28	44	53	60	6	27.0	754	2	4	17	59	63	63	63
35-54	68	21.9	318	4	9	17	30	53	63	96	13	17.8	351	1	6	10	39	58	91	99 +
55-74	29	21.6	271	6	9	16	28	40	66	68	5	33.0	838	4	11	25	54	76	76	76
75 +	2	15.5	1	15	15	15	16	16	16	16										
ALL AGES	176	20.9	256	5	10	16	28	46	59	94	28	23.1	512	2	6	13	48	61	77	99 +
SUBTOTAL	**389**	**21.2**	**287**	**5**	**9**	**17**	**28**	**48**	**60**	**98**	**51**	**20.4**	**412**	**4**	**6**	**13**	**28**	**60**	**75**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	54	99 +	99 +	99 +	99 +										
18-24	23	22.9	356	4	8	19	36	47	88	99 +	1	1.0		1	1	1	1	1	1	1
25-34	27	17.6	221	4	5	12	28	38	46	59	5	17.2	327	1	1	12	33	41	41	41
35-54	30	17.3	151	3	8	14	24	35	44	47	4	5.0	8	1	3	6	7	7	7	7
55-74	5	16.0	93	1	9	21	22	25	25	25	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	86	18.7	223	4	7	15	29	42	48	99 +	11	10.6	178	1	1	7	11	35	40	41
B. FEMALE																				
0-12 YRS.																				
13-17	1	44.0		44	44	44	44	44	44	44	1	29.0		29	29	29	29	29	29	29
18-24	9	20.7	325	2	8	17	41	76	99 +	99 +	1	6.0		6	6	6	6	6	6	6
25-34	18	18.6	140	4	10	16	32	39	74	99 +	2	19.5	313	7	7	19	32	32	32	32
35-54	14	14.2	130	4	8	11	17	29	43	47	6	16.3	93	2	11	17	26	26	26	26
55-74	6	31.8	94	20	24	35	42	89	99 +	99 +										
75 +											1	36.0		36	36	36	36	36	36	36
ALL AGES	48	19.9	193	4	9	17	34	45	97	99 +	11	18.9	138	4	8	19	28	34	36	36
SUBTOTAL	**134**	**19.1**	**212**	**4**	**8**	**16**	**32**	**43**	**56**	**99 +**	**22**	**14.8**	**167**	**1**	**5**	**10**	**26**	**33**	**38**	**41**
GRAND TOTAL	**523**	**20.7**	**266**	**4**	**9**	**17**	**28**	**47**	**59**	**99 +**	**73**	**18.7**	**342**	**2**	**6**	**12**	**26**	**55**	**69**	**99 +**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	3	12.0	271	2	2	3	24	31	31	31	1	1.0		1	1	1	1	1	1	1
55-74	2	4.0	18	1	1	4	7	7	7	7	2	9.0	8	7	7	9	11	11	11	11
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	7	7.3	113	1	2	3	6	26	31	31	4	6.5	17	1	4	7	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	6	15.5	35	10	10	14	21	24	24	24	1	14.0		14	14	14	14	14	14	14
55-74	6	18.0	74	5	13	19	26	27	27	27	3	19.7	738	2	3	6	40	51	51	51
75 +	2	19.5	481	4	4	19	35	35	35	35	2	12.0	128	4	4	12	20	20	20	20
ALL AGES	16	15.9	83	4	10	14	22	27	33	35	6	16.2	336	2	4	10	20	48	51	51
SUBTOTAL	**23**	**13.3**	**104**	**2**	**4**	**10**	**21**	**28**	**32**	**35**	**10**	**12.3**	**218**	**1**	**4**	**7**	**14**	**35**	**51**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	2	9.0	18	6	6	9	12	12	12	12	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.5	1	8	8	8	9	9	9	9										
35-54	2	29.5	221	19	19	29	40	40	40	40										
55-74																				
75 +																				
ALL AGES	4	19.0	221	8	8	14	29	40	40	40										
SUBTOTAL	**6**	**15.7**	**161**	**6**	**8**	**10**	**19**	**38**	**40**	**40**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**29**	**13.8**	**111**	**3**	**5**	**10**	**20**	**29**	**35**	**40**	**11**	**11.4**	**205**	**1**	**3**	**7**	**13**	**32**	**49**	**51**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	9.0	98	2	2	9	16	16	16	16	1	6.0		6	6	6	6	6	6	6
35-54	2	15.0	392	1	1	15	29	29	29	29	2	9.0	2	8	8	9	10	10	10	10
55-74	3	16.7	23	11	13	19	20	20	20	20	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	7	14.0	102	1	4	16	20	27	29	29	4	12.8	91	6	7	9	18	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	14.0		14	14	14	14	14	14	14
25-34	2	23.0	800	3	3	23	43	43	43	43	1	1.0		1	1	1	1	1	1	1
35-54	5	8.8	39	2	3	10	12	18	18	18										
55-74	5	17.2	75	5	12	17	23	28	28	28	1	24.0		24	24	24	24	24	24	24
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	12	14.7	144	3	4	12	20	32	41	43	4	11.3	99	1	3	10	19	24	24	24
SUBTOTAL	**19**	**14.4**	**124**	**2**	**4**	**14**	**20**	**29**	**37**	**43**	**8**	**12.0**	**84**	**2**	**6**	**9**	**19**	**26**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	27.0		27	27	27	27	27	27	27	1	13.0		13	13	13	13	13	13	13
35-54																				
55-74	2	39.0	648	21	21	39	57	57	57	57	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	3	35.0	372	21	22	27	49	57	57	57	2	7.0	72	1	1	7	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	2	17.0	2	16	16	17	18	18	18	18										
55-74	1	36.0		36	36	36	36	36	36	36	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	5	18.4	108	9	12	16	22	36	36	36	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**8**	**24.6**	**243**	**10**	**14**	**19**	**31**	**51**	**57**	**57**	**3**	**6.3**	**38**	**1**	**2**	**5**	**11**	**13**	**13**	**13**
GRAND TOTAL	**27**	**17.4**	**174**	**2**	**9**	**16**	**22**	**35**	**45**	**57**	**11**	**10.5**	**72**	**1**	**5**	**8**	**14**	**25**	**27**	**27**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	28.1	492	9	12	23	34	66	77	77	4	35.8	369	21	22	29	49	63	63	63
13-17	29	22.1	257	2	12	21	33	46	70	99 +	7	9.4	66	1	2	7	17	19	20	20
18-24	51	15.2	230	2	3	13	22	31	36	86	13	6.8	22	1	3	5	11	13	15	15
25-34	56	13.5	120	3	6	10	20	30	34	52	18	7.4	42	2	2	6	11	18	22	23
35-54	142	14.8	101	3	7	13	22	28	34	45	23	8.9	25	3	4	10	12	16	17	18
55-74	161	19.8	203	5	9	17	27	42	49	60	19	16.5	96	5	9	17	21	30	36	40
75 +	68	20.9	188	6	10	18	30	41	47	59	15	14.0	144	3	4	7	23	32	36	38
ALL AGES	516	17.7	183	3	8	15	24	35	46	61	99	11.7	107	2	4	10	17	23	32	52
B. FEMALE																				
0-12 YRS.	5	18.2	404	1	2	8	39	41	41	41	5	39.2	1411	4	14	21	66	97	97	97
13-17	56	21.9	321	1	8	20	31	41	67	99	15	13.3	146	1	3	8	22	35	35	35
18-24	90	16.4	203	3	6	13	24	35	57	85	11	7.5	54	1	2	6	10	21	21	21
25-34	177	15.7	183	3	7	13	21	30	36	74	24	9.2	60	3	3	6	15	24	24	25
35-54	278	17.3	179	4	8	14	23	33	49	78	50	12.3	89	3	5	10	19	27	34	99
55-74	278	20.7	191	6	11	18	28	38	48	78	45	10.7	90	3	5	10	13	17	30	55
75 +	165	23.9	297	7	14	20	30	48	61	96	30	15.3	127	4	6	13	22	31	35	50
ALL AGES	1049	19.1	221	4	8	16	26	37	51	81	180	12.5	146	2	4	10	18	25	34	84
SUBTOTAL	**1565**	**18.7**	**206**	**4**	**8**	**15**	**25**	**36**	**48**	**78**	**279**	**12.3**	**130**	**2**	**4**	**10**	**17**	**24**	**34**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	48.0	1060	9	41	73	99 +	99 +	99 +	99 +	13	31.9	120	23	28	30	37	45	52	54
13-17	27	17.4	141	3	7	18	23	33	42	44	11	23.5	196	2	13	24	36	38	40	40
18-24	69	19.0	284	5	8	14	25	42	51	88	7	10.1	71	3	4	8	22	77	99 +	99 +
25-34	150	15.3	145	3	7	12	21	29	39	55	12	6.4	15	1	4	6	8	13	14	14
35-54	169	17.7	220	4	8	13	24	39	51	66	15	7.9	60	2	2	4	11	19	25	27
55-74	94	23.2	311	7	13	18	28	51	61	96	7	11.7	69	3	6	9	17	25	26	26
75 +	23	17.0	145	3	9	14	23	36	42	42	2	9.5	5	8	8	9	11	11	11	11
ALL AGES	536	18.4	230	4	8	14	24	40	52	89	67	15.5	178	2	4	10	27	37	41	92
B. FEMALE																				
0-12 YRS.	4	58.8	963	13	39	71	78	79	79	79	9	25.3	139	8	21	26	32	40	42	42
13-17	66	20.6	301	4	9	14	29	55	67	99 +	18	28.6	445	13	15	25	36	47	78	98
18-24	92	17.3	252	4	6	11	26	41	62	99 +	11	12.7	91	2	6	12	19	26	33	34
25-34	205	16.4	192	3	7	13	21	35	43	79	16	13.6	82	3	7	10	21	27	28	28
35-54	212	18.7	200	4	8	15	27	39	55	99 +	24	10.0	38	2	5	10	14	16	23	24
55-74	135	22.7	257	6	12	20	31	43	49	92	22	12.2	355	2	4	7	10	30	55	89
75 +	63	24.6	313	8	12	22	31	63	72	99 +	13	15.7	519	2	3	9	19	35	77	87
ALL AGES	777	19.5	247	4	9	15	27	42	59	99 +	113	16.0	273	2	6	12	21	30	42	92
SUBTOTAL	**1313**	**19.0**	**242**	**4**	**8**	**15**	**26**	**41**	**55**	**99 +**	**180**	**15.9**	**234**	**2**	**5**	**12**	**24**	**34**	**41**	**95**
GRAND TOTAL	**2878**	**18.8**	**224**	**4**	**8**	**15**	**25**	**39**	**51**	**89**	**459**	**13.7**	**174**	**2**	**4**	**10**	**20**	**29**	**37**	**89**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	33.0	1800	3	3	33	63	63	63	63										
13-17	6	22.5	646	8	9	14	15	68	74	74	1	5.0		5	5	5	5	5	5	5
18-24	19	19.4	187	5	9	19	29	46	78	99 +	8	10.3	48	3	4	9	16	20	21	21
25-34	52	16.0	87	5	9	15	23	30	35	98	14	12.3	88	6	8	9	14	19	38	43
35-54	122	17.9	193	4	7	15	24	41	51	74	26	12.6	70	4	5	12	15	27	28	30
55-74	167	23.3	229	6	14	21	30	41	53	90	34	16.9	142	4	8	13	24	37	37	49
75 +	78	23.6	248	8	13	22	29	46	58	99 +	17	20.9	202	4	10	20	33	42	45	46
ALL AGES	446	20.9	218	6	11	19	28	41	53	99 +	100	15.2	124	4	7	12	21	33	37	47
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	21	29.9	436	9	17	25	40	80	90	99 +	1	2.0		2	2	2	2	2	2	2
18-24	58	16.2	181	4	7	11	22	36	50	97	7	21.3	980	1	1	6	29	76	87	87
25-34	159	17.7	216	4	8	14	23	33	50	96	46	11.8	69	3	6	11	17	19	25	46
35-54	377	19.6	189	6	10	17	26	36	46	78	81	14.0	144	3	6	10	18	32	42	53
55-74	529	22.9	240	7	13	20	30	42	55	82	88	16.8	126	5	9	15	22	34	44	82
75 +	228	26.5	242	10	16	23	36	50	60	99 +	47	23.0	232	7	12	20	30	50	61	99 +
ALL AGES	1373	21.8	234	6	11	19	29	41	54	85	270	16.2	172	4	7	13	21	32	47	85
SUBTOTAL	**1819**	**21.6**	**229**	**6**	**11**	**19**	**28**	**41**	**54**	**88**	**370**	**16.0**	**157**	**4**	**7**	**13**	**21**	**32**	**43**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15	1	30.0		30	30	30	30	30	30	30
13-17	4	18.0	207	5	7	15	29	37	37	37										
18-24	33	14.1	88	4	7	12	23	28	29	37	2	8.5	85	2	2	8	15	15	15	15
25-34	98	18.9	303	4	7	14	25	41	50	90	12	21.6	410	2	5	15	34	56	57	57
35-54	161	18.0	173	4	8	15	26	36	45	74	22	13.2	113	2	6	10	19	33	35	37
55-74	68	19.9	149	6	10	18	28	39	43	47	7	16.1	146	4	6	10	27	33	34	34
75 +	21	39.1	715	11	20	32	48	89	90	90	4	16.3	207	5	6	11	26	37	37	37
ALL AGES	386	19.4	244	4	8	15	27	38	48	89	48	16.1	200	3	5	11	23	36	47	57
B. FEMALE																				
0-12 YRS.																				
13-17	13	29.2	570	6	10	22	46	86	97	99 +	8	26.6	92	11	23	30	32	35	36	36
18-24	72	20.1	391	3	6	15	28	44	63	93	8	16.4	227	2	4	14	22	41	48	48
25-34	190	18.6	227	4	7	15	27	38	45	94	30	13.1	174	2	5	8	20	30	38	61
35-54	290	19.3	221	5	9	16	25	36	45	84	58	12.6	123	2	5	9	18	29	39	48
55-74	198	22.0	203	6	12	19	29	42	49	75	35	17.3	283	3	6	11	22	43	57	64
75 +	90	27.0	211	10	16	24	35	47	62	91	26	20.0	229	2	10	16	30	40	48	65
ALL AGES	853	20.8	242	5	9	18	28	42	50	86	165	15.7	195	3	5	11	22	36	43	64
SUBTOTAL	**1239**	**20.4**	**242**	**5**	**9**	**17**	**28**	**41**	**49**	**87**	**213**	**15.8**	**195**	**3**	**5**	**11**	**22**	**36**	**44**	**62**
GRAND TOTAL	**3058**	**21.1**	**235**	**5**	**10**	**18**	**28**	**41**	**52**	**88**	**583**	**15.9**	**171**	**3**	**6**	**12**	**22**	**34**	**43**	**63**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	16.0	169	1	5	16	26	30	30	30	1	1.0		1	1	1	1	1	1	1
18-24	56	21.2	255	3	9	17	29	53	60	98	2	21.0	2	20	20	21	22	22	22	22
25-34	100	22.8	268	4	10	21	32	41	54	78	6	10.0	10	6	8	10	11	15	15	15
35-54	122	20.3	236	5	10	17	28	38	50	99 +	6	8.0	47	1	2	7	10	19	20	20
55-74	64	20.1	216	4	9	17	28	38	49	69	12	15.5	371	3	5	11	17	35	68	74
75 +	6	15.7	77	4	11	15	22	27	28	28										
ALL AGES	352	21.0	240	4	10	18	29	41	54	99	27	12.5	188	2	6	10	16	20	30	74
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	59	99 +	99 +	99 +	99 +										
13-17	10	27.2	157	11	23	27	31	44	56	56										
18-24	51	23.2	443	6	10	15	26	56	66	99	4	18.3	282	4	6	13	30	42	42	42
25-34	134	21.7	235	7	13	18	27	47	59	99 +	11	12.2	101	2	4	9	19	28	29	29
35-54	260	19.9	173	6	11	18	25	36	44	62	15	16.9	248	2	8	12	20	33	55	63
55-74	185	22.7	251	8	12	20	28	44	55	75	11	16.6	44	6	13	18	21	25	27	27
75 +	22	17.6	115	3	7	20	23	34	35	35										
ALL AGES	663	21.3	228	7	11	18	27	41	55	89	41	15.7	149	3	7	14	20	30	37	63
SUBTOTAL	**1015**	**21.2**	**232**	**6**	**11**	**18**	**28**	**41**	**55**	**91**	**68**	**14.4**	**165**	**2**	**6**	**12**	**19**	**28**	**34**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	63.0		63	63	63	63	63	63	63
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	18	22.8	226	4	11	20	34	43	49	52										
25-34	54	20.7	175	6	11	19	28	39	47	62										
35-54	46	17.5	110	4	9	16	26	31	34	46	1	4.0		4	4	4	4	4	4	4
55-74	22	20.2	293	3	7	15	32	44	55	69										
75 +	4	30.5	314	14	16	27	44	53	53	53										
ALL AGES	145	20.1	180	4	10	17	28	39	46	63	2	33.5	1741	4	4	33	63	63	63	63
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24	13	31.0	274	12	20	24	44	50	59	61										
25-34	38	20.1	253	6	10	16	27	34	54	83	2	17.5	85	11	11	17	24	24	24	24
35-54	46	19.6	265	4	7	15	26	45	61	63	1	10.0		10	10	10	10	10	10	10
55-74	18	21.5	172	7	11	19	32	38	46	50	2	7.5	5	6	7	9	77	99 +	99 +	99 +
75 +	5	23.8	291	4	13	21	33	50	50	50										
ALL AGES	121	21.4	251	4	10	18	29	45	53	69	5	12.0	49	6	9	10	24	92	99 +	99 +
SUBTOTAL	**266**	**20.7**	**212**	**4**	**10**	**17**	**28**	**42**	**50**	**63**	**7**	**18.1**	**434**	**5**	**7**	**10**	**43**	**89**	**99 +**	**99 +**
GRAND TOTAL	**1281**	**21.1**	**227**	**5**	**11**	**18**	**28**	**41**	**54**	**84**	**75**	**14.8**	**184**	**3**	**6**	**12**	**19**	**29**	**57**	**93**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	31.0		31	31	31	31	31	31	31										
18-24	15	14.3	93	4	10	13	16	29	36	38	2	15.5	113	8	8	15	23	23	23	23
25-34	36	14.3	146	2	5	10	21	30	38	53	5	9.0	9	6	6	10	11	13	13	13
35-54	45	15.5	178	3	8	12	18	36	52	99 +	5	7.6	36	1	2	8	13	14	14	14
55-74	31	29.1	329	7	15	32	39	49	55	86	12	8.1	34	2	3	10	13	35	88	99 +
75 +	7	42.1	815	16	20	34	63	87	91	91	4	26.0	511	6	9	20	42	57	57	57
ALL AGES	135	19.7	280	3	8	14	30	43	52	92	28	11.3	122	2	4	10	14	26	59	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	5	28.6	616	8	11	15	48	66	66	66										
18-24	14	25.6	375	8	9	23	34	54	70	75	3	8.3	34	5	5	5	13	15	15	15
25-34	63	16.6	189	4	8	14	20	32	42	81	4	10.3	3	8	9	10	12	13	13	13
35-54	108	21.4	218	6	12	20	27	44	51	91	23	17.6	240	4	6	16	24	35	48	69
55-74	95	25.8	306	8	15	21	32	56	69	94	17	20.1	161	4	10	21	26	40	42	43
75 +	23	31.6	522	6	16	23	52	74	85	99 +	6	19.2	277	1	6	19	20	46	49	49
ALL AGES	308	22.8	289	6	12	19	29	47	65	92	53	17.5	191	4	6	15	24	38	43	68
SUBTOTAL	**443**	**21.9**	**286**	**5**	**10**	**18**	**29**	**46**	**62**	**91**	**81**	**15.3**	**176**	**4**	**6**	**13**	**20**	**36**	**45**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	68.0		68	68	68	68	68	68	68
13-17	1	24.0		24	24	24	24	24	24	24										
18-24	9	11.9	105	3	5	10	16	29	34	34										
25-34	22	21.9	309	4	8	17	28	53	59	61	1	8.0		8	8	8	8	8	8	8
35-54	37	18.0	246	3	7	13	22	42	52	69	2	11.5	1	11	11	11	12	12	12	12
55-74	17	23.5	168	9	15	23	30	45	48	49	2	23.5	41	19	19	23	28	28	28	28
75 +	3	15.0	16	11	12	15	18	19	19	19										
ALL AGES	89	19.4	226	4	8	16	26	44	51	66	6	24.3	511	8	11	15	28	64	68	68
B. FEMALE																				
0-12 YRS.																				
13-17	4	24.5	150	11	25	32	99 +	99 +	99 +	99 +										
18-24	17	21.8	217	9	11	20	26	35	57	69										
25-34	27	18.0	77	6	13	17	24	29	34	40	2	13.5	61	8	8	13	19	19	19	19
35-54	38	17.1	164	4	7	15	26	41	48	99 +	6	10.3	8	7	9	10	11	15	15	15
55-74	28	24.6	298	7	11	24	31	45	69	76	2	6.5	5	5	5	6	8	8	8	8
75 +	13	26.0	441	11	16	21	29	48	81	89	1	40.0		40	40	40	40	40	40	40
ALL AGES	127	20.7	214	6	11	18	28	39	68	99 +	11	12.9	96	6	8	10	14	27	39	40
SUBTOTAL	**2.6**	**20.2**	**217**	**5**	**10**	**17**	**27**	**41**	**53**	**99 +**	**17**	**16.9**	**252**	**7**	**8**	**11**	**19**	**38**	**58**	**68**
GRAND TOTAL	**659**	**21.3**	**265**	**5**	**10**	**17**	**28**	**44**	**59**	**98**	**98**	**15.6**	**186**	**4**	**6**	**12**	**20**	**36**	**46**	**85**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	21.9	148	8	12	20	29	42	43	43										
18-24	10	25.3	344	7	10	24	33	53	65	65	1	13.0		13	13	13	13	13	13	13
25-34	29	22.2	313	5	11	20	28	33	38	99	4	13.5	63	6	7	12	20	23	23	23
35-54	39	15.7	91	6	9	14	18	34	37	40	5	7.0	8	4	5	7	9	11	11	11
55-74	16	20.9	221	7	9	16	29	49	51	51	3	15.3	128	3	7	18	23	25	25	25
75 +	1	48.0		48	48	48	48	48	48	48	1	7.0		7	7	7	7	7	7	7
ALL AGES	106	20.1	211	7	10	17	27	36	44	80	14	11.1	50	4	6	8	17	23	25	25
B. FEMALE																				
0-12 YRS.	3	33.7	406	21	21	23	48	57	57	57										
13-17	10	22.6	104	11	16	19	31	37	41	41										
18-24	14	23.4	373	6	10	21	30	39	72	81	3	6.3	5	4	5	7	8	8	8	8
25-34	47	18.3	282	4	6	15	23	32	40	94	5	7.8	4	5	6	8	9	10	10	10
35-54	112	20.9	180	7	12	18	27	41	51	82	15	12.5	100	5	6	10	15	21	37	43
55-74	71	21.6	167	8	13	19	27	43	46	59	4	17.3	5	14	15	17	19	20	20	20
75 +	8	20.0	174	3	11	16	31	38	41	41										
ALL AGES	265	20.9	204	7	12	18	27	40	48	81	27	11.7	66	5	7	10	15	20	24	43
SUBTOTAL	**371**	**20.7**	**204**	**7**	**11**	**17**	**27**	**38**	**47**	**80**	**41**	**11.5**	**59**	**4**	**6**	**9**	**16**	**20**	**24**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	6.5	1	6	6	6	7	7	7	7										
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	10	28.7	662	4	8	18	49	70	71	71	2	25.5	181	16	16	25	35	35	35	35
25-34	14	21.3	237	3	10	17	30	44	55	58	1	3.0		3	3	3	3	3	3	3
35-54	21	13.9	128	3	5	10	21	31	38	44										
55-74	4	25.5	118	18	18	22	33	41	41	41										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	53	19.3	270	4	7	15	26	42	57	71	3	18.0	259	3	6	16	30	35	35	35
B. FEMALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-17	5	33.8	119	22	23	38	41	47	47	47	1	47.0		47	47	47	47	47	47	47
18-24	12	19.5	82	8	13	17	28	31	35	36	1	3.0		3	3	3	3	3	3	3
25-34	21	21.2	338	6	11	15	25	39	66	86	1	8.0		8	8	8	8	8	8	8
35-54	49	21.2	274	6	10	17	28	41	45	98	4	5.0	6	2	3	5	7	7	7	7
55-74	18	23.6	173	5	14	24	30	40	50	56										
75 +	2	25.5	221	15	25	68	99 +	99 +	99 +	99 +										
ALL AGES	108	22.3	244	7	12	19	30	42	50	99 +	7	11.1	256	2	3	7	8	39	47	47
SUBTOTAL	**161**	**21.3**	**253**	**5**	**10**	**18**	**29**	**42**	**52**	**99 +**	**10**	**13.2**	**239**	**2**	**3**	**7**	**16**	**41**	**47**	**47**
GRAND TOTAL	**532**	**20.9**	**218**	**6**	**11**	**17**	**28**	**41**	**49**	**95**	**51**	**11.8**	**91**	**4**	**6**	**8**	**16**	**22**	**34**	**47**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	35.5	85	29	29	35	42	42	42	42										
13-17	3	24.3	132	15	16	21	33	37	37	37										
18-24	7	10.1	89	2	5	9	11	26	30	30	2	10.5	25	7	7	10	14	14	14	14
25-34	18	13.5	96	3	6	12	19	36	71	99 +	4	5.5	2	4	4	5	6	7	7	7
35-54	27	17.9	165	5	8	14	21	34	42	62	3	12.0	3	11	11	11	13	14	14	14
55-74	8	20.3	186	2	11	19	29	39	43	43	2	5.0	2	4	4	5	6	6	6	6
75 +	3	9.0	7	7	7	8	11	12	12	12										
ALL AGES	68	16.6	147	4	8	13	21	36	42	93	11	8.1	14	4	5	7	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	19.5	25	16	16	19	23	23	23	23										
18-24	15	21.0	205	5	11	20	26	36	55	61										
25-34	31	18.6	319	3	7	14	28	37	55	84	3	9.7	8	7	7	9	12	13	13	13
35-54	57	16.1	193	4	6	13	19	35	40	68	8	16.9	254	4	7	12	20	44	53	53
55-74	30	16.8	87	4	11	16	25	29	31	35	5	14.4	142	5	7	11	18	35	35	35
75 +	9	16.0	96	5	8	15	22	30	35	35										
ALL AGES	144	17.3	190	4	8	15	23	35	37	69	16	14.8	164	4	7	10	16	34	48	53
SUBTOTAL	**212**	**17.1**	**175**	**4**	**8**	**14**	**23**	**35**	**38**	**74**	**27**	**12.0**	**113**	**4**	**6**	**9**	**14**	**21**	**38**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	10.5	85	4	4	10	17	17	17	17										
18-24	7	28.3	441	10	14	25	28	64	73	73										
25-34	14	17.4	136	4	11	14	18	35	43	45	1	1.0		1	1	1	1	1	1	1
35-54	25	16.8	126	5	11	13	20	33	41	49	1	14.0		14	14	14	14	14	14	14
55-74	5	18.8	229	2	6	18	31	39	39	39	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	53	18.4	180	4	11	14	23	35	44	72	3	5.7	52	1	1	2	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	8	21.5	453	3	8	14	30	58	65	65	1	37.0		37	37	37	37	37	37	37
18-24	7	29.0	910	8	15	20	25	82	96	96	1	4.0		4	4	4	4	4	4	4
25-34	22	15.1	90	5	9	13	19	29	37	39										
35-54	33	17.1	168	4	7	15	23	35	48	54	5	6.8	15	2	3	8	9	12	12	12
55-74	16	22.6	145	7	11	23	31	40	43	44	2	15.5	265	4	4	15	27	27	27	27
75 +	7	20.6	173	6	10	18	29	41	43	43										
ALL AGES	93	19.1	223	6	8	16	24	39	44	83	9	11.8	146	3	4	8	16	33	37	37
SUBTOTAL	**146**	**18.9**	**205**	**5**	**9**	**16**	**24**	**38**	**44**	**74**	**12**	**10.3**	**123**	**2**	**3**	**6**	**13**	**30**	**36**	**37**
GRAND TOTAL	**358**	**17.8**	**188**	**4**	**8**	**15**	**23**	**35**	**42**	**73**	**39**	**11.5**	**113**	**4**	**5**	**8**	**14**	**25**	**36**	**53**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	17.8	108	4	9	23	27	86	99+	99+	1	29.0		29	29	29	29	29	29	29
18-24	7	27.3	223	6	21	29	34	48	51	51	4	8.3	16	3	5	9	11	12	12	12
25-34	7	13.4	42	5	8	16	18	21	21	21										
35-54	20	14.4	146	3	7	10	20	28	42	53										
55-74	5	8.0	13	3	6	8	10	13	13	13	2	3.5	5	2	2	3	5	5	5	5
75 +																				
ALL AGES	45	16.0	143	4	8	14	23	31	51	99+	7	9.9	84	2	3	7	12	26	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	5	25.0	1240	1	1	8	44	84	84	84										
18-24	10	11.0	28	5	9	9	13	20	21	21	2	6.0	18	3	3	6	9	9	9	9
25-34	20	14.2	82	5	7	11	21	27	33	36	4	6.3	19	1	2	7	10	10	10	10
35-54	31	18.1	180	4	7	15	29	40	46	46	3	9.3	86	4	4	4	16	20	20	20
55-74	34	20.1	228	7	9	17	26	45	65	99+	8	9.3	11	5	6	9	12	13	13	13
75 +	5	15.4	72	2	10	17	22	23	23	23	3	9.3	27	5	6	8	13	15	15	15
ALL AGES	105	17.5	205	4	8	14	23	36	46	91	20	8.4	22	3	4	8	11	14	17	20
SUBTOTAL	**150**	**17.1**	**184**	**4**	**8**	**14**	**23**	**35**	**46**	**99+**	**27**	**8.7**	**37**	**3**	**4**	**8**	**12**	**15**	**21**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57	1	22.0		22	22	22	22	22	22	22
13-17	3	19.7	122	7	11	24	27	28	28	28										
18-24	21	19.6	126	6	10	19	25	38	39	41	1	7.0		7	7	7	7	7	7	7
25-34	14	18.2	214	4	12	14	21	31	54	61	1	6.0		6	6	6	6	6	6	6
35-54	18	17.2	124	5	11	14	21	34	40	44	2	19.5	145	11	11	19	28	28	28	28
55-74	6	18.0	147	5	9	14	28	36	37	37										
75 +	6	17.0	209	2	2	15	32	36	36	36										
ALL AGES	69	18.9	161	5	10	16	25	37	41	60	5	14.8	95	6	7	11	23	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	17	17.2	202	6	8	11	20	42	52	56	1	3.0		3	3	3	3	3	3	3
25-34	45	17.4	113	7	9	16	21	33	43	44	1	21.0		21	21	21	21	21	21	21
35-54	30	20.1	287	3	7	16	28	42	44	76	3	10.7	31	6	7	9	15	17	17	17
55-74	32	23.9	204	8	13	24	35	44	64	99+	2	10.0	128	2	2	10	18	18	18	18
75 +	6	23.8	118	13	16	22	28	41	42	42	2	21.5	41	17	17	21	26	26	26	26
ALL AGES	131	19.8	189	6	9	17	27	42	44	80	9	13.2	73	2	5	17	19	24	26	26
SUBTOTAL	**200**	**19.5**	**178**	**6**	**10**	**16**	**27**	**41**	**44**	**71**	**14**	**13.8**	**74**	**3**	**6**	**14**	**21**	**26**	**28**	**28**
GRAND TOTAL	**350**	**18.4**	**184**	**5**	**9**	**16**	**25**	**37**	**45**	**84**	**41**	**10.5**	**53**	**3**	**5**	**9**	**14**	**21**	**27**	**29**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	1	6.0		6	6	6	6	6	6	6	1	28.0		28	28	28	28	28	28	28
18-24	5	31.0	869	6	8	19	53	76	76	76										
25-34	3	28.7	13	25	26	28	32	33	33	33										
35-54	4	12.5	84	3	5	12	20	23	23	23										
55-74	5	24.4	137	6	19	24	34	36	36	36										
75 +	2	13.0	32	9	9	13	17	17	17	17	1	4.0		4	4	4	4	4	4	4
ALL AGES	20	22.3	297	6	8	21	30	40	60	76	2	16.0	288	4	4	16	28	28	28	28
B. FEMALE																					
0-12 YRS.																					
13-17	1	24.0		24	24	24	24	24	24	24	1	4.0		4	4	4	4	4	4	4
18-24	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
25-34	8	20.8	235	3	7	19	36	39	39	39										
35-54	5	22.6	299	2	6	28	34	44	44	44	1	19.0		19	19	19	19	19	19	19
55-74	10	31.0	74	17	26	32	37	41	43	43	1	12.0		12	12	12	12	12	12	12
75 +	6	36.3	580	10	18	32	51	73	75	75										
ALL AGES	31	27.0	264	5	12	28	38	43	51	75	4	10.0	49	4	4	8	15	19	19	19
SUBTOTAL	**51**	**25.1**	**280**	**5**	**9**	**25**	**34**	**43**	**51**	**76**	**6**	**12.0**	**96**	**4**	**4**	**8**	**19**	**27**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	1	4.0		4	4	4	4	4	4	4	1	42.0		42	42	42	42	42	42	42
18-24	4	21.8	21	16	18	21	25	28	28	28	1	2.0		2	2	2	2	2	2	2
25-34	4	34.8	284	18	23	31	46	58	58	58	2	8.5	25	5	5	8	12	12	12	12
35-54	8	13.4	217	1	3	9	18	39	45	45	1	2.0		2	2	2	2	2	2	2
55-74	4	17.8	131	9	9	14	26	34	34	34										
75 +																					
ALL AGES	21	19.4	220	3	9	18	28	39	51	58	5	12.6	287	2	2	5	19	42	42	42
B. FEMALE																					
0-12 YRS.																					
13-17	1	23.0		23	23	23	23	23	23	23										
18-24	8	14.3	83	2	8	14	18	27	31	31	1	3.0		3	3	3	3	3	3	3
25-34	5	18.8	408	1	2	10	39	43	43	43	1	3.0		3	3	3	3	3	3	3
35-54	2	1.5	1	1	1	1	2	2	2	2	2	27.0	722	8	8	27	46	46	46	46
55-74	6	26.0	190	5	19	27	33	44	45	45										
75 +	8	16.1	96	4	5	19	24	27	28	28	2	31.5	545	15	15	31	48	48	48	48
ALL AGES	30	17.3	170	2	4	17	27	35	43	45	6	20.5	441	3	3	11	46	48	48	48
SUBTOTAL	**51**	**18.2**	**186**	**2**	**5**	**17**	**27**	**36**	**45**	**58**	**11**	**16.9**	**353**	**2**	**3**	**8**	**35**	**47**	**48**	**48**
GRAND TOTAL	**102**	**21.6**	**245**	**3**	**9**	**20**	**32**	**41**	**45**	**75**	**17**	**15.2**	**255**	**2**	**4**	**8**	**21**	**45**	**47**	**48**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	51.0		51	51	51	51	51	51	51										
75 +																				
ALL AGES	1	51.0		51	51	51	51	51	51	51										
SUBTOTAL	**2**	**32.5**	**685**	**14**	**14**	**32**	**51**	**51**	**51**	**51**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	33.0		33	33	33	33	33	33	33										
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	2	18.5	421	4	4	18	33	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**18.5**	**421**	**4**	**4**	**18**	**33**	**33**	**33**	**33**										
GRAND TOTAL	**4**	**25.5**	**434**	**4**	**9**	**23**	**42**	**51**	**51**	**51**										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	8.0	72	2	2	8	14	14	14	14										
25-34	5	28.2	562	10	11	16	45	65	65	65										
35-54	9	22.7	117	12	14	21	30	40	41	41	1	8.0		8	8	8	8	8	8	8
55-74	5	13.6	71	5	6	11	22	23	23	23										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	22	20.5	214	6	11	16	23	40	51	65	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	17.0	337	4	5	9	31	38	38	38	1	3.0		3	3	3	3	3	3	3
35-54	8	7.0	17	1	4	7	8	13	15	15	1	7.0		7	7	7	7	7	7	7
55-74	10	12.6	33	3	10	13	18	19	19	19	4	10.0	30	4	6	9	14	17	17	17
75 +	3	22.7	10	19	20	23	25	26	26	26	1	4.0		4	4	4	4	4	4	4
ALL AGES	24	12.5	76	3	6	10	18	23	30	38	7	7.7	25	3	4	7	10	16	17	17
SUBTOTAL	**46**	**16.4**	**153**	**4**	**8**	**14**	**22**	**37**	**39**	**65**	**8**	**7.8**	**20**	**3**	**4**	**7**	**10**	**15**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	15.0	313	2	2	9	27	40	40	40										
25-34	5	24.6	475	2	6	28	36	57	57	57										
35-54	4	16.5	78	6	9	17	23	26	26	26	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +	2	23.0	2	22	22	23	24	24	24	24										
ALL AGES	15	19.7	238	2	6	21	27	40	53	57	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	25.0	392	11	11	25	39	39	39	39										
35-54	4	20.8	275	6	9	16	32	44	44	44	1	4.0		4	4	4	4	4	4	4
55-74	10	18.3	129	6	10	17	21	36	40	40	3	14.0	57	6	8	15	19	21	21	21
75 +	3	20.3	151	7	11	23	29	31	31	31	3	18.3	62	12	13	16	24	27	27	27
ALL AGES	19	19.8	155	6	10	20	29	40	42	44	7	14.4	66	4	7	15	20	26	27	27
SUBTOTAL	**34**	**19.8**	**184**	**3**	**9**	**20**	**28**	**40**	**43**	**57**	**8**	**13.3**	**65**	**4**	**5**	**13**	**18**	**25**	**27**	**27**
GRAND TOTAL	**80**	**17.8**	**168**	**4**	**8**	**15**	**23**	**38**	**41**	**63**	**16**	**10.5**	**49**	**4**	**5**	**8**	**15**	**21**	**25**	**27**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	2	29.5	545	13	13	29	46	46	46	46	3	5.0	3	4	4	4	6	7	7	7
ALL AGES	3	20.0	543	1	4	13	38	46	46	46	3	5.0	3	4	4	4	6	7	7	7
SUBTOTAL	**3**	**20.0**	**543**	**1**	**4**	**13**	**38**	**46**	**46**	**46**	**3**	**5.0**	**3**	**4**	**4**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +												1	4.0		4	4	4	4	4	4	4
ALL AGES												1	4.0		4	4	4	4	4	4	4
SUBTOTAL												**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**3**	**20.0**	**543**	**1**	**4**	**13**	**38**	**46**	**46**	**46**	**4**	**4.8**	**2**	**4**	**4**	**4**	**6**	**7**	**7**	**7**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	1	35.0		35	35	35	35	35	35	35										
75 +																				
ALL AGES	2	25.0	200	15	15	25	35	35	35	35										
SUBTOTAL	**2**	**25.0**	**200**	**15**	**15**	**25**	**35**	**35**	**35**	**35**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**25.0**	**200**	**15**	**15**	**25**	**35**	**35**	**35**	**35**										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	16.0		16	16	16	16	16	16	16										
35-54	2	25.5	1	25	25	25	26	26	26	26										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +	2	36.0	338	23	23	36	49	49	49	49										
ALL AGES	7	23.4	165	10	16	23	26	44	49	49										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	24.0		24	24	24	24	24	24	24										
55-74	1	26.0		26	26	26	26	26	26	26										
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	4	19.0	73	7	13	21	25	26	26	26										
SUBTOTAL	**11**	**21.8**	**126**	**8**	**16**	**23**	**26**	**35**	**48**	**49**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	23.0		23	23	23	23	23	23	23										
25-34	3	23.0	111	13	15	22	31	34	34	34										
35-54																				
55-74																				
75 +																				
ALL AGES	4	23.0	74	13	17	22	28	34	34	34										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**23.0**	**74**	**13**	**17**	**22**	**28**	**34**	**34**	**34**										
GRAND TOTAL	**15**	**22.1**	**107**	**9**	**16**	**23**	**26**	**34**	**45**	**49**										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	5.5	41	1	1	5	10	10	10	10										
18-24	4	14.8	71	3	8	17	21	22	22	22										
25-34	4	18.5	425	5	6	10	31	49	49	49										
35-54	3	12.3	107	1	4	15	19	21	21	21										
55-74	3	11.7	179	2	3	6	22	27	27	27										
75 +	4	9.3	54	3	4	7	14	20	20	20	1	2.0		2	2	2	2	2	2	2
ALL AGES	20	12.7	134	2	4	9	20	24	38	49	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7	1	6.0		6	6	6	6	6	6	6
25-34	8	7.1	39	1	2	5	12	16	17	17										
35-54	11	18.0	82	7	13	17	23	30	36	37	1	11.0		11	11	11	11	11	11	11
55-74	14	20.8	147	9	11	22	27	48	87	99 +	3	9.7	40	5	5	7	14	17	17	17
75 +	10	20.3	160	5	9	20	31	36	40	40	5	13.2	178	3	3	6	24	33	33	33
ALL AGES	44	17.2	131	3	9	15	26	37	42	99 +	10	11.2	94	3	5	7	17	27	33	33
SUBTOTAL	**64**	**15.8**	**134**	**3**	**7**	**14**	**23**	**31**	**42**	**92**	**11**	**10.4**	**92**	**2**	**4**	**6**	**15**	**26**	**32**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	12.0	131	2	4	9	20	28	28	28										
25-34	2	16.5	481	1	1	16	32	32	32	32										
35-54	6	20.0	307	6	8	13	28	50	52	52										
55-74	7	20.4	62	13	14	18	27	32	33	33	1	2.0		2	2	2	2	2	2	2
75 +	5	24.6	339	7	14	18	34	55	55	55										
ALL AGES	24	19.5	194	5	9	15	28	35	53	55	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	12.3	28	5	8	13	16	18	18	18										
35-54	9	17.2	180	5	6	15	23	38	46	46										
55-74	10	24.7	256	5	11	25	37	46	48	48	3	6.3	31	1	2	6	10	12	12	12
75 +	10	50.6	652	19	38	69	85	99 +	99 +	99 +	1	5.0		5	5	5	5	5	5	5
ALL AGES	33	29.0	529	5	12	24	48	80	99 +	99 +	4	6.0	21	1	3	5	9	12	12	12
SUBTOTAL	**57**	**25.0**	**404**	**5**	**11**	**20**	**39**	**74**	**90**	**99 +**	**5**	**5.2**	**19**	**1**	**2**	**5**	**7**	**12**	**12**	**12**
GRAND TOTAL	**121**	**20.1**	**282**	**3**	**8**	**16**	**28**	**49**	**79**	**99 +**	**16**	**8.8**	**72**	**2**	**3**	**6**	**11**	**21**	**29**	**33**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	10.0	57	2	4	11	15	17	17	17	1	9.0		9	9	9	9	9	9	9
35-54	2	7.0	18	4	4	7	10	10	10	10										
55-74	1	30.0		30	30	30	30	30	30	30										
75 +	2	13.0		13	13	13	13	13	13	13										
ALL AGES	9	11.8	69	3	5	11	14	25	30	30	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	8.0	18	4	4	7	11	13	13	13										
25-34	5	10.2	139	1	1	3	22	25	25	25	2	3.5	5	2	2	3	5	5	5	5
35-54	6	15.2	67	8	10	13	15	29	31	31										
55-74	2	1.5	1	1	1	1	2	2	2	2	1	11.0		11	11	11	11	11	11	11
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	18	10.1	76	1	3	9	15	24	29	31	3	6.0	21	2	3	5	9	11	11	11
SUBTOTAL	**27**	**10.6**	**73**	**1**	**4**	**10**	**14**	**24**	**30**	**31**	**4**	**6.8**	**15**	**2**	**3**	**7**	**10**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	2	9.5	13	7	7	9	12	12	12	12										
35-54	3	18.7	124	9	11	16	27	31	31	31	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	7	11.4	99	2	4	9	15	28	31	31	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.5	113	1	1	8	16	16	16	16										
18-24																				
25-34	3	23.7	306	7	11	22	37	42	42	42										
35-54	1	1.0		1	1	1	1	1	1	1	1	19.0		19	19	19	19	19	19	19
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	8	14.0	179	1	4	11	19	36	42	42	1	19.0		19	19	19	19	19	19	19
SUBTOTAL	**15**	**12.8**	**134**	**1**	**4**	**10**	**16**	**31**	**39**	**42**	**2**	**12.0**	**98**	**5**	**5**	**12**	**19**	**19**	**19**	**19**
GRAND TOTAL	**42**	**11.4**	**93**	**1**	**4**	**10**	**15**	**26**	**31**	**42**	**6**	**8.5**	**37**	**2**	**5**	**7**	**11**	**18**	**19**	**19**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	8.0	98	1	1	8	15	15	15	15										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	12.0		12	12	12	12	12	12	12	1	7.0		7	7	7	7	7	7	7
55-74	3	15.3	32	9	11	18	19	19	19	19										
75 +																				
ALL AGES	8	10.8	46	1	5	11	16	19	19	19	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17											1	39.0		39	39	39	39	39	39	39
18-24	1	35.0		35	35	35	35	35	35	35										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	5	16.2	362	3	3	12	23	49	49	49										
55-74											2	11.0	98	4	4	11	18	18	18	18
75 +	2	6.0	2	5	5	6	7	7	7	7										
ALL AGES	9	15.2	257	3	5	9	19	43	49	49	3	20.3	312	4	7	18	34	39	39	39
SUBTOTAL	**17**	**13.1**	**155**	**2**	**5**	**11**	**16**	**32**	**44**	**49**	**4**	**17.0**	**251**	**4**	**5**	**12**	**28**	**39**	**39**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	12.3	32	6	8	15	16	16	16	16										
35-54											1	5.0		5	5	5	5	5	5	5
55-74	2	4.0		4	4	4	4	4	4	4	1	21.0		21	21	21	21	21	21	21
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	5	9.0	36	4	4	6	15	16	16	16	3	9.0	112	1	2	5	17	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	2	16.5	41	12	12	16	21	21	21	21	1	4.0		4	4	4	4	4	4	4
55-74	2	4.5	13	2	2	4	7	7	7	7	5	5.6	17	1	2	6	9	11	11	11
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	7	10.3	37	3	6	12	12	19	21	21	7	7.6	46	1	2	6	10	19	21	21
SUBTOTAL	**12**	**9.8**	**33**	**3**	**5**	**9**	**14**	**17**	**20**	**21**	**10**	**8.0**	**57**	**1**	**2**	**5**	**11**	**21**	**21**	**21**
GRAND TOTAL	**29**	**11.7**	**105**	**2**	**5**	**11**	**15**	**20**	**36**	**49**	**14**	**10.6**	**114**	**1**	**4**	**6**	**18**	**23**	**35**	**39**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	44.0		44	44	44	44	44	44	44										
75 +	1	31.0		31	31	31	31	31	31	31										
ALL AGES	3	25.7	460	2	9	31	41	44	44	44										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**4**	**19.8**	**446**	**2**	**2**	**17**	**37**	**44**	**44**	**44**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**4**	**19.8**	**446**	**2**	**2**	**17**	**37**	**44**	**44**	**44**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	10.0		10	10	10	10	10	10	10
25-34	1	17.0		17	17	17	17	17	17	17	1	2.0		2	2	2	2	2	2	2
35-54	2	1.5	1	1	1	1	2	2	2	2	1	9.0		9	9	9	9	9	9	9
55-74	1	35.0		35	35	35	35	35	35	35										
75 +																				
ALL AGES	5	11.4	218	1	1	2	21	35	35	35	3	7.0	19	2	4	9	10	10	10	10
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	15.0	309	2	3	8	28	35	35	35										
35-54	3	15.3	212	1	4	15	26	30	30	30										
55-74	4	20.5	247	11	12	13	29	44	44	44										
75 +	3	14.7	29	11	11	12	19	21	21	21	1	7.0		7	7	7	7	7	7	7
ALL AGES	14	15.6	165	2	8	12	21	36	42	44	2	5.0	8	3	3	5	7	7	7	7
SUBTOTAL	**19**	**14.5**	**171**	**1**	**2**	**12**	**20**	**35**	**40**	**44**	**5**	**6.2**	**13**	**2**	**3**	**7**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	45.0		45	45	45	45	45	45	45	1	6.0		6	6	6	6	6	6	6
55-74											1	42.0		42	42	42	42	42	42	42
75 +											2	32.5	1861	2	2	32	63	63	63	63
ALL AGES	3	23.3	361	10	11	15	37	45	45	45	4	28.3	856	2	4	24	52	63	63	63
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	7.0	18	4	4	7	10	10	10	10										
35-54	2	28.5	113	21	21	28	36	36	36	36										
55-74	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
75 +	1	7.0		7	7	7	7	7	7	7	2	11.0	18	8	8	11	14	14	14	14
ALL AGES	7	13.0	141	2	5	10	18	33	36	36	3	8.3	31	3	4	8	12	14	14	14
SUBTOTAL	**10**	**16.1**	**198**	**3**	**7**	**11**	**21**	**40**	**45**	**45**	**7**	**19.7**	**554**	**2**	**4**	**8**	**35**	**59**	**63**	**63**
GRAND TOTAL	**29**	**15.1**	**173**	**2**	**4**	**11**	**21**	**36**	**44**	**45**	**12**	**14.1**	**354**	**2**	**3**	**7**	**12**	**48**	**61**	**63**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	8.0		8	8	8	8	8	8	8										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	8.0		8	8	8	8	8	8	8										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	20.0		20	20	20	20	20	20	20
13-17	4	12.0	215	1	1	8	23	32	32	32	1	22.0		22	22	22	22	22	22	22
18-24	15	18.9	486	3	9	10	17	34	77	91										
25-34	10	6.6	14	2	4	6	8	12	14	14										
35-54	12	11.8	101	3	5	10	14	25	38	40										
55-74	6	14.0	129	1	6	13	18	31	33	33	2	6.5	61	1	1	6	12	12	12	12
75 +	1	26.0		26	26	26	26	26	26	26	3	7.0	4	5	5	7	8	9	9	9
ALL AGES	48	13.5	223	2	6	10	16	33	35	91	7	10.9	59	2	5	9	18	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	18	8.9	43	1	3	9	13	17	21	23	3	9.3	3	8	8	9	10	11	11	11
25-34	19	11.2	120	2	4	8	15	23	37	47	2	5.0	8	3	3	5	7	7	7	7
35-54	22	9.9	33	2	5	10	14	17	20	22	4	5.3	10	3	3	4	7	10	10	10
55-74	10	8.4	19	1	6	10	12	13	13	13	2	7.0	72	1	1	7	13	13	13	13
75 +	2	19.0	8	17	17	19	21	21	21	21	1	13.0		13	13	13	13	13	13	13
ALL AGES	71	10.1	56	2	4	9	14	19	22	42	12	7.2	17	2	3	7	10	13	13	13
SUBTOTAL	**119**	**11.5**	**124**	**2**	**4**	**10**	**14**	**21**	**33**	**61**	**19**	**8.5**	**34**	**2**	**4**	**8**	**12**	**17**	**21**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.5	41	3	3	7	12	12	12	12										
18-24	6	21.0	85	5	20	24	26	28	28	28										
25-34	10	11.7	36	5	7	10	19	20	21	21										
35-54	9	8.2	25	4	5	6	9	17	20	20										
55-74	5	11.0	26	3	7	14	14	15	15	15										
75 +																				
ALL AGES	32	12.1	56	4	6	10	19	24	26	28										
B. FEMALE																				
0-12 YRS.																				
13-17	2	10.0	8	8	8	10	12	12	12	12										
18-24	3	15.0	49	7	10	18	19	20	20	20										
25-34	20	12.6	102	4	6	9	18	22	34	46										
35-54	12	15.8	76	7	10	14	19	26	37	39										
55-74	5	18.8	191	9	10	15	23	43	43	43	1	13.0		13	13	13	13	13	13	13
75 +	2	5.5	41	1	1	5	10	10	10	10	1	13.0		13	13	13	13	13	13	13
ALL AGES	44	13.9	94	4	8	12	18	21	40	46	2	13.0		13	13	13	13	13	13	13
SUBTOTAL	**76**	**13.1**	**79**	**4**	**7**	**11**	**19**	**23**	**27**	**45**	**2**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL	**195**	**12.1**	**107**	**3**	**6**	**10**	**16**	**22**	**31**	**47**	**21**	**9.0**	**31**	**2**	**4**	**9**	**13**	**16**	**21**	**22**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	19.3	270	10	10	11	28	44	44	44	1	2.0		2	2	2	2	2	2	2
18-24	30	16.6	232	2	8	10	26	37	41	65	3	9.3	7	7	7	9	11	12	12	12
25-34	27	17.7	238	4	8	12	27	34	52	68										
35-54	30	10.6	100	2	5	7	15	31	41	99 +	4	3.0	3	1	2	3	4	5	5	5
55-74	22	13.3	104	3	4	11	20	29	33	38	16	9.0	146	1	2	4	8	35	38	39
75 +	15	9.5	47	4	6	7	10	18	27	30	25	15.2	247	5	7	9	15	32	49	74
ALL AGES	128	14.1	164	3	6	10	19	34	41	75	49	11.5	188	2	3	7	12	31	39	74
B. FEMALE																				
0-12 YRS.											2	3.5	5	2	2	3	5	5	5	5
13-17	5	19.4	749	5	5	6	27	68	68	68	5	9.8	138	1	1	8	14	30	30	30
18-24	9	12.3	48	4	7	12	16	22	26	26										
25-34	33	18.3	288	3	6	13	28	46	56	65	5	2.2	3	1	1	1	4	4	4	4
35-54	46	11.3	91	2	6	10	14	25	40	99 +	8	7.3	57	1	2	6	17	69	99 +	99 +
55-74	55	13.4	165	3	5	9	21	35	61	99 +	32	10.6	300	1	3	5	11	18	47	91
75 +	48	10.8	77	2	5	8	15	24	29	39	44	9.1	64	1	4	7	13	23	31	99 +
ALL AGES	196	13.2	158	3	5	9	17	31	44	99 +	96	9.0	142	1	3	6	12	23	34	99 +
SUBTOTAL	**324**	**13.6**	**159**	**3**	**5**	**9**	**18**	**34**	**41**	**99 +**	**145**	**9.9**	**156**	**1**	**3**	**6**	**12**	**28**	**37**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-17	3	38.7	225	28	29	32	50	56	56	56										
18-24	16	18.0	307	3	6	14	25	29	60	74	1	2.0		2	2	2	2	2	2	2
25-34	23	12.2	97	4	5	9	17	37	57	99 +										
35-54	23	10.4	26	4	6	11	13	17	20	21	2	3.0	2	2	2	3	4	4	4	4
55-74	16	10.7	87	2	4	10	12	27	33	35	7	6.6	41	1	2	6	7	17	20	20
75 +	9	12.3	99	5	6	9	14	29	36	36	17	11.4	67	3	6	9	14	23	30	33
ALL AGES	90	13.4	140	3	5	11	17	29	37	89	28	9.9	70	2	4	7	13	23	28	33
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	4	22.0	333	7	8	17	35	47	47	47										
18-24	13	14.1	185	3	7	10	18	54	90	99 +	1	3.0		3	3	3	3	3	3	3
25-34	27	15.7	167	3	5	13	21	37	43	52	2	18.0	578	1	1	18	35	35	35	35
35-54	14	14.9	48	6	10	15	20	24	26	27	3	13.3	66	5	7	14	19	21	21	21
55-74	20	16.2	183	3	6	13	22	36	47	55	6	12.3	103	2	2	11	21	26	27	27
75 +	16	15.9	177	2	8	13	21	27	48	57	10	8.4	22	4	5	6	12	16	18	18
ALL AGES	94	15.8	155	4	7	13	21	35	48	81	23	10.4	79	2	4	6	14	22	30	35
SUBTOTAL	**184**	**14.6**	**149**	**4**	**6**	**11**	**19**	**32**	**43**	**90**	**51**	**10.1**	**73**	**2**	**4**	**7**	**14**	**23**	**28**	**35**
GRAND TOTAL	**508**	**13.9**	**157**	**3**	**6**	**10**	**19**	**33**	**42**	**99 +**	**196**	**9.9**	**135**	**1**	**3**	**6**	**12**	**25**	**34**	**96**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	10.8	181	4	4	4	18	31	31	31	4	21.8	440	2	4	20	39	45	45	45
13-17																				
18-24	1	27.0		27	27	27	27	27	27	27										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	14.0	190	4	4	4	28	31	31	31	4	21.8	440	2	4	20	39	45	45	45
B. FEMALE																				
0-12 YRS.											2	4.5	5	3	3	4	6	6	6	6
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.5	25	5	5	8	12	12	12	12	2	4.5	5	3	3	4	6	6	6	6
SUBTOTAL	**7**	**12.4**	**138**	**4**	**4**	**5**	**23**	**30**	**31**	**31**	**6**	**16.0**	**346**	**2**	**3**	**6**	**34**	**44**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	36.0		36	36	36	36	36	36	36
13-17	1	21.0		21	21	21	21	21	21	21										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21	1	36.0		36	36	36	36	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
SUBTOTAL	**2**	**19.0**	**8**	**17**	**17**	**19**	**21**	**21**	**21**	**21**	**1**	**36.0**		**36**	**36**	**36**	**36**	**36**	**36**	**36**
GRAND TOTAL	**9**	**13.9**	**112**	**4**	**4**	**12**	**22**	**29**	**31**	**31**	**7**	**18.9**	**344**	**2**	**4**	**6**	**35**	**43**	**45**	**45**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	30.0	2107	3	3	4	63	83	83	83	5	48.8	800	27	31	38	62	97	97	97
13-17	4	19.8	24	13	16	20	23	25	25	25										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	8	21.6	691	3	4	16	23	66	83	83	6	41.5	960	7	27	35	50	92	97	97
B. FEMALE																				
0-12 YRS.	2	37.5	2381	3	3	37	72	72	72	72	2	64.0	338	51	51	64	77	77	77	77
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	23.5	1055	3	6	9	41	72	72	72	2	64.0	338	51	51	64	77	77	77	77
SUBTOTAL	**12**	**22.3**	**725**	**3**	**4**	**11**	**23**	**75**	**82**	**83**	**8**	**47.1**	**845**	**12**	**29**	**44**	**64**	**91**	**97**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	56.5	41	52	52	56	61	61	61	61	1	28.0		28	28	28	28	28	28	28
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	56.5	41	52	52	56	61	61	61	61	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.	3	28.0	63	19	22	31	33	34	34	34	1	50.0		50	50	75	99 +	99 +	99 +	99 +
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	1	49.0		49	49	49	49	49	49	49										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	27.6	274	5	15	31	38	49	49	49	1	50.0		50	50	75	99 +	99 +	99 +	99 +
SUBTOTAL	**7**	**35.9**	**385**	**8**	**22**	**34**	**51**	**59**	**61**	**61**	**2**	**39.0**	**242**	**28**	**33**	**50**	**87**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**19**	**27.3**	**617**	**3**	**6**	**19**	**45**	**68**	**78**	**83**	**10**	**45.5**	**694**	**18**	**29**	**50**	**70**	**98**	**99 +**	**99 +**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	25.5	41	21	21	25	30	30	30	30										
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	3	19.0	147	6	10	21	28	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	19.0	147	6	10	21	28	30	30	30										
GRAND TOTAL	3	19.0	147	6	10	21	28	30	30	30										

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28	1	1.0		1	1	1	1	1	1	1
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	26.0	849	1	5	19	48	58	58	58	3	2.7	4	1	1	2	4	5	5	5
25-34	12	6.8	46	1	2	4	10	16	23	24	12	4.2	38	1	1	2	4	12	21	23
35-54	22	3.6	14	1	1	2	5	10	12	15	36	2.9	5	1	1	2	4	5	8	12
55-74	16	5.3	23	1	2	3	7	13	16	17	19	2.3	4	1	1	2	3	6	7	7
75 +											6	3.7	9	1	1	3	5	9	9	9
ALL AGES	54	6.5	88	1	2	3	7	15	23	57	78	3.0	10	1	1	2	3	6	8	20
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1	5	6.0	43	1	1	3	9	17	17	17
18-24	12	8.3	56	2	4	5	10	23	24	24	4	3.0	3	1	1	3	4	5	5	5
25-34	17	7.4	111	1	2	3	7	20	34	42	19	4.3	22	1	1	2	5	12	15	17
35-54	36	4.7	31	1	1	3	5	12	19	26	56	2.4	3	1	1	2	3	4	6	10
55-74	51	8.6	99	2	3	5	10	24	36	43	46	4.9	8	2	3	4	7	9	9	12
75 +	12	10.8	175	2	3	6	11	35	43	44	28	6.2	57	1	2	4	7	10	25	37
ALL AGES	130	7.4	85	1	2	4	7	21	28	43	160	4.2	18	1	2	3	5	8	10	23
SUBTOTAL	**184**	**7.2**	**85**	**1**	**2**	**4**	**7**	**19**	**27**	**44**	**238**	**3.8**	**16**	**1**	**1**	**3**	**5**	**8**	**9**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-17	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
18-24	4	16.8	413	1	3	10	30	46	46	46	1	4.0		4	4	4	4	4	4	4
25-34	15	10.0	59	2	3	9	15	22	23	23	7	5.6	8	2	4	4	8	10	10	10
35-54	29	9.3	77	2	3	6	14	23	25	34	9	5.1	38	1	2	4	5	15	21	21
55-74	14	11.9	65	1	3	14	16	19	27	30	11	3.6	17	1	1	3	4	9	15	15
75 +	2	3.0	2	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
ALL AGES	66	11.0	126	2	3	8	15	23	31	60	30	4.5	19	1	2	3	5	9	15	21
B. FEMALE																				
0-12 YRS.																				
13-17	7	9.0	80	1	2	4	17	22	23	23	3	25.7	248	12	14	22	38	43	43	43
18-24	9	14.1	87	5	8	9	24	27	28	28	5	12.8	171	1	4	8	20	34	34	34
25-34	29	14.1	112	2	6	12	21	28	38	41	9	7.3	81	1	2	4	8	22	30	30
35-54	38	13.0	97	2	4	12	21	26	28	44	15	5.6	24	1	2	3	8	12	16	18
55-74	24	9.4	72	1	3	5	18	23	24	26	16	7.9	74	1	3	7	9	10	30	38
75 +	14	8.9	114	2	3	4	9	21	36	41	10	10.3	343	2	3	3	6	38	62	62
ALL AGES	121	11.9	97	2	4	9	20	25	28	42	58	9.0	131	1	3	5	9	21	36	60
SUBTOTAL	**187**	**11.6**	**107**	**2**	**3**	**9**	**17**	**25**	**28**	**45**	**88**	**7.4**	**98**	**1**	**2**	**4**	**9**	**16**	**30**	**55**
GRAND TOTAL	**371**	**9.4**	**101**	**1**	**2**	**5**	**13**	**23**	**28**	**44**	**326**	**4.8**	**40**	**1**	**2**	**3**	**5**	**9**	**13**	**37**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	19.8	302	4	5	18	34	39	39	39	6	1.8	2	1	1	1	2	4	4	4
13-17	5	6.4	21	2	3	6	8	14	14	14	4	1.8	1	1	1	2	2	3	3	3
18-24											1	1.0		1	1	1	1	1	1	1
25-34	10	6.3	107	1	1	3	7	21	35	35	7	5.3	16	1	3	4	9	12	12	12
35-54	6	6.2	58	1	1	4	6	20	21	21	3	2.7	4	1	1	2	4	5	5	5
55-74	4	3.0	5	1	1	2	4	6	6	6	1	8.0		8	8	8	8	8	8	8
75 +	5	9.6	188	2	2	5	12	34	34	34	1	2.0		2	2	2	2	2	2	2
ALL AGES	34	8.0	113	1	2	4	6	30	35	39	23	3.2	9	1	1	2	4	8	11	12
B. FEMALE																				
0-12 YRS.	8	6.6	52	2	3	4	6	19	24	24	7	2.9	1	2	2	2	4	5	5	5
13-17	13	6.4	20	1	3	6	9	13	15	16	10	5.5	72	1	1	3	5	17	29	29
18-24	15	4.2	12	1	2	4	5	8	12	14	9	6.1	26	1	2	5	9	14	17	17
25-34	19	7.5	65	1	2	4	10	16	27	34	10	2.7	3	1	1	2	4	5	6	6
35-54	20	4.9	15	1	1	4	8	11	12	13	10	2.7	6	1	1	2	2	7	8	8
55-74	11	4.7	6	1	3	5	7	8	8	8	10	4.5	32	1	2	2	5	13	20	20
75 +	2	14.0	200	4	4	14	24	24	24	24	1	19.0		19	19	19	19	19	19	19
ALL AGES	88	5.9	32	1	2	5	7	12	16	30	57	4.4	27	1	2	2	5	9	18	28
SUBTOTAL	**122**	**6.5**	**54**	**1**	**2**	**4**	**7**	**14**	**24**	**36**	**80**	**4.0**	**23**	**1**	**1**	**2**	**5**	**8**	**14**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	24.0	450	9	9	24	39	39	39	39
13-17											1	5.0		5	5	5	5	5	5	5
18-24	1	9.0		9	9	9	9	9	9	9	1	10.0		10	10	10	10	10	10	10
25-34	4	6.3	1	5	5	6	7	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	5	6.0	29	1	1	7	9	14	14	14	3	2.0	3	1	1	1	3	4	4	4
55-74	4	8.8	47	4	4	6	13	19	19	19	1	3.0		3	3	3	3	3	3	3
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	15	6.7	23	1	4	7	8	14	18	19	9	8.1	146	1	1	4	9	27	39	39
B. FEMALE																				
0-12 YRS.											2	21.0	578	4	4	21	38	38	38	38
13-17	1	2.0		2	2	2	2	2	2	2	3	3.7		3	3	4	4	4	4	4
18-24	10	7.2	102	1	2	3	7	25	32	32	3	2.7	1	2	2	2	4	4	4	4
25-34	16	9.8	55	1	4	7	16	21	23	24	10	5.2	15	1	2	5	7	11	14	14
35-54	10	4.9	12	1	2	4	7	10	12	12	12	6.6	57	1	2	5	8	15	27	29
55-74	8	12.6	114	3	4	9	19	30	33	33	6	4.3	20	1	2	3	5	12	13	13
75 +											3	11.0	52	5	6	9	16	19	19	19
ALL AGES	45	8.4	69	1	2	5	12	21	26	33	39	6.4	57	1	2	4	8	14	24	38
SUBTOTAL	**60**	**8.0**	**57**	**1**	**3**	**6**	**10**	**19**	**23**	**33**	**48**	**6.8**	**70**	**1**	**2**	**4**	**8**	**14**	**30**	**39**
GRAND TOTAL	**182**	**7.0**	**55**	**1**	**2**	**5**	**8**	**16**	**24**	**35**	**128**	**5.0**	**42**	**1**	**2**	**3**	**5**	**10**	**19**	**38**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	23.3	92	16	17	20	30	34	34	34										
35-54	2	42.0	1152	18	18	42	66	66	66	66	1	6.0		6	6	6	6	6	6	6
55-74	2	28.0	162	19	19	28	37	37	37	37										
75 +																				
ALL AGES	7	30.0	320	16	18	20	36	60	66	66	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	5	9.0	19	5	6	7	13	15	15	15										
35-54	8	20.3	95	6	11	23	28	31	32	32										
55-74	4	8.5	44	3	4	6	13	18	18	18	1	3.0		3	3	3	3	3	3	3
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	19	13.3	88	4	5	9	20	28	31	32	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**26**	**17.8**	**197**	**5**	**7**	**15**	**25**	**34**	**43**	**66**	**3**	**4.0**	**3**	**3**	**3**	**3**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	26.0		26	26	26	26	26	26	26
18-24	1	55.0		55	55	77	99 +	99 +	99 +	99 +										
25-34	3	9.0	31	3	5	10	13	14	14	14										
35-54	2	22.0	8	20	20	22	24	24	24	24										
55-74	1	22.0		22	22	22	22	22	22	22										
75 +	1	97.0		97	97	97	97	97	97	97										
ALL AGES	9	27.6	919	3	10	21	55	98	99 +	99 +	1	26.0		26	26	26	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	29.0	450	14	14	29	44	44	44	44										
25-34	1	10.0		10	10	10	10	10	10	10	1	4.0		4	4	4	4	4	4	4
35-54	7	23.1	131	9	14	27	29	39	41	41	2	8.0	98	1	1	7	15	15	15	15
55-74	5	15.4	112	2	7	14	25	27	27	27										
75 +																				
ALL AGES	15	20.5	149	8	11	15	28	41	43	44	3	6.7	54	1	1	4	12	15	15	15
SUBTOTAL	**24**	**23.1**	**426**	**3**	**10**	**20**	**28**	**55**	**98**	**99 +**	**4**	**11.5**	**130**	**1**	**2**	**9**	**20**	**26**	**26**	**26**
GRAND TOTAL	**50**	**20.4**	**305**	**4**	**8**	**16**	**27**	**42**	**65**	**99 +**	**7**	**8.3**	**82**	**1**	**3**	**4**	**13**	**24**	**26**	**26**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
13-17	1	24.0		24	24	24	24	24	24	24	1	3.0		3	3	3	3	3	3	3
18-24	3	18.7	252	1	11	27	66	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
25-34	2	31.5	1625	3	3	31	60	60	60	60	4	25.5	354	6	13	22	38	51	51	51
35-54	5	25.4	935	5	6	12	39	78	78	78	3	55.3	311	36	42	60	67	70	70	70
55-74	4	11.3	49	5	6	9	16	21	21	21										
75 +																				
ALL AGES	16	20.3	457	3	6	12	27	74	92	99 +	10	27.5	657	1	3	22	51	65	70	70
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	26.0		26	26	26	26	26	26	26										
25-34	2	21.5	181	12	12	21	31	31	31	31	2	40.5	1405	14	14	40	67	67	67	67
35-54	6	10.8	44	4	5	9	18	19	19	19	3	36.0	556	16	19	30	54	62	62	62
55-74																				
75 +											2	23.5	421	9	9	23	38	38	38	38
ALL AGES	9	14.9	88	4	6	12	21	29	31	31	7	33.7	543	10	14	30	56	66	67	67
SUBTOTAL	**25**	**18.3**	**324**	**4**	**6**	**12**	**26**	**57**	**82**	**99 +**	**17**	**30.1**	**580**	**3**	**8**	**25**	**53**	**66**	**69**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	21.0	98	14	14	21	28	28	28	28										
25-34	4	17.0	131	7	9	14	25	33	33	33	1	3.0		3	3	3	3	3	3	3
35-54	4	10.5	88	1	3	9	18	22	22	22										
55-74	5	18.2	662	4	5	6	24	64	64	64	1	22.0		22	22	22	22	22	22	22
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	16	16.5	242	4	6	12	21	32	55	64	2	12.5	181	3	3	12	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	6	31.0	664	10	12	34	68	96	99 +	99 +	1	18.0		18	18	18	18	18	18	18
35-54	3	53.3	886	31	34	42	76	87	87	87	2	16.0	288	4	4	16	28	28	28	28
55-74	1	42.0		42	42	42	42	42	42	42										
75 +																				
ALL AGES	10	38.8	677	11	20	37	69	92	99	99 +	4	13.3	142	3	3	11	23	28	28	28
SUBTOTAL	**26**	**25.1**	**510**	**5**	**10**	**17**	**36**	**75**	**89**	**99 +**	**6**	**13.0**	**122**	**3**	**3**	**11**	**22**	**27**	**28**	**28**
GRAND TOTAL	**51**	**21.8**	**421**	**5**	**7**	**16**	**31**	**67**	**86**	**99 +**	**23**	**25.6**	**511**	**3**	**4**	**20**	**37**	**63**	**68**	**70**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	23.7	869	4	6	7	36	75	86	86										
13-17	18	12.0	178	3	5	8	13	29	48	56	2	2.5	1	2	2	2	3	3	3	3
18-24	12	8.1	107	1	2	4	8	25	34	36										
25-34	16	10.4	74	1	3	8	18	23	26	27	4	7.3	41	1	1	6	12	15	15	15
35-54	20	9.5	80	1	3	8	15	28	66	99 +	14	3.1	7	1	1	2	4	8	8	8
55-74	8	18.6	265	3	4	18	24	44	52	52	13	8.5	29	2	4	8	13	16	16	16
75 +	4	8.5	20	4	5	8	12	14	14	14	4	14.0	6	11	12	14	16	16	16	16
ALL AGES	87	12.2	206	2	4	7	15	28	52	95	37	6.6	29	1	2	4	11	15	16	16
B. FEMALE																				
0-12 YRS.	2	16.0	2	15	15	16	17	17	17	17										
13-17	57	20.5	401	3	6	12	36	67	99 +	99 +	2	8.5	85	2	2	8	15	15	15	15
18-24	31	8.9	99	1	2	7	11	19	31	47	6	8.0	80	3	4	4	7	24	26	26
25-34	44	8.2	55	1	3	6	12	18	24	32	16	3.6	5	1	2	3	5	6	7	8
35-54	59	11.4	70	3	4	10	16	23	27	41	24	4.7	6	2	3	4	6	8	9	10
55-74	35	9.1	87	1	3	6	10	26	30	42	18	6.4	32	2	3	4	8	14	19	23
75 +	9	9.6	55	1	4	8	16	21	21	21	16	4.8	5	3	3	5	6	7	10	11
ALL AGES	237	12.3	172	2	4	9	17	29	46	99 +	82	5.2	18	2	3	4	6	9	13	25
SUBTOTAL	**324**	**12.3**	**180**	**2**	**4**	**8**	**16**	**29**	**47**	**99 +**	**119**	**5.7**	**21**	**1**	**3**	**4**	**7**	**13**	**15**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	24	50.3	884	8	25	58	75	90	92	92	7	24.3	225	4	14	23	38	43	44	44
13-17	31	30.4	431	5	9	32	56	66	99 +	99 +	1	26.0		26	26	26	26	26	26	26
18-24	62	20.7	187	4	12	21	27	36	50	97	3	1.7		1	1	2	2	2	2	2
25-34	99	17.3	138	2	7	21	21	28	36	61	4	5.8	31	1	2	4	9	14	14	14
35-54	87	17.4	156	3	6	19	22	28	35	71	6	6.7	53	1	1	3	15	17	17	17
55-74	19	16.6	205	2	5	14	22	30	47	60	6	6.3	6	4	4	6	8	9	9	9
75 +	3	15.0	31	10	11	14	19	21	21	21	1	5.0		5	5	5	5	5	5	5
ALL AGES	325	21.6	313	3	8	21	27	50	64	99 +	28	11.0	142	1	2	5	16	28	41	44
B. FEMALE																				
0-12 YRS.	6	51.2	1361	5	23	59	91	99	99 +	99 +										
13-17	52	30.8	595	3	10	29	54	64	93	99 +	4	18.3	210	1	7	18	29	35	35	35
18-24	84	16.6	256	3	6	14	21	29	43	94	3	4.7	6	2	3	5	6	7	7	7
25-34	136	15.8	133	3	7	14	22	28	40	66	10	6.3	33	1	3	4	8	15	20	20
35-54	104	15.8	120	3	6	15	22	28	32	52	19	6.5	23	1	3	7	7	11	17	22
55-74	45	18.2	223	5	7	17	23	30	36	91	5	8.4	27	2	3	10	12	14	14	14
75 +	12	17.5	95	6	8	19	24	30	34	35	3	8.7	43	3	4	7	14	16	16	16
ALL AGES	439	18.5	265	3	7	15	24	37	56	98	44	7.8	48	1	3	7	10	16	23	35
SUBTOTAL	**764**	**19.8**	**288**	**3**	**7**	**19**	**26**	**42**	**58**	**99**	**72**	**9.0**	**86**	**1**	**3**	**7**	**12**	**22**	**29**	**43**
GRAND TOTAL	**1088**	**17.6**	**267**	**3**	**6**	**14**	**23**	**38**	**57**	**99 +**	**191**	**6.9**	**48**	**1**	**3**	**5**	**8**	**15**	**22**	**39**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34											3	3.3	17	1	1	1	6	8	8	8
35-54											2	3.0	2	2	2	3	4	4	4	4
55-74																				
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES											7	3.3	8	1	1	2	5	8	8	8
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**	**9**	**2.8**	**7**	**1**	**1**	**1**	**4**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	1.5	1	1	1	1	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES											2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL											**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**	**12**	**2.5**	**5**	**1**	**1**	**2**	**3**	**7**	**8**	**8**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	3	15.7	68	9	10	13	22	25	25	25										
SUBTOTAL	**3**	**15.7**	**68**	**9**	**10**	**13**	**22**	**25**	**25**	**25**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	55.0		55	55	55	55	55	55	55										
35-54																				
55-74																				
75 +																				
ALL AGES	1	55.0		55	55	55	55	55	55	55										
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.0	18	5	5	8	11	11	11	11										
SUBTOTAL	**3**	**23.7**	**743**	**5**	**6**	**11**	**44**	**55**	**55**	**55**										
GRAND TOTAL	**6**	**19.7**	**343**	**5**	**9**	**12**	**25**	**52**	**55**	**55**										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17											1	15.0		15	15	15	15	15	15	15
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	26.0		26	26	26	26	26	26	26										
55-74	3	11.0	219	1	2	4	22	28	28	28	1	4.0		4	4	4	4	4	4	4
75 +	1	3.0		3	3	3	3	3	3	3	1	10.0		10	10	10	10	10	10	10
ALL AGES	5	12.4	179	1	2	4	26	28	28	28	4	7.8	34	2	3	7	12	15	15	15
SUBTOTAL	**6**	**11.2**	**152**	**1**	**3**	**4**	**26**	**28**	**28**	**28**	**4**	**7.8**	**34**	**2**	**3**	**7**	**12**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	2	8.5	5	7	7	8	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	3	10.0	9	7	8	10	12	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	49.0		49	49	49	49	49	49	49										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	2	30.0	722	11	11	30	49	49	49	49										
SUBTOTAL	**5**	**18.0**	**305**	**7**	**9**	**11**	**22**	**49**	**49**	**49**										
GRAND TOTAL	**11**	**14.3**	**210**	**2**	**4**	**10**	**23**	**36**	**48**	**49**	**4**	**7.8**	**34**	**2**	**3**	**7**	**12**	**15**	**15**	**15**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74	2	26.0	18	23	23	26	29	29	29	29										
75 +																				
ALL AGES	3	17.7	216	1	6	23	27	29	29	29										
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17											1	10.0		10	10	10	10	10	10	10
18-24	2	21.5	113	14	14	21	29	29	29	29	3	7.0	28	1	3	9	10	11	11	11
25-34																				
35-54	6	13.2	102	2	6	11	21	27	28	28										
55-74	5	24.0	240	2	12	28	36	40	40	40										
75 +	1	51.0		51	51	51	51	51	51	51										
ALL AGES	15	21.4	211	2	8	21	29	40	48	51	4	7.8	20	1	5	9	10	11	11	11
SUBTOTAL	**18**	**20.8**	**200**	**2**	**6**	**22**	**29**	**38**	**47**	**51**	**4**	**7.8**	**20**	**1**	**5**	**9**	**10**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	3	10.3	7	8	8	10	12	13	13	13										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	6	7.0	18	2	3	7	10	13	13	13	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	4	10.5	32	4	6	10	15	17	17	17										
55-74	2	9.5	61	4	4	9	15	15	15	15										
75 +																				
ALL AGES	9	7.6	35	2	3	4	13	16	17	17										
SUBTOTAL	**15**	**7.3**	**27**	**2**	**3**	**6**	**12**	**15**	**16**	**17**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**33**	**14.7**	**164**	**2**	**4**	**13**	**24**	**30**	**39**	**51**	**5**	**6.4**	**25**	**1**	**1**	**9**	**10**	**11**	**11**	**11**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	14.9	738	1	3	4	10	63	76	76	1	1.0		1	1	1	1	1	1	1
13-17	3	6.3	47	1	2	4	11	14	14	14	1	1.0		1	1	1	1	1	1	1
18-24	6	8.5	118	1	1	2	22	23	23	23	3	7.3	73	1	2	4	14	17	17	17
25-34	3	1.0		1	1	1	1	1	1	1	4	2.8	5	1	1	2	4	6	6	6
35-54	7	10.7	150	1	1	4	22	29	30	30	4	4.8	7	2	2	4	7	8	8	8
55-74	10	9.1	30	3	5	8	11	18	18	18	11	7.9	31	1	4	7	11	17	19	19
75 +	6	6.0	12	2	3	5	9	11	11	11	12	12.9	159	2	3	7	25	32	33	33
ALL AGES	42	9.0	168	1	2	4	11	22	28	76	36	8.2	80	1	2	5	10	20	32	33
B. FEMALE																				
0-12 YRS.											2	1.5	1	1	1	1	2	2	2	2
13-17	6	4.2	11	1	2	3	6	10	10	10	6	1.3		1	1	1	2	2	2	2
18-24	1	6.0		6	6	6	6	6	6	6	3	2.3	1	2	2	2	3	3	3	3
25-34	3	5.3	21	1	1	5	9	10	10	10	1	3.0		3	3	3	3	3	3	3
35-54	2	2.0	2	1	1	1	3	3	3	3	7	5.6	50	1	1	4	6	18	21	21
55-74	9	10.9	95	1	3	7	17	26	30	30	10	7.5	17	3	4	7	9	14	15	15
75 +	9	5.0	11	1	2	4	8	9	10	10	27	11.2	150	3	4	8	12	20	36	63
ALL AGES	30	6.5	42	1	2	4	8	15	19	30	56	7.8	93	1	2	5	10	17	21	61
SUBTOTAL	**72**	**8.0**	**115**	**1**	**2**	**4**	**10**	**18**	**26**	**66**	**92**	**8.0**	**86**	**1**	**2**	**5**	**10**	**18**	**30**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	4.0	23	1	1	2	7	11	11	11	1	3.0		3	3	3	3	3	3	3
13-17	4	5.3	14	1	2	5	8	10	10	10	3	9.0	192	1	1	1	19	25	25	25
13-24	15	7.3	37	1	2	5	11	18	19	20	7	2.4	1	1	2	2	3	4	4	4
25-34	19	5.4	19	1	1	5	7	12	14	15	10	1.8	1	1	1	2	2	3	3	3
35-54	18	6.7	79	1	2	4	8	11	28	40	8	4.8	15	1	2	3	7	11	12	12
55-74	4	9.5	126	2	2	5	16	26	26	26	2	4.5	1	4	4	4	5	5	5	5
75 +	2	5.0		5	5	5	5	5	5	5	3	17.3	267	6	7	10	29	36	36	36
ALL AGES	66	6.3	43	1	2	5	9	12	18	38	34	4.8	52	1	2	3	4	10	22	36
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	9	13.6	448	3	4	6	11	48	69	69	2	1.5	1	1	1	1	2	2	2	2
18-24	14	8.4	71	1	2	5	10	24	28	29	4	2.5	3	1	1	2	4	4	4	4
25-34	10	7.1	56	1	2	5	11	18	25	25	7	3.3	5	1	2	3	4	7	8	8
35-54	13	14.2	179	2	7	11	17	31	49	53	5	3.8	6	2	2	3	4	8	8	8
55-74	8	11.1	28	4	8	11	13	18	20	20	8	13.8	573	3	5	5	7	53	73	73
75 +	7	12.4	129	3	5	7	22	30	31	31	4	11.8	25	7	8	10	15	19	19	19
ALL AGES	62	10.9	141	2	4	8	13	25	30	67	30	7.1	169	1	2	4	7	10	19	73
SUBTOTAL	**128**	**8.5**	**96**	**1**	**2**	**6**	**11**	**18**	**26**	**57**	**64**	**5.9**	**106**	**1**	**2**	**3**	**5**	**10**	**21**	**68**
GRAND TOTAL	**200**	**8.3**	**102**	**1**	**2**	**5**	**10**	**18**	**26**	**61**	**156**	**7.1**	**95**	**1**	**2**	**4**	**8**	**17**	**24**	**61**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	13.3	298	1	2	6	26	33	33	33										
35-54	2	7.0	32	3	3	7	11	11	11	11										
55-74																				
75 +																				
ALL AGES	5	10.8	168	1	2	6	16	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	12.5	33	8	8	11	17	20	20	20	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	4	12.5	33	8	8	11	17	20	20	20	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**9**	**11.6**	**96**	**2**	**5**	**8**	**15**	**28**	**33**	**33**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-24																				
25-34	5	17.2	111	7	8	13	28	29	29	29										
35-54	4	12.3	55	5	6	11	18	21	21	21										
55-74																				
75 +																				
ALL AGES	10	16.4	94	6	7	14	28	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34																				
35-54	1	25.0		25	25	25	25	25	25	25										
55-74	2	39.5	1985	8	8	39	71	71	71	71	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	4	29.0	837	8	10	18	48	71	71	71	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**14**	**20.0**	**293**	**7**	**8**	**14**	**28**	**33**	**63**	**71**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**23**	**16.7**	**226**	**5**	**7**	**12**	**24**	**30**	**46**	**71**	**2**	**6.0**	**2**	**5**	**5**	**6**	**7**	**7**	**7**	**7**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	11.3	45	4	5	11	17	18	18	18										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	2	34.5	365	21	21	34	48	48	48	48										
35-54	2	9.0	98	2	2	9	16	16	16	16										
55-74																				
75 +																				
ALL AGES	9	15.4	196	3	6	16	19	37	48	48										
B. FEMALE																				
0-12 YRS.	2	12.5	1	12	12	13	78	99 +	99 +	99 +										
13-17	5	28.2	1228	4	5	21	39	89	89	89										
18-24	4	6.3	16	1	3	7	9	10	10	10										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	3	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	15	15.3	447	4	7	10	17	82	97	99 +										
SUBTOTAL	**24**	**15.3**	**341**	**4**	**6**	**10**	**19**	**48**	**92**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	20.7	210	9	11	16	32	37	37	37										
18-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	4	17.8	406	6	7	8	28	48	48	48										
35-54	2	24.0	578	7	7	24	41	41	41	41										
55-74	2	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	13	14.8	259	2	4	8	21	42	47	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	31.5	61	26	26	31	37	37	37	37										
25-34	6	13.7	93	1	6	13	20	27	28	28										
35-54	3	29.7	457	5	14	40	43	44	44	44	1	11.0		11	11	11	11	11	11	11
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	13	21.1	192	4	10	20	30	41	43	44	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**26**	**17.9**	**229**	**2**	**6**	**12**	**28**	**41**	**45**	**48**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
GRAND TOTAL	**50**	**16.7**	**277**	**3**	**6**	**10**	**22**	**42**	**48**	**99 +**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	43.5	13	41	41	43	46	46	46	46										
18-24	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	4	25.3	462	2	7	26	43	46	46	46	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.0	18	5	5	8	11	11	11	11	1	44.0		44	44	44	44	44	44	44
35-54	4	28.5	454	8	12	25	45	56	56	56	1	24.0		24	24	24	24	24	24	24
55-74																				
75 +																				
ALL AGES	6	21.7	387	5	8	13	34	54	56	56	2	34.0	200	24	24	34	44	44	44	44
SUBTOTAL	**10**	**23.1**	**374**	**3**	**8**	**14**	**41**	**51**	**56**	**56**	3	24.0	400	4	9	24	39	44	44	44
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	63.0		63	63	63	63	63	63	63										
18-24	2	12.5	1	12	12	12	13	13	13	13										
25-34	4	22.3	602	7	9	11	35	59	59	59										
35-54	2	13.5	265	2	2	13	25	25	25	25										
55-74																				
75 +																				
ALL AGES	9	22.7	509	4	10	12	33	61	63	63										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	25.3	598	6	10	17	40	61	61	61										
35-54	2	3.5	13	1	1	3	6	6	6	6										
55-74																				
75 +																				
ALL AGES	6	18.0	489	1	6	10	20	57	61	61										
SUBTOTAL	**15**	**20.8**	**472**	**2**	**6**	**12**	**24**	**61**	**62**	**63**										
GRAND TOTAL	**25**	**21.7**	**418**	**2**	**7**	**12**	**36**	**59**	**61**	**63**	**3**	**24.0**	**400**	**4**	**9**	**24**	**39**	**44**	**44**	**44**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	14.5	313	2	2	14	27	27	27	27										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	5	9.6	111	2	2	5	16	27	27	27										
B. FEMALE																				
0-12 YRS.																				
13-17											1	9.0		9	9	9	9	9	9	9
18-24											1	4.0		4	4	4	4	4	4	4
25-34	2	17.0	72	11	11	17	23	23	23	23										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	3	15.7	40	11	11	13	20	23	23	23	3	4.7	16	1	2	4	8	9	9	9
SUBTOTAL	**8**	**11.9**	**85**	**2**	**4**	**11**	**18**	**26**	**27**	**27**	**3**	**4.7**	**16**	**1**	**2**	**4**	**8**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	6	6.7	29	1	2	6	9	15	16	16										
35-54	2	5.0	32	1	1	4	9	9	9	9										
55-74																				
75 +																				
ALL AGES	10	5.7	22	1	2	4	9	13	16	16										
B. FEMALE																				
0-12 YRS																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	3	25.7	994	5	6	10	49	62	62	62										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	2	10.5	1	10	10	10	11	11	11	11										
75 +																				
ALL AGES	7	16.6	409	5	6	10	12	52	62	62										
SUBTOTAL	**17**	**10.2**	**196**	**1**	**4**	**7**	**10**	**15**	**46**	**62**										
GRAND TOTAL	**25**	**10.7**	**157**	**2**	**4**	**9**	**12**	**23**	**36**	**62**	**3**	**4.7**	**16**	**1**	**2**	**4**	**8**	**9**	**9**	**9**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	15.0		15	15	57	99+	99+	99+	99+										
35-54	2	42.0	3200	2	2	42	82	82	82	82										
55-74																				
75 +																				
ALL AGES	4	26.3	1407	2	5	15	86	99+	99+	99+										
B. FEMALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-24																				
25-34																				
35-54	1	37.0		37	37	37	37	37	37	37										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	3	25.0	304	5	12	33	36	37	37	37										
SUBTOTAL	**7**	**25.7**	**808**	**3**	**5**	**24**	**59**	**95**	**99+**	**99+**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	3	35.3	2765	4	4	6	73	96	96	96										
55-74																				
75 +																				
ALL AGES	5	24.4	1607	4	5	6	31	96	96	96										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	2	16.5	1	16	16	16	17	17	17	17										
55-74	2	29.0	288	17	17	29	41	41	41	41										
75 +																				
ALL AGES	6	16.3	190	2	5	16	17	39	41	41										
SUBTOTAL	**11**	**20.0**	**755**	**3**	**5**	**10**	**17**	**63**	**93**	**96**										
GRAND TOTAL	**18**	**22.2**	**738**	**3**	**5**	**15**	**36**	**90**	**98**	**99+**										

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	6.5	41	2	2	6	11	11	11	11	1	9.0		9	9	9	9	9	9	9
35-54																				
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	2	6.5	41	2	2	6	11	11	11	11	2	8.0	2	7	7	8	9	9	9	9
B. FEMALE																				
0-12 YRS.											1	17.0		17	17	17	17	17	17	17
13-17											1	3.0		3	3	3	3	3	3	3
18-24	1	4.0		4	4	4	4	4	4	4										
25-34											1	5.0		5	5	5	5	5	5	5
35-54	2	7.0	2	6	6	7	8	8	8	8										
55-74																				
75 +																				
ALL AGES	3	6.0	4	4	4	6	7	8	8	8	3	8.3	58	3	3	5	14	17	17	17
SUBTOTAL	**5**	**6.2**	**12**	**2**	**3**	**6**	**9**	**11**	**11**	**11**	**5**	**8.2**	**29**	**3**	**4**	**7**	**11**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.5	1	11	11	11	12	12	12	12										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	3	8.7	23	3	5	11	12	12	12	12	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-24																				
25-34	2	10.0	2	9	9	11	78	99 +	99 +	99 +										
35-54	2	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	5	6.8	13	3	3	8	11	91	99 +	99 +										
SUBTOTAL	**8**	**7.5**	**15**	**3**	**3**	**9**	**11**	**65**	**99 +**	**99 +**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**13**	**7.0**	**14**	**3**	**3**	**8**	**11**	**21**	**82**	**99 +**	**6**	**7.0**	**32**	**1**	**3**	**6**	**9**	**16**	**17**	**17**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24	3	12.3	94	2	5	14	19	21	21	21										
25-34																				
35-54																				
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	5	14.0	53	2	11	15	19	21	21	21										
SUBTOTAL	**6**	**12.2**	**61**	**2**	**3**	**14**	**18**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	18.8	465	2	4	11	33	50	50	50										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	6	16.5	307	2	6	11	18	47	50	50										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	9.0		9	9	9	9	9	9	9
25-34	2	5.0	8	3	3	5	7	7	7	7	2	4.5	13	2	2	4	7	7	7	7
35-54	3	34.7	641	14	17	27	54	63	63	63										
55-74																				
75 +																				
ALL AGES	5	22.8	588	3	6	14	36	63	63	63	3	6.0	13	2	3	7	8	9	9	9
SUBTOTAL	**11**	**19.4**	**398**	**3**	**6**	**14**	**25**	**55**	**62**	**63**	**3**	**6.0**	**13**	**2**	**3**	**7**	**8**	**9**	**9**	**9**
GRAND TOTAL	**17**	**16.8**	**283**	**2**	**5**	**14**	**19**	**45**	**58**	**63**	**3**	**6.0**	**13**	**2**	**3**	**7**	**8**	**9**	**9**	**9**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	9.0	39	2	4	11	13	14	14	14										
18-24	8	11.0	167	1	1	4	20	32	35	35										
25-34	4	9.0	6	6	7	9	11	12	12	12										
35-54	2	4.0	18	1	1	4	7	7	7	7										
55-74																				
75 +																				
ALL AGES	17	9.4	84	1	2	7	12	23	31	35										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**18**	**8.9**	**84**	**1**	**1**	**7**	**12**	**22**	**31**	**35**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	12	11.5	53	4	7	8	18	21	24	24										
25-34	12	8.3	16	4	5	7	11	14	16	16	1	2.0		2	2	2	2	2	2	2
35-54	3	21.0	489	4	6	13	38	46	46	46	1	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	29	11.1	76	4	6	8	14	20	25	46	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	7.0		7	7	7	7	7	7	7
25-34	2	3.5	1	3	3	3	4	4	4	4	1	12.0		12	12	12	12	12	12	12
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	2	9.5	13	7	7	9	12	12	12	12
SUBTOTAL	**31**	**10.6**	**75**	**4**	**5**	**7**	**14**	**19**	**24**	**46**	**4**	**6.3**	**18**	**2**	**3**	**5**	**9**	**12**	**12**	**12**
GRAND TOTAL	**49**	**10.0**	**77**	**1**	**4**	**7**	**13**	**20**	**25**	**46**	**4**	**6.3**	**18**	**2**	**3**	**5**	**9**	**12**	**12**	**12**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	7	14.0	79	5	6	11	20	27	29	29										
25-34	8	14.3	165	5	7	9	17	36	44	44	2	25.0	200	15	15	25	35	35	35	35
35-54											2	5.5	13	3	3	5	8	8	8	8
55-74																				
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	17	13.9	105	5	7	9	18	27	39	44	5	17.8	181	3	7	15	30	35	35	35
B. FEMALE																				
0-12 YRS.											1	69.0		69	69	69	69	69	69	69
13-17	17	21.8	331	4	8	13	38	50	54	56										
18-24	19	20.9	492	3	6	15	28	56	76	84	3	9.0	21	5	6	8	12	14	14	14
25-34	33	11.3	182	1	3	8	13	33	48	52	7	9.1	27	1	5	10	13	15	15	15
35-54	24	13.4	144	1	4	11	18	31	39	47	5	8.6	56	1	4	6	12	21	21	21
55-74																				
75 +	2	17.0		17	17	17	17	17	17	17										
ALL AGES	95	15.8	266	2	4	10	19	43	50	76	16	12.7	253	1	5	8	14	20	55	69
SUBTOTAL	**112**	**15.5**	**242**	**2**	**5**	**10**	**19**	**41**	**49**	**73**	**21**	**13.9**	**232**	**2**	**6**	**9**	**15**	**31**	**50**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30	1	18.0		18	18	18	18	18	18	18
13-17	1	10.0		10	10	10	10	10	10	10	1	14.0		14	14	14	14	14	14	14
18-24	27	15.2	299	3	5	9	16	36	46	83	6	11.5	176	1	2	8	12	34	37	37
25-34	23	8.4	51	2	4	7	10	15	23	35	3	21.3	539	6	7	10	38	48	48	48
35-54	9	19.9	299	4	7	12	35	47	52	52	2	12.5	181	3	3	12	22	22	22	22
55-74	1	26.0		26	26	26	26	26	26	26	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	62	13.7	209	3	5	9	15	35	39	79	14	13.6	195	1	3	10	18	38	46	48
B. FEMALE																				
0-12 YRS.																				
13-17	7	25.1	402	7	13	23	49	89	99 +	99 +										
18-24	41	17.5	330	1	5	10	28	55	65	99 +	5	9.4	54	1	4	8	15	20	20	20
25-34	55	13.9	177	2	5	10	19	37	49	53	4	16.0	75	6	10	15	22	27	27	27
35-54	22	10.0	66	2	4	8	15	23	27	28	4	14.8	202	6	6	8	23	36	36	36
55-74	2	56.5	1741	27	27	56	86	86	86	86	1	4.0		4	4	4	4	4	4	4
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	128	15.7	263	2	5	10	22	43	56	99 +	14	12.4	96	4	6	9	17	28	34	36
SUBTOTAL	**190**	**15.0**	**246**	**2**	**5**	**10**	**19**	**37**	**53**	**94**	**28**	**13.0**	**141**	**2**	**5**	**10**	**17**	**33**	**38**	**48**
GRAND TOTAL	**302**	**15.2**	**243**	**2**	**5**	**10**	**19**	**37**	**51**	**85**	**49**	**13.4**	**176**	**2**	**6**	**10**	**16**	**32**	**38**	**69**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	16.0	71	7	10	15	22	27	27	27	1	6.0		6	6	6	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES	4	16.0	71	7	10	15	22	27	27	27	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17											2	6.5	13	4	4	6	9	9	9	9
18-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54	6	7.7	62	2	3	4	12	21	22	22	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	8	6.1	53	1	2	3	8	19	22	22	3	7.0	7	4	5	8	9	9	9	9
SUBTOTAL	**12**	**9.4**	**77**	**1**	**2**	**5**	**15**	**23**	**26**	**27**	**4**	**6.8**	**4**	**4**	**5**	**7**	**8**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	1	24.0		24	24	24	24	24	24	24										
35-54	3	7.0	1	6	6	7	8	8	8	8	1	3.0		3	3	3	3	3	3	3
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	5	9.4	72	2	5	7	12	24	24	24	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	3	14.3	422	2	2	3	29	38	38	38										
18-24	2	13.5	265	2	2	13	25	25	25	25	2	1.5	1	1	1	1	2	2	2	2
25-34	6	10.5	37	4	5	9	15	19	20	20										
35-54	9	8.2	29	2	5	8	11	16	19	19	1	7.0		7	7	7	7	7	7	7
55-74	1	32.0		32	32	32	32	32	32	32										
75 +																				
ALL AGES	21	11.4	103	2	4	9	16	28	35	38	3	3.3	11	1	1	2	6	7	7	7
SUBTOTAL	**26**	**11.0**	**95**	**2**	**4**	**8**	**15**	**25**	**33**	**38**	**5**	**2.8**	**6**	**1**	**1**	**2**	**4**	**7**	**7**	**7**
GRAND TOTAL	**38**	**10.5**	**88**	**2**	**3**	**7**	**15**	**25**	**30**	**38**	**9**	**4.6**	**9**	**1**	**2**	**4**	**7**	**9**	**9**	**9**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL																					
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34	1	6.0		6	6	6	6	6	6	6											
35-54																					
55-74																					
75 +																					
ALL AGES	1	6.0		6	6	6	6	6	6	6											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL	1	6.0		6	6	6	6	6	6	6											
GRAND TOTAL	1	6.0		6	6	6	6	6	6	6											

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	9.0		9	9	9	9	9	9	9
25-34	2	4.0		4	4	4	4	4	4	4	3	5.7	8	4	4	4	8	9	9	9
35-54											2	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	2	4.0		4	4	4	4	4	4	4	6	7.3	7	4	4	9	9	9	9	9
SUBTOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**6**	**7.3**	**7**	**4**	**4**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**6**	**7.3**	**7**	**4**	**4**	**9**	**9**	**9**	**9**	**9**

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	6	2.0	3	1	1	1	3	5	5	5	8	2.0	1	1	1	2	3	3	3	3
55-74	11	2.7	3	1	1	2	4	5	6	6	16	2.9	2	1	2	3	4	4	5	5
75 +	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
ALL AGES	18	2.6	2	1	1	2	4	5	6	6	25	2.6	2	1	1	3	4	4	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**18**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**6**	**6**	**25**	**2.6**	**2**	**1**	**1**	**3**	**4**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	2.0	2	1	1	2	3	3	3	3	2	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**20**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**6**	**27**	**2.6**	**1**	**1**	**1**	**3**	**4**	**4**	**5**	**5**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	14.5	221	4	4	14	25	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**14.5**	**221**	**4**	**4**	**14**	**25**	**25**	**25**	**25**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**14.5**	**221**	**4**	**4**	**14**	**25**	**25**	**25**	**25**										

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	2.5	1	2	2	2	3	3	3	3
13-17	7	1.1		1	1	1	1	2	2	2	5	1.0		1	1	1	1	1	1	1
18-24	13	5.8	52	1	1	4	6	14	25	28	17	4.5	7	1	2	4	6	8	9	10
25-34	43	4.9	15	1	2	4	6	11	13	18	75	5.1	9	1	3	6	6	7	9	20
35-54	98	4.7	16	1	2	4	6	8	12	23	172	5.1	6	2	3	5	6	7	10	12
55-74	60	6.9	122	1	3	5	7	10	16	78	68	5.0	12	1	3	5	6	10	11	85
75 +	4	8.3	139	2	2	3	14	26	26	26	9	7.9	61	2	4	6	7	20	28	28
ALL AGES	225	5.3	48	1	2	4	6	10	13	29	348	5.0	10	1	3	5	6	8	10	21
B. FEMALE																				
0-12 YRS.																				
13-17	3	1.7	1	1	1	1	3	3	3	3	4	1.3		1	1	1	2	2	2	2
18-24	4	3.5	6	1	1	3	5	6	6	6	4	4.0	5	1	2	4	5	6	6	6
25-34	10	2.9	2	1	2	3	4	5	5	5	20	4.1	6	1	2	4	6	7	9	11
35-54	27	5.9	25	1	3	5	7	12	15	24	69	5.0	13	1	3	5	6	8	11	22
55-74	15	4.2	7	1	2	4	6	8	9	9	20	4.6	6	1	3	4	6	8	9	10
75 +	2	2.5	1	2	2	2	3	3	3	3	6	2.2	1	1	1	2	3	4	4	4
ALL AGES	61	4.5	15	1	2	4	6	9	12	23	123	4.5	10	1	2	4	6	7	10	17
SUBTOTAL	**286**	**5.2**	**41**	**1**	**2**	**4**	**6**	**9**	**13**	**29**	**471**	**4.9**	**10**	**1**	**3**	**5**	**6**	**8**	**10**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	4.1	4	1	3	4	5	7	7	7	7	4.3	6	1	2	6	6	7	7	7
18-24	89	6.0	29	2	3	5	6	10	17	30	67	6.9	42	1	3	5	9	19	22	29
25-34	289	7.1	39	2	4	6	6	14	25	28	232	6.7	25	2	3	6	8	13	18	24
35-54	399	6.5	25	3	4	6	6	9	21	27	429	7.5	38	2	4	6	9	14	20	29
55-74	98	7.0	104	2	4	6	6	9	19	67	149	7.5	31	2	4	6	9	14	20	27
75 +	7	3.7	3	1	2	4	5	6	6	6	10	16.1	445	3	5	8	12	52	70	70
ALL AGES	891	6.7	38	2	4	6	6	10	23	28	894	7.3	39	2	4	6	9	14	20	28
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	7	4.6	4	1	3	6	6	6	6	6	3	3.7	14	1	1	2	6	8	8	8
18-24	28	6.5	42	2	3	5	7	11	27	28	21	6.1	36	1	2	3	8	14	22	24
25-34	75	6.5	31	2	3	6	7	10	22	27	91	6.7	21	2	3	6	8	12	17	23
35-54	115	8.9	71	3	5	6	9	24	27	38	126	7.5	33	2	3	6	10	16	21	26
55-74	39	5.9	14	2	3	6	7	9	10	25	63	7.6	29	2	4	6	9	14	21	25
75 +	4	4.0	3	2	2	4	5	6	6	6	7	4.6	11	1	2	4	6	10	11	11
ALL AGES	268	7.3	48	2	4	6	7	15	26	28	312	7.1	28	2	3	6	9	14	21	25
SUBTOTAL	**1159**	**6.8**	**41**	**2**	**4**	**6**	**6**	**11**	**23**	**28**	**1206**	**7.2**	**37**	**2**	**3**	**6**	**9**	**14**	**20**	**28**
GRAND TOTAL	**1445**	**6.5**	**41**	**2**	**3**	**6**	**6**	**10**	**22**	**28**	**1677**	**6.6**	**30**	**2**	**3**	**5**	**8**	**13**	**17**	**27**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	2	10.5	113	3	3	10	18	18	18	18	5	14.0	175	1	2	10	28	28	28	28
18-24	66	8.5	57	1	3	6	13	22	26	28	104	10.4	102	2	4	5	16	28	28	29
25-34	334	9.0	57	3	4	6	12	22	26	29	430	9.5	85	3	4	5	8	28	28	33
35-54	547	9.3	61	3	5	6	12	23	26	29	865	8.4	62	3	5	5	7	27	28	28
55-74	166	9.7	59	2	5	6	14	25	27	28	230	9.3	63	3	5	6	11	25	28	31
75 +	11	12.6	55	6	8	10	15	25	30	30	12	11.1	195	3	3	5	19	57	92	99 +
ALL AGES	1126	9.3	58	3	4	6	13	23	26	29	1646	8.9	73	3	5	5	8	28	28	31
B. FEMALE																						
0-12 YRS.																						
13-17	3	6.3	45	2	2	3	11	14	14	14	4	5.0	2	4	4	5	6	7	7	7
18-24	23	8.2	44	2	4	6	12	21	23	25	30	10.3	114	2	3	5	14	28	29	35
25-34	102	9.2	47	3	5	6	14	21	26	28	151	8.7	65	3	4	5	7	28	28	28
35-54	168	11.1	74	2	5	7	15	26	28	29	222	8.5	59	2	5	5	8	25	28	29
55-74	50	9.2	67	2	4	6	11	24	28	30	93	7.3	40	2	4	5	7	14	27	28
75 +	6	8.3	94	3	4	5	5	26	28	28	9	9.3	57	4	5	7	9	22	28	28
ALL AGES	352	10.0	64	2	4	6	14	25	27	28	509	8.4	61	2	4	5	8	25	28	28
SUBTOTAL	**1478**	**9.4**	**61**	**3**	**4**	**6**	**14**	**24**	**27**	**28**	**2155**	**8.8**	**70**	**3**	**4**	**5**	**8**	**28**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	32	13.9	250	2	3	5	27	40	51	56	22	15.3	94	7	8	11	27	28	31	34
18-24	168	12.2	102	2	4	8	21	28	28	36	212	12.7	97	3	5	8	24	28	28	29
25-34	547	11.5	84	3	4	7	21	27	28	30	641	10.9	81	3	5	7	16	28	28	29
35-54	501	10.3	89	3	4	6	14	25	28	33	695	8.4	48	3	5	5	9	19	28	30
55-74	110	11.8	161	3	5	7	14	26	28	81	132	8.3	35	3	5	6	10	17	22	27
75 +	6	18.3	209	5	6	14	28	41	42	42	10	13.5	198	3	5	7	17	35	49	49
ALL AGES	1364	11.2	100	3	4	7	18	27	28	37	1713	10.0	69	3	5	6	14	27	28	29
B. FEMALE																						
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	12	15.9	271	3	4	6	28	43	46	47	9	18.0	118	7	9	12	28	31	33	33
18-24	59	12.0	104	2	3	9	21	28	29	34	93	13.3	91	3	5	9	24	28	28	29
25-34	161	10.9	93	3	4	6	20	26	28	34	276	11.1	81	3	5	7	16	28	28	29
35-54	168	10.9	137	3	4	6	15	26	28	65	195	9.9	64	3	5	6	14	25	28	31
55-74	38	13.7	154	4	6	10	18	28	37	62	53	9.3	60	3	4	6	12	22	28	29
75 +	2	10.0	128	2	2	10	18	18	18	18	1	14.0		14	14	14	14	14	14	14
ALL AGES	440	11.4	122	3	4	6	18	27	28	48	628	11.0	78	3	5	7	15	28	28	29
SUBTOTAL	**1804**	**11.3**	**104**	**3**	**4**	**6**	**18**	**27**	**28**	**40**	**2341**	**10.3**	**71**	**3**	**5**	**6**	**14**	**27**	**28**	**29**
GRAND TOTAL	**3282**	**10.5**	**84**	**3**	**4**	**6**	**14**	**26**	**28**	**34**	**4496**	**9.6**	**71**	**3**	**5**	**6**	**12**	**28**	**28**	**29**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											6	6.2	26	2	3	4	10	14	15	15
25-34	3	11.0	79	4	5	8	18	21	21	21	43	5.5	11	2	3	4	7	11	13	14
35-54	6	8.5	88	1	3	6	7	25	27	27	23	5.6	13	2	3	4	7	11	14	16
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	10	9.7	69	2	4	7	13	24	27	27	72	5.6	12	2	3	4	7	11	14	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34	10	14.6	109	2	8	14	14	32	36	36	16	6.7	22	3	3	5	9	13	17	19
35-54	5	9.8	21	4	5	11	14	14	14	14	10	5.0	4	3	3	5	6	8	8	8
55-74																				
75 +																				
ALL AGES	15	13.0	81	3	6	14	14	28	34	36	27	6.0	15	3	3	5	7	12	14	19
SUBTOTAL	**25**	**11.7**	**76**	**3**	**5**	**11**	**14**	**27**	**30**	**36**	**99**	**5.7**	**13**	**3**	**3**	**4**	**7**	**11**	**14**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.3	3	1	1	2	3	4	4	4	14	8.3	14	4	6	8	10	14	16	16
25-34	20	13.7	91	4	6	10	22	28	30	31	49	8.9	33	3	6	7	12	18	20	26
35-54	15	9.2	40	3	4	7	14	18	22	24	56	8.8	40	3	5	7	10	22	23	28
55-74	1	4.0		4	4	4	4	4	4	4	2	5.5	13	3	3	5	8	8	8	8
75 +																				
ALL AGES	39	10.8	74	3	4	8	15	26	29	31	121	8.7	34	3	5	7	10	18	22	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	4	12.0	111	1	3	13	21	21	21	21	6	17.0	80	6	9	17	26	27	27	27
25-34	9	13.9	110	5	7	8	21	30	36	36	35	8.4	26	4	5	7	12	16	19	21
35-54	7	8.0	52	3	5	5	7	21	24	24	12	10.6	41	5	7	8	14	18	27	28
55-74	4	15.3	64	6	9	15	21	25	25	25	1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	25	12.1	80	4	5	8	21	24	28	36	54	9.9	41	4	6	8	14	19	25	28
SUBTOTAL	**64**	**11.3**	**76**	**3**	**5**	**8**	**18**	**24**	**28**	**35**	**175**	**9.1**	**36**	**4**	**6**	**7**	**12**	**18**	**22**	**28**
GRAND TOTAL	**89**	**11.4**	**75**	**3**	**5**	**8**	**15**	**25**	**28**	**36**	**274**	**7.9**	**30**	**3**	**4**	**7**	**10**	**15**	**21**	**27**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
35-54	4	12.3	33	4	8	13	16	18	18	18	4	4.5	17	1	1	4	8	9	9	9
55-74	2	16.0	98	9	9	16	23	23	23	23										
75 +																				
ALL AGES	7	12.7	42	5	8	13	17	22	23	23	5	4.2	13	1	1	3	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	13.0	67	6	7	9	18	26	26	26	1	2.0		2	2	2	2	2	2	2
35-54	3	21.7	14	17	19	24	24	24	24	24	10	9.8	12	5	7	10	14	14	14	14
55-74	1	20.0		20	20	20	20	20	20	20	1	19.0		19	19	19	19	19	19	19
75 +																				
ALL AGES	9	16.7	55	7	9	17	24	25	26	26	12	9.9	24	3	6	10	14	16	19	19
SUBTOTAL	**16**	**14.9**	**52**	**6**	**8**	**15**	**21**	**24**	**25**	**26**	**17**	**8.2**	**27**	**1**	**4**	**9**	**11**	**14**	**17**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	9	7.9	39	1	3	8	11	17	21	21	6	11.5	40	5	8	9	19	20	20	20
35-54	5	13.6	84	7	8	9	18	29	29	29	11	10.1	32	4	6	10	12	19	21	21
55-74	3	9.0	1	8	8	9	10	10	10	10	3	18.3	72	13	13	14	24	28	28	28
75 +																				
ALL AGES	18	9.8	45	2	7	9	11	19	26	29	20	11.8	42	5	7	10	16	20	24	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	13.5	25	10	10	13	17	17	17	17										
25-34	4	15.5	86	6	9	14	22	28	28	28	12	12.6	55	6	7	10	18	25	27	27
35-54	11	11.4	89	2	6	9	15	25	34	35	13	11.3	42	4	6	11	14	18	26	28
55-74	12	11.3	39	1	8	12	15	19	21	21	7	7.3	34	2	3	4	13	16	16	16
75 +	2	16.0	2	15	15	16	17	17	17	17	1	23.0		23	23	23	23	23	23	23
ALL AGES	31	12.3	57	2	7	11	17	20	28	35	33	11.3	49	4	6	10	15	23	27	28
SUBTOTAL	**49**	**11.4**	**53**	**2**	**7**	**10**	**15**	**20**	**28**	**35**	**53**	**11.5**	**45**	**4**	**6**	**10**	**15**	**22**	**27**	**28**
GRAND TOTAL	**65**	**12.3**	**53**	**3**	**8**	**11**	**17**	**23**	**26**	**34**	**70**	**10.7**	**42**	**3**	**6**	**10**	**14**	**20**	**24**	**28**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6	4	8.5	65	2	3	6	14	20	20	20
18-24	15	9.6	31	3	5	10	14	14	19	21	24	5.4	6	3	4	5	7	7	9	14
25-34	30	7.5	18	2	6	6	11	14	14	14	73	5.2	6	3	4	5	6	7	9	14
35-54	8	15.5	25	10	13	14	18	24	25	25	30	6.1	19	3	3	6	7	8	9	27
55-74																				
75 +																				
ALL AGES	54	9.3	28	3	6	8	14	14	19	25	131	5.6	10	3	3	5	7	8	9	21
B. FEMALE																				
0-12 YRS.																				
13-17	2	10.0	32	6	6	10	14	14	14	14	1	7.0		7	7	7	7	7	7	7
18-24	19	11.7	56	1	4	14	14	22	24	25	34	5.6	19	3	4	5	6	7	8	28
25-34	17	11.6	13	6	8	14	14	16	16	16	50	5.1	3	3	4	5	6	8	8	8
35-54	4	8.8	36	3	3	9	14	14	14	14	8	5.9	1	5	5	6	7	7	7	7
55-74																				
75 +																				
ALL AGES	42	11.3	34	3	6	14	14	17	21	25	93	5.4	8	3	4	5	6	7	8	20
SUBTOTAL	**96**	**10.2**	**31**	**3**	**6**	**10**	**14**	**15**	**21**	**25**	**224**	**5.5**	**9**	**3**	**4**	**5**	**7**	**7**	**8**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	10.0	49	2	5	13	14	15	15	15	4	13.3	138	7	7	8	19	31	31	31
18-24	42	9.5	60	2	4	6	14	22	27	28	78	10.1	45	4	5	7	17	21	22	27
25-34	87	12.8	75	3	6	13	21	27	28	31	204	8.8	38	3	5	7	11	20	22	28
35-54	28	13.6	96	4	6	10	21	25	28	46	75	8.6	33	4	6	7	9	17	23	28
55-74											1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	160	12.0	76	3	5	9	17	26	28	33	362	9.1	41	4	5	7	10	21	22	28
B. FEMALE																				
0-12 YRS.																				
13-17	4	4.8	2	3	3	5	6	6	6	6	2	5.0	2	4	4	5	6	6	6	6
18-24	33	11.1	52	3	6	10	14	25	27	28	37	10.0	59	2	5	7	16	22	24	28
25-34	41	12.3	60	4	6	13	17	24	27	28	110	9.2	41	3	5	7	13	21	22	29
35-54	5	15.6	84	5	6	19	22	26	26	26	19	7.3	13	4	5	6	7	14	15	16
55-74																				
75 +																				
ALL AGES	83	11.7	56	3	6	11	15	25	27	28	168	9.1	42	3	5	7	13	21	22	28
SUBTOTAL	**243**	**11.9**	**69**	**3**	**5**	**10**	**15**	**25**	**28**	**29**	**530**	**9.1**	**41**	**4**	**5**	**7**	**12**	**21**	**22**	**28**
GRAND TOTAL	**339**	**11.4**	**59**	**3**	**6**	**10**	**14**	**23**	**27**	**28**	**754**	**8.1**	**33**	**3**	**5**	**6**	**8**	**18**	**21**	**28**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
18-24	2	10.0	32	6	6	10	14	14	14	14	2	6.0		6	6	6	6	6	6	6
25-34	3	18.3	58	14	14	14	24	27	27	27										
35-54	1	14.0		14	14	14	14	14	14	14	1	28.0		28	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	7	13.7	47	6	9	14	14	24	27	27	4	10.5	140	2	4	6	17	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	25.0		25	25	25	25	25	25	25
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES											2	15.5	181	6	6	15	25	25	25	25
SUBTOTAL	**7**	**13.7**	**47**	**6**	**9**	**14**	**14**	**24**	**27**	**27**	**6**	**12.2**	**126**	**2**	**6**	**6**	**25**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	11	13.1	106	2	3	10	22	28	28	28	4	17.5	274	1	3	17	31	35	35	35
18-24	13	11.5	91	2	3	6	21	25	27	27	9	14.3	70	4	7	14	20	27	28	28
25-34	12	15.8	113	2	8	14	26	29	32	32	10	12.5	68	3	4	11	20	23	24	24
35-54	1	21.0		21	21	21	21	21	21	21	1	14.0		14	14	14	14	14	14	14
55-74																				
75 +																				
ALL AGES	37	13.6	100	2	3	14	22	28	28	32	24	14.1	89	3	6	14	21	28	30	35
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2	3	21.0	277	2	8	28	32	33	33	33
18-24	1	21.0		21	21	21	21	21	21	21	4	17.3	156	2	8	17	26	32	32	32
25-34	4	17.0	87	6	10	17	24	28	28	28	2	17.5	221	7	7	17	28	28	28	28
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	8	11.9	105	1	2	10	20	26	28	28	9	18.6	158	2	6	21	29	33	33	33
SUBTOTAL	**45**	**13.3**	**99**	**2**	**3**	**14**	**21**	**28**	**28**	**32**	**33**	**15.3**	**108**	**3**	**6**	**14**	**24**	**29**	**33**	**35**
GRAND TOTAL	**52**	**13.4**	**90**	**2**	**4**	**14**	**21**	**27**	**28**	**32**	**39**	**14.8**	**110**	**2**	**6**	**14**	**25**	**28**	**33**	**35**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	13.0		13	13	13	13	13	13	13
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	11.7	33	5	7	14	15	16	16	16	1	4.0		4	4	4	4	4	4	4
35-54	1	3.0		3	3	3	3	3	3	3	1	13.0		13	13	13	13	13	13	13
55-74																				
75 +																				
ALL AGES	4	9.5	42	3	4	9	15	16	16	16	2	8.5	41	4	4	8	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54											1	7.0		7	7	7	7	7	7	7
55-74											1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	3	10.0	37	6	6	7	14	17	17	17
SUBTOTAL	**5**	**9.0**	**33**	**3**	**4**	**7**	**14**	**16**	**16**	**16**	**5**	**9.4**	**29**	**4**	**5**	**7**	**14**	**17**	**17**	**17**
GRAND TOTAL	**6**	**8.8**	**27**	**3**	**5**	**7**	**14**	**16**	**16**	**16**	**6**	**10.0**	**26**	**4**	**6**	**10**	**13**	**17**	**17**	**17**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34											1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES											2	5.5	1	5	5	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	8.0		8	8	8	8	8	8	8
35-54																				
55-74																				
75 +																				
ALL AGES											1	8.0		8	8	8	8	8	8	8
SUBTOTAL											**3**	**6.3**	**3**	**5**	**5**	**6**	**7**	**8**	**8**	**8**
GRAND TOTAL											**3**	**6.3**	**3**	**5**	**5**	**6**	**7**	**8**	**8**	**8**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	1	20.0		20	20	20	20	20	20	20										
SUBTOTAL	**2**	**12.5**	**113**	**5**	**5**	**12**	**20**	**20**	**20**	**20**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.5	5	2	2	3	5	5	5	5	1	20.0		20	20	20	20	20	20	20
25-34											1	14.0		14	14	14	14	14	14	14
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	2	17.0	18	14	14	17	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	8.0		8	8	8	8	8	8	8	5	8.4	72	1	4	6	11	23	23	23
55-74											1	13.0		13	13	13	13	13	13	13
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	3	10.7	8	8	8	10	13	14	14	14	7	8.3	56	1	3	6	11	21	23	23
SUBTOTAL	**5**	**7.8**	**21**	**2**	**4**	**8**	**11**	**14**	**14**	**14**	**9**	**10.2**	**60**	**2**	**4**	**7**	**15**	**22**	**23**	**23**
GRAND TOTAL	**7**	**9.1**	**39**	**3**	**5**	**8**	**13**	**19**	**20**	**20**	**10**	**9.5**	**58**	**2**	**3**	**6**	**14**	**21**	**23**	**23**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	2	11.0	200	1	1	11	21	21	21	21	2	3.0	2	2	2	3	4	4	4	4
25-34	7	20.0	92	4	15	21	28	28	28	28	33	4.7	8	3	3	4	5	6	9	19
35-54	6	23.8	736	2	11	15	24	72	77	77	24	4.6	3	2	4	5	6	6	8	9
55-74											1	16.0		16	16	16	16	16	16	16
75 +																				
ALL AGES	15	20.3	335	1	12	19	27	28	65	77	61	4.7	8	3	3	4	5	7	9	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	26.5	1	26	26	26	27	27	27	27	3	3.3	1	3	3	3	4	4	4	4
25-34	3	11.7	205	1	2	6	22	28	28	28	20	4.1	2	2	3	4	5	6	7	7
35-54	1	14.0		14	14	14	14	14	14	14	6	5.0	1	4	4	5	6	6	6	6
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	6	17.0	138	1	6	20	27	28	28	28	30	4.3	2	3	3	4	5	6	7	7
SUBTOTAL	**21**	**19.4**	**270**	**1**	**10**	**19**	**27**	**26**	**50**	**77**	**91**	**4.6**	**6**	**3**	**3**	**4**	**5**	**6**	**7**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	28.0		28	28	28	28	28	28	28
18-24	1	27.0		27	27	27	27	27	27	27	6	5.7	11	3	3	4	7	11	12	12
25-34	5	12.6	114	4	4	7	22	27	27	27	17	9.2	57	2	3	7	13	20	26	29
35-54	8	22.8	45	11	21	25	27	28	28	28	9	7.8	16	2	5	8	10	13	14	14
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	14	19.4	91	4	7	23	27	27	28	28	34	8.5	49	2	3	7	11	17	27	29
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	4	16.5	59	12	12	13	21	28	28	28	3	14.7	133	4	6	13	23	27	27	27
25-34	4	20.8	25	16	17	19	24	28	28	28	18	8.8	38	2	5	8	12	14	22	28
35-54											2	14.0	8	12	12	14	16	16	16	16
55-74											4	17.3	89	4	10	19	24	26	26	26
75 +																				
ALL AGES	8	18.6	43	12	13	17	24	28	28	28	28	10.8	58	3	5	9	14	25	27	28
SUBTOTAL	**22**	**19.1**	**71**	**6**	**13**	**21**	**27**	**28**	**28**	**28**	**62**	**9.5**	**54**	**2**	**4**	**7**	**13**	**21**	**27**	**29**
GRAND TOTAL	**43**	**19.3**	**162**	**3**	**12**	**21**	**27**	**28**	**28**	**77**	**153**	**6.6**	**31**	**3**	**3**	**5**	**7**	**13**	**19**	**28**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	4.5	13	2	2	4	7	7	7	7
18-24	1	1.0		1	1	1	1	1	1	1	10	5.2	13	2	3	4	6	11	14	14
25-34	1	1.0		1	1	1	1	1	1	1	13	3.9	9	2	3	3	4	7	12	13
35-54	3	9.0	13	6	6	8	12	13	13	13	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	5	5.8	26	1	1	6	9	13	13	13	26	4.5	10	2	3	4	6	8	13	14
B. FEMALE																				
0-12 YRS.																				
13-17											1	6.0		6	6	6	6	6	6	6
18-24											7	3.6	1	2	3	3	5	5	5	5
25-34											14	3.4	1	2	3	3	4	5	5	5
35-54											3	4.7	1	4	4	4	6	6	6	6
55-74											1	7.0		7	7	7	7	7	7	7
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	1	14.0		14	14	14	14	14	14	14	26	3.8	2	2	3	4	5	6	6	7
SUBTOTAL	**6**	**7.2**	**31**	**1**	**1**	**7**	**13**	**14**	**14**	**14**	**52**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23	15	4.9	18	2	2	3	5	14	14	14
18-24	1	3.0		3	3	3	3	3	3	3	24	9.8	15	4	6	11	13	14	14	14
25-34											50	10.7	20	5	7	13	14	14	15	21
35-54	1	15.0		15	15	15	15	15	15	15	33	7.1	18	2	3	6	11	14	14	15
55-74											3	8.3	31	3	4	8	12	14	14	14
75 +																				
ALL AGES	3	13.7	100	3	6	15	21	23	23	23	125	8.8	22	3	5	9	13	14	14	18
B. FEMALE																				
0-12 YRS.																				
13-17											12	6.5	52	1	1	4	9	20	21	21
18-24	1	14.0		14	14	14	14	14	14	14	15	8.1	26	2	4	6	14	15	15	15
25-34	3	13.7	153	6	6	7	23	28	28	28	36	11.3	55	3	5	11	14	22	28	32
35-54	3	11.7	56	3	6	15	16	17	17	17	16	8.1	17	4	5	6	12	14	14	14
55-74	1	7.0		7	7	7	7	7	7	7	5	6.8	44	1	2	3	14	14	14	14
75 +																				
ALL AGES	8	12.1	67	4	6	11	16	25	28	28	84	9.2	43	2	4	7	14	15	21	31
SUBTOTAL	**11**	**12.5**	**68**	**3**	**6**	**14**	**17**	**25**	**28**	**28**	**209**	**9.0**	**30**	**3**	**4**	**8**	**14**	**14**	**15**	**27**
GRAND TOTAL	**17**	**10.6**	**60**	**2**	**5**	**8**	**15**	**22**	**26**	**28**	**261**	**8.0**	**29**	**2**	**4**	**6**	**13**	**14**	**15**	**26**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.0		5	5	5	5	5	5	5										
35-54	2	4.0	8	2	2	4	6	6	6	6	2	4.5	13	2	2	4	7	7	7	7
55-74																				
75 +																				
ALL AGES	4	4.5	3	2	3	5	6	6	6	6	2	4.5	13	2	2	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	2	16.0	392	2	2	16	30	30	30	30										
18-24											1	18.0		18	18	18	18	18	18	18
25-34	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
35-54	2	8.5	61	3	3	8	14	14	14	14										
55-74																				
75 +																				
ALL AGES	5	12.6	128	2	3	14	18	30	30	30	2	10.0	128	2	2	10	18	18	18	18
SUBTOTAL	**9**	**9.0**	**83**	**2**	**3**	**5**	**14**	**24**	**30**	**30**	**4**	**7.3**	**56**	**2**	**2**	**5**	**12**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	1.0		1	1	1	1	1	1	1
18-24											1	8.0		8	8	8	8	8	8	8
25-34	6	13.2	152	1	2	12	26	26	26	26	1	7.0		7	7	7	7	7	7	7
35-54	8	9.3	97	1	2	5	14	26	28	28	4	10.5	50	6	6	7	14	21	21	21
55-74																				
75 +																				
ALL AGES	14	10.9	116	1	2	5	21	26	28	28	8	7.4	38	1	4	7	8	17	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	2.5	1	2	2	2	3	3	3	3
25-34	2	20.5	61	15	15	20	26	26	26	26	2	14.0		14	14	14	14	14	14	14
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	3	14.0	157	1	4	15	23	26	26	26	4	8.3	43	2	2	8	14	14	14	14
SUBTOTAL	**17**	**11.5**	**114**	**1**	**2**	**7**	**22**	**26**	**27**	**28**	**12**	**7.7**	**36**	**1**	**2**	**7**	**11**	**16**	**20**	**21**
GRAND TOTAL	**26**	**10.6**	**102**	**1**	**2**	**6**	**21**	**26**	**28**	**30**	**16**	**7.6**	**38**	**1**	**2**	**7**	**11**	**18**	**20**	**21**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	1.0		1	1	1	1	1	1	1	6	1.0		1	1	1	1	1	1	1
13-17	32	1.7	7	1	1	1	1	2	3	16	56	1.3		1	1	1	1	2	3	3
18-24	26	2.3	4	1	1	1	3	6	6	7	35	1.3	1	1	1	1	1	1	4	6
25-34	46	3.1	4	1	1	3	5	6	6	6	19	1.8	3	1	1	1	2	4	6	7
35-54	70	5.5	29	1	3	5	6	8	11	36	29	3.0	6	1	1	3	4	7	9	9
55-74	20	4.9	19	1	2	5	6	8	14	21	16	2.6	5	1	1	2	4	7	7	7
75 +	9	4.7	43	1	1	1	6	16	21	21	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	208	3.8	18	1	1	3	5	7	8	21	163	1.8	2	1	1	1	2	3	6	9
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
13-17	19	1.2		1	1	1	1	2	2	2	42	1.2		1	1	1	1	2	2	3
18-24	12	2.4	2	1	1	2	3	5	6	6	24	1.5	1	1	1	1	2	3	4	4
25-34	11	3.9	9	1	1	4	6	8	9	9	11	1.2		1	1	1	1	2	2	2
35-54	30	4.2	13	1	1	4	6	8	14	15	14	2.2	2	1	1	2	3	4	5	5
55-74	14	4.1	8	1	2	4	6	7	9	9	11	3.2	4	1	1	2	5	6	6	6
75 +	3	1.7		1	1	2	2	2	2	2	5	6.4	26	2	3	4	9	15	15	15
ALL AGES	91	3.2	8	1	1	2	4	7	9	15	109	1.8	3	1	1	1	2	4	5	10
SUBTOTAL	**299**	**3.6**	**15**	**1**	**1**	**2**	**5**	**7**	**8**	**21**	**272**	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**5**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	5.5	13	3	3	5	8	8	8	8										
13-17	33	9.1	124	1	1	3	12	28	29	35	9	4.9	79	1	1	1	3	20	28	28
18-24	35	5.9	56	1	2	4	6	14	25	36	13	2.8	3	1	1	2	4	5	6	6
25-34	62	6.5	42	1	3	5	7	13	21	38	13	3.5	4	1	2	3	5	6	7	7
35-54	57	7.5	106	1	4	6	7	13	31	98	10	3.0	3	1	2	3	4	5	6	6
55-74	9	4.3	7	1	2	5	6	8	8	8	6	4.8	20	1	2	4	6	12	13	13
75 +	2	34.0	242	23	23	34	45	45	45	45	1	1.0		1	1	1	1	1	1	1
ALL AGES	200	7.3	82	1	2	5	7	19	28	58	52	3.6	17	1	1	3	5	6	7	28
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	31	6.8	68	1	1	4	8	24	28	28	10	3.8	56	1	1	1	2	14	25	25
18-24	17	5.9	169	1	1	1	4	10	39	55	6	1.2		1	1	1	1	2	2	2
25-34	26	4.4	14	1	2	3	6	8	11	19	7	3.6	7	1	1	3	6	7	7	7
35-54	21	6.2	36	2	3	5	6	12	22	28	9	3.3	4	1	1	3	5	6	6	6
55-74	6	4.8	11	1	2	5	8	8	8	8	6	7.0	150	1	2	2	3	29	32	32
75 +	1	6.0		6	6	6	6	6	6	6	4	5.8	26	2	2	4	9	13	13	13
ALL AGES	103	5.8	58	1	2	3	6	10	23	41	42	3.9	38	1	1	2	4	7	18	32
SUBTOTAL	**303**	**6.7**	**75**	**1**	**2**	**5**	**7**	**15**	**28**	**50**	**94**	**3.7**	**26**	**1**	**1**	**2**	**5**	**6**	**12**	**30**
GRAND TOTAL	**602**	**5.2**	**47**	**1**	**1**	**4**	**6**	**9**	**19**	**39**	**366**	**2.3**	**9**	**1**	**1**	**1**	**3**	**5**	**6**	**15**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	13	1	1	3	6	6	6	6	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**3.5**	**13**	**1**	**1**	**3**	**6**	**6**	**6**	**6**	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	14.6	153	2	3	13	28	28	28	28	1	1.0		1	1	1	1	1	1	1
18-24	2	6.5	61	1	1	6	12	12	12	12	4	11.5	9	8	9	12	14	14	14	14
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +																				
ALL AGES	11	12.6	126	1	2	9	25	28	28	28	5	9.4	29	1	6	10	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	3	2.7	2	1	1	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-24	2	11.5	181	2	2	11	21	21	21	21										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	6	5.7	57	1	2	3	4	19	21	21	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**17**	**10.2**	**107**	**1**	**2**	**4**	**19**	**28**	**28**	**28**	**6**	**8.0**	**35**	**1**	**1**	**9**	**14**	**14**	**14**	**14**
GRAND TOTAL	**19**	**9.5**	**100**	**1**	**2**	**4**	**17**	**28**	**28**	**28**	**9**	**6.1**	**31**	**1**	**1**	**4**	**11**	**14**	**14**	**14**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	5	2.2	5	1	1	1	3	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**6**	**3.0**	**8**	**1**	**1**	**1**	**6**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	6.5	41	2	2	6	11	11	11	11	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**11.3**	**91**	**2**	**4**	**11**	**18**	**21**	**21**	**21**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
GRAND TOTAL	**9**	**5.8**	**44**	**1**	**1**	**2**	**8**	**17**	**21**	**21**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	4.5	25	1	1	4	8	8	8	8	1	29.0		29	29	29	29	29	29	29
55-74																				
75 +																				
ALL AGES	2	4.5	25	1	1	4	8	8	8	8	4	8.5	187	1	1	2	16	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	7.0		7	7	7	7	7	7	7	2	2.5	1	2	2	2	3	3	3	3
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	1	7.0		7	7	7	7	7	7	7	4	2.5		2	2	2	3	3	3	3
SUBTOTAL	**3**	**5.3**	**15**	**1**	**2**	**7**	**8**	**8**	**8**	**8**	**8**	**5.5**	**91**	**1**	**2**	**2**	**3**	**21**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	1	31.0		31	31	31	31	31	31	31	2	3.5	13	1	1	3	6	6	6	6
35-54	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	3	17.0	172	5	7	15	27	31	31	31	4	3.0	5	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	5.7	4	4	4	5	7	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74											1	24.0		24	24	24	24	24	24	24
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	6	4.2	4	2	3	4	5	8	8	8	2	12.5	265	1	1	12	24	24	24	24
SUBTOTAL	**9**	**8.4**	**88**	**2**	**3**	**5**	**10**	**25**	**31**	**31**	**6**	**6.2**	**79**	**1**	**1**	**2**	**6**	**22**	**24**	**24**
GRAND TOTAL	**12**	**7.7**	**67**	**2**	**3**	**5**	**8**	**20**	**29**	**31**	**14**	**5.8**	**79**	**1**	**2**	**2**	**3**	**24**	**28**	**29**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
35-54	2	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	4	1.5		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**5**	**3.8**	**27**	**1**	**1**	**2**	**5**	**13**	**13**	**13**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.0	2	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
25-34	4	5.3	6	3	3	4	7	9	9	9	4	3.0	3	1	1	3	4	5	5	5
35-54	4	3.8	2	2	2	3	5	6	6	6	3	8.7	21	5	5	7	12	14	14	14
55-74																				
75 +																				
ALL AGES	10	4.2	4	2	3	4	5	7	9	9	8	4.9	18	1	2	4	6	12	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	6.3	2	5	5	7	7	7	7	7										
25-34	2	2.5	5	1	1	2	4	4	4	4	2	17.5	221	7	7	17	28	28	28	28
35-54	1	7.0		7	7	7	7	7	7	7	3	5.7	16	2	3	5	9	10	10	10
55-74																				
75 +																				
ALL AGES	6	5.2	5	1	4	6	7	7	7	7	5	10.4	105	2	4	7	14	28	28	28
SUBTOTAL	**16**	**4.6**	**4**	**2**	**3**	**4**	**6**	**7**	**8**	**9**	**13**	**7.0**	**54**	**1**	**2**	**5**	**8**	**17**	**26**	**28**
GRAND TOTAL	**21**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**11**	**13**	**16**	**6.1**	**47**	**1**	**2**	**4**	**7**	**14**	**24**	**28**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19	2	4.0	8	2	2	4	6	6	6	6
18-24	4	6.5	34	2	3	4	10	15	15	15	5	2.4	4	1	1	2	3	6	6	6
25-34	14	4.4	15	1	1	4	6	9	14	15	10	3.2	3	1	2	3	4	6	7	7
35-54	6	5.7	10	2	2	6	8	10	10	10										
55-74																				
75 +																				
ALL AGES	25	5.6	23	1	2	5	7	15	16	19	17	3.1	3	1	2	2	4	6	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-24	5	8.2	35	1	3	8	13	15	15	15	5	1.8	2	1	1	1	2	4	4	4
25-34	6	5.2	8	2	2	5	7	9	9	9	7	6.0	7	2	4	6	8	10	10	10
35-54	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	13	5.8	20	1	2	4	8	13	15	15	14	4.1	9	1	1	4	6	8	10	10
SUBTOTAL	**38**	**5.7**	**21**	**1**	**2**	**5**	**8**	**14**	**15**	**19**	**31**	**3.5**	**6**	**1**	**2**	**3**	**6**	**7**	**8**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.0	50	2	2	7	12	12	12	12										
18-24	21	9.9	101	3	5	8	12	17	32	49	12	9.5	227	3	4	5	7	23	52	57
25-34	30	7.9	51	2	3	5	12	18	21	31	19	6.1	15	2	3	5	8	13	14	14
35-54	9	3.8	8	1	2	3	4	9	11	11	6	5.0	11	1	2	5	7	10	10	10
55-74																				
75 +																				
ALL AGES	62	8.0	62	2	3	6	11	17	19	47	37	7.0	82	2	4	5	7	12	14	57
B. FEMALE																				
0-12 YRS.																				
13-17	3	19.3	618	5	5	5	37	48	48	48	1	1.0		1	1	1	1	1	1	1
18-24	16	10.6	54	4	5	8	14	23	27	28	2	4.0	18	1	1	4	7	7	7	7
25-34	20	7.8	183	1	2	3	6	19	43	60	6	5.3	5	2	5	5	7	8	8	8
35-54	3	8.7	7	7	7	7	11	12	12	12	3	1.3		1	1	1	2	2	2	2
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	43	9.6	141	2	3	6	12	24	35	60	12	3.8	7	1	1	3	6	7	8	8
SUBTOTAL	**105**	**8.6**	**95**	**2**	**3**	**6**	**12**	**18**	**26**	**54**	**49**	**6.2**	**65**	**1**	**3**	**5**	**7**	**9**	**14**	**57**
GRAND TOTAL	**143**	**7.9**	**76**	**2**	**3**	**5**	**10**	**15**	**22**	**50**	**80**	**5.2**	**43**	**1**	**2**	**5**	**6**	**8**	**12**	**44**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**										

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	21.0		21	21	21	21	21	21	21
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8	1	11.0		11	11	11	11	11	11	11
35-54											1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	2	9.0	8	7	7	9	11	11	11	11
SUBTOTAL	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**	**3**	**13.0**	**52**	**7**	**8**	**11**	**18**	**21**	**21**	**21**
GRAND TOTAL	**3**	**3.7**	**14**	**1**	**1**	**2**	**6**	**8**	**8**	**8**	**3**	**13.0**	**52**	**7**	**8**	**11**	**18**	**21**	**21**	**21**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14	1	1.0		1	1	1	1	1	1	1
18-24	9	12.0	242	1	1	3	23	38	42	42	2	2.5	5	1	1	2	4	4	4	4
25-34	17	7.9	49	2	3	4	12	21	21	21	2	4.0	18	1	1	4	7	7	7	7
35-54	11	9.9	55	4	5	6	18	21	21	21										
55-74																				
75 +																				
ALL AGES	38	9.6	92	1	3	5	14	21	27	42	5	2.8	7	1	1	1	5	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-24	5	5.6	30	1	2	4	7	15	15	15	1	2.0		2	2	2	2	2	2	2
25-34	3	13.3	167	4	5	8	23	28	28	28										
35-54	3	10.3	45	3	5	12	15	16	16	16										
55-74																				
75 +																				
ALL AGES	11	9.0	66	2	3	5	14	21	27	28	3	1.7		1	1	2	2	2	2	2
SUBTOTAL	**49**	**9.5**	**84**	**1**	**3**	**5**	**14**	**21**	**28**	**42**	**8**	**2.4**	**4**	**1**	**1**	**1**	**3**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	10.7	64	2	6	7	18	22	23	23	3	1.7	1	1	1	1	3	3	3	3
18-24	30	10.3	73	2	5	8	14	18	32	40	4	2.3	1	1	1	2	3	4	4	4
25-34	42	13.3	163	2	4	9	21	32	39	52	5	3.6	4	1	1	5	5	5	5	5
35-54	15	14.9	144	4	6	9	25	29	39	42	2	15.0	242	4	4	15	26	26	26	26
55-74																				
75 +																				
ALL AGES	93	12.5	123	2	4	8	17	29	35	49	14	4.4	41	1	1	3	5	7	22	26
B. FEMALE																				
0-12 YRS.																				
13-17	3	2.0	1	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-24	2	5.5	41	1	1	5	10	10	10	10	5	3.2	8	1	1	3	4	8	8	8
25-34	12	9.7	109	2	2	5	13	29	32	33	7	10.7	110	2	4	8	13	28	32	32
35-54	6	11.5	88	2	4	10	14	27	28	28	3	11.7	3	10	10	11	13	14	14	14
55-74											2	9.5	113	2	2	9	17	17	17	17
75 +																				
ALL AGES	23	8.8	86	1	2	5	12	27	30	33	18	8.1	63	1	2	6	12	16	26	32
SUBTOTAL	**116**	**11.7**	**119**	**2**	**4**	**8**	**17**	**28**	**33**	**47**	**32**	**6.5**	**55**	**1**	**2**	**4**	**9**	**15**	**25**	**32**
GRAND TOTAL	**165**	**11.1**	**108**	**2**	**4**	**8**	**16**	**28**	**32**	**44**	**40**	**5.7**	**47**	**1**	**1**	**3**	**7**	**14**	**21**	**32**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34											2	2.5	5	1	1	2	4	4	4	4
35-54											2	2.0	2	1	1	2	3	3	3	3
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	5	2.6	2	1	1	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	17.0		17	17	17	17	17	17	17										
35-54											1	5.0		5	5	5	5	5	5	5
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17	3	4.7		4	4	5	5	5	5	5
SUBTOTAL	**2**	**10.5**	**85**	**4**	**4**	**10**	**17**	**17**	**17**	**17**	**8**	**3.4**	**2**	**1**	**2**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**4**	**6.0**	**55**	**1**	**1**	**3**	**10**	**17**	**17**	**17**	**8**	**3.4**	**2**	**1**	**2**	**4**	**5**	**5**	**5**	**5**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24											3	1.7	1	1	1	1	3	3	3	3
25-34	3	3.3	5	1	2	4	5	5	5	5	6	2.5	1	1	2	3	3	3	3	3
35-54	5	3.8	8	1	2	3	6	8	8	8	4	3.0	7	1	1	2	5	7	7	7
55-74	5	3.6	11	1	1	3	5	9	9	9	2	5.0	8	3	3	5	7	7	7	7
75 +	2	2.5	1	2	2	2	3	3	3	3										
ALL AGES	16	3.3	6	1	1	3	4	8	9	9	15	2.8	4	1	1	3	3	7	7	7
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
13-17	5	5.2	26	1	2	4	7	14	14	14	3	2.7	8	1	1	1	5	6	6	6
18-24											7	1.4		1	1	1	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1	3	2.7	2	1	1	3	4	4	4	4
35-54	8	2.6	6	1	1	2	3	7	8	8	6	3.2	8	1	1	2	5	8	8	8
55-74	6	3.2	3	1	2	3	4	6	6	6	7	5.7	33	1	2	4	6	16	18	18
75 +	5	2.6		2	2	3	3	3	3	3	4	6.3	61	2	2	3	10	18	18	18
ALL AGES	26	3.1	8	1	1	3	4	6	9	14	31	3.6	18	1	1	2	4	7	17	18
SUBTOTAL	**42**	**3.2**	**7**	**1**	**1**	**3**	**4**	**7**	**9**	**14**	**46**	**3.3**	**14**	**1**	**1**	**2**	**3**	**7**	**10**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
35-54	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
55-74											3	1.7		1	1	2	2	2	2	2
75 +	2	4.0	8	2	2	4	6	6	6	6	1	8.0		8	8	8	8	8	8	8
ALL AGES	5	3.4	2	2	2	3	4	6	6	6	8	2.4	5	1	1	2	2	6	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24											1	2.0		2	2	2	2	2	2	2
25-34											2	2.5	5	1	1	2	4	4	4	4
35-54	3	4.0	9	1	2	4	6	7	7	7	3	1.7		1	1	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2	6	3.5	3	2	2	3	5	6	6	6
75 +	1	2.0		2	2	2	2	2	2	2	6	7.8	43	1	4	7	8	19	20	20
ALL AGES	6	3.2	4	1	2	3	4	7	7	7	18	4.4	20	1	2	3	6	8	15	20
SUBTOTAL	**11**	**3.3**	**3**	**1**	**2**	**3**	**4**	**6**	**7**	**7**	**26**	**3.8**	**16**	**1**	**2**	**2**	**5**	**8**	**11**	**20**
GRAND TOTAL	**53**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**14**	**72**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**8**	**20**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	4.0		4	4	4	4	4	4	4										
55-74											1	1.0		1	1	1	1	1	1	1
75 +											1	66.0		66	66	66	66	66	66	66
ALL AGES	1	4.0		4	4	4	4	4	4	4	3	23.0	1387	1	1	2	50	66	66	66
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											3	6.0	1	5	5	6	7	7	7	7
55-74	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
75 +											3	4.0	7	2	2	3	6	7	7	7
ALL AGES	1	2.0		2	2	2	2	2	2	2	7	4.7	4	2	3	5	7	7	7	7
SUBTOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**10**	**10.2**	**389**	**1**	**2**	**4**	**7**	**37**	**66**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	4.5	5	3	3	4	6	6	6	6										
55-74											2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	2	4.5	5	3	3	4	6	6	6	6	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**4**	**3.8**	**2**	**2**	**2**	**3**	**5**	**6**	**6**	**6**	**13**	**8.2**	**306**	**1**	**2**	**3**	**6**	**19**	**57**	**66**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24											1	5.0		5	5	5	5	5	5	5
25-34											1	8.0		8	8	8	8	8	8	8
35-54											1	19.0		19	19	19	19	19	19	19
55-74	1	80.0		80	80	80	80	80	80	80	1	9.0		9	9	9	9	9	9	9
75 +											2	7.0	50	2	2	7	12	12	12	12
ALL AGES	1	80.0		80	80	80	80	80	80	80	7	8.4	34	2	4	8	11	18	19	19
B. FEMALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
13-17											2	6.5	13	4	4	6	9	9	9	9
18-24	2	3.5	1	3	3	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
25-34	1	4.0		4	4	4	4	4	4	4	5	4.8	3	2	4	5	6	7	7	7
35-54	2	3.0	2	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
75 +	2	9.5	25	6	6	9	13	13	13	13	1	7.0		7	7	7	7	7	7	7
ALL AGES	10	5.1	10	2	3	4	6	10	13	13	12	4.6	5	2	3	4	6	8	9	9
SUBTOTAL	**11**	**11.9**	**519**	**2**	**3**	**4**	**7**	**40**	**77**	**80**	**19**	**6.0**	**18**	**2**	**3**	**5**	**8**	**11**	**16**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	4.0	8	2	2	4	6	6	6	6										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	3.3	6	2	2	2	5	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	18.0	450	3	3	18	33	33	33	33
18-24	1	37.0		37	37	37	37	37	37	37										
25-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	3	4.7	2	3	3	5	6	6	6	6	4	4.0	2	3	3	4	5	6	6	6
55-74	4	9.0	31	4	4	8	13	16	16	16	2	7.5	13	5	5	7	10	10	10	10
75 +	1	13.0		13	13	13	13	13	13	13	3	5.3	3	4	4	5	6	7	7	7
ALL AGES	11	9.6	104	2	4	5	12	24	36	37	12	7.1	71	2	3	4	6	17	31	33
SUBTOTAL	**14**	**8.3**	**87**	**2**	**3**	**5**	**11**	**18**	**33**	**37**	**12**	**7.1**	**71**	**2**	**3**	**4**	**6**	**17**	**31**	**33**
GRAND TOTAL	**25**	**9.9**	**266**	**2**	**3**	**5**	**8**	**16**	**48**	**80**	**31**	**6.4**	**37**	**2**	**3**	**5**	**7**	**11**	**19**	**33**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +																				
ALL AGES											2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	81.0		81	81	81	81	81	81	81										
ALL AGES	1	81.0		81	81	81	81	81	81	81										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**2**	**43.5**	**2813**	**6**	**6**	**43**	**81**	**81**	**81**	**81**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**2**	**43.5**	**2813**	**6**	**6**	**43**	**81**	**81**	**81**	**81**	**4**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	2	4.0	2	3	3	4	5	5	5	5	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**3**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**5**	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	3.7	1	3	3	3	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	5.7	4	4	4	5	7	8	8	8										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	4	5.3	3	4	4	5	6	8	8	8										
SUBTOTAL	**7**	**4.6**	**3**	**3**	**3**	**4**	**5**	**7**	**8**	**8**										
GRAND TOTAL	**10**	**4.2**	**3**	**2**	**3**	**4**	**5**	**7**	**8**	**8**	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34											1	3.0		3	3	3	3	3	3	3
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	34.0		34	34	34	34	34	34	34										
13-17	1	3.0		3	3	3	3	3	3	3	1	51.0		51	51	51	51	51	51	51
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4	3	6.0		6	6	6	6	6	6	6
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	11.3	229	3	3	4	19	34	34	34	5	14.8	410	5	5	6	17	51	51	51
SUBTOTAL	**5**	**10.0**	**181**	**3**	**4**	**4**	**12**	**34**	**34**	**34**	**7**	**11.4**	**307**	**3**	**4**	**6**	**6**	**42**	**51**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	5.5	25	2	2	5	9	9	9	9	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**5.5**	**25**	**2**	**2**	**5**	**9**	**9**	**9**	**9**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**7**	**8.7**	**130**	**2**	**3**	**4**	**8**	**29**	**34**	**34**	**8**	**10.4**	**271**	**3**	**3**	**5**	**6**	**38**	**51**	**51**

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	67.0		67	67	67	67	67	67	67										
13-17	1	11.0		11	11	11	11	11	11	11	3	28.3	467	6	12	30	44	49	49	49
18-24	1	21.0		21	21	21	21	21	21	21										
25-34	1	27.0		27	27	63	99 +	99 +	99 +	99 +	1	16.0		16	16	16	16	16	16	16
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	5	26.0	604	5	11	24	67	97	99 +	99 +	4	25.3	344	6	11	23	39	49	49	49
B. FEMALE																				
0-12 YRS.											5	25.6	383	5	9	22	43	51	51	51
13-17	9	26.9	1027	2	3	8	56	77	78	78	51	26.9	390	3	9	28	38	58	69	99 +
18-24	7	23.6	1129	1	3	7	71	95	99 +	99 +	34	24.4	298	3	6	30	39	46	59	99 +
25-34	6	22.8	573	2	3	19	27	63	67	67	6	32.5	338	6	17	37	49	50	50	50
35-54	7	24.6	324	6	9	24	40	50	52	52	3	11.0	129	3	4	6	19	24	24	24
55-74	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
75 +	2	6.5	1	6	6	6	7	7	7	7	1	8.0		8	8	8	8	8	8	8
ALL AGES	32	22.9	674	2	4	8	45	76	83	99 +	101	25.5	344	3	6	28	39	51	63	99 +
SUBTOTAL	**37**	**23.3**	**649**	**2**	**4**	**12**	**48**	**77**	**93**	**99 +**	**105**	**25.4**	**345**	**3**	**6**	**28**	**39**	**51**	**63**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											3	30.7	286	14	18	30	43	48	48	48
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	4	23.8	381	3	8	22	39	48	48	48
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	6	20.8	281	1	3	21	36	41	42	42
13-17	13	48.6	993	3	19	57	75	98	99 +	99 +	41	30.6	313	5	20	29	43	52	64	75
18-24	10	44.3	996	5	18	58	82	99 +	99 +	99 +	23	33.3	348	4	22	34	50	55	60	65
25-34	7	9.9	28	4	7	7	13	18	19	19	6	25.7	255	13	15	20	29	53	56	56
35-54	8	22.0	161	7	11	21	32	40	40	40	4	28.5	726	1	10	24	47	65	65	65
55-74	1	16.0		16	16	16	16	16	16	16	1	5.0		5	5	5	5	5	5	5
75 +	2	18.0	32	14	14	18	22	22	22	22	1	8.0		8	8	8	8	8	8	8
ALL AGES	42	32.7	807	4	8	25	64	91	99 +	99 +	82	29.6	333	4	18	29	42	54	61	74
SUBTOTAL	**43**	**32.1**	**803**	**4**	**7**	**23**	**64**	**90**	**99 +**	**99 +**	**86**	**29.3**	**334**	**3**	**17**	**29**	**42**	**54**	**59**	**74**
GRAND TOTAL	**80**	**28.0**	**744**	**3**	**7**	**19**	**57**	**84**	**99 +**	**99 +**	**191**	**27.2**	**340**	**3**	**9**	**29**	**41**	**52**	**62**	**90**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	77.0		77	77	77	77	77	77	77
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	77.0		77	77	77	77	77	77	77
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**3**	**27.0**	**1875**	**2**	**2**	**2**	**58**	**77**	**77**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	31.5	1201	7	7	31	56	56	56	56										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.3	803	7	7	7	44	56	56	56	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54											3	2.0	1	1	1	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**4**	**18.5**	**627**	**4**	**5**	**7**	**32**	**56**	**56**	**56**	**4**	**3.3**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**
GRAND TOTAL	**5**	**15.0**	**532**	**1**	**3**	**7**	**19**	**56**	**56**	**56**	**7**	**13.4**	**791**	**1**	**2**	**2**	**6**	**63**	**77**	**77**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	1.5	1	1	1	1	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54	3	6.3	7	4	4	6	8	9	9	9										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	5.8	5	4	4	5	7	9	9	9	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	3	11.3	187	2	3	5	21	27	27	27	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**7**	**8.1**	**75**	**2**	**4**	**5**	**8**	**23**	**27**	**27**	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17											1	28.0		28	28	28	28	28	28	28
18-24	1	11.0		11	11	11	11	11	11	11	1	5.0		5	5	5	5	5	5	5
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	2	9.0	8	7	7	9	11	11	11	11	2	16.5	265	5	5	16	28	28	28	28
SUBTOTAL	**3**	**8.3**	**6**	**7**	**7**	**7**	**10**	**11**	**11**	**11**	**2**	**16.5**	**265**	**5**	**5**	**16**	**28**	**28**	**28**	**28**
GRAND TOTAL	**10**	**8.2**	**50**	**3**	**4**	**6**	**9**	**19**	**27**	**27**	**6**	**6.8**	**110**	**1**	**2**	**3**	**5**	**26**	**28**	**28**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	6	15.8	99	2	7	17	22	28	29	29
13-17	1	15.0		15	15	15	15	15	15	15	2	14.0	242	3	3	14	25	25	25	25
18-24											2	5.0	8	3	3	5	7	7	7	7
25-34																				
35-54											1	18.0		18	18	18	18	18	18	18
55-74																				
75 +																				
ALL AGES	2	8.5	85	2	2	8	15	15	15	15	11	13.7	95	2	4	16	21	27	29	29
B. FEMALE																				
0-12 YRS.	2	4.0		4	4	4	4	4	4	4	4	21.3	172	5	10	23	32	33	33	33
13-17	8	14.5	106	2	7	12	22	29	32	32	19	19.8	154	5	7	17	32	36	38	39
18-24	5	27.6	786	6	7	17	43	74	74	74	16	24.9	107	6	20	27	31	35	39	41
25-34	3	24.7	447	2	8	28	40	44	44	44	12	32.1	83	19	29	30	41	44	44	44
35-54	1	6.0		6	6	6	6	6	6	6	3	20.7	64	15	15	17	27	30	30	30
55-74	1	6.0		6	6	6	6	6	6	6	2	17.0	512	1	1	17	33	33	33	33
75 +																				
ALL AGES	20	17.4	324	3	5	11	25	38	59	74	56	23.9	143	5	16	28	33	38	43	44
SUBTOTAL	**22**	**16.6**	**303**	**2**	**4**	**11**	**23**	**36**	**56**	**74**	**67**	**22.3**	**145**	**4**	**15**	**25**	**30**	**36**	**41**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9	2	27.5	85	21	21	27	34	34	34	34
13-17											2	24.0	288	12	12	24	36	36	36	36
18-24	1	35.0		35	35	35	35	35	35	35	1	30.0		30	30	30	30	30	30	30
25-34	1	5.0		5	5	5	5	5	5	5	2	30.0		30	30	30	30	30	30	30
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	5	12.0	169	4	5	7	15	35	35	35	7	27.6	67	14	23	30	33	36	36	36
B. FEMALE																				
0-12 YRS.	1	62.0		62	62	62	62	62	62	62										
13-17	13	47.0	532	8	32	52	62	90	98	99 +	18	27.7	121	13	21	27	36	45	48	49
18-24	31	39.5	761	4	15	47	72	99 +	99 +	99 +	24	23.2	158	2	12	29	32	36	39	40
25-34	21	32.2	298	10	24	29	38	61	65	69	7	22.0	96	8	13	27	29	31	31	31
35-54	5	18.4	275	2	5	12	34	39	39	39	8	25.1	67	16	21	24	27	38	42	42
55-74	3	36.7	2397	4	6	13	73	93	93	93	1	7.0		7	7	7	7	7	7	7
75 +	3	14.0	271	4	4	5	26	33	33	33	2	9.0	8	7	7	9	11	11	11	11
ALL AGES	77	36.6	625	5	15	36	62	89	99 +	99 +	60	23.9	133	7	15	26	31	37	42	49
SUBTOTAL	**82**	**35.1**	**630**	**5**	**11**	**35**	**61**	**88**	**99 +**	**99 +**	**67**	**24.3**	**125**	**7**	**16**	**27**	**31**	**36**	**42**	**48**
GRAND TOTAL	**104**	**31.2**	**614**	**4**	**8**	**30**	**53**	**76**	**99 +**	**99 +**	**134**	**23.3**	**135**	**6**	**15**	**26**	**30**	**36**	**42**	**46**

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	10.5	85	4	4	10	17	17	17	17	4	12.5	108	4	5	9	20	27	27	27
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.5	85	4	4	10	17	17	17	17	5	10.4	103	2	3	6	16	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**3**	**9.3**	**47**	**4**	**5**	**7**	**14**	**17**	**17**	**17**	**5**	**10.4**	**103**	**2**	**3**	**6**	**16**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	34.5	113	27	27	34	42	42	42	42
13-17	2	11.5	13	9	9	11	14	14	14	14	2	23.5	13	21	21	23	26	26	26	26
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	13	9	9	11	14	14	14	14	4	29.0	82	21	23	26	34	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**11.5**	**13**	**9**	**9**	**11**	**14**	**14**	**14**	**14**	**4**	**29.0**	**82**	**21**	**23**	**26**	**34**	**42**	**42**	**42**
GRAND TOTAL	**5**	**10.2**	**28**	**4**	**6**	**9**	**15**	**17**	**17**	**17**	**9**	**18.7**	**177**	**3**	**5**	**21**	**27**	**36**	**42**	**42**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											3	17.7	736	1	1	3	37	49	49	49
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	2	6.0	50	1	1	5	11	11	11	11	2	1.0		1	1	1	1	1	1	1
35-54	3	2.3	6	1	1	1	4	5	5	5	6	2.7	1	1	2	3	3	4	4	4
55-74	2	3.5	5	2	2	3	5	5	5	5	2	5.5	25	2	2	5	9	9	9	9
75 +																				
ALL AGES	8	3.5	12	1	1	2	5	9	11	11	13	6.3	169	1	1	3	4	17	43	49
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
13-17	2	2.0	2	1	1	1	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-24	2	2.0	2	1	1	2	3	3	3	3	3	3.3	3	2	2	3	4	5	5	5
25-34	7	4.6	11	2	2	3	6	10	11	11	11	4.6	13	1	2	3	7	10	11	11
35-54	8	5.9	59	1	1	3	6	19	24	24	9	4.6	8	1	2	4	6	9	10	10
55-74	8	7.9	41	3	4	6	9	19	22	22	7	10.7	82	2	4	9	15	26	28	28
75 +											6	4.8	4	2	3	5	6	7	7	7
ALL AGES	28	5.4	33	1	2	3	6	12	22	24	38	5.5	26	1	2	4	7	11	14	28
SUBTOTAL	**36**	**5.0**	**28**	**1**	**2**	**3**	**6**	**11**	**19**	**24**	**51**	**5.7**	**60**	**1**	**2**	**3**	**6**	**10**	**16**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	1	27.0		27	27	27	27	27	27	27
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	4	8.8	20	4	5	8	12	14	14	14	2	1.5	1	1	1	1	2	2	2	2
55-74	2	4.0	8	2	2	4	6	6	6	6	5	3.8	10	1	2	3	5	9	9	9
75 +																				
ALL AGES	7	7.3	17	2	4	6	10	13	14	14	10	5.8	61	1	2	3	5	18	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	41	2	2	6	11	11	11	11										
18-24											3	1.3		1	1	1	2	2	2	2
25-34	6	17.7	380	2	3	10	28	50	52	52	2	2.0		2	2	2	2	2	2	2
35-54	4	6.8	19	2	3	7	10	11	11	11	12	5.1	16	1	2	5	6	10	15	16
55-74	4	5.8	11	4	4	4	8	11	11	11	4	5.0	2	3	4	5	6	6	6	6
75 +	3	7.0	21	3	4	6	10	12	12	12	4	4.3		3	3	4	5	5	5	5
ALL AGES	19	10.0	145	2	3	5	11	23	41	52	25	4.2	10	1	2	4	6	7	9	16
SUBTOTAL	**26**	**9.3**	**109**	**2**	**4**	**6**	**11**	**16**	**33**	**52**	**35**	**4.7**	**24**	**1**	**2**	**4**	**6**	**7**	**14**	**27**
GRAND TOTAL	**62**	**6.8**	**66**	**1**	**2**	**4**	**8**	**13**	**23**	**49**	**86**	**5.3**	**45**	**1**	**2**	**4**	**6**	**10**	**16**	**41**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	58.0		58	58	58	58	58	58	58	1	10.0		10	10	10	10	10	10	10
75 +	3	7.3	51	1	2	6	13	15	15	15	1	7.0		7	7	7	7	7	7	7
ALL AGES	5	16.2	579	1	1	6	26	58	58	58	4	5.0	18	1	1	4	8	10	10	10
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34											1	14.0		14	14	14	14	14	14	14
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	7.5	85	1	1	7	14	14	14	14
SUBTOTAL	**6**	**14.7**	**476**	**1**	**1**	**6**	**15**	**54**	**58**	**58**	**6**	**5.8**	**30**	**1**	**1**	**4**	**10**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	8.0	8	6	6	8	10	10	10	10	1	2.0		2	2	2	2	2	2	2
75 +											3	16.3	82	6	10	21	22	22	22	22
ALL AGES	2	8.0	8	6	6	8	10	10	10	10	4	12.8	103	2	4	13	21	22	22	22
SUBTOTAL	**3**	**9.0**	**7**	**6**	**7**	**10**	**11**	**11**	**11**	**11**	**5**	**10.6**	**102**	**2**	**2**	**6**	**21**	**22**	**22**	**22**
GRAND TOTAL	**9**	**12.8**	**307**	**1**	**5**	**7**	**12**	**41**	**58**	**58**	**11**	**8.0**	**62**	**1**	**2**	**6**	**13**	**21**	**22**	**22**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
35-54	1	2.0		2	2	2	2	2	2	2	4	3.0	3	1	1	3	4	5	5	5
55-74											2	7.0	32	3	3	7	11	11	11	11
75 +																				
ALL AGES	3	2.0	1	1	1	2	3	3	3	3	8	4.5	14	1	2	3	7	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24											2	2.0		2	2	2	2	2	2	2
25-34	3	6.3	26	1	2	7	10	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	4	1.8	2	1	1	1	3	4	4	4	5	1.8	1	1	1	1	3	3	3	3
55-74	5	8.0	139	2	2	3	10	29	29	29	4	8.3	74	2	3	5	13	21	21	21
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	13	5.2	59	1	1	2	5	15	26	29	13	3.8	29	1	1	2	3	9	19	21
SUBTOTAL	**16**	**4.6**	**49**	**1**	**1**	**2**	**4**	**11**	**24**	**29**	**21**	**4.1**	**22**	**1**	**1**	**3**	**4**	**10**	**15**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	1.0		1	1	1	1	1	1	1	2	3.5	1	3	3	3	4	4	4	4
35-54	2	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74											2	4.0	8	2	2	4	6	6	6	6
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	4	2.0	1	1	1	2	3	3	3	3	6	3.2	3	1	2	3	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	2	1.5	1	1	1	1	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5	5	8.6	37	2	4	8	12	18	18	18
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	6	5.7	23	1	2	4	10	13	13	13	9	5.6	31	1	2	3	8	15	18	18
SUBTOTAL	**10**	**4.2**	**17**	**1**	**2**	**3**	**5**	**11**	**13**	**13**	**15**	**4.6**	**21**	**1**	**2**	**3**	**6**	**10**	**16**	**18**
GRAND TOTAL	**26**	**4.4**	**36**	**1**	**1**	**2**	**4**	**11**	**16**	**29**	**36**	**4.3**	**21**	**1**	**2**	**3**	**5**	**10**	**16**	**21**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	18.0	288	6	6	18	30	30	30	30
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	5.5	13	3	3	5	8	8	8	8	1	10.0		10	10	10	10	10	10	10
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	3.0		3	3	3	3	3	3	3	3	1.7	1	1	1	1	3	3	3	3
55-74	1	18.0		18	18	18	18	18	18	18	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	5	6.6	47	1	2	3	10	18	18	18	9	6.4	87	1	2	3	7	22	30	30
B. FEMALE																				
0-12 YRS.											2	15.5	113	8	8	15	23	23	23	23
13-17	6	8.3	28	2	3	8	13	15	15	15	3	21.3	332	1	7	27	34	36	36	36
18-24	3	11.0	19	8	8	9	14	16	16	16	2	7.5	85	1	1	7	14	14	14	14
25-34	7	23.9	985	2	4	7	37	78	87	87	1	4.0		4	4	4	4	4	4	4
35-54	3	7.0	43	1	1	6	12	14	14	14	4	2.8	1	1	2	3	4	4	4	4
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	20	15.0	391	1	4	8	15	36	65	87	12	10.4	143	1	2	4	18	30	35	36
SUBTOTAL	**25**	**13.3**	**330**	**1**	**3**	**8**	**15**	**29**	**54**	**87**	**21**	**8.7**	**117**	**1**	**2**	**3**	**11**	**28**	**33**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	5	9.8	43	1	5	11	14	18	18	18										
25-34	2	14.5	365	1	1	14	28	28	28	28	1	2.0		2	2	2	2	2	2	2
35-54	7	6.0	55	1	2	3	7	19	22	22	2	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	16	8.1	70	1	2	5	12	22	26	28	3	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.											2	27.5	421	13	13	27	42	42	42	42
13-17	4	13.5	215	2	5	8	22	35	35	35	2	22.5	61	17	17	22	28	28	28	28
18-24	11	9.2	66	2	3	7	13	23	28	28	1	30.0		30	30	30	30	30	30	30
25-34	12	26.4	684	6	10	17	36	60	93	99	1	4.0		4	4	4	4	4	4	4
35-54	6	16.8	151	2	4	18	28	30	30	30	3	2.7	1	2	2	2	4	4	4	4
55-74	2	13.0	98	6	6	13	20	20	20	20										
75 +																				
ALL AGES	35	17.1	338	2	6	13	23	35	43	99	9	15.8	212	2	3	13	28	37	42	42
SUBTOTAL	**51**	**14.3**	**268**	**2**	**4**	**9**	**20**	**30**	**42**	**98**	**12**	**12.2**	**197**	**1**	**2**	**4**	**22**	**34**	**41**	**42**
GRAND TOTAL	**76**	**14.0**	**284**	**1**	**4**	**8**	**18**	**30**	**43**	**96**	**33**	**10.0**	**143**	**1**	**2**	**4**	**15**	**30**	**35**	**42**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	3	2.3	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.											2	1.0		1	1	1	1	1	1	1
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	4	3.3	2	1	1	3	4	5	5	5										
55-74											1	4.0		4	4	4	4	4	4	4
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	6	2.7	2	1	1	2	4	5	5	5	4	2.0	2	1	1	2	3	4	4	4
SUBTOTAL	**7**	**2.4**	**3**	**1**	**1**	**2**	**4**	**5**	**5**	**5**	**7**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	1	4.0		4	4	4	4	4	4	4	3	6.3	11	4	4	5	9	10	10	10
SUBTOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**	**4**	**5.0**	**14**	**1**	**2**	**4**	**7**	**10**	**10**	**10**
GRAND TOTAL	**9**	**2.4**	**3**	**1**	**1**	**2**	**4**	**5**	**5**	**5**	**11**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**10**	**10**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	16.8	74	6	13	14	22	29	30	30	2	32.0	18	29	29	32	35	35	35	35
13-17	46	11.8	93	2	6	10	16	20	27	55	4	9.0	44	4	4	7	14	18	18	18
18-24	73	9.4	81	1	3	5	15	24	28	35	11	5.1	13	1	2	4	8	10	11	11
25-34	71	7.1	54	1	2	4	9	16	25	32	11	10.2	155	2	3	4	12	31	41	42
35-54	51	8.3	48	2	3	6	11	19	23	27	9	5.0	5	1	4	5	6	8	8	8
55-74	14	14.3	132	4	7	13	16	24	44	50	6	4.3	12	1	1	4	7	9	9	9
75 +	9	6.8	20	3	3	4	10	13	15	15										
ALL AGES	274	9.4	75	1	3	7	14	21	27	36	43	7.9	81	1	3	5	8	19	31	42
B. FEMALE																				
0-12 YRS.	5	17.0	104	3	11	15	25	30	30	30	1	22.0		22	22	22	22	22	22	22
13-17	135	10.7	116	1	3	7	15	22	30	48	6	4.8	38	1	1	2	8	15	16	16
18-24	109	7.1	68	1	2	5	9	15	20	49	13	8.3	51	3	4	7	10	16	27	29
25-34	95	7.2	48	1	2	6	9	16	22	34	7	5.0	14	1	2	4	7	11	12	12
35-54	122	8.0	52	1	3	6	11	18	22	39	14	5.6	35	1	1	3	8	16	18	19
55-74	26	10.0	58	3	4	8	11	21	27	29	10	6.9	50	2	2	4	9	17	25	25
75 +	18	13.1	165	2	4	9	17	35	44	47	7	5.3	15	2	2	4	7	12	13	13
ALL AGES	510	8.7	80	1	3	6	11	20	24	42	58	6.5	39	1	2	4	9	15	21	29
SUBTOTAL	**784**	**9.0**	**77**	**1**	**3**	**6**	**12**	**20**	**26**	**41**	**101**	**7.1**	**57**	**1**	**2**	**4**	**8**	**16**	**24**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	14.8	223	2	3	9	25	38	38	38										
13-17	38	10.1	97	2	3	7	16	28	36	99 +	2	1.5	1	1	1	1	2	2	2	2
18-24	106	9.9	107	2	4	6	11	27	31	49	7	11.1	56	3	5	10	16	23	24	24
25-34	161	8.7	65	2	4	6	11	18	25	43	14	7.9	36	1	3	7	11	15	20	22
35-54	136	9.9	75	2	4	8	13	19	25	50	10	6.2	20	1	3	5	10	13	15	15
55-74	19	14.3	200	2	4	8	18	38	43	47	3	11.3	95	3	4	9	19	22	22	22
75 +	4	15.3	162	3	6	12	24	33	33	33	1	17.0		17	17	17	17	17	17	17
ALL AGES	469	9.8	88	2	4	7	12	21	31	49	37	8.2	41	1	3	6	11	17	22	24
B. FEMALE																				
0-12 YRS.	2	12.5	113	5	5	12	20	20	20	20										
13-17	83	11.5	91	2	5	9	15	24	36	82	5	11.6	58	3	6	9	19	21	21	21
18-24	123	8.7	72	2	4	6	10	19	26	47	8	4.1	16	1	2	3	5	11	13	13
25-34	168	11.3	112	3	4	8	15	23	28	61	15	5.1	12	2	2	3	8	12	12	12
35-54	152	10.4	122	2	4	7	13	23	29	54	16	5.0	13	1	2	4	8	11	11	11
55-74	24	13.3	127	2	4	11	21	27	34	46	4	2.8	3	1	1	2	4	5	5	5
75 +	6	14.2	198	4	5	10	16	38	41	41										
ALL AGES	558	10.6	105	2	4	7	14	23	29	53	48	5.4	20	1	2	4	7	12	13	21
SUBTOTAL	**1027**	**10.2**	**98**	**2**	**4**	**7**	**13**	**23**	**30**	**50**	**85**	**6.6**	**31**	**1**	**2**	**5**	**10**	**14**	**19**	**23**
GRAND TOTAL	**1811**	**9.7**	**89**	**2**	**3**	**7**	**13**	**21**	**28**	**47**	**186**	**6.9**	**44**	**1**	**2**	**5**	**9**	**15**	**22**	**33**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	4.0		4	4	4	4	4	4	4
35-54	2	11.5	221	1	1	11	22	22	22	22										
55-74	4	14.0	86	5	8	12	20	27	27	27										
75 +	2	41.5	841	21	21	41	62	62	62	62	1	4.0		4	4	4	4	4	4	4
ALL AGES	9	18.1	358	1	4	12	23	48	62	62	3	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	4	12.5	68	5	6	11	19	23	23	23	1	9.0		9	9	9	9	9	9	9
25-34	8	15.9	169	2	7	9	29	34	34	34										
35-54	7	24.4	816	2	5	21	27	74	85	85	2	8.5	61	3	3	8	14	14	14	14
55-74	2	11.5	85	5	5	11	18	18	18	18	3	12.3	72	7	7	8	18	22	22	22
75 +	1	6.0		6	6	6	6	6	6	6	1	10.0		10	10	10	10	10	10	10
ALL AGES	23	16.7	323	3	6	10	23	33	52	85	8	12.6	71	4	7	9	18	26	28	28
SUBTOTAL	**32**	**17.1**	**322**	**1**	**5**	**11**	**22**	**33**	**59**	**85**	**11**	**10.3**	**65**	**3**	**4**	**8**	**13**	**24**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	15.0	93	4	8	19	21	22	22	22	1	4.0		4	4	4	4	4	4	4
25-34	3	35.3	36	29	31	37	39	40	40	40	1	1.0		1	1	1	1	1	1	1
35-54	4	8.0	10	5	5	7	10	12	12	12										
55-74	3	8.0	75	3	3	3	14	18	18	18										
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	14	16.3	155	3	5	15	22	37	39	40	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	41	2	2	6	11	11	11	11	1	2.0		2	2	2	2	2	2	2
18-24	3	17.7	153	10	10	11	27	32	32	32										
25-34	3	8.7	81	2	3	5	15	19	19	19	1	4.0		4	4	4	4	4	4	4
35-54	6	29.8	1165	1	5	17	47	87	91	91	1	6.0		6	6	6	6	6	6	6
55-74	2	51.5	2113	19	19	51	84	84	84	84	1	7.0		7	7	7	7	7	7	7
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	16	23.4	771	2	5	13	26	80	89	91	5	4.4	4	2	3	4	6	7	7	7
SUBTOTAL	**30**	**20.1**	**481**	**2**	**5**	**13**	**22**	**43**	**84**	**91**	**7**	**3.9**	**4**	**1**	**2**	**4**	**6**	**7**	**7**	**7**
GRAND TOTAL	**62**	**18.5**	**396**	**2**	**5**	**12**	**22**	**38**	**71**	**90**	**18**	**7.8**	**50**	**2**	**4**	**5**	**9**	**20**	**26**	**28**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	15.8	100	4	6	16	24	28	28	28	2	46.0	450	31	38	61	90	99 +	99 +	99 +
13-17	21	12.6	224	2	5	7	15	21	45	72	1	2.0		2	2	2	2	2	2	2
18-24	32	7.2	120	1	2	4	6	19	24	58	2	4.0		4	4	4	4	4	4	4
25-34	26	7.8	71	1	3	5	10	17	25	40	1	1.0		1	1	1	1	1	1	1
35-54	21	7.4	43	2	4	5	8	18	24	24	1	3.0		3	3	3	3	3	3	3
55-74	4	10.0	34	4	5	10	15	15	15	15	2	18.0	392	4	4	18	32	32	32	32
75 +	3	9.7	35	4	5	9	14	16	16	16	1	2.0		2	2	2	2	2	2	2
ALL AGES	113	9.0	109	1	3	6	12	20	24	63	10	14.4	411	1	2	4	32	77	98	99 +
B. FEMALE																				
0-12 YRS.	2	20.5	1	20	20	20	21	21	21	21	2	32.5	1861	2	2	32	63	63	63	63
13-17	62	13.8	189	2	5	10	17	31	42	98	1	70.0		70	70	70	70	70	70	70
18-24	42	9.9	142	2	3	5	14	30	41	99 +	3	2.7	8	1	1	1	5	6	6	6
25-34	45	6.6	36	2	3	5	8	13	17	32	7	3.4	6	1	1	3	5	7	7	7
35-54	43	6.2	28	2	3	4	7	13	15	29	9	3.3	10	1	1	2	4	9	11	11
55-74	10	6.9	21	2	3	6	9	14	14	14	5	10.0	106	4	4	5	14	28	28	28
75 +	2	5.5	1	5	5	5	6	6	6	6	3	4.3	5	2	3	5	6	6	6	6
ALL AGES	206	9.5	110	2	3	6	13	23	31	91	30	8.7	273	1	2	4	6	19	63	70
SUBTOTAL	**319**	**9.3**	**110**	**2**	**3**	**6**	**13**	**21**	**29**	**76**	**40**	**10.1**	**305**	**1**	**2**	**4**	**6**	**44**	**66**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	34.0	381	9	23	32	44	63	63	63	4	25.8	104	17	17	23	34	39	39	39
13-17	13	12.6	69	3	5	12	18	26	28	28	3	12.3	294	1	2	4	25	32	32	32
18-24	45	10.1	88	2	4	7	13	25	28	45	2	8.0	98	1	1	7	15	15	15	15
25-34	65	9.8	89	1	4	6	12	21	34	39	7	8.1	41	1	2	8	13	16	17	17
35-54	34	11.6	92	3	4	9	17	28	33	39	5	7.4	43	1	2	5	12	17	17	17
55-74	11	12.2	151	3	4	5	17	31	42	43	1	4.0		4	4	4	4	4	4	4
75 +	2	7.0	8	5	5	7	9	9	9	9										
ALL AGES	175	11.3	110	2	4	8	15	28	34	44	22	11.5	119	1	3	9	17	30	35	39
B. FEMALE																				
0-12 YRS.	3	30.7	1059	4	8	21	55	67	67	67										
13-17	35	17.6	387	4	6	9	31	52	81	99 +	3	22.7	308	3	9	28	35	37	37	37
18-24	47	9.0	65	2	3	7	11	21	28	40	2	11.0	2	10	10	11	12	12	12	12
25-34	83	8.7	61	2	3	6	11	19	25	41	4	7.3	23	1	4	7	10	13	13	13
35-54	69	10.1	96	2	4	7	12	24	34	47	8	8.8	37	2	4	7	12	19	21	21
55-74	12	14.8	122	4	7	14	21	54	91	99 +	5	6.4	28	1	2	6	10	14	14	14
75 +	2	19.0	18	16	16	19	22	22	22	22										
ALL AGES	251	11.0	140	2	4	7	13	25	36	89	22	10.0	80	2	3	8	13	23	32	37
SUBTOTAL	**426**	**11.1**	**128**	**2**	**4**	**7**	**14**	**27**	**35**	**64**	**44**	**10.8**	**97**	**1**	**3**	**8**	**14**	**28**	**33**	**39**
GRAND TOTAL	**745**	**10.4**	**119**	**2**	**4**	**7**	**13**	**24**	**33**	**67**	**84**	**10.5**	**193**	**1**	**2**	**5**	**13**	**31**	**44**	**89**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	5	7.6	30	2	3	5	13	14	14	14										
18-24	2	4.5	13	2	2	4	7	7	7	7										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74											1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	10	5.8	20	2	2	4	7	13	14	14	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	4	13.5	14	9	10	14	16	17	17	17	2	11.0	50	6	6	11	16	16	16	16
18-24	2	5.5	25	2	2	5	9	9	9	9	1	2.0		2	2	2	2	2	2	2
25-34	2	2.0	2	1	1	1	3	3	3	3										
35-54	3	3.0	7	1	1	2	5	6	6	6										
55-74																				
75 +																				
ALL AGES	11	7.1	35	1	2	6	11	16	17	17	3	8.0	52	2	3	6	13	16	16	16
SUBTOTAL	**21**	**6.5**	**27**	**1**	**2**	**5**	**10**	**15**	**16**	**17**	**4**	**9.0**	**39**	**2**	**4**	**9**	**14**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	35.7	934	1	12	47	56	59	59	59										
13-17	6	18.0	248	3	5	15	24	44	46	46										
18-24	5	10.0	158	2	2	6	14	32	32	32										
25-34	13	9.2	74	2	3	6	14	23	28	29										
35-54	10	9.1	22	3	5	10	13	50	96	99 +	1	10.0		10	10	10	10	10	10	10
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	38	12.9	187	2	3	9	17	40	54	99 +	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.	3	4.3	2	3	3	5	5	5	5	5										
13-17	4	13.8	42	4	10	16	18	19	19	19										
18-24	2	8.5	5	7	7	8	10	10	10	10										
25-34	2	9.0	50	4	4	9	14	14	14	14	1	6.0		6	6	6	6	6	6	6
35-54	3	15.7	229	2	5	13	27	32	32	32										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	16	10.9	68	3	4	8	16	20	28	32	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**54**	**12.3**	**151**	**2**	**4**	**9**	**16**	**32**	**47**	**98**	**2**	**8.0**	**8**	**6**	**6**	**8**	**10**	**10**	**10**	**10**
GRAND TOTAL	**75**	**10.7**	**122**	**2**	**3**	**7**	**15**	**24**	**42**	**89**	**6**	**8.7**	**24**	**2**	**6**	**8**	**12**	**16**	**16**	**16**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	24.7	100	14	18	21	31	41	44	44										
13-17	21	20.4	411	3	10	14	28	37	66	95	3	3.3	1	3	3	3	4	4	4	4
18-24	22	7.0	61	2	4	5	7	12	25	39	1	12.0		12	12	12	12	12	12	12
25-34	7	9.1	59	2	3	7	14	22	23	23										
35-54	12	8.8	55	1	3	7	10	22	25	26	1	6.0		6	6	6	6	6	6	6
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +	2	16.0	98	9	9	16	23	23	23	23										
ALL AGES	75	13.6	203	2	4	9	19	29	38	82	5	5.6	14	3	3	4	7	12	12	12
B. FEMALE																				
0-12 YRS.	6	19.3	1079	1	2	5	68	97	99 +	99 +	1	29.0		29	29	29	29	29	29	29
13-17	52	15.3	260	3	7	11	17	28	60	87	3	6.3	71	1	1	9	58	99 +	99 +	99 +
18-24	27	10.4	93	2	4	8	14	26	32	39	1	5.0		5	5	5	5	5	5	5
25-34	14	7.5	40	1	2	5	12	17	21	22	2	5.5	25	2	2	5	9	9	9	9
35-54	16	10.5	196	1	3	6	10	41	45	46	3	4.0	19	1	1	2	7	9	9	9
55-74	7	8.6	60	2	3	7	12	22	24	24										
75 +	5	9.0	22	2	6	11	12	14	14	14										
ALL AGES	127	12.4	208	2	4	8	15	26	44	90	10	7.6	80	1	2	5	14	57	96	99 +
SUBTOTAL	**202**	**12.8**	**207**	**2**	**4**	**9**	**16**	**28**	**40**	**91**	**15**	**6.9**	**57**	**1**	**2**	**4**	**11**	**28**	**79**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	27.0	18	24	24	27	30	30	30	30	1	28.0		28	28	28	28	28	28	28
13-17	18	25.2	464	4	8	17	37	61	65	66										
18-24	23	6.9	27	2	4	5	8	15	17	21	1	3.0		3	3	3	3	3	3	3
25-34	26	6.5	22	2	3	5	8	14	17	20										
35-54	18	8.3	34	2	4	6	13	15	20	24										
55-74	3	6.0	9	3	4	6	8	9	9	9										
75 +	2	18.5	85	12	12	18	25	25	25	25										
ALL AGES	92	11.3	166	3	4	7	14	24	36	65	2	15.5	313	3	3	15	28	28	28	28
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	29	19.0	334	2	5	14	31	53	56	56	2	4.5	5	3	3	4	6	6	6	6
18-24	19	10.5	92	2	4	7	16	32	68	99 +										
25-34	26	9.2	205	2	2	5	8	26	54	56	5	5.6	18	1	2	4	9	11	11	11
35-54	27	8.0	34	3	4	6	11	15	22	25	2	3.5	1	3	3	3	4	4	4	4
55-74	3	8.7	43	3	4	7	14	16	16	16										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	106	12.0	183	2	4	6	15	32	53	75	9	4.9	10	2	3	4	7	10	11	11
SUBTOTAL	**198**	**11.7**	**174**	**2**	**4**	**6**	**14**	**27**	**52**	**65**	**11**	**6.8**	**58**	**2**	**3**	**4**	**8**	**18**	**27**	**28**
GRAND TOTAL	**400**	**12.3**	**189**	**2**	**4**	**7**	**15**	**28**	**44**	**86**	**26**	**6.9**	**55**	**1**	**3**	**4**	**9**	**26**	**40**	**99 +**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	6.0	31	1	2	5	10	12	12	12										
35-54	6	11.2	37	3	8	11	15	19	20	20	3	3.7		3	3	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	12	10.8	78	1	3	10	14	24	31	32	4	3.0	2	1	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	3	30.7	83	23	24	28	38	41	41	41	1	34.0		34	34	34	34	34	34	34
13-17	6	11.3	35	3	5	14	15	17	17	17	2	4.0	18	1	1	4	7	7	7	7
18-24	3	7.3	15	3	4	9	10	10	10	10	1	5.0		5	5	5	5	5	5	5
25-34	8	10.1	83	1	2	9	14	24	28	28										
35-54	3	9.3	7	7	7	9	11	12	12	12										
55-74																				
75 +																				
ALL AGES	23	12.7	95	2	5	10	16	28	33	41	4	11.8	225	1	3	6	20	34	34	34
SUBTOTAL	**35**	**12.0**	**89**	**2**	**5**	**10**	**15**	**28**	**31**	**41**	**8**	**7.4**	**119**	**1**	**2**	**4**	**6**	**26**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	32.3	230	18	21	31	44	48	48	48
13-17	1	24.0		24	24	24	24	24	24	24										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	12.8	196	1	1	11	24	29	29	29										
35-54	6	17.5	254	1	5	16	27	39	40	40	4	9.8	83	2	2	9	17	20	20	20
55-74																				
75 +																				
ALL AGES	12	15.5	189	1	3	13	27	32	39	40	7	19.4	265	2	5	18	28	45	48	48
B. FEMALE																				
0-12 YRS.	1	32.0		32	32	66	99+	99+	99+	99+	6	24.5	89	10	21	25	29	36	37	37
13-17	2	39.5	265	28	28	39	51	51	51	51	1	5.0		5	5	5	5	5	5	5
18-24	5	13.6	11	10	10	15	16	17	17	17										
25-34	12	32.1	711	5	10	20	56	73	76	77	2	7.0		7	7	7	7	7	7	7
35-54	8	22.1	201	4	9	23	35	39	40	40										
55-74	1	35.0		35	35	35	35	35	35	35	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	29	26.8	403	6	11	21	38	69	77	99+	10	16.8	150	3	7	15	28	33	37	37
SUBTOTAL	**41**	**23.5**	**361**	**4**	**7**	**20**	**34**	**56**	**73**	**99+**	**17**	**17.9**	**184**	**2**	**6**	**18**	**28**	**36**	**44**	**48**
GRAND TOTAL	**76**	**18.2**	**266**	**2**	**6**	**14**	**27**	**40**	**61**	**94**	**25**	**14.5**	**184**	**2**	**4**	**7**	**24**	**34**	**40**	**48**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	8.0	98	1	1	8	15	15	15	15	1	31.0		31	31	31	31	31	31	31
13-17	3	2.0	1	1	1	2	3	3	3	3	3	1.7		1	1	2	2	2	2	2
18-24	10	8.6	108	1	3	6	7	24	37	37										
25-34	3	5.0	12	1	2	7	7	7	7	7										
35-54	4	7.5	62	2	2	4	12	19	19	19										
55-74	2	28.5	181	19	19	28	38	38	38	38										
75 +																				
ALL AGES	24	8.8	105	1	2	6	10	21	37	38	4	9.0	215	1	1	2	17	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17	12	6.8	49	1	3	4	6	21	22	22	5	7.4	134	1	2	2	10	28	28	28
18-24	10	5.6	26	1	1	4	9	13	17	17	1	1.0		1	1	1	1	1	1	1
25-34	8	7.8	92	1	2	4	10	25	29	29	1	2.0		2	2	2	2	2	2	2
35-54	5	6.4	15	2	3	6	9	12	12	12	3	3.3	5	1	2	4	5	5	5	5
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	36	6.5	44	1	2	4	7	17	22	29	11	6.2	76	1	1	2	5	22	27	28
SUBTOTAL	**60**	**7.4**	**68**	**1**	**2**	**5**	**8**	**19**	**25**	**38**	**15**	**6.9**	**103**	**1**	**1**	**2**	**5**	**28**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23	1	2.0		2	2	2	2	2	2	2
13-17	6	11.7	105	1	3	10	17	28	29	29										
18-24	7	8.6	107	1	2	4	12	27	30	30	2	6.0	50	1	1	6	11	11	11	11
25-34	10	4.8	18	1	1	3	8	11	13	13										
35-54	14	7.4	55	1	2	6	11	14	26	29	1	5.0		5	5	5	5	5	5	5
55-74	1	18.0		18	18	18	18	18	18	18										
75 +	2	6.0	50	1	1	6	11	11	11	11										
ALL AGES	41	8.2	65	1	2	6	12	20	29	30	4	4.8	20	1	1	3	8	11	11	11
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	12	8.6	53	2	4	7	9	18	27	29										
18-24	11	8.8	51	2	4	6	13	20	24	24	2	1.5	1	1	1	1	2	2	2	2
25-34	11	5.4	12	1	2	6	6	11	13	13	2	3.5	5	2	2	3	5	5	5	5
35-54	5	9.0	56	3	6	7	22	92	99 +	99 +	1	1.0		1	1	1	1	1	1	1
55-74	3	12.0	192	4	4	4	22	28	28	28										
75 +	2	3.0	8	1	1	3	5	5	5	5										
ALL AGES	45	7.8	46	2	3	6	9	22	28	99 +	5	2.2	3	1	1	2	3	5	5	5
SUBTOTAL	**86**	**8.0**	**54**	**1**	**3**	**6**	**11**	**21**	**29**	**74**	**9**	**3.3**	**11**	**1**	**1**	**2**	**5**	**9**	**11**	**11**
GRAND TOTAL	**146**	**7.7**	**60**	**1**	**3**	**5**	**10**	**19**	**29**	**40**	**24**	**5.6**	**69**	**1**	**1**	**2**	**5**	**19**	**29**	**31**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES											1	16.0		16	16	16	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	12.0		12	12	12	12	12	12	12
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES											2	10.5	5	9	9	10	12	12	12	12
SUBTOTAL											**3**	**12.3**	**14**	**9**	**10**	**12**	**15**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	41.0		41	41	41	41	41	41	41										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	**2**	**34.5**	**85**	**28**	**28**	**34**	**41**	**41**	**41**	**41**										
GRAND TOTAL	**2**	**34.5**	**85**	**28**	**28**	**34**	**41**	**41**	**41**	**41**	**3**	**12.3**	**14**	**9**	**10**	**12**	**15**	**16**	**16**	**16**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.5	13	6	6	8	11	11	11	11	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	3	2.7	8	1	1	1	5	6	6	6										
35-54	2	17.5	1	17	17	17	18	18	18	18										
55-74	3	6.0	13	3	3	5	9	10	10	10	1	65.0		65	65	65	65	65	65	65
75 +	6	35.8	1326	9	10	16	74	88	90	90	6	6.8	18	2	4	6	8	13	14	14
ALL AGES	16	18.3	660	1	5	10	17	69	85	90	8	13.8	440	3	4	6	11	50	65	65
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	20.0	392	6	6	20	34	34	34	34										
25-34	2	12.5	25	9	9	12	16	16	16	16										
35-54	1	34.0		34	34	34	34	34	34	34	1	33.0		33	33	33	33	33	33	33
55-74	2	8.0		8	8	8	8	8	8	8	3	6.0	7	4	4	5	8	9	9	9
75 +	3	11.0	27	5	7	14	14	14	14	14	5	11.6	80	4	6	10	14	27	27	27
ALL AGES	10	14.8	116	5	8	11	16	34	34	34	9	12.1	111	4	5	9	14	31	33	33
SUBTOTAL	**26**	**17.0**	**439**	**3**	**6**	**10**	**17**	**34**	**77**	**90**	**17**	**12.9**	**249**	**4**	**4**	**7**	**11**	**32**	**54**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	2	34.5	1625	6	6	34	63	63	63	63										
25-34	4	20.5	147	6	10	22	30	31	31	31										
35-54	2	7.5	1	7	7	7	8	8	8	8	1	10.0		10	10	10	10	10	10	10
55-74	4	26.5	524	3	7	27	46	49	49	49										
75 +											1	28.0		28	28	28	28	28	28	28
ALL AGES	13	22.5	373	5	7	15	34	52	61	63	2	19.0	162	10	10	19	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	11.5	5	10	10	11	13	13	13	13										
35-54																				
55-74	2	27.5	265	16	16	27	39	39	39	39	2	18.0	162	9	9	18	27	27	27	27
75 +																				
ALL AGES	4	19.5	175	10	11	14	27	39	39	39	2	18.0	162	9	9	18	27	27	27	27
SUBTOTAL	**17**	**21.8**	**314**	**6**	**8**	**15**	**33**	**48**	**58**	**63**	**4**	**18.5**	**108**	**9**	**9**	**18**	**27**	**28**	**28**	**28**
GRAND TOTAL	**43**	**18.9**	**387**	**4**	**7**	**11**	**21**	**44**	**67**	**90**	**21**	**14.0**	**219**	**4**	**5**	**9**	**17**	**30**	**47**	**65**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	5.3	18	2	2	4	8	10	10	10	1	12.0		12	12	12	12	12	12	12
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	5.5	12	2	3	5	8	10	10	10	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	6	16.2	409	4	5	9	12	52	57	57										
75 +	6	18.8	84	10	11	16	27	31	32	32	2	14.5	221	4	9	25	81	99 +	99 +	99 +
ALL AGES	13	16.3	226	4	7	11	22	37	53	57	2	14.5	221	4	9	25	81	99 +	99 +	99 +
SUBTOTAL	**17**	**13.8**	**193**	**3**	**5**	**10**	**15**	**31**	**48**	**57**	**3**	**13.7**	**111**	**4**	**8**	**18**	**62**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +	3	10.7	68	4	5	8	17	20	20	20	1	48.0		48	48	48	48	48	48	48
ALL AGES	4	8.3	68	1	2	6	14	20	20	20	1	48.0		48	48	48	48	48	48	48
SUBTOTAL	**5**	**7.8**	**53**	**1**	**3**	**6**	**11**	**20**	**20**	**20**	**1**	**48.0**		**48**	**48**	**48**	**48**	**48**	**48**	**48**
GRAND TOTAL	**22**	**12.4**	**165**	**2**	**4**	**9**	**13**	**28**	**42**	**57**	**4**	**22.3**	**367**	**4**	**10**	**25**	**61**	**99 +**	**99 +**	**99 +**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	35.0		35	35	35	35	35	35	35										
55-74	10	15.8	122	3	7	12	27	31	32	32	8	16.4	436	2	3	9	20	53	64	64
75 +	23	11.0	60	3	5	10	18	27	99 +	99 +	34	21.1	570	3	6	11	25	60	88	94
ALL AGES	34	13.1	94	3	6	11	22	32	80	99 +	42	20.2	537	3	6	11	25	60	80	94
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54											2	11.0	32	7	7	11	15	15	15	15
55-74	8	20.4	551	3	6	11	54	86	99 +	99 +	13	14.5	336	3	5	9	12	64	92	99 +
75 +	55	23.2	545	3	7	12	39	59	82	99 +	60	18.5	344	3	6	12	23	60	73	99 +
ALL AGES	64	22.5	537	3	7	12	42	63	89	99 +	76	17.4	331	3	6	11	22	60	73	99 +
SUBTOTAL	**98**	**19.3**	**398**	**3**	**6**	**11**	**30**	**57**	**90**	**99 +**	**118**	**18.4**	**402**	**3**	**6**	**11**	**24**	**60**	**73**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	1	15.0		15	15	15	15	15	15	15
25-34	2	46.5	1861	16	16	46	77	77	77	77	1	4.0		4	4	4	4	4	4	4
35-54	1	37.0		37	37	37	37	37	37	37	3	5.0	3	4	4	4	6	7	7	7
55-74	9	9.1	106	1	3	5	11	27	28	28	3	18.3	462	4	5	8	34	43	43	43
75 +	5	10.6	36	2	10	12	17	92	99 +	99 +	5	30.2	1088	6	12	19	40	88	88	88
ALL AGES	19	16.0	346	2	4	10	27	57	88	99 +	13	18.5	560	4	4	8	20	52	81	88
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	13.3	326	1	2	5	27	34	34	34										
55-74	4	25.5	194	6	17	28	34	39	39	39	3	6.7	6	4	5	7	8	9	9	9
75 +	9	30.2	726	5	11	15	49	73	77	77	16	17.4	195	4	10	15	47	99 +	99 +	99 +
ALL AGES	16	25.9	510	5	6	21	36	65	74	77	19	15.7	179	4	8	13	41	99 +	99 +	99 +
SUBTOTAL	**35**	**20.5**	**434**	**2**	**5**	**14**	**32**	**65**	**77**	**99 +**	**32**	**16.8**	**324**	**4**	**6**	**13**	**28**	**98**	**99 +**	**99 +**
GRAND TOTAL	**133**	**19.6**	**405**	**3**	**5**	**12**	**31**	**58**	**84**	**99 +**	**150**	**18.0**	**386**	**3**	**6**	**11**	**24**	**61**	**93**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	32.0		32	32	32	32	32	32	32	2	3.0	2	2	2	3	4	4	4	4
18-24	7	11.6	215	1	3	5	14	38	43	43	2	1.5	1	1	1	1	2	2	2	2
25-34	4	14.8	166	3	6	11	23	33	33	33	6	10.7	63	4	6	8	12	25	26	26
35-54	19	21.3	520	2	9	12	29	46	74	97	7	14.6	939	1	2	3	5	68	84	84
55-74	11	16.5	110	9	10	13	20	31	43	44	9	9.4	119	2	3	5	12	28	36	36
75 +	6	19.0	121	7	15	17	21	37	39	39	4	5.0	5	3	3	4	6	8	8	8
ALL AGES	49	17.9	287	3	8	13	22	41	45	97	30	9.3	256	2	2	4	8	20	36	84
B. FEMALE																				
0-12 YRS.																				
13-17	8	9.1	40	1	4	9	14	17	18	18	5	3.0	4	1	2	3	4	6	6	6
18-24	8	7.6	78	1	1	4	14	22	22	22	6	6.0	59	1	1	2	12	18	19	19
25-34	27	13.6	137	1	3	12	23	31	35	38	8	7.3	42	1	2	4	12	17	19	19
35-54	18	16.1	353	2	5	7	23	41	63	74	14	4.2	11	1	1	3	6	10	11	11
55-74	34	15.1	175	3	5	12	23	40	55	99 +	28	9.6	43	2	3	9	14	19	20	24
75 +	17	21.8	264	4	8	26	30	36	55	65	18	8.0	33	2	5	7	9	14	22	26
ALL AGES	112	14.9	199	1	4	11	23	34	44	84	79	7.4	36	1	2	6	12	17	19	25
SUBTOTAL	**161**	**15.8**	**227**	**2**	**5**	**12**	**23**	**35**	**45**	**94**	**109**	**7.9**	**96**	**1**	**2**	**5**	**11**	**17**	**20**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	34.0		34	34	34	34	34	34	34
13-17	3	7.3	58	2	2	4	13	16	16	16	3	2.0	1	1	1	2	3	3	3	3
18-24	11	17.0	229	5	7	10	22	44	49	49	3	10.7	71	1	4	14	16	17	17	17
25-34	23	14.8	332	2	5	7	18	38	64	73	1	3.0		3	3	3	3	3	3	3
35-54	24	15.7	94	5	8	13	23	27	32	42	12	8.7	291	1	1	2	6	30	57	61
55-74	3	21.0	103	12	14	19	29	32	32	32	4	5.8	13	1	3	6	8	10	10	10
75 +	4	9.3	130	1	2	5	16	26	26	26	2	5.0	8	3	3	5	7	7	7	7
ALL AGES	68	15.1	193	3	6	10	22	31	43	70	26	8.2	170	1	1	3	7	17	39	61
B. FEMALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17	8	13.6	225	2	3	6	24	38	42	42	2	24.5	841	4	4	24	45	45	45	45
18-24	25	19.1	332	3	6	13	31	45	58	69	2	3.0	8	1	1	2	5	5	5	5
25-34	38	14.7	303	3	4	10	19	26	58	83	10	9.0	121	1	1	4	14	28	30	30
35-54	49	15.9	219	2	4	12	22	35	50	60	16	12.0	289	1	2	5	10	45	55	58
55-74	23	16.8	80	7	9	18	24	32	57	99 +	4	7.5	62	2	2	4	12	19	19	19
75 +	11	13.5	114	2	4	10	22	30	32	32	5	8.2	23	2	4	11	12	91	99 +	99 +
ALL AGES	155	16.1	228	3	5	12	23	36	48	83	39	10.5	188	1	2	5	12	37	53	99 +
SUBTOTAL	**223**	**15.8**	**216**	**3**	**5**	**12**	**22**	**34**	**46**	**79**	**65**	**9.5**	**181**	**1**	**2**	**4**	**11**	**30**	**50**	**94**
GRAND TOTAL	**384**	**15.8**	**220**	**2**	**5**	**12**	**23**	**35**	**45**	**81**	**174**	**8.5**	**127**	**1**	**2**	**5**	**11**	**19**	**29**	**78**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	26.1	636	1	4	23	41	64	75	77	3	25.3	649	3	11	36	76	99 +	99 +	99 +
13-17	9	25.3	282	5	15	26	41	78	99 +	99 +	1	41.0		41	41	41	41	41	41	41
18-24	1	36.0		36	36	36	36	36	36	36										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	22	26.2	447	3	6	26	40	63	85	99 +	4	29.3	488	3	16	41	65	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	2	6.0	8	4	5	8	77	99 +	99 +	99 +										
13-17	4	13.8	51	7	8	12	19	23	23	23										
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	7	10.6	43	5	7	8	19	77	99 +	99 +										
SUBTOTAL	**29**	**22.4**	**392**	**4**	**7**	**19**	**35**	**66**	**99**	**99 +**	**4**	**29.3**	**488**	**3**	**16**	**41**	**65**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	17	45.4	895	7	27	51	83	97	99 +	99 +	1	27.0		27	27	27	27	27	27	27
13-17	11	28.6	411	7	10	22	48	57	59	59										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	28	38.8	752	7	11	38	59	91	99 +	99 +	1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.	2	40.0	800	20	50	99 +	99 +	99 +	99 +	99 +										
13-17	4	5.0	11	1	3	5	7	9	9	9	1	37.0		37	37	37	37	37	37	37
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	15.0		15	15	15	15	15	15	15
ALL AGES	6	16.7	492	2	5	20	99 +	99 +	99 +	99 +	2	26.0	242	15	15	26	37	37	37	37
SUBTOTAL	**34**	**34.9**	**763**	**5**	**9**	**35**	**63**	**99 +**	**99 +**	**99 +**	**3**	**26.3**	**124**	**15**	**18**	**27**	**34**	**37**	**37**	**37**
GRAND TOTAL	**63**	**29.2**	**619**	**4**	**8**	**28**	**57**	**96**	**99 +**	**99 +**	**7**	**28.0**	**289**	**7**	**17**	**32**	**47**	**86**	**99 +**	**99 +**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.0	19	2	2	3	8	10	10	10										
13-17											1	9.0		9	9	9	9	9	9	9
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	5.0	19	2	2	3	8	10	10	10	1	9.0		9	9	54	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	12.5	25	9	9	12	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	9.0	49	2	4	9	14	16	16	16										
SUBTOTAL	**6**	**7.0**	**32**	**2**	**2**	**6**	**10**	**15**	**16**	**16**	**1**	**9.0**		**9**	**9**	**54**	**99 +**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	26.3	947	4	6	8	49	76	81	81	2	25.0	98	18	18	25	32	32	32	32
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	26.3	947	4	6	8	49	76	81	81	2	25.0	98	18	18	25	32	32	32	32
B. FEMALE																				
0-12 YRS.																				
13-17	3	56.3	843	23	35	71	74	75	75	75										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	56.3	843	23	35	71	74	75	75	75										
SUBTOTAL	**10**	**35.3**	**1029**	**4**	**7**	**22**	**71**	**78**	**81**	**81**	**2**	**25.0**	**98**	**18**	**18**	**25**	**32**	**32**	**32**	**32**
GRAND TOTAL	**16**	**24.7**	**827**	**2**	**5**	**9**	**40**	**75**	**79**	**81**	**3**	**19.7**	**132**	**9**	**13**	**25**	**66**	**99 +**	**99 +**	**99 +**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.0	19	2	2	3	8	10	10	10										
13-17											1	9.0		9	9	9	9	9	9	9
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	5.0	19	2	2	3	8	10	10	10	1	9.0		9	9	54	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	12.5	25	9	9	12	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	9.0	49	2	4	9	14	16	16	16										
SUBTOTAL	**6**	**7.0**	**32**	**2**	**2**	**6**	**10**	**15**	**16**	**16**	**1**	**9.0**		**9**	**9**	**54**	**99 +**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	26.3	947	4	6	8	49	76	81	81	2	25.0	98	18	18	25	32	32	32	32
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	26.3	947	4	6	8	49	76	81	81	2	25.0	98	18	18	25	32	32	32	32
B. FEMALE																				
0-12 YRS.																				
13-17	3	56.3	843	23	35	71	74	75	75	75										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	56.3	843	23	35	71	74	75	75	75										
SUBTOTAL	**10**	**35.3**	**1029**	**4**	**7**	**22**	**71**	**78**	**81**	**81**	**2**	**25.0**	**98**	**18**	**18**	**25**	**32**	**32**	**32**	**32**
GRAND TOTAL	**16**	**24.7**	**827**	**2**	**5**	**9**	**40**	**75**	**79**	**81**	**3**	**19.7**	**132**	**9**	**13**	**25**	**66**	**99 +**	**99 +**	**99 +**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	9.5	92	2	2	17	99+	99+	99+	99+										
13-17	16	13.4	130	4	7	10	16	41	79	99+	1	10.0		10	10	10	10	10	10	10
18-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	21	12.4	115	3	7	11	21	99+	99+	99+	1	10.0		10	55	99+	99+	99+	99+	99+
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	8	12.8	96	3	5	12	23	73	99+	99+	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	12.3	88	3	6	11	20	66	99+	99+	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**30**	**12.4**	**103**	**3**	**7**	**11**	**20**	**99+**	**99+**	**99+**	**2**	**6.0**	**32**	**2**	**8**	**99+**	**99+**	**99+**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	11	23.5	360	3	7	20	34	53	58	59	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	25.8	390	3	7	23	42	53	58	59	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	12	9.9	110	2	4	7	11	26	37	39	1	9.0		9	9	9	9	9	9	9
18-24	1	12.0		12	12	12	12	12	12	12										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	10.1	100	2	4	7	12	24	36	39	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**25**	**17.6**	**294**	**3**	**5**	**9**	**28**	**49**	**53**	**59**	**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**
GRAND TOTAL	**55**	**14.8**	**192**	**3**	**6**	**11**	**22**	**50**	**99+**	**99+**	**4**	**6.3**	**14**	**2**	**5**	**10**	**99+**	**99+**	**99+**	**99+**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	14	13.8	124	4	7	9	20	35	37	37	2	4.0	18	1	1	3	7	7	7	7
25-34	3	9.7	81	3	4	6	16	20	20	20										
35-54	2	13.0	2	12	12	13	14	14	14	14										
55-74	1	23.0		23	23	23	23	23	23	23										
75 +																				
ALL AGES	22	13.4	92	4	7	11	20	27	36	37	2	4.0	18	1	1	3	7	7	7	7
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
18-24											1	1.0		1	1	1	1	1	1	1
25-34	2	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	3	2.3	6	1	1	1	4	5	5	5	3	2.0	3	1	1	1	3	4	4	4
SUBTOTAL	**25**	**12.1**	**94**	**1**	**5**	**9**	**19**	**23**	**35**	**37**	**5**	**2.8**	**7**	**1**	**1**	**1**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	42.5	685	24	24	42	61	61	61	61										
13-17	3	8.3	37	2	4	9	13	14	14	14										
18-24	12	18.6	396	3	4	8	30	51	62	64	1	47.0		47	47	47	47	47	47	47
25-34	9	9.8	50	3	4	10	13	21	24	24	1	2.0		2	2	2	2	2	2	2
35-54	2	36.5	1861	6	6	36	67	67	67	67										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	29	17.2	369	3	5	9	24	55	64	67	2	24.5	1013	2	2	24	47	47	47	47
B. FEMALE																				
0-12 YRS.																				
13-17	4	17.8	265	3	5	14	30	39	39	39										
18-24	4	6.3	37	1	2	4	10	15	15	15										
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	10	12.5	133	2	3	10	15	30	39	39										
SUBTOTAL	**39**	**16.0**	**307**	**2**	**4**	**9**	**21**	**43**	**63**	**67**	**2**	**24.5**	**1013**	**2**	**2**	**24**	**47**	**47**	**47**	**47**
GRAND TOTAL	**64**	**14.5**	**224**	**2**	**5**	**9**	**19**	**35**	**50**	**67**	**7**	**9.0**	**286**	**1**	**1**	**2**	**6**	**39**	**47**	**47**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	7.5	25	4	4	7	11	11	11	11										
13-17	2	9.0	50	4	4	9	14	14	14	14										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	8.3	24	4	4	8	12	14	14	14										
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	27.0		27	27	27	27	27	27	27
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	1	27.0		27	27	27	27	27	27	27
SUBTOTAL	**5**	**9.4**	**26**	**4**	**4**	**11**	**14**	**14**	**14**	**14**	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17	2	33.0	1458	6	6	33	60	60	60	60										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	28.3	797	6	9	19	50	60	60	60										
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	13.0	200	3	3	13	23	23	23	23	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**5**	**22.2**	**518**	**3**	**5**	**19**	**32**	**60**	**60**	**60**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**10**	**15.8**	**287**	**3**	**4**	**12**	**19**	**41**	**60**	**60**	**2**	**15.5**	**265**	**4**	**4**	**15**	**27**	**27**	**27**	**27**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	10.0	256	2	2	2	18	34	34	34	1	8.0		8	8	8	8	8	8	8
13-17	4	15.3	319	4	5	7	25	42	42	42	2	2.5	1	2	2	2	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	12.6	256	2	2	5	21	40	42	42	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.	2	36.0	2312	2	2	36	70	70	70	70	1	2.0		2	2	2	2	2	2	2
13-17	5	11.2	31	3	7	14	15	16	16	16										
18-24	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	9	16.8	423	2	7	13	15	48	70	70	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	**17**	**14.8**	**329**	**2**	**3**	**8**	**15**	**40**	**60**	**70**	**5**	**3.8**	**6**	**2**	**2**	**3**	**5**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	13.0		13	13	13	13	13	13	13
13-17	2	25.0	882	4	4	25	46	46	46	46										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	16.8	387	4	5	8	28	46	46	46	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	1	35.0		35	35	35	35	35	35	35
13-17	5	21.8	434	5	6	15	33	56	56	56	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	1	23.0		23	23	23	23	23	23	23										
55-74																				
75 +																				
ALL AGES	7	20.0	317	5	7	15	25	50	56	56	2	18.0	578	1	1	17	35	35	35	35
SUBTOTAL	**11**	**18.8**	**311**	**5**	**6**	**11**	**25**	**50**	**55**	**56**	**3**	**16.3**	**299**	**1**	**3**	**13**	**29**	**35**	**35**	**35**
GRAND TOTAL	**28**	**16.4**	**313**	**2**	**5**	**9**	**19**	**45**	**57**	**70**	**8**	**8.5**	**131**	**1**	**2**	**3**	**10**	**28**	**35**	**35**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	4.8	38	1	1	2	8	14	14	14	4	22.3	1692	1	1	2	43	84	84	84
13-17	20	14.5	245	1	2	11	17	43	50	55	1	1.0		1	1	1	1	1	1	1
18-24	1	9.0		9	9	9	9	9	9	9	1	11.0		11	11	11	11	11	11	11
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	26	12.3	209	1	2	9	17	39	48	55	7	15.3	931	1	1	2	10	69	84	84
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	34.0		34	34	34	34	34	34	34
13-17	13	10.9	54	2	5	11	16	22	24	24	1	24.0		24	24	24	24	24	24	24
18-24	1	31.0		31	31	65	99+	99+	99+	99+										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	15	11.7	79	3	4	12	19	30	79	99+	2	29.0	50	24	24	29	34	34	34	34
SUBTOTAL	**41**	**12.1**	**158**	**1**	**3**	**10**	**17**	**34**	**50**	**99+**	**9**	**18.3**	**743**	**1**	**2**	**6**	**26**	**64**	**84**	**84**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	36.4	1010	2	10	33	65	80	82	82	2	17.0	200	7	7	17	27	27	27	27
13-17	12	14.3	163	3	5	10	26	55	92	99+	2	7.0	50	2	2	7	12	12	12	12
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +																				
ALL AGES	21	21.3	514	3	9	11	33	75	89	99+	4	12.0	117	2	4	9	19	27	27	27
B. FEMALE																				
0-12 YRS.	2	49.5	3281	9	9	49	90	90	90	90										
13-17	14	21.0	470	2	5	10	47	52	60	62										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54	1	31.0		31	31	31	31	31	31	31										
55-74																				
75 +																				
ALL AGES	18	23.8	662	3	5	10	47	59	79	90										
SUBTOTAL	**39**	**22.5**	**566**	**2**	**6**	**11**	**38**	**67**	**86**	**99+**	**4**	**12.0**	**117**	**2**	**4**	**9**	**19**	**27**	**27**	**27**
GRAND TOTAL	**80**	**17.2**	**379**	**2**	**4**	**10**	**24**	**49**	**76**	**99+**	**13**	**16.4**	**532**	**1**	**2**	**7**	**25**	**44**	**76**	**84**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	24.5	25	21	21	24	28	28	28	28	3	57.7	603	41	42	46	76	86	86	86
13-17	4	14.3	22	7	11	16	17	17	17	17	1	86.0		86	86	86	86	86	86	86
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	17.7	46	8	16	17	21	27	28	28	4	64.8	598	41	43	66	86	86	86	86
B. FEMALE																				
0-12 YRS.	4	27.5	32	21	23	27	32	34	34	34										
13-17	12	16.0	62	7	9	13	23	27	29	29										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	16	18.9	78	8	11	20	26	30	33	34										
SUBTOTAL	**22**	**18.5**	**69**	**8**	**12**	**19**	**25**	**29**	**32**	**34**	**4**	**64.8**	**598**	**41**	**43**	**66**	**86**	**86**	**86**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	5.5	5	4	4	5	7	7	7	7	1	28.0		28	28	28	28	28	28	28
13-17	4	28.0	33	21	24	28	32	35	35	35										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	20.5	156	4	7	24	28	34	35	35	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	3	27.0	4	25	26	28	64	99 +	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	21.0	147	3	19	27	47	99 +	99 +	99 +										
SUBTOTAL	**10**	**20.7**	**135**	**4**	**10**	**27**	**29**	**61**	**97**	**99 +**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**
GRAND TOTAL	**32**	**19.2**	**87**	**7**	**11**	**21**	**28**	**31**	**35**	**99 +**	**5**	**57.4**	**725**	**28**	**38**	**46**	**86**	**86**	**86**	**86**

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
SUBTOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	2	3.5	13	1	1	3	6	6	6	6										
GRAND TOTAL	2	3.5	13	1	1	3	6	6	6	6										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	22	22.0	130	14	16	22	28	61	99 +	99 +	11	65.1	317	34	64	72	85	99 +	99 +	99 +
13-17	36	16.6	135	5	10	15	22	27	34	66	1	28.0		28	28	28	28	28	28	28
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	59	18.4	139	6	12	16	24	34	61	99 +	12	62.0	404	30	63	68	84	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	10	22.0	498	3	9	20	24	89	99	99 +	4	54.5	264	37	43	64	79	99 +	99 +	99 +
13-17	32	18.4	185	4	8	16	23	34	47	62	2	31.5	481	16	16	31	47	47	47	47
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	43	18.9	251	4	7	17	24	40	68	99 +	6	46.8	400	20	39	47	70	94	99 +	99 +
SUBTOTAL	**102**	**18.6**	**185**	**5**	**10**	**17**	**24**	**36**	**63**	**99 +**	**18**	**56.9**	**437**	**29**	**45**	**66**	**83**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	17	57.4	564	23	50	58	87	97	99 +	99 +	1	25.0		25	25	25	25	25	25	25
13-17	11	12.4	225	2	4	7	15	32	53	55	1	23.0		23	23	23	23	23	23	23
18-24	3	18.7	35	12	14	20	23	24	24	24										
25-34	1	30.0		30	30	30	30	30	30	30										
35-54																				
55-74																				
75 +																				
ALL AGES	32	37.4	846	5	12	32	59	89	98	99 +	2	24.0	2	23	23	24	25	25	25	25
B. FEMALE																				
0-12 YRS.	10	49.7	469	24	28	54	70	92	99	99 +	1	27.0		27	27	27	27	27	27	27
13-17	21	21.3	327	3	7	16	28	52	60	63	1	7.0		7	7	7	7	7	7	7
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	31	30.5	538	6	14	24	52	67	84	99 +	2	17.0	200	7	7	17	27	27	27	27
SUBTOTAL	**63**	**34.0**	**696**	**5**	**13**	**25**	**58**	**86**	**94**	**99 +**	**4**	**20.5**	**84**	**7**	**15**	**24**	**26**	**27**	**27**	**27**
GRAND TOTAL	**165**	**24.5**	**432**	**5**	**11**	**20**	**32**	**63**	**88**	**99 +**	**22**	**50.3**	**570**	**23**	**30**	**64**	**78**	**99 +**	**99 +**	**99 +**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
13-17	1	9.0		9	9	9	9	9	9	9										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	13	4	4	6	9	9	9	9	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	3	4.7	16	1	2	4	8	9	9	9	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	4.7	16	1	2	4	8	9	9	9	1	4.0		4	4	4	4	4	4	4

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	19.5	149	2	8	22	28	33	38	45	21	41.9	847	3	5	46	72	81	95	99+
13-17	12	24.0	135	10	19	24	28	37	50	52										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	35	21.0	147	3	11	23	28	33	42	52	21	41.9	847	3	12	47	73	94	99+	99+
B. FEMALE																				
0-12 YRS.	4	26.0	117	10	19	30	32	33	33	33	8	36.4	539	1	20	41	52	60	63	63
13-17	4	26.3	373	1	10	31	41	42	42	42										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	26.1	213	3	15	30	37	42	42	42	8	36.4	539	1	20	41	52	60	63	63
SUBTOTAL	**43**	**22.0**	**156**	**3**	**11**	**24**	**29**	**35**	**43**	**52**	**29**	**40.3**	**753**	**2**	**12**	**46**	**69**	**83**	**99**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	26.4	306	7	13	22	44	60	90	99+	5	29.8	202	6	22	35	39	41	41	41
13-17	5	26.0	554	5	9	13	46	60	60	60	2	28.0	18	25	25	28	31	31	31	31
18-24	1	20.0		20	20	20	20	20	20	20										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	20	26.0	327	6	12	21	43	60	78	99+	7	29.3	137	10	26	31	38	41	41	41
B. FEMALE																				
0-12 YRS.	1	47.0		47	47	47	47	47	47	47										
13-17	2	44.0	3698	1	1	44	87	87	87	87										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	45.0	1852	1	12	47	77	87	87	87										
SUBTOTAL	**23**	**28.4**	**498**	**5**	**12**	**22**	**47**	**63**	**91**	**99+**	**7**	**29.3**	**137**	**10**	**26**	**31**	**38**	**41**	**41**	**41**
GRAND TOTAL	**66**	**24.2**	**280**	**3**	**11**	**23**	**32**	**48**	**60**	**98**	**36**	**38.2**	**642**	**2**	**25**	**41**	**56**	**76**	**97**	**99+**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	76.0		76	76	76	76	76	76	76
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	76.0		76	76	76	76	76	76	76
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**76.0**		**76**	**76**	**76**	**76**	**76**	**76**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**76.0**		**76**	**76**	**76**	**76**	**76**	**76**	**76**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +											1	15.0		15	15	15	15	15	15	15
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	5.0		5	5	5	5	5	5	5	1	15.0		15	15	15	15	15	15	15
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	7.0		7	7	7	7	7	7	7
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5	2	11.0	32	7	7	11	15	15	15	15

Appendix

APPENDIX 1

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	71	22.5	36,849	20.1	177	23.5	20,503	28.6
North Central	121	38.4	78,113	42.7	218	28.9	21,405	29.9
South	49	15.6	27,196	14.8	143	19.0	10,653	14.9
West	74	23.5	41,026	22.4	215	28.6	19,031	26.6
U.S.	315	100.0	183,184	100.0	753	100.0	71,592	100.0

Appendix 2

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohoi withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
293.82	Organic hallucinosis syndrome	25
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.4	Psychogenic paranoid psychosis	61
298.8	Other and unspecified reactive psychosis	62
298.9	Unspecified psychosis	63
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	64
299.8	Other specified early childhood psychoses	65
299.9	Unspecified childhood psychosis	66
300	**Neurotic disorders**	
300.0	Anxiety states	67
300.00	Anxiety state, unspecified	67
300.01	Panic disorder	67
300.02	Generalized anxiety disorder	67
300.09	Other anxiety states	67
300.1	Hysteria	68
300.10	Hysteria, unspecified	68
300.11	Conversion disorder	68
300.12	Psychogenic amnesia	68
300.13	Psychogenic fugue	68
300.14	Multiple personality	68
300.15	Dissociative disorder or reaction, unspecified	68
300.16	Factitious illness with psychological symptoms	68
300.19	Other and unspecified factitious illness	68
300.2	Phobic disorders	69
300.20	Phobia, unspecified	69
300.21	Agoraphobia with panic attacks	69
300.22	Agoraphobia without mention of panic attacks	69
300.23	Social phobia	69
300.29	Other isolated or simple phobias	69
300.3	Obsessive-compulsive disorders	70
300.4	Neurotic depression	71
300.5	Neurasthenia	72
300.6	Depersonalization syndrome	73
300.7	Hypochondriasis	74
300.8	Other neurotic disorders	75

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
300.81	Somatization disorder	75
300.89	Other neurotic disorders	75
300.9	Unspecified neurotic disorder	76
301	**Personality disorders**	
301.0	Paranoid personality disorder	77
301.1	Affective personality disorder	78
301.10	Affective personality disorder, unspecified	78
301.11	Chronic hypomanic personality disorder	78
301.12	Chronic depressive personality disorder	78
301.13	Cyclothymic disorder	78
301.2	Schizoid personality disorder	79
301.20	Schizoid personality disorder, unspecified	79
301.21	Introverted personality	79
301.22	Schizotypal personality	79
301.3	Explosive personality disorder	80
301.4	Compulsive personality disorder	81
301.5	Histrionic personality disorder	82
301.50	Histrionic personality disorder, unspecified	82
301.51	Chronic factitious illness with physical symptoms	82
301.59	Other histrionic personality disorder	82
301.6	Dependent personality disorder	83
301.7	Antisocial personality disorder	84
301.8	Other personality disorders	85
301.81	Narcissistic personality	85
301.82	Avoidant personality	85
301.83	Borderline personality	85
301.84	Passive-aggressive personality	85
301.89	Other personality disorders	85
301.9	Unspecified personality disorder	86
302	**Sexual deviations and disorders**	
302.2	Pedophilia	87
302.5	Trans-sexualism	88
302.50	Trans-sexualism with unspecified sexual history	88
302.51	Trans-sexualism with asexual history	88
302.52	Trans-sexualism with homosexual history	88
302.53	Trans-sexualism with heterosexual history	88
302.7	Psychosexual dysfunction	89
302.70	Psychosexual dysfunction, unspecified	89
302.71	Psychosexual dysfunction with inhibited sexual desire	89
302.72	Psychosexual dysfunction with inhibited sexual excitement	89
302.73	Psychosexual dysfunction with inhibited female orgasm	89
302.74	Psychosexual dysfunction with inhibited male orgasm	89
302.75	Psychosexual dysfunction with premature ejaculation	89
302.76	Psychosexual dysfunction with functional dyspareunia	89
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	89
302.8	Other specified psychosexual disorders	90
302.81	Fetishism	90
302.82	Voyeurism	90
302.83	Sexual masochism	90
302.84	Sexual sadism	90
302.85	Gender identity disorder of adolescent or adult life	90
302.89	Other specified psychosexual disorders	90

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
302.9	Unspecified psychosexual disorder	91
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
303.0	Acute alcoholic intoxication	92
303.9	Other and unspecified alcohol dependence	93
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
304.0	Opioid type dependence	94
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	95
304.2	Cocaine dependence	96
304.3	Cannabis dependence	97
304.4	Amphetamine and other psychostimulant dependence	98
304.5	Hallucinogen dependence	99
304.6	Other specified drug dependence	100
304.7	Combinations of opioid type drug with any other drug dependence	101
304.8	Combinations of drug dependence excluding opioid type drug	102
304.9	Unspecified drug dependence	103
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
305.0	Alcohol abuse	104
305.1	Tobacco use disorder	105
305.2	Cannabis abuse	106
305.3	Hallucinogen abuse	107
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	108
305.5	Opioid abuse	109
305.6	Cocaine abuse	110
305.7	Amphetamine or related acting sympathomimetic abuse	111
305.8	Antidepressant type abuse	112
305.9	Other, mixed, or unspecified drug abuse	113
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	114
306.1	Respiratory malfunction arising from mental factors	115
306.2	Cardiovascular malfunction arising from mental factors	116
306.4	Gastrointestinal malfunction arising from mental factors	117
306.5	Genitourinary malfunction arising from mental factors	118
306.50	Psychogenic genitourinary malfunction, unspecified	118
306.51	Psychogenic vaginismus	118
306.52	Psychogenic dysmenorrhea	118

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
306.53	Psychogenic dysuria	118
306.59	Other genitourinary malfunction arising from mental factors	118
306.7	Disorder of organs of special sense arising from mental factors	119
306.8	Other specified psychophysiological malfunction	120
306.9	Unspecified psychophysiological malfunction	121
307	**Special symptoms or syndromes, not elsewhere classified**	
307.1	Anorexia nervosa	122
307.2	Tics	123
307.20	Tic disorder, unspecified	123
307.21	Transient tic disorder of childhood	123
307.22	Chronic motor tic disorder	123
307.23	Gilles de la Tourette's disorder	123
307.3	Stereotyped repetitive movements	124
307.4	Specific disorders of sleep of nonorganic origin	125
307.40	Nonorganic sleep disorder, unspecified	125
307.41	Transient disorder of initiating or maintaining sleep	125
307.42	Persistent disorder of initiating or maintaining sleep	125
307.43	Transient disorder of initiating or maintaining wakefulness	125
307.44	Persistent disorder of initiating or maintaining wakefulness	125
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	125
307.46	Somnambulism or night terrors	125
307.47	Other dysfunctions of sleep stages or arousal from sleep	125
307.48	Repetitive intrusions of sleep	125
307.49	Other specific disorders of sleep of nonorganic origin	125
307.5	Other and unspecified disorders of eating	126
307.50	Eating disorder, unspecified	126
307.51	Bulimia	126
307.52	Pica	126
307.53	Psychogenic rumination	126
307.54	Psychogenic vomiting	126
307.59	Other disorders of eating	126
307.7	Encopresis	127
307.8	Psychalgia	128
307.80	Psychogenic pain, site unspecified	128
307.81	Tension headache	128
307.89	Other psychalgia	128
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	129
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	130
308.1	Predominant disturbance of consciousness	131
308.3	Other acute reactions to stress	132
308.4	Mixed disorders as reaction to stress	133
308.9	Unspecified acute reaction to stress	134
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	135
309.1	Adjustment reaction with prolonged depressive reaction	136
309.2	Adjustment reaction with predominant disturbance of other emotions	137
309.21	Separation anxiety disorder	137
309.22	Emancipation disorder of adolescence and early adult life	137
309.23	Specific academic or work inhibition	137
309.24	Adjustment reaction with anxious mood	137

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
309.28	Adjustment reaction with mixed emotional features	137
309.29	Other adjustment reactions with predominant disturbance of other emotions	137
309.3	Adjustment reaction with predominant disturbance of conduct	138
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	139
309.8	Other specified adjustment reactions	140
309.81	Prolonged posttraumatic stress disorder	140
309.82	Adjustment reaction with physical symptoms	140
309.83	Adjustment reaction with withdrawal	140
309.89	Other specified adjustment reactions	140
309.9	Unspecified adjustment reaction	141
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	142
310.1	Organic personality syndrome	143
310.2	Postconcussion syndrome	144
310.8	Other specified nonpsychotic mental disorders following organic brain damage	145
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	146
311	**Depressive disorder, not elsewhere classified**	147
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	148
312.1	Undersocialized conduct disorder, unaggressive type	149
312.2	Socialized conduct disorder	150
312.3	Disorders of impulse control, not elsewhere classified	151
312.30	Impulse control disorder, unspecified	151
312.31	Pathological gambling	151
312.32	Kleptomania	151
312.33	Pyromania	151
312.34	Intermittent explosive disorder	151
312.35	Isolated explosive disorder	151
312.39	Other disorders of impulse control	151
312.4	Mixed disturbance of conduct and emotions	152
312.8	Other specified disturbances of conduct, not elsewhere classified	153
312.9	Unspecified disturbance of conduct	154
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	155
313.1	Misery and unhappiness disorder specific to childhood and adolescence	156
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	157
313.21	Shyness disorder of childhood	157
313.22	Introverted disorder of childhood	157
313.23	Elective mutism specific to childhood and adolescence	157
313.8	Other or mixed emotional disturbances of childhood or adolescence	158
313.81	Oppositional disorder of childhood or adolescence	158
313.82	Identity disorder of childhood or adolescence	158
313.83	Academic underachievement disorder of childhood or adolescence	158
313.89	Other emotional disturbances of childhood or adolescence	158

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
313.9	Unspecified emotional disturbance of childhood or adolescence	159
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	160
314.00	Attention deficit disorder of childhood without mention of hyperactivity	160
314.01	Attention deficit disorder of childhood with hyperactivity	160
314.1	Hyperkinesis of childhood with developmental delay	161
314.9	Unspecified hyperkinetic syndrome of childhood	162

APPENDIX 3

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	158
Acute alcoholic intoxication	303.0	92
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0-308.9	130-134
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0-309.9	135-141
Adjustment reaction with anxious mood	309.24	137
Adjustment reaction with brief depressive reaction	309.0	135
Adjustment reaction with mixed emotional features	309.28	137
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	139
Adjustment reaction with physical symptoms	309.82	140
Adjustment reaction with predominant disturbance of other emotions	309.2	137
Adjustment reaction with predominant disturbance of conduct	309.3	138
Adjustment reaction with prolonged depressive reaction	309.1	136
Adjustment reaction with withdrawal	309.83	140
Affective personality disorder	301.1	78
Affective personality disorder, unspecified	301.10	78
Affective psychoses	296.0-296.99	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	69
Agoraphobia without mention of panic attacks	300.22	69
Alcohol abuse	305.0	104
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0-303.9	92-93
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0-291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	98
Amphetamine or related acting sympathomimetic abuse	305.7	111
Anorexia nervosa	307.1	122
Antidepressant type abuse	305.8	112
Antisocial personality disorder	301.7	84
Anxiety state, unspecified	300.00	67
Anxiety states	300.0	67
Arteriosclerotic dementia	290.4	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delirium	290.41	7
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	160
Attention deficit disorder of childhood without mention of hyperactivity	314.00	160
Attention deficit disorder of childhood with hyperactivity	314.01	160
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	85
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	95
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	108
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	85
Bulimia	307.51	126
Cannabis abuse	305.2	106
Cannabis dependence	304.3	97
Cardiovascular malfunction arising from mental factors	306.2	116
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	78
Chronic factitious illness with physical symptoms	301.51	82
Chronic hypomanic personality disorder	301.11	78
Chronic motor tic disorder	307.22	123
Cocaine abuse	305.6	110
Cocaine dependence	304.2	96
Combinations of drug dependence excluding opioid type drug	304.8	102
Combinations of opioid type drug with any other drug dependence	304.7	101
Compulsive personality disorder	301.4	81
Conversion disorder	300.11	68
Cyclothymic disorder	301.13	78
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	83
Depersonalization syndrome	300.6	73
Depressive disorder, not elsewhere classified	311	147
Depressive type psychosis	298.0	57
Disorder of organs of special sense arising from mental factors	306.7	119
Disorders of impulse control, not elsewhere classified	312.3	151
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	68
Disturbance of conduct, not elsewhere classified	312.0-312.9	148-154
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	155-159

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Drug dependence	304.0-304.9	94-103
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	126
Elective mutism specific to childhood and adolescence	313.23	157
Emancipation disorder of adolescence and early adult life	309.22	137
Encopresis	307.7	127
Excitative type psychosis	298.1	58
Explosive personality disorder	301.3	80
Factitious illness with psychological symptoms	300.16	68
Fetishism	302.81	90
Frontal lobe syndrome	310.0	142
Gastrointestinal malfunction arising from mental factors	306.4	117
Gender identity disorder of adolescent or adult life	302.85	90
Generalized anxiety disorder	300.02	67
Genitourinary malfunction arising from mental factors	306.5	118
Gilles de la Tourette's disorder	307.23	123
Hallucinogen abuse	305.3	107
Hallucinogen dependence	304.5	99
Histrionic personality disorder	301.5	82
Histrionic personality disorder, unspecified	301.50	82
Hyperkinesis of childhood with developmental delay	314.1	161
Hyperkinetic syndrome of childhood	314.0-314.9	160-162
Hypochondriasis	300.7	74
Hysteria	300.1	68
Hysteria, unspecified	300.10	68
Identity disorder of childhood or adolescence	313.82	158
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	151
Infantile autism	299.0	64
Intermittent explosive disorder	312.34	151
Introverted disorder of childhood	313.22	157
Introverted personality	301.21	79
Isolated explosive disorder	312.35	151
Kleptomania	312.32	151

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Latent schizophrenia	295.5	36
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Misery and unhappiness disorder specific to childhood and adolescence	313.1	156
Mixed disorders as reaction to stress	308.4	133
Mixed disturbance of conduct and emotions	312.4	152
Multiple personality	300.14	68
Musculoskeletal malfunction arising from mental factors	306.0	114
Narcissistic personality	301.81	85
Neurasthenia	300.5	72
Neurotic depression	300.4	71
Neurotic disorders	300.0-300.9	67-76
Nondependent abuse of drugs Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	305.0-305.9	104-113
Nonorganic sleep disorder, unspecified	307.40	125
Obsessive-compulsive disorders	300.3	70
Opioid abuse	305.5	109
Opioid type dependence	304.0	94
Oppositional disorder of childhood or adolescence	313.81	158
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	143
Other acute reactions to stress	308.3	132
Other adjustment reactions with predominant disturbance of other emotions	309.29	137
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	93
Other and unspecified disorders of eating	307.5	126
Other and unspecified factitious illness	300.19	68
Other and unspecified reactive psychosis	298.8	62
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	129
Other anxiety states	300.09	67
Other disorders of eating	307.59	126
Other disorders of impulse control	312.39	151
Other dysfunctions of sleep stages or arousal from sleep	307.47	125
Other emotional disturbances of childhood or adolescence	313.89	158
Other genitourinary malfunction arising from mental factors	306.59	118
Other histrionic personality disorder	301.59	82
Other isolated or simple phobias	300.29	69
Other manic-depressive psychosis	296.89	49
Other neurotic disorders	300.8	75
Other neurotic disorders	300.89	75

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Other nonorganic psychoses	298.0-298.9	57-63
Other or mixed emotional disturbances of childhood or adolescence	313.8	158
Other organic psychotic conditions (chronic)	294.0-294.9	27-30
Other personality disorders	301.8	85
Other personality disorders	301.89	85
Other psychalgia	307.89	128
Other specific disorders of sleep of nonorganic origin	307.49	125
Other specified adjustment reactions	309.8	140
Other specified adjustment reactions	309.89	140
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	153
Other specified drug dependence	304.6	100
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	65
Other specified nonpsychotic mental disorders following organic brain damage	310.8	145
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	120
Other specified psychosexual disorders	302.8	90
Other specified psychosexual disorders	302.89	90
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	113
Overanxious disorder specific to childhood and adolescence	313.0	155
Panic disorder	300.01	67
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	77
Paranoid state, simple	297.0	51
Paranoid states	297.0-297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	85
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	151
Pedophilia	302.2	87
Persistent disorder of initiating or maintaining sleep	307.42	125
Persistent disorder of initiating or maintaining wakefulness	307.44	125
Personality disorders	301.0-301.9	77-86
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	125
Phobia, unspecified	300.20	69
Phobic disorders	300.2	69
Physiological malfunction arising from mental factors	306.0-306.9	114-121
Pica	307.52	126
Postconcussion syndrome	310.2	144
Predominant disturbance of consciousness	308.1	131
Predominant disturbance of emotions	308.0	130
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	140
Psychalgia	307.8	128
Psychogenic amnesia	300.12	68
Psychogenic dysmenorrhea	306.52	118
Psychogenic dysuria	306.53	118
Psychogenic fugue	300.13	68
Psychogenic genitourinary malfunction, unspecified	306.50	118
Psychogenic pain, site unspecified	307.80	128
Psychogenic paranoid psychosis	298.4	61
Psychogenic rumination	307.53	126
Psychogenic vaginismus	306.51	118
Psychogenic vomiting	307.54	126
Psychoses with origin specific to childhood Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	299.0-299.9	64-66
Psychosexual dysfunction	302.7	89
Psychosexual dysfunction with inhibited sexual desire	302.71	89
Psychosexual dysfunction with inhibited sexual excitement	302.72	89
Psychosexual dysfunction with inhibited female orgasm	302.73	89
Psychosexual dysfunction with inhibited male orgasm	302.74	89
Psychosexual dysfunction with premature ejaculation	302.75	89
Psychosexual dysfunction with functional dyspareunia	302.76	89
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	89
Psychosexual dysfunction, unspecified	302.70	89
Pyromania	312.33	151
Reactive confusion	298.2	59
Repetitive intrusions of sleep	307.48	125
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	115
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	79
Schizoid personality disorder, unspecified	301.20	79
Schizophrenic disorders Fifth-digit subclassification for use with 295: 0 Unspecified state 1 Subchronic state 2 Chronic state 3 Subchronic state with acute exacerbation 4 Chronic state with acute exacerbation 5 In remission	295.0-295.9	31-40
Schizotypal personality	301.22	79
Senile and presenile organic psychotic conditions	290.0-290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	157
Separation anxiety disorder	309.21	137
Sexual deviations and disorders	302.2-302.9	87-91
Sexual masochism	302.83	90
Sexual sadism	302.84	90
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	157
Simple type schizophrenia	295.0	31
Social phobia	300.23	69
Socialized conduct disorder	312.2	150
Somatization disorder	300.81	75
Somnambulism or night terrors	307.46	125
Special symptoms or syndromes, not elsewhere classified	307.0-307.9	122-129
Specific academic or work inhibition	309.23	137
Specific disorders of sleep of nonorganic origin	307.4	125
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	142-146
Stereotyped repetitive movements	307.3	124
Subacute delirium	293.1	24
Tension headache	307.81	128
Tic disorder, unspecified	307.20	123
Tics	307.2	123
Tobacco use disorder	305.1	105
Trans-sexualism	302.5	88
Trans-sexualism with asexual history	302.51	88
Trans-sexualism with heterosexual history	302.53	88
Trans-sexualism with homosexual history	302.52	88
Trans-sexualism with unspecified sexual history	302.50	88
Transient disorder of initiating or maintaining sleep	307.41	125
Transient disorder of initiating or maintaining wakefulness	307.43	125
Transient organic psychotic conditions	293.0-293.9	23-26
Transient tic disorder of childhood	307.21	123
Undersocialized conduct disorder, aggressive type	312.0	148
Undersocialized conduct disorder, unaggressive type	312.1	149
Unspecified acute reaction to stress	308.9	134
Unspecified adjustment reaction	309.9	141
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	66
Unspecified disturbance of conduct	312.9	154
Unspecified drug dependence	304.9	103
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	159
Unspecified hyperkinetic syndrome of childhood	314.9	162
Unspecified neurotic disorder	300.9	76
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	146
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	86
Unspecified psychophysiological malfunction	306.9	121
Unspecified psychosexual disorder	302.9	91
Unspecified psychosis	298.9	63

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	90

Appendix 4

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.* It was developed in response to a need expressed by medical records administrators for a standard means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal agencies). This crosswalk has been specifically developed to facilitate such coding, and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association, and is available through the APA Office of Research.

INSTRUCTIONS

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code, and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*. *ICD-9-CM* is the more inclusive system, however, since one of its primary purpose is to serve as a complete list of medical terms to assist in the coding of medical records. There are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote 1 for general notes about the crosswalk.

---

*Developed by J. Thompson and H. A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	**Narrative** *ICD-9-CM*, **plus** [*DSM-III-R*]	**Footnotes**
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

B4465-2.44

LOS

PSYCHIATRIC

LENGTH OF STAY

HKS PUBLICATIONS

by Diagnosis
United States, Southern Region, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
November, 1989

PSYCHIATRIC LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This publication represents one volume in the third annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1988
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1988
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1988
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1988
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1988
ISSN 0898-0535

The Length of Stay series has been published annually since 1963. In addition to *Psychiatric Length of Stay*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Description of the Database

Data Collection v
Data Quality v
Database Characteristics vi

Organization of Psychiatric Length of Stay Tables x

Explanation of Psychiatric Length of Stay Statistics xii

Application of Psychiatric Length of Stay Tables xiii

Trends in Psychiatric Length of Stay xiv

Length of Stay Tables 1

APPENDIX:

1: State Inclusions and Hospital Counts by Region 167

2: Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 168

3: Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 176

4: Crosswalk From *DSM-III-R* to *ICD-9-CM* 184

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Psychiatric Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available, and to Philip M. Margolis, Professor of Psychiatry, University of Michigan Medical Center and Professor of Community Mental Health, School of Public Health, University of Michigan.

1988 PSYCHIATRIC LENGTH OF STAY BOOKS

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS
Linda E. Vanek, Assistant Manager, Normative Publications

INFORMATION SERVICES
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Stacey Koepke, Customer Service Representive,
Mary Kay Murray, Marketing Specialist,
Tracey Stewart, Publication Specialist,
Robert Travis, Librarian.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer disk, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports.

5. Data are standardized to create an aggregated patient record base.

   This annually updated database is used to create the Psychiatric Length of Stay (LOS) series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specifc diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40% of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,068 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages vii-ix. Table definitions are as follows:

Hospitals with or without a Psychiatric Unit or Beds

The 1987 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Average Occupancy

According to *AHA Guide,* 1989, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."[2]

Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

---

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

[2] *American Hospital Association Guide to the Health Care Field,* American Hospital Association, Chicago, Illinois, 1989.

Table 1
1988 PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS*

	Hospitals with Psychiatric Unit/Beds	Hospitals without Psychiatric Unit/Beds	Total
Number of Hospitals			
Universe**	1,322	4,198	5,520
Sample	315	753	1,068
Hospitals as Percent of Universe			
Universe	100.0	100.0	100.0
Sample	23.8	17.9	19.3
Number of Urban Hospitals			
Universe	1,061	1,839	2,900
Sample	237	359	596
Urban Hospitals as Percent of Universe			
Universe	80.3	43.8	52.5
Sample	17.9	8.6	10.8
Number of High/Medium Teaching Intensity Hospitals			
Universe	601	329	930
Sample	124	90	214
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe			
Universe	45.5	7.8	16.8
Sample	9.4	2.1	3.9
Average Occupancy as Percent of Universe			
Universe	66.3	51.6	55.1
Sample	66.3	55.5	58.6

*Hospitals with average stay less than 30 days.

**The Universe means all hospitals recording facility information on the 1987 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	315	100.0	183,184	100.0
Control				
Public	39	12.4	19,263	10.5
Private	251	79.7	150,721	82.3
Unknown	25	7.9	13,200	7.2
Bedsize				
<100 Beds	27	8.6	6,079	3.3
100-199	71	22.5	31,592	17.2
200-299	70	22.2	35,744	19.5
300-399	64	20.3	46,289	25.3
400-499	35	11.1	24,542	13.4
500+	48	15.2	38,938	21.3
Teaching Intensity				
Low	191	60.6	96,313	52.6
Medium	77	24.4	51,963	28.4
High	47	14.9	34,908	19.1
Location				
Rural	78	24.8	30,143	16.5
Urban	237	75.2	153,041	83.5

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	753	100.0	71,592	100.0
Control				
Public	167	22.2	8,669	12.1
Private	566	75.2	60,350	84.3
Private	20	2.7	2,573	3.6
Bedsize				
<100 Beds	409	54.3	19,894	27.8
100-199	187	24.8	17,638	24.6
200-299	88	11.7	16,615	23.2
300-399	37	4.9	7,242	10.1
400-499	15	2.0	7,357	10.3
500+	17	2.3	2,846	4.0
Teaching Intensity				
Low	663	88.0	54,509	76.1
Medium	71	9.4	15,150	21.2
High	19	2.5	1,933	2.7
Location				
Rural	394	52.3	20,518	28.7
Urban	359	47.7	51,074	71.3

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the four census regions. Appendix 1 lists the states comprising each region, and the number of hospitals and patients included in each volume.



Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included at the end of the Appendix.) The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 2 lists, in numerical order, the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying description, and the page number in the particular volume where a table is located. Appendix 3 lists, in alphabetical order, the psychiatric diagnoses and accompanying numerical codes.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

- **a.** Hospitals with a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.
- **b.** Hospitals without a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis
(Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses
(Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 2 or 3 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The 1988 Psychiatric Length of Stay series represents the third annual edition of this publication. The series provides a comparative view of inpatient psychiatric patterns in short-term general hospitals throughout the United States.

Profile of Psychiatric Database

For each of the three years (1986-1988), 4% of the patient records included in the standard length of stay database list a psychiatric disorder as a principal diagnosis. Approximately 72% percent of the discharge records included in the 1988 tables are from hospitals with psychiatric units or beds, with the remaining 28% from hospitals without psychiatric units.

Diagnoses most often reported for patients in hospitals with psychiatric unit/beds, along with the frequency and length of stay for each, are shown in TABLE 4. These can be compared to the most frequently reported diagnoses in hospitals without psychiatric units in TABLE 5. Hospitals with psychiatric units are more likely to report adjustment reactions (ICD-9-CM 309) for younger age groups and affective psychoses (ICD-9-CM 296) for older ages, whereas diagnoses in hospitals without psychiatric units are more often substance abuse related (ICD-9-CM codes 303-305). The prevalence of substance abuse problems with psychiatric patients is further evidenced when secondary diagnoses are examined. Alcohol dependence (ICD-9-CM 303) is found as a secondary diagnosis in 24% of the patients with a psychiatric principal diagnosis in hospitals with psychiatric units and in 50% of the same patients in hospitals without units.

Table 4
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITH PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	309 Adjustment Reaction	21%	14.2
	296 Affective Psychoses	17%	24.6
	300 Neurotic Disorders	14%	21.9
18-24	296 Affective Psychoses	20%	15.7
	309 Adjustment Reaction	16%	7.6
	295 Schizophrenic Disorders	14%	17.4
25-54	296 Affective Psychoses	27%	15.2
	303 Alcohol Dependence Syndrome	18%	12.7
	295 Schizophrenic Disorders	17%	15.8
55-74	296 Affective Psychoses	40%	19.1
	303 Alcohol Dependence Syndrome	14%	12.7
	295 Schizophrenic Disorders	11%	19.2
75+	296 Affective Psychoses	32%	21.4
	290 Senile/Presenile Psychoses	23%	13.3
	293 Transient Org. Mental Disorders	7%	11.9
All Ages	296 Affective Psychoses	27%	17.2
	303 Alcohol Dependence Syndrome	14%	13.6
	295 Schizophrenic Disorders	13%	16.7

Table 5
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITHOUT PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	303 Alcohol Dependence Syndrome	15%	24.2
	296 Affective Psychoses	13%	25.8
	305 Nondependent Drug Abuse	11%	6.4
18-24	303 Alcohol Dependence Syndrome	27%	16.2
	304 Drug Dependence	20%	15.9
	296 Affective Psychoses	8%	11.4
25-54	303 Alcohol Dependence Syndrome	35%	13.0
	291 Alcohol Psychoses	14%	5.2
	304 Drug Dependence	12%	14.3
55-74	303 Alcohol Dependence Syndrome	29%	11.5
	291 Alcohol Psychoses	14%	6.9
	296 Affective Psychoses	13%	13.2
75+	290 Senile/Presenile Psychoses	28%	11.5
	296 Affective Psychoses	9%	14.7
	300 Neurotic Disorders	8%	6.7
All Ages	303 Alcohol Dependence Syndrome	29%	13.5
	291 Alcohol Psychoses	11%	5.6
	304 Drug Dependence	10%	15.5

Psychiatric drug therapy (ICD-9-CM 94.25) and CAT scan of head (ICD-9-CM 87.03) are procedures most frequently recorded for patients with a principal psychiatric diagnosis code. The incidence of drug therapy is higher (33%) in hospitals without psychiatric units/beds, than hospitals with psychiatric units (17%).

Psychiatric Length of Stay

In the United States, the average stay for psychiatric patients in short-term general hospitals with a psychiatric unit is 30% longer (14.4 days) than in hospitals without units (11.0 days). This ratio has remained constant over three years. Recent research indicates an even larger difference between the length of stay in the two types of hospitals, suggesting that many of the patients in hospitals without units are transferred to other hospitals to be treated by a psychiatrist. Since patients transferred to other acute care facilities are excluded from our data, this would explain the longer stays.

Age and sex differences are noted in length of stay for both types of hospitals. Children under the age of 18, constituting 10% of the discharges with a psychiatric principal diagnosis, have the longest length of stay of any age group. Generally, females of any age have longer stays than males.

TABLE 6 displays three years of hospital stay trends in the United States and four regions for all psychiatric codes (290.0-314.9) in hospitals with a psychiatric unit.

Table 6
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88
ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITH PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	13.9	14.8	15.4
North Central	14.9	14.7	14.9
South	13.2	14.1	14.6
West	11.8	12.3	12.4
U.S.	13.7	14.1	14.4

A continuing increase in length of stay for psychiatric inpatient care is evident for U.S. hospitals with psychiatric units; from 1986 to 1988 there is a 5% increase in stay (.7 days). The established pattern of high lengths of stay in the northeast and low stays in the west remains constant in 1988, as it did in 1987. For all psychiatric diagnoses, the difference between the northeastern and western regions in 1988 is 3 days.

One possible explanation for the increasing days of inpatient stay may relate to the fact that patients staying over 99 days are excluded from the computation of the average length of stay. If there has been a decrease in total days for the outliers, for example, from 120 to 94 days, their stay would now be included in the average, causing that figure to be higher. This theory needs to be tested out in future studies.

Differences in average length of stay from 1986-1988 are not as steady in hospitals without psychiatric units/beds. As Table 7 shows below, there has been a 6% increase in stay (.6 days) throughout the United States, but regional differences are not consistent with the usual pattern. Length of stay increases in the northeast, north central and southern regions, but continues to decline in the west. Despite the increase, hospitals without psychiatric units/beds in the northeast continue to have a considerably shorter hospital stay for psychiatric patients than any other region.

Table 7
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88
ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITHOUT PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	7.6	8.7	9.2
North Central	10.9	11.9	12.3
South	9.7	10.3	11.4
West	11.6	11.4	11.2
U.S.	10.4	10.7	11.0

In summary, this analysis of the 1988 Psychiatric Length of Stay data reveals:

1. In the United States, for all psychiatric codes, the average length of stay continues to increase in short-term hospitals either with or without a psychiatric unit.

2. For hospitals with a psychiatric unit or beds regional variations in length of stay are consistent with the widely acknowledged patterns, high length of stays in the northeast and north central and low stays in the south and west region.

3. For the same group of diagnoses in hospitals without a psychiatric unit/beds, although length of stay generally increases, the above mentioned regional patterns do not hold.

This discussion introduces a few of the analyses possible using the Psychiatric Length of Stay series. As readers conduct their own inquiries, it is essential to remember that the statistics in this section are merely descriptive, drawn from the discharge records of 1,068 short-term general hospitals in the United States. In the course of using psychiatric length of stay data it is important that readers routinely:

1. examine the characteristics of the database;
2. look at the patient counts in each diagnosis table; and
3. consider any clinical, financial, legal, and social issues which might affect the data.

Such caution, paired with expertise, will make the statistics and tables presented in the next section an appropriate tool for developing cost and quality of care guidelines for patients with psychiatric conditions.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	348	16.8	253	1	4	12	24	39	49	72	42	8.4	127	1	2	2	11	26	32	45
13-17	581	19.2	329	2	6	13	29	44	60	97	87	8.7	178	1	1	2	8	34	41	47
18-24	572	12.2	153	1	3	8	17	29	37	53	248	11.8	170	1	2	5	21	30	36	44
25-34	1249	12.5	116	2	4	9	18	28	31	46	589	12.3	149	2	3	6	21	31	36	42
35-54	1687	11.7	104	2	4	9	17	28	30	44	912	11.5	136	2	3	5	20	30	34	40
55-74	888	13.9	142	2	5	10	20	30	36	51	541	9.9	104	2	3	5	14	28	30	40
75 +	366	13.8	130	3	6	10	18	28	36	60	232	8.3	61	2	4	6	10	17	25	68
ALL AGES	5691	13.5	156	2	4	10	19	30	37	63	2651	11.0	131	1	3	5	17	30	34	42
B. FEMALE																				
0-12 YRS.	170	16.1	198	2	4	14	25	35	44	76	37	7.1	199	1	1	2	4	15	42	70
13-17	764	18.1	300	2	5	13	27	43	53	88	113	7.0	161	1	1	2	6	25	41	99 +
18-24	675	10.9	145	1	3	7	14	25	34	60	209	8.6	123	1	2	4	9	28	35	43
25-34	1409	11.7	106	2	4	9	15	26	31	50	509	10.0	134	1	3	5	13	29	35	42
35-54	2317	13.6	118	3	6	11	18	28	34	55	871	8.8	93	1	3	5	11	25	31	42
55-74	1673	16.2	171	3	7	13	22	33	43	65	649	8.8	74	2	3	6	11	20	29	49
75 +	756	16.6	185	3	7	13	23	35	44	70	502	8.4	93	2	3	6	10	16	26	89
ALL AGES	7764	14.4	160	2	6	11	19	31	40	62	2890	8.9	101	2	3	5	10	25	31	49
SUBTOTAL	**13455**	**14.0**	**159**	**2**	**5**	**10**	**19**	**30**	**38**	**62**	**5541**	**9.9**	**116**	**1**	**3**	**5**	**13**	**28**	**33**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	234	23.3	272	6	13	20	30	44	53	94	23	20.5	461	1	3	13	43	60	75	99 +
13-17	566	23.0	270	3	11	21	31	45	58	99 +	67	23.1	387	2	4	28	42	66	99 +	99 +
18-24	526	11.8	109	2	4	8	17	27	31	46	214	19.7	202	2	5	25	30	42	42	43
25-34	1151	12.6	128	2	4	9	18	28	32	53	696	18.6	215	2	3	21	30	40	42	43
35-54	1637	12.4	126	2	4	9	18	28	32	59	737	12.8	155	2	3	6	25	30	39	42
55-74	621	13.1	146	3	5	9	18	28	35	67	389	9.6	89	2	3	6	12	27	28	41
75 +	158	16.4	164	3	7	13	24	35	42	80	109	9.7	105	2	4	7	12	19	32	78
ALL AGES	4893	14.3	169	2	5	10	21	30	39	67	2235	15.0	189	2	3	8	28	35	42	46
B. FEMALE																				
0-12 YRS.	105	22.4	296	5	12	18	31	56	70	99 +	12	12.2	172	1	2	5	24	31	37	38
13-17	573	22.7	336	3	9	19	32	48	66	99 +	48	18.7	540	1	3	9	45	99 +	99 +	99 +
18-24	597	15.0	208	2	5	11	22	34	44	76	140	13.9	219	2	3	6	25	36	42	65
25-34	1331	14.2	159	2	5	11	19	29	37	64	418	13.9	177	2	3	8	28	35	42	43
35-54	1654	14.6	153	3	6	12	20	30	39	59	486	10.0	113	2	3	5	13	28	30	44
55-74	847	17.6	181	4	8	15	23	34	46	72	319	10.2	126	2	4	6	13	27	30	59
75 +	354	18.3	180	4	9	15	24	37	46	62	187	9.1	79	2	4	6	11	21	29	79
ALL AGES	5461	16.3	194	3	6	13	22	35	45	74	1610	11.6	154	2	3	6	17	30	41	66
SUBTOTAL	**10354**	**15.4**	**182**	**3**	**5**	**12**	**22**	**32**	**43**	**71**	**3845**	**13.5**	**179**	**2**	**3**	**7**	**27**	**33**	**42**	**57**
GRAND TOTAL	**23809**	**14.6**	**170**	**2**	**5**	**11**	**20**	**31**	**40**	**66**	**9386**	**11.4**	**145**	**2**	**3**	**6**	**17**	**30**	**37**	**46**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	6	13.7	144	3	5	9	20	33	35	35	4	16.5	52	11	12	14	21	27	27	27
75 +	22	11.7	52	5	6	8	17	24	25	26	11	7.1	18	3	4	6	8	15	15	15
ALL AGES	28	12.1	69	5	6	8	18	24	27	35	15	9.6	42	4	4	7	14	15	24	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	13	15.2	187	4	4	8	24	36	43	45	5	9.6	30	4	5	9	14	17	17	17
75 +	51	12.2	166	3	5	9	16	26	33	99 +	27	8.1	42	2	4	6	10	16	22	31
ALL AGES	65	12.7	167	3	5	9	17	29	36	97	32	8.3	40	3	4	6	11	17	20	31
SUBTOTAL	**93**	**12.5**	**137**	**3**	**5**	**9**	**17**	**26**	**33**	**93**	**47**	**8.7**	**40**	**3**	**4**	**7**	**12**	**16**	**21**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	20.8	510	5	6	12	35	54	54	54	1	51.0		51	51	51	51	51	51	51
75 +	7	13.9	95	2	6	12	22	27	28	28	1	33.0		33	33	33	33	33	33	33
ALL AGES	11	16.4	223	3	6	12	23	38	53	54	2	42.0	162	33	33	42	51	51	51	51
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	16.3	96	7	9	13	25	31	31	31	2	2.5	5	1	1	2	4	4	4	4
75 +	14	11.9	46	3	7	13	15	21	24	25	5	13.8	252	5	5	8	17	42	42	42
ALL AGES	21	13.4	62	4	7	13	16	27	30	31	7	10.6	198	2	4	5	9	35	42	42
SUBTOTAL	**32**	**14.4**	**115**	**4**	**7**	**13**	**16**	**28**	**31**	**54**	**9**	**17.6**	**360**	**2**	**5**	**8**	**35**	**47**	**51**	**51**
GRAND TOTAL	**125**	**13.0**	**131**	**3**	**6**	**10**	**17**	**28**	**33**	**88**	**56**	**10.2**	**96**	**3**	**4**	**7**	**12**	**20**	**32**	**50**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	10.3	64	4	5	7	15	22	22	22										
55-74	16	8.7	32	2	5	7	11	18	21	22	7	12.3	33	4	9	11	17	19	19	19
75 +	26	9.3	36	3	5	7	13	20	21	22	17	11.4	60	5	7	9	14	18	31	37
ALL AGES	46	9.2	35	3	5	7	13	21	22	22	24	11.7	50	5	7	10	14	19	25	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	4.3	1	4	4	4	5	5	5	5	1	9.0		9	9	9	9	9	9	9
55-74	24	12.3	153	4	5	7	12	32	40	50	13	7.9	50	2	4	5	13	32	85	99 +
75 +	33	14.3	148	3	6	11	17	31	40	53	42	17.1	370	3	6	9	18	49	62	81
ALL AGES	60	13.0	145	3	5	8	15	31	38	53	56	14.8	303	3	5	9	16	45	64	99
SUBTOTAL	**106**	**11.3**	**101**	**3**	**5**	**8**	**14**	**23**	**33**	**51**	**80**	**13.9**	**227**	**3**	**6**	**9**	**15**	**37**	**57**	**94**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	10.4	31	3	6	11	13	18	19	19	1	16.0		16	16	16	16	16	16	16
75 +	4	8.0	34	2	4	7	12	16	16	16	7	8.6	34	1	4	9	11	17	19	19
ALL AGES	11	9.5	31	3	5	11	13	17	19	19	8	9.5	37	2	5	9	13	18	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74	2	11.0	18	8	8	11	14	14	14	14	1	6.0		6	6	6	6	6	6	6
75 +	8	18.1	227	10	11	14	15	43	55	55	3	9.0	27	6	6	6	13	15	15	15
ALL AGES	10	16.7	187	9	10	14	14	35	55	55	5	7.8	16	6	6	6	9	15	15	15
SUBTOTAL	**21**	**13.0**	**111**	**4**	**8**	**12**	**14**	**17**	**35**	**55**	**13**	**8.8**	**28**	**3**	**6**	**7**	**12**	**17**	**19**	**19**
GRAND TOTAL	**127**	**11.6**	**102**	**3**	**5**	**8**	**14**	**22**	**32**	**53**	**93**	**13.2**	**201**	**3**	**6**	**9**	**15**	**30**	**55**	**92**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	29.0		29	29	29	29	29	29	29										
35-54																				
55-74	4	27.0	131	11	19	29	34	38	38	38	1	4.0		4	4	4	4	4	4	4
75 +	11	18.0	260	3	6	14	25	42	56	57	5	15.8	289	6	7	9	20	46	46	46
ALL AGES	16	20.9	222	3	9	20	30	37	51	57	6	13.8	255	4	6	8	11	42	46	46
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	33.5	221	23	23	33	44	44	44	44										
55-74	12	20.3	277	3	9	14	31	48	51	51	3	12.0	37	8	8	9	16	19	19	19
75 +	29	17.4	147	6	10	15	21	35	46	56	12	14.5	264	5	6	9	19	70	94	99 +
ALL AGES	43	19.0	187	5	10	15	23	44	48	56	15	14.0	213	5	7	9	18	58	89	99 +
SUBTOTAL	**59**	**19.5**	**194**	**5**	**10**	**16**	**25**	**42**	**49**	**57**	**21**	**14.0**	**212**	**5**	**6**	**9**	**17**	**51**	**77**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	17.0	288	5	5	17	29	29	29	29										
75 +	2	10.5	13	8	8	10	13	13	13	13	1	11.0		11	11	11	11	11	11	11
ALL AGES	4	13.8	112	5	6	10	21	29	29	29	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	9	20.3	201	8	9	14	31	42	46	46	1	26.0		26	26	26	26	26	26	26
75 +	4	18.0	53	10	12	18	24	26	26	26	3	8.7	39	5	5	5	13	16	16	16
ALL AGES	13	19.6	148	8	10	14	27	39	45	46	4	13.0	102	5	5	11	21	26	26	26
SUBTOTAL	**17**	**18.2**	**140**	**8**	**9**	**14**	**27**	**35**	**43**	**46**	**5**	**12.6**	**77**	**5**	**5**	**11**	**18**	**26**	**26**	**26**
GRAND TOTAL	**76**	**19.2**	**180**	**5**	**10**	**15**	**26**	**39**	**47**	**57**	**26**	**13.7**	**183**	**5**	**6**	**9**	**17**	**42**	**68**	**99 +**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	22.0	689	3	5	13	28	68	77	77	2	7.0	50	2	2	7	12	12	12	12
75 +	13	11.0	61	3	5	9	14	24	28	29	20	7.0	31	1	4	6	9	13	19	25
ALL AGES	20	14.9	283	3	5	9	16	30	54	77	22	7.0	30	2	4	6	10	13	18	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	12	10.3	37	2	6	10	12	21	21	21	7	9.4	32	3	5	9	12	18	19	19
75 +	31	10.8	107	3	5	7	13	20	28	55	46	7.2	43	2	3	6	8	15	18	36
ALL AGES	43	10.7	86	3	5	9	13	21	24	55	53	7.5	42	2	3	6	10	15	19	36
SUBTOTAL	**63**	**12.0**	**149**	**3**	**5**	**9**	**14**	**22**	**30**	**74**	**75**	**7.4**	**37**	**2**	**3**	**6**	**10**	**14**	**18**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	14.0		14	14	14	14	14	14	14
75 +	7	26.4	266	6	16	22	40	48	49	49	4	10.8	61	1	4	11	17	19	19	19
ALL AGES	8	23.8	281	4	10	19	39	47	49	49	5	11.4	49	1	6	14	16	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	27.0	450	12	12	27	42	42	42	42										
75 +	6	10.7	21	4	7	11	15	16	16	16	4	6.3	6	4	4	6	8	9	9	9
ALL AGES	8	14.8	135	5	8	12	15	34	42	42	4	6.3	6	4	4	6	8	9	9	9
SUBTOTAL	**16**	**19.3**	**216**	**4**	**8**	**15**	**29**	**42**	**47**	**49**	**9**	**9.1**	**35**	**2**	**4**	**8**	**14**	**17**	**19**	**19**
GRAND TOTAL	**79**	**13.5**	**168**	**3**	**6**	**9**	**16**	**29**	**42**	**71**	**84**	**7.6**	**37**	**2**	**3**	**6**	**10**	**15**	**19**	**33**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	8.0	50	3	3	8	13	13	13	13										
55-74	14	16.5	269	5	6	11	21	40	58	63	9	8.4	29	3	4	7	12	17	19	19
75 +	33	17.3	182	5	8	13	25	30	45	65	13	10.5	24	5	7	10	16	29	84	99 +
ALL AGES	49	16.7	198	4	7	13	22	33	48	65	22	9.7	24	4	6	9	13	19	49	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	24	20.4	376	6	8	18	25	62	90	99 +	5	9.4	31	1	5	11	13	15	15	15
75 +	35	16.4	218	4	6	11	23	33	51	64	31	10.1	75	3	5	8	11	22	29	41
ALL AGES	59	18.0	282	4	7	13	24	42	63	99	36	10.0	68	3	5	8	12	19	28	41
SUBTOTAL	**108**	**17.4**	**243**	**4**	**7**	**13**	**24**	**37**	**62**	**92**	**58**	**9.9**	**50**	**4**	**5**	**8**	**13**	**19**	**28**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	31.0		31	31	31	31	31	31	31										
55-74	6	22.8	218	5	12	23	29	44	46	46	4	16.3	271	7	7	8	25	41	41	41
75 +	6	14.8	131	2	4	13	27	29	29	29	1	3.0		3	3	3	3	3	3	3
ALL AGES	13	19.8	170	3	9	19	29	34	44	46	5	13.6	240	3	6	8	17	41	41	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	18.6	107	8	14	18	35	93	99 +	99 +	1	3.0		3	3	3	3	3	3	3
75 +	11	20.4	138	9	12	14	27	39	44	45	3	7.7	9	5	5	7	10	11	11	11
ALL AGES	16	19.8	123	8	13	17	30	43	81	99 +	4	6.5	12	3	4	6	9	11	11	11
SUBTOTAL	**29**	**19.8**	**139**	**5**	**12**	**18**	**29**	**40**	**46**	**99 +**	**9**	**10.4**	**139**	**3**	**5**	**7**	**9**	**29**	**41**	**41**
GRAND TOTAL	**137**	**17.9**	**221**	**4**	**7**	**14**	**25**	**37**	**57**	**99 +**	**67**	**10.0**	**60**	**3**	**5**	**8**	**12**	**19**	**30**	**89**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5										

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +	1	12.0		12	12	12	12	12	12	12	1	6.0		6	6	6	6	6	6	6
ALL AGES	1	12.0		12	12	12	12	12	12	12	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**	**2**	**5.0**	**2**	**4**	**4**	**5**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES											1	14.0		14	14	14	14	14	14	14
SUBTOTAL											**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
GRAND TOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**	**3**	**8.0**	**28**	**4**	**4**	**6**	**12**	**14**	**14**	**14**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	8	3.8	3	1	3	3	5	7	7	7
35-54	12	5.1	8	2	3	5	6	10	11	11	21	5.5	43	1	2	4	6	9	20	32
55-74	8	7.5	63	2	2	4	10	21	25	25	16	8.9	114	3	4	6	10	12	37	47
75 +	1	15.0		15	15	15	15	15	15	15	1	13.0		13	13	13	13	13	13	13
ALL AGES	22	6.4	30	2	3	5	9	13	19	25	46	6.5	63	1	3	4	7	12	17	47
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	12.5	221	2	2	12	23	23	23	23	2	2.0	2	1	1	2	3	3	3	3
35-54	1	21.0		21	21	21	21	21	21	21	5	3.4	3	2	2	3	4	6	6	6
55-74	3	15.0	364	3	3	5	29	37	37	37										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	6	15.2	198	2	3	13	23	36	37	37	8	3.0	2	1	2	3	4	5	6	6
SUBTOTAL	**28**	**8.3**	**73**	**2**	**3**	**5**	**10**	**22**	**26**	**37**	**54**	**6.0**	**55**	**1**	**3**	**4**	**6**	**11**	**13**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	4.7	9	2	2	4	7	8	8	8										
25-34	28	5.9	27	1	2	5	7	9	21	23	9	3.9	4	2	3	3	5	7	8	8
35-54	74	6.4	22	2	4	5	8	12	17	24	47	5.6	36	2	3	4	7	10	12	41
55-74	33	7.9	36	2	3	5	11	18	21	22	36	7.0	39	1	3	5	9	17	21	28
75 +	2	7.5	25	4	4	7	11	11	11	11	3	5.3	7	3	3	5	7	8	8	8
ALL AGES	140	6.7	25	2	3	5	9	13	19	23	95	5.9	34	2	3	4	8	10	16	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	7.5	30	2	4	6	11	15	15	15	2	5.0	8	3	3	5	7	7	7	7
35-54	10	7.7	16	2	4	8	10	13	14	14	11	8.4	52	2	4	6	11	18	27	28
55-74	5	6.0	41	2	2	3	9	17	17	17	1	3.0		3	3	3	3	3	3	3
75 +	3	5.3	1	5	5	5	6	6	6	6	1	5.0		5	5	5	5	5	5	5
ALL AGES	22	7.0	19	2	3	6	8	14	16	17	15	7.3	42	3	3	5	9	11	24	28
SUBTOTAL	**162**	**6.7**	**25**	**2**	**3**	**5**	**8**	**13**	**19**	**23**	**110**	**6.1**	**35**	**2**	**3**	**4**	**8**	**11**	**17**	**33**
GRAND TOTAL	**190**	**6.9**	**32**	**2**	**3**	**5**	**9**	**14**	**20**	**25**	**164**	**6.1**	**41**	**2**	**3**	**4**	**7**	**11**	**14**	**40**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	4.0	2	3	3	4	5	5	5	5										
75 +																				
ALL AGES	2	4.0	2	3	3	4	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											2	21.5	181	12	12	21	31	31	31	31
75 +																				
ALL AGES											2	21.5	181	12	12	21	31	31	31	31
SUBTOTAL	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**	**2**	**21.5**	**181**	**12**	**12**	**21**	**31**	**31**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	9.0	48	5	5	5	14	17	17	17										
55-74	4	9.3	16	4	6	10	12	13	13	13	2	3.5	13	1	1	3	6	6	6	6
75 +																				
ALL AGES	7	9.1	25	4	5	8	13	16	17	17	2	3.5	13	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
75 +	1	48.0		48	48	48	48	48	48	48										
ALL AGES	3	19.0	631	4	4	5	37	48	48	48	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**10**	**12.1**	**179**	**4**	**5**	**7**	**13**	**32**	**48**	**48**	**3**	**5.0**	**13**	**1**	**2**	**6**	**7**	**8**	**8**	**8**
GRAND TOTAL	**12**	**10.8**	**156**	**4**	**4**	**5**	**12**	**26**	**45**	**48**	**5**	**11.6**	**133**	**1**	**5**	**8**	**17**	**31**	**31**	**31**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	52	99+	99+	99+	99+	2	3.5	5	2	2	3	5	5	5	5
55-74	6	14.5	188	5	5	9	17	39	41	41	5	5.0	7	2	3	4	7	9	9	9
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	8	13.0	145	5	5	10	23	76	99+	99+	7	4.6	6	2	3	4	6	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	9.5	1	9	9	9	10	10	10	10										
55-74	3	12.0	169	4	4	5	21	27	27	27	3	3.0	1	2	2	3	4	4	4	4
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	5	11.0	87	4	5	9	14	27	27	27	4	3.8	2	2	2	3	5	6	6	6
SUBTOTAL	**13**	**12.2**	**116**	**5**	**5**	**9**	**17**	**47**	**88**	**99+**	**11**	**4.3**	**4**	**2**	**2**	**4**	**6**	**7**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	8	11.9	74	4	6	9	15	26	30	30	3	2.3	2	1	1	3	3	3	3	3
55-74	12	9.4	82	2	4	7	10	26	29	30	12	10.7	44	3	4	9	17	20	21	21
75 +	6	15.3	81	3	9	17	21	26	26	26										
ALL AGES	27	11.4	75	2	6	9	17	26	30	30	15	9.0	47	2	3	8	15	19	20	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	2	13.0	242	2	2	13	24	24	24	24	1	2.0		2	2	2	2	2	2	2
55-74	2	34.5	1861	4	4	34	65	65	65	65										
75 +																				
ALL AGES	5	20.2	704	2	3	6	34	65	65	65	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**32**	**12.8**	**164**	**2**	**5**	**8**	**19**	**27**	**30**	**65**	**16**	**8.6**	**46**	**2**	**3**	**6**	**15**	**19**	**20**	**21**
GRAND TOTAL	**45**	**12.6**	**148**	**2**	**5**	**9**	**18**	**29**	**46**	**99+**	**27**	**6.8**	**34**	**2**	**3**	**4**	**9**	**17**	**19**	**21**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	4.3	10	1	2	5	6	7	7	7	6	2.8	2	1	2	3	3	5	5	5
55-74											2	5.0	18	2	2	5	8	8	8	8
75 +																				
ALL AGES	3	4.3	10	1	2	5	6	7	7	7	8	3.4	5	1	2	3	4	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**4.3**	**10**	**1**	**2**	**5**	**6**	**7**	**7**	**7**	**8**	**3.4**	**5**	**1**	**2**	**3**	**4**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	5	5.2	18	1	2	4	7	12	12	12	4	2.8		2	2	3	3	3	3	3
35-54	20	4.5	13	2	3	3	4	10	14	15	7	3.7	15	1	1	2	4	11	12	12
55-74	7	6.4	29	2	3	4	11	15	15	15	2	5.5	5	4	4	5	7	7	7	7
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	33	4.9	16	2	3	4	5	13	15	15	14	3.6	8	1	2	3	4	7	11	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	4	7.0	39	2	2	6	12	15	15	15										
55-74	4	9.0	18	5	6	8	12	15	15	15	2	5.0	2	4	4	5	6	6	6	6
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	12	7.6	22	2	3	8	10	15	15	15	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**45**	**5.6**	**19**	**2**	**3**	**4**	**8**	**14**	**15**	**15**	**16**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**48**	**5.6**	**17**	**2**	**3**	**4**	**7**	**14**	**15**	**15**	**24**	**3.6**	**7**	**1**	**2**	**3**	**4**	**7**	**9**	**12**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	19.0		19	19	19	19	19	19	19	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	1	19.0		19	19	19	19	19	19	19	1	10.0		10	10	10	10	10	10	10

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-24	1	4.0		4	4	4	4	4	4	4	5	2.0	1	1	1	2	2	3	3	3
25-34	14	3.9	11	1	2	3	4	8	12	13	20	3.3		2	3	3	4	4	5	5
35-54	45	4.8	15	2	3	4	5	10	13	20	57	4.5	19	2	2	3	5	9	11	29
55-74	22	5.3	9	2	3	5	8	9	10	11	33	5.1	12	2	2	4	7	11	13	15
75 +	2	20.0	512	4	4	20	36	36	36	36	1	6.0		6	6	6	6	6	6	6
ALL AGES	85	5.1	24	2	3	4	6	10	12	30	117	4.3	14	2	2	3	5	8	11	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	3	5.3	10	2	3	6	7	8	8	8	16	3.6	3	2	3	3	5	6	7	7
35-54	12	5.2	17	1	3	4	6	12	15	16	17	5.0	8	2	3	4	7	8	11	12
55-74	6	10.8	51	4	6	9	14	22	23	23	10	3.7	8	1	2	2	5	8	9	9
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	21	6.8	30	2	3	6	8	15	19	23	45	4.3	6	2	2	3	6	8	9	12
SUBTOTAL	**106**	**5.5**	**24**	**2**	**3**	**4**	**6**	**11**	**14**	**29**	**162**	**4.3**	**11**	**2**	**2**	**3**	**5**	**8**	**11**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	12.7	107	1	5	16	20	21	21	21	3	4.0	19	1	1	2	7	9	9	9
25-34	45	5.6	31	2	2	4	7	11	18	28	47	3.6	3	1	2	3	5	6	8	8
35-54	165	6.4	57	2	3	4	7	13	18	58	97	4.8	13	2	2	4	6	9	11	22
55-74	61	7.0	77	2	4	5	7	11	15	62	61	5.1	14	2	3	4	7	11	13	19
75 +	6	8.5	33	4	4	6	13	17	18	18	4	10.0	19	5	6	10	13	15	15	15
ALL AGES	280	6.5	57	2	3	5	7	13	18	55	212	4.7	12	2	2	4	6	9	12	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	10	4.4	9	2	2	3	6	9	10	10	8	3.0	1	2	2	3	4	5	5	5
35-54	33	4.5	19	1	2	3	5	9	14	22	26	4.5	6	2	3	4	6	8	10	12
55-74	13	11.9	358	3	4	6	7	37	65	71	12	5.9	48	2	2	4	6	14	25	27
75 +																				
ALL AGES	56	6.2	101	2	2	3	6	10	20	68	47	4.6	16	2	2	4	5	8	9	27
SUBTOTAL	**336**	**6.4**	**65**	**2**	**3**	**4**	**7**	**12**	**18**	**63**	**259**	**4.7**	**12**	**2**	**2**	**4**	**6**	**8**	**12**	**21**
GRAND TOTAL	**442**	**6.2**	**55**	**2**	**3**	**4**	**7**	**12**	**17**	**41**	**421**	**4.5**	**12**	**2**	**2**	**4**	**5**	**8**	**11**	**20**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	1	35.0		35	35	35	35	35	35	35	1	5.0		5	5	5	5	5	5	5
55-74											3	5.0	12	3	3	3	8	9	9	9
75 +																				
ALL AGES	2	25.0	200	15	15	25	35	35	35	35	4	5.0	8	3	3	4	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	24.0		24	24	24	24	24	24	24
ALL AGES											1	24.0		24	24	24	24	24	24	24
SUBTOTAL	**2**	**25.0**	**200**	**15**	**15**	**25**	**35**	**35**	**35**	**35**	**5**	**8.8**	**78**	**3**	**3**	**5**	**13**	**24**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	11.0		11	11	11	11	11	11	11
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	2	6.0	32	2	2	6	10	10	10	10	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	25.0		25	25	25	25	25	25	25										
35-54	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
55-74	2	30.5	13	28	28	30	33	33	33	33										
75 +																				
ALL AGES	4	22.5	163	4	14	26	30	33	33	33	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**6**	**17.0**	**177**	**2**	**4**	**17**	**28**	**32**	**33**	**33**	**2**	**9.0**	**8**	**7**	**7**	**9**	**11**	**11**	**11**	**11**
GRAND TOTAL	**8**	**19.0**	**169**	**3**	**7**	**20**	**30**	**34**	**35**	**35**	**7**	**8.9**	**53**	**3**	**4**	**7**	**10**	**21**	**24**	**24**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	2	2.0	2	1	1	1	3	3	3	3
35-54	3	5.0	21	1	2	4	8	10	10	10	3	5.3	25	2	2	3	9	11	11	11
55-74	3	3.7	6	1	2	4	5	6	6	6	5	5.4	15	2	2	4	9	10	10	10
75 +																				
ALL AGES	8	4.0	9	1	2	3	5	9	10	10	10	4.7	14	1	2	3	9	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	5.0		5	5	5	5	5	5	5	3	3.0		3	3	3	3	3	3	3
35-54	5	4.6	10	2	3	3	6	10	10	10	1	6.0		6	6	6	6	6	6	6
55-74	5	5.6	13	2	3	5	8	11	11	11	4	11.5	63	2	5	12	18	19	19	19
75 +	3	5.3	13	2	3	5	8	9	9	9	1	2.0		2	2	2	2	2	2	2
ALL AGES	15	4.9	10	2	2	5	7	10	11	11	9	7.0	43	2	3	3	10	18	19	19
SUBTOTAL	**23**	**4.6**	**9**	**2**	**2**	**4**	**6**	**10**	**11**	**11**	**19**	**5.8**	**27**	**2**	**2**	**3**	**9**	**15**	**18**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	3	4.0	4	2	2	4	5	6	6	6
25-34	2	1.0		1	1	1	1	1	1	1	9	3.4	9	1	1	2	5	8	10	10
35-54	5	4.8	9	3	3	4	6	10	10	10	6	3.0	3	1	2	3	3	6	6	6
55-74	4	8.0	17	5	5	6	10	14	14	14	5	6.0	8	4	4	5	7	11	11	11
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	12	5.2	14	1	3	4	6	11	14	14	24	3.9	7	1	2	3	5	7	10	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	2	2.5	1	2	2	2	3	3	3	3
25-34	12	4.3	8	2	2	3	6	8	11	11	6	5.2	69	1	1	2	3	20	22	22
35-54	5	7.8	13	3	4	10	10	11	11	11	4	2.8		2	2	3	3	3	3	3
55-74	4	20.0	456	2	5	14	35	50	50	50	2	5.0	2	4	4	5	6	6	6	6
75 +	1	8.0		8	8	8	8	8	8	8	4	4.3	3	3	3	4	5	7	7	7
ALL AGES	23	7.8	104	2	3	5	9	13	30	50	18	4.1	22	1	2	3	4	7	16	22
SUBTOTAL	**35**	**6.9**	**74**	**1**	**3**	**4**	**8**	**11**	**18**	**50**	**42**	**4.0**	**13**	**1**	**2**	**3**	**5**	**7**	**10**	**22**
GRAND TOTAL	**58**	**6.0**	**48**	**1**	**3**	**4**	**7**	**11**	**13**	**48**	**61**	**4.5**	**18**	**1**	**2**	**3**	**5**	**10**	**14**	**22**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	5.0	28	1	1	3	9	11	11	11										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34	2	8.0	32	4	4	8	12	12	12	12										
35-54																				
55-74	3	8.7	29	5	5	6	13	15	15	15	2	10.0	72	4	4	10	16	16	16	16
75 +	1	7.0		7	7	7	7	7	7	7	4	7.0	3	5	5	7	8	9	9	9
ALL AGES	7	7.1	24	2	4	6	11	14	15	15	6	8.0	19	4	5	7	9	15	16	16
SUBTOTAL	**10**	**6.5**	**23**	**1**	**3**	**5**	**11**	**13**	**15**	**15**	**6**	**8.0**	**19**	**4**	**5**	**7**	**9**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	20.0	648	2	2	20	38	38	38	38										
18-24	4	6.0	32	2	2	4	10	14	14	14										
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	5.5	1	5	5	5	6	6	6	6										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
ALL AGES	10	8.3	122	2	2	5	6	26	38	38	2	3.5	13	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	26.0		26	26	26	26	26	26	26										
18-24																				
25-34	2	10.0	50	5	5	10	15	15	15	15										
35-54	1	49.0		49	49	49	49	49	49	49										
55-74	1	14.0		14	14	14	14	14	14	14	1	6.0		6	6	6	6	6	6	6
75 +	1	4.0		4	4	4	4	4	4	4	1	9.0		9	9	9	9	9	9	9
ALL AGES	6	18.8	284	4	5	14	26	47	49	49	2	7.5	5	6	6	7	9	9	9	9
SUBTOTAL	**16**	**12.3**	**193**	**2**	**3**	**6**	**15**	**37**	**46**	**49**	**4**	**5.5**	**11**	**1**	**3**	**6**	**8**	**9**	**9**	**9**
GRAND TOTAL	**26**	**10.0**	**134**	**2**	**3**	**6**	**14**	**25**	**40**	**49**	**10**	**7.0**	**16**	**2**	**5**	**6**	**9**	**13**	**16**	**16**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	16.5	421	2	2	16	31	31	31	31	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**16.5**	**421**	**2**	**2**	**16**	**31**	**31**	**31**	**31**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	4.0	27	1	1	1	8	10	10	10										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	4.0	27	1	1	1	8	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	14.5	145	6	6	14	23	23	23	23										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	3	10.3	125	2	3	6	19	23	23	23										
SUBTOTAL	**6**	**7.2**	**72**	**1**	**1**	**4**	**10**	**22**	**23**	**23**										
GRAND TOTAL	**8**	**9.5**	**131**	**1**	**1**	**4**	**16**	**29**	**31**	**31**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
13-17	2	7.5	41	3	3	7	12	12	12	12										
18-24	2	6.5	41	2	2	6	11	11	11	11										
25-34	1	6.0		6	6	6	6	6	6	6	3	2.3	2	1	1	3	3	3	3	3
35-54	5	3.8	5	1	2	4	6	6	6	6	1	1.0		1	1	1	1	1	1	1
55-74	5	4.8	6	2	3	5	6	8	8	8	13	4.6	11	2	2	3	7	10	12	12
75 +	5	6.6	11	3	3	8	9	10	10	10	11	8.4	30	3	4	8	10	15	22	23
ALL AGES	21	5.6	10	2	3	6	8	10	11	12	29	5.6	21	1	3	4	8	10	13	23
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	3.0		3	3	3	3	3	3	3	1	9.0		9	9	9	9	9	9	9
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	8.7	11	5	6	9	11	12	12	12	2	5.5	5	4	4	5	7	7	7	7
55-74	12	4.7	8	2	3	4	6	9	10	10	21	4.7	7	1	2	5	6	8	10	11
75 +	8	9.1	94	1	3	7	11	25	31	31	17	6.4	39	1	2	4	8	15	20	23
ALL AGES	25	6.4	38	2	3	4	9	11	17	31	42	5.5	20	1	2	4	7	11	15	23
SUBTOTAL	**46**	**6.0**	**25**	**2**	**3**	**5**	**9**	**11**	**12**	**31**	**71**	**5.5**	**20**	**1**	**2**	**4**	**7**	**11**	**15**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-24	2	13.0	128	5	5	13	21	21	21	21	1	1.0		1	1	1	1	1	1	1
25-34	3	9.3	90	2	3	6	16	20	20	20	1	1.0		1	1	1	1	1	1	1
35-54	4	8.8	70	2	3	6	14	21	21	21										
55-74	12	9.3	24	4	5	8	14	16	17	17	5	5.6	7	3	4	5	7	10	10	10
75 +	3	6.3	10	3	4	7	8	9	9	9	6	8.7	24	3	6	7	12	16	17	17
ALL AGES	25	9.6	40	2	5	7	15	20	21	21	13	6.3	21	1	3	6	8	13	16	17
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17																				
18-24	3	13.0	189	1	2	10	23	28	28	28										
25-34	3	10.3	51	4	5	9	16	18	18	18	3	13.3	422	1	1	2	28	37	37	37
35-54	2	5.5	5	4	4	5	7	7	7	7	1	10.0		10	10	10	10	10	10	10
55-74	12	7.3	24	3	4	6	9	16	17	17	6	8.3	87	1	3	4	11	24	26	26
75 +	10	13.5	253	5	6	8	11	38	57	57	11	4.3	4	2	3	4	6	7	8	8
ALL AGES	31	10.0	111	3	5	7	10	19	28	57	21	7.0	77	1	3	4	7	17	31	37
SUBTOTAL	**56**	**9.8**	**78**	**3**	**5**	**7**	**12**	**20**	**21**	**55**	**34**	**6.7**	**55**	**1**	**3**	**5**	**7**	**12**	**24**	**37**
GRAND TOTAL	**102**	**8.1**	**57**	**2**	**4**	**6**	**9**	**17**	**20**	**43**	**105**	**5.9**	**31**	**1**	**3**	**4**	**7**	**11**	**16**	**31**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54	3	8.0	91	2	2	3	15	19	19	19	1	2.0		2	2	2	2	2	2	2
55-74	2	7.5	85	1	1	7	14	14	14	14	2	11.0	18	8	8	11	14	14	14	14
75 +	2	14.0		14	14	14	14	14	14	14										
ALL AGES	8	9.1	48	1	2	10	14	18	19	19	3	8.0	36	2	3	8	12	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
18-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	2	3.0	8	1	1	3	5	5	5	5	1	7.0		7	7	7	7	7	7	7
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	5	6.4	19	2	3	4	10	12	12	12	2	8.0	2	7	7	8	9	9	9	9
75 +	1	6.0		6	6	6	6	6	6	6	2	7.0	18	4	4	7	10	10	10	10
ALL AGES	13	5.0	19	1	2	4	7	12	14	14	7	5.6	13	1	2	7	9	10	10	10
SUBTOTAL	**21**	**6.6**	**32**	**1**	**2**	**4**	**12**	**14**	**16**	**19**	**10**	**6.3**	**18**	**1**	**2**	**7**	**9**	**12**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	19.5	181	10	10	19	29	29	29	29										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	5	16.2	633	3	4	4	22	61	61	61	2	1.0		1	1	1	1	1	1	1
35-54	3	12.0	63	3	6	15	17	18	18	18										
55-74	2	7.0		7	7	7	7	7	7	7	1	9.0		9	9	9	9	9	9	9
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	14	14.1	244	3	4	8	18	32	55	61	3	3.7	21	1	1	1	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54	2	3.5	1	3	3	3	4	4	4	4	1	42.0		42	42	42	42	42	42	42
55-74	3	5.3	5	3	4	6	7	7	7	7										
75 +	2	8.0	8	6	6	8	10	10	10	10	3	9.3	37	3	5	10	14	15	15	15
ALL AGES	7	5.6	6	3	3	6	7	9	10	10	5	14.8	255	3	4	10	22	42	42	42
SUBTOTAL	**21**	**11.3**	**177**	**3**	**4**	**7**	**11**	**25**	**43**	**61**	**8**	**10.6**	**185**	**1**	**2**	**6**	**12**	**34**	**42**	**42**
GRAND TOTAL	**42**	**8.9**	**108**	**2**	**3**	**6**	**12**	**18**	**25**	**61**	**18**	**8.2**	**91**	**1**	**2**	**7**	**10**	**15**	**31**	**42**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34	2	7.0	8	5	5	7	9	9	9	9	2	1.5	1	1	1	1	2	2	2	2
35-54	4	5.3	10	1	3	5	7	9	9	9	6	3.0	5	1	1	2	4	7	7	7
55-74	14	6.9	39	2	3	4	8	18	20	20	22	4.9	10	2	3	4	7	9	11	13
75 +	19	8.7	69	3	4	8	10	15	29	39	20	4.4	5	2	2	4	7	8	8	8
ALL AGES	40	7.4	49	2	3	5	9	16	19	39	50	4.3	8	1	2	4	7	8	9	13
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-17																				
18-24	1	67.0		67	67	67	67	67	67	67	2	1.5	1	1	1	1	2	2	2	2
25-34											2	2.5	1	2	2	2	3	3	3	3
35-54	2	11.0	18	8	8	11	14	14	14	14	2	4.5	1	4	4	4	5	5	5	5
55-74	26	8.1	19	3	4	8	12	13	15	17	24	7.1	36	1	3	5	9	17	22	23
75 +	18	7.4	32	2	3	6	8	17	20	22	41	5.5	17	1	2	4	7	11	14	20
ALL AGES	48	9.1	96	2	4	8	11	15	18	67	72	5.7	24	1	2	4	7	12	16	23
SUBTOTAL	**88**	**8.3**	**75**	**2**	**3**	**7**	**10**	**15**	**18**	**56**	**122**	**5.2**	**17**	**1**	**2**	**4**	**7**	**10**	**14**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	2	29.5	1625	1	1	29	58	58	58	58										
55-74	5	9.0	23	4	5	7	13	15	15	15	10	5.4	13	2	3	4	7	11	12	12
75 +	3	20.0	481	4	6	11	36	45	45	45	15	6.7	60	1	3	4	7	13	27	32
ALL AGES	14	12.3	302	1	2	5	13	46	55	58	27	6.0	38	1	3	4	7	12	16	32
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	2	13.0	8	11	11	13	15	15	15	15	2	1.0		1	1	1	1	1	1	1
35-54	3	8.0	28	4	4	6	12	14	14	14	5	6.0	55	1	2	3	8	19	19	19
55-74	7	16.6	204	5	8	10	21	41	46	46	12	6.3	20	2	3	5	9	13	16	17
75 +	16	8.0	51	2	3	5	10	21	24	25	23	9.0	129	2	3	4	9	22	40	47
ALL AGES	29	10.2	90	2	4	8	14	22	26	46	42	7.5	84	2	3	4	9	18	26	47
SUBTOTAL	**43**	**10.9**	**154**	**2**	**4**	**6**	**14**	**23**	**45**	**58**	**69**	**6.9**	**66**	**1**	**3**	**4**	**8**	**15**	**20**	**45**
GRAND TOTAL	**131**	**9.2**	**101**	**2**	**3**	**7**	**11**	**17**	**22**	**60**	**191**	**5.8**	**35**	**1**	**2**	**4**	**7**	**11**	**16**	**34**

SUBACUTE DELIRIUM (293.1)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES											1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74												2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES											2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL											**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**	**3**	**4.0**	**1**	**3**	**3**	**4**	**5**	**5**	**5**	**5**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	26.0	163	12	16	29	35	37	37	37										
18-24	1	39.0		39	39	39	39	39	39	39										
25-34	9	13.3	77	4	6	13	16	27	32	32										
35-54	9	13.2	45	4	8	15	18	21	23	23	1	10.0		10	10	10	10	10	10	10
55-74	9	13.0	62	1	10	14	16	23	26	26	2	5.0	18	2	2	5	8	8	8	8
75 +	4	14.0	130	1	4	15	23	25	25	25	2	4.5	13	2	2	4	7	7	7	7
ALL AGES	35	15.1	95	2	8	14	19	29	36	39	5	5.8	13	2	2	7	8	10	10	10
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	1	20.0		20	20	20	20	20	20	20										
18-24	5	9.4	40	3	5	6	15	18	18	18	1	16.0		16	16	16	16	16	16	16
25-34	7	17.1	520	4	6	9	14	57	68	68										
35-54	11	17.5	96	6	7	18	25	30	33	33	3	14.7	211	3	5	10	26	31	31	31
55-74	14	17.8	100	7	10	13	26	29	37	39	3	7.3	13	4	5	7	10	11	11	11
75 +	5	18.0	48	10	13	17	23	28	28	28	4	10.5	12	7	8	10	13	15	15	15
ALL AGES	44	16.9	142	6	8	14	25	28	35	68	11	11.3	58	4	7	10	14	22	30	31
SUBTOTAL	**79**	**16.1**	**120**	**5**	**8**	**14**	**23**	**28**	**35**	**60**	**16**	**9.6**	**49**	**2**	**5**	**8**	**11**	**16**	**26**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	22.5	85	16	16	22	29	29	29	29										
18-24	3	40.7	1101	10	16	36	66	76	76	76										
25-34	4	30.0	220	11	20	31	40	47	47	47										
35-54	9	22.0	206	10	13	17	27	47	47	47										
55-74	10	15.5	152	4	8	11	29	35	40	40	1	7.0		7	7	7	7	7	7	7
75 +	2	28.0	50	23	23	28	33	33	33	33										
ALL AGES	30	23.5	265	9	11	18	33	46	47	76	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	2	30.0	2	29	29	30	31	31	31	31										
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	3	19.7	402	3	6	14	35	42	42	42										
25-34	7	29.1	904	8	10	25	29	81	94	94										
35-54	9	15.0	38	6	12	14	20	21	21	21										
55-74	19	23.0	162	8	15	21	34	43	46	46	1	71.0		71	71	71	71	71	71	71
75 +	7	17.0	94	9	11	15	20	34	37	37	1	5.0		5	5	5	5	5	5	5
ALL AGES	48	21.4	238	8	11	20	28	40	45	94	2	38.0	2178	5	5	38	71	71	71	71
SUBTOTAL	**78**	**22.2**	**246**	**8**	**11**	**19**	**30**	**42**	**47**	**89**	**3**	**27.7**	**1407**	**5**	**5**	**7**	**55**	**71**	**71**	**71**
GRAND TOTAL	**157**	**19.1**	**192**	**6**	**10**	**15**	**25**	**36**	**44**	**75**	**19**	**12.4**	**245**	**3**	**5**	**8**	**11**	**25**	**53**	**71**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	10.0		10	10	10	10	10	10	10	1	16.0		16	16	16	16	16	16	16
55-74	2	16.0	72	10	10	16	22	22	22	22										
75 +	7	10.6	120	3	5	7	9	30	35	35										
ALL AGES	13	10.2	81	3	5	8	10	25	33	35	1	16.0		16	16	16	16	16	16	16
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	32.0		32	32	32	32	32	32	32	1	1.0		1	1	1	1	1	1	1
18-24	2	8.5	113	1	1	8	16	16	16	16										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	3	9.0	127	2	2	3	17	22	22	22										
55-74	5	6.2	39	1	1	5	10	16	16	16	3	7.7	4	6	6	7	9	10	10	10
75 +	4	5.5	38	1	1	4	10	14	14	14	1	2.0		2	2	2	2	2	2	2
ALL AGES	16	8.8	83	1	1	5	15	21	29	32	6	4.7	12	1	2	4	7	10	10	10
SUBTOTAL	**29**	**9.4**	**80**	**1**	**3**	**7**	**12**	**22**	**32**	**35**	**7**	**6.3**	**29**	**1**	**2**	**6**	**9**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74																				
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	2	8.0	50	3	3	8	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	17.0	392	3	3	17	31	31	31	31	1	4.0		4	4	4	4	4	4	4
55-74	1	21.0		21	21	21	21	21	21	21										
75 +											2	13.5	85	7	7	13	20	20	20	20
ALL AGES	4	14.3	199	2	2	12	26	31	31	31	3	10.3	73	4	5	7	17	20	20	20
SUBTOTAL	**6**	**10.5**	**155**	**2**	**2**	**3**	**21**	**30**	**31**	**31**	**5**	**9.4**	**50**	**3**	**4**	**7**	**15**	**20**	**20**	**20**
GRAND TOTAL	**35**	**9.6**	**89**	**1**	**2**	**6**	**13**	**22**	**32**	**35**	**12**	**7.6**	**36**	**2**	**3**	**6**	**11**	**17**	**20**	**20**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	13.5	1	13	13	13	14	14	14	14										
55-74																				
75 +																				
ALL AGES	2	13.5	1	13	13	13	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	3	9.3	53	1	4	13	14	14	14	14										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	2	9.0	32	5	5	9	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	3	7.3	25	4	4	5	11	13	13	13										
GRAND TOTAL	6	8.3	33	1	4	9	13	14	14	14										

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	22.0		22	22	22	22	22	22	22										
35-54	3	9.0		9	9	9	9	9	9	9										
55-74	2	26.0	8	24	24	26	28	28	28	28										
75 +																				
ALL AGES	6	16.8	79	9	9	16	24	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74	3	24.7	375	8	11	20	39	46	46	46	2	10.0	72	4	4	10	16	16	16	16
75 +	3	9.3	3	8	8	9	10	11	11	11										
ALL AGES	6	17.0	222	8	8	10	20	43	46	46	3	8.3	45	4	4	5	13	16	16	16
SUBTOTAL	**12**	**16.9**	**137**	**8**	**9**	**10**	**23**	**33**	**44**	**46**	**3**	**8.3**	**45**	**4**	**4**	**5**	**13**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	44.0		44	44	44	44	44	44	44										
25-34	1	23.0		23	23	23	23	23	23	23										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	8.0		8	8	8	8	8	8	8	1	22.0		22	22	22	22	22	22	22
75 +	2	10.0	32	6	6	10	14	14	14	14										
ALL AGES	6	17.0	215	6	7	11	23	42	44	44	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	26.0	1152	2	2	26	50	50	50	50										
55-74	2	41.0	578	24	24	41	58	58	58	58										
75 +	3	6.7	10	3	4	8	9	9	9	9										
ALL AGES	7	22.0	535	2	4	9	43	56	58	58										
SUBTOTAL	**13**	**19.7**	**364**	**3**	**7**	**9**	**29**	**52**	**57**	**58**	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**
GRAND TOTAL	**25**	**18.4**	**245**	**6**	**8**	**9**	**24**	**46**	**52**	**58**	**4**	**11.8**	**75**	**4**	**4**	**10**	**19**	**22**	**22**	**22**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17																				
18-24	1	45.0		45	45	45	45	45	45	45										
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	4	7.0	21	1	3	8	10	11	11	11	1	6.0		6	6	6	6	6	6	6
75 +	4	24.0	632	4	5	17	43	58	58	58										
ALL AGES	11	19.3	392	3	5	10	36	50	57	58	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	3	15.7	15	11	13	18	18	18	18	18										
75 +	2	15.5	313	3	3	15	28	28	28	28	1	6.0		6	6	6	6	6	6	6
ALL AGES	5	15.6	86	3	9	18	21	28	28	28	2	3.5	13	1	1	3	6	6	6	6
SUBTOTAL	**16**	**18.1**	**289**	**3**	**5**	**11**	**28**	**44**	**54**	**58**	**3**	**4.3**	**9**	**1**	**2**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34	2	14.5	113	7	7	14	22	22	22	22										
35-54	1	21.0		21	21	21	21	21	21	21										
55-74	4	26.3	1189	3	5	19	83	99 +	99 +	99 +	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	9	20.2	514	4	6	20	22	88	99 +	99 +	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	2	13.5	5	12	12	13	15	15	15	15										
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	4	17.0	66	12	12	14	22	29	29	29										
SUBTOTAL	**13**	**19.2**	**362**	**5**	**7**	**17**	**22**	**79**	**95**	**99 +**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
GRAND TOTAL	**29**	**18.6**	**310**	**3**	**6**	**14**	**28**	**51**	**77**	**99 +**	**4**	**6.0**	**17**	**1**	**3**	**6**	**9**	**11**	**11**	**11**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	13	13.7	42	6	9	13	15	24	28	29	1	7.0		7	7	7	7	7	7	7
75 +	29	11.9	36	6	7	10	16	21	22	28	1	2.0		2	2	2	2	2	2	2
ALL AGES	45	12.2	38	6	7	11	15	21	24	29	2	4.5	13	2	2	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	8.0	25	3	4	8	12	13	13	13										
35-54	6	5.7	12	2	3	4	10	10	10	10	1	5.0		5	5	5	5	5	5	5
55-74	11	13.3	28	7	8	13	18	21	22	22	5	8.2	25	4	4	6	13	15	15	15
75 +	32	15.2	119	5	7	12	20	33	40	46	9	7.4	8	4	6	8	9	11	12	12
ALL AGES	52	13.3	90	4	7	10	15	25	36	46	15	7.5	12	4	5	7	10	12	14	15
SUBTOTAL	**97**	**12.8**	**65**	**5**	**7**	**11**	**15**	**23**	**29**	**43**	**17**	**7.2**	**12**	**4**	**4**	**7**	**9**	**12**	**14**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.0	32	3	3	7	11	11	11	11										
25-34	1	52.0		52	52	52	52	52	52	52										
35-54	4	14.3	14	11	11	13	17	20	20	20										
55-74	5	19.6	258	7	8	14	29	46	46	46										
75 +	8	21.4	226	4	11	17	35	42	44	44										
ALL AGES	20	19.6	222	5	10	14	27	45	49	52										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	8	23.0	210	6	10	23	30	44	50	50										
75 +	17	22.2	179	9	11	21	34	39	46	49										
ALL AGES	26	22.3	173	7	11	21	31	40	49	50										
SUBTOTAL	**46**	**21.1**	**193**	**7**	**11**	**17**	**31**	**44**	**49**	**52**										
GRAND TOTAL	**143**	**15.5**	**119**	**5**	**8**	**12**	**20**	**31**	**40**	**50**	**17**	**7.2**	**12**	**4**	**4**	**7**	**9**	**12**	**14**	**15**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	2	6.5	13	4	4	6	9	9	9	9										
75 +	1	29.0		29	29	29	29	29	29	29	1	12.0		12	12	12	12	12	12	12
ALL AGES	4	11.5	142	4	4	7	19	29	29	29	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +	2	9.5	13	7	7	9	12	12	12	12										
ALL AGES	3	7.3	21	3	4	7	11	12	12	12										
SUBTOTAL	**7**	**9.7**	**83**	**3**	**4**	**7**	**11**	**26**	**29**	**29**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	11.0	8	9	9	11	13	13	13	13										
75 +	2	14.0	50	9	9	14	19	19	19	19										
ALL AGES	4	12.5	22	9	9	11	16	19	19	19										
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	12.0		12	12	12	12	12	12	12	1	20.0		20	20	20	20	20	20	20
ALL AGES	4	9.3	20	4	5	9	13	14	14	14	1	20.0		20	20	20	20	20	20	20
SUBTOTAL	**8**	**10.9**	**21**	**5**	**8**	**11**	**13**	**17**	**19**	**19**	**1**	**20.0**		**20**	**20**	**20**	**20**	**20**	**20**	**20**
GRAND TOTAL	**15**	**10.3**	**47**	**4**	**5**	**9**	[illegible]	**19**	**26**	**29**	**2**	**16.0**	**32**	**12**	**12**	**16**	**20**	**20**	**20**	**20**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	11.7	57	5	6	10	17	20	20	20										
35-54	7	11.4	70	4	5	8	18	24	25	25										
55-74																				
75 +																				
ALL AGES	10	11.5	59	4	5	9	20	23	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	18.2	182	2	10	17	25	39	39	39										
35-54	8	17.0	118	5	10	14	21	35	39	39										
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	16	16.9	129	2	10	15	22	38	39	39										
SUBTOTAL	**26**	**14.8**	**107**	**4**	**7**	**13**	**20**	**28**	**39**	**39**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	2	12.0	128	4	4	12	20	20	20	20										
55-74																				
75 +																				
ALL AGES	3	12.3	66	4	6	13	18	20	20	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	26.0	578	9	9	26	43	43	43	43										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	26.0	578	9	9	26	43	43	43	43										
SUBTOTAL	**5**	**17.8**	**233**	**4**	**8**	**13**	**26**	**43**	**43**	**43**										
GRAND TOTAL	**31**	**15.3**	**121**	**4**	**7**	**13**	**20**	**32**	**39**	**43**										

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	12.0	3	11	11	11	13	14	14	14										
18-24																				
25-34	3	15.0	331	4	4	5	28	36	36	36	1	3.0		3	3	3	3	3	3	3
35-54	2	9.0	8	7	7	9	11	11	11	11	1	1.0		1	1	1	1	1	1	1
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	8	12.4	102	4	6	11	13	29	36	36	3	2.3	2	1	1	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34	4	11.8	18	7	8	12	15	16	16	16										
35-54	12	8.8	19	2	6	9	11	14	17	17	4	5.3	28	1	2	3	8	13	13	13
55-74	5	17.4	85	1	16	21	22	23	23	23										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	23	11.3	40	2	7	10	16	21	22	23	4	5.3	28	1	2	3	8	13	13	13
SUBTOTAL	**31**	**11.5**	**56**	**3**	**7**	**11**	**15**	**21**	**23**	**36**	**7**	**4.0**	**17**	**1**	**2**	**3**	**4**	**11**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	13.0	98	6	6	13	20	20	20	20										
35-54	1	16.0		16	16	16	16	16	16	16										
55-74																				
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	4	11.3	63	3	4	11	18	20	20	20	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	45.0	3872	1	1	45	89	89	89	89	1	7.0		7	7	7	7	7	7	7
35-54	1	19.0		19	19	19	19	19	19	19	1	22.0		22	22	22	22	22	22	22
55-74	1	19.0		19	19	19	19	19	19	19	1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	4	32.0	1516	1	10	19	54	89	89	89	3	14.3	58	7	9	14	20	22	22	22
SUBTOTAL	**8**	**21.6**	**802**	**2**	**4**	**17**	**20**	**68**	**89**	**89**	**4**	**13.0**	**45**	**7**	**8**	**11**	**18**	**22**	**22**	**22**
GRAND TOTAL	**39**	**13.6**	**208**	**2**	**7**	**11**	**17**	**21**	**30**	**89**	**11**	**7.3**	**44**	**1**	**3**	**4**	**12**	**17**	**22**	**22**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	8	25.4	169	9	15	25	34	43	46	46										
18-24	46	16.4	193	4	8	14	20	36	44	76	15	16.9	64	3	14	18	21	22	31	34
25-34	140	13.1	112	1	6	11	18	29	35	54	34	14.7	33	6	12	15	19	21	21	28
35-54	124	12.8	76	3	6	11	16	24	33	43	34	9.9	42	1	4	10	14	17	22	26
55-74	30	15.2	115	3	6	15	20	34	38	38	6	11.2	80	1	3	10	18	23	24	24
75 +																				
ALL AGES	349	13.9	118	3	6	11	18	30	37	49	89	13.0	51	3	7	14	18	21	23	32
B. FEMALE																				
0-12 YRS.																				
13-17	2	24.0	882	3	3	24	45	45	45	45										
18-24	16	16.1	112	2	8	16	27	33	76	99 +	2	39.0	50	34	34	39	44	44	44	44
25-34	64	12.4	75	2	6	11	16	22	29	45	11	4.3	7	1	1	4	7	8	8	8
35-54	148	13.7	77	4	7	12	17	26	33	42	24	12.0	93	3	6	9	15	25	33	43
55-74	87	16.8	157	4	7	13	23	36	45	53	13	10.4	81	3	4	8	13	19	33	36
75 +	15	17.8	82	7	11	17	26	30	33	34	4	3.5	10	1	1	2	5	8	8	8
ALL AGES	332	14.6	105	4	7	13	19	30	35	47	54	10.4	105	2	4	7	13	25	36	44
SUBTOTAL	**681**	**14.3**	**110**	**3**	**7**	**12**	**19**	**30**	**36**	**48**	**143**	**12.0**	**73**	**2**	**5**	**12**	**17**	**21**	**27**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	26.5	278	11	13	23	39	48	48	48										
18-24	12	14.5	54	6	10	14	18	23	30	31										
25-34	42	14.4	148	3	7	10	19	32	36	59	5	22.6	231	7	11	19	32	46	46	46
35-54	49	11.3	60	4	5	8	16	23	27	30	7	14.7	163	5	6	12	18	37	41	41
55-74	9	28.2	380	8	13	26	37	59	67	67	1	8.0		8	8	8	8	8	8	8
75 +	3	20.7	442	8	8	9	36	45	45	45	1	13.0		13	13	13	13	13	13	13
ALL AGES	119	14.7	147	4	7	11	20	31	37	61	14	16.9	170	6	7	13	20	41	45	46
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24	1	66.0		66	66	66	66	66	66	66										
25-34	20	13.9	82	4	8	11	18	27	33	37	2	4.0	18	1	1	4	7	7	7	7
35-54	27	16.4	74	8	11	14	20	31	34	38										
55-74	16	14.3	64	5	9	13	15	28	32	34	3	6.7	44	1	2	5	12	14	14	14
75 +	4	28.3	1082	4	6	16	50	76	76	76	3	17.0	133	6	8	16	26	29	29	29
ALL AGES	69	16.7	162	6	9	13	21	31	37	74	8	9.9	89	1	3	6	15	25	29	29
SUBTOTAL	**188**	**15.5**	**151**	**4**	**7**	**12**	**20**	**31**	**37**	**67**	**22**	**14.4**	**145**	**4**	**6**	**12**	**19**	**33**	**43**	**46**
GRAND TOTAL	**869**	**14.5**	**120**	**4**	**7**	**12**	**19**	**30**	**37**	**51**	**165**	**12.3**	**83**	**2**	**6**	**12**	**17**	**22**	**29**	**44**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	10.3	27	6	7	9	14	16	16	16										
25-34	4	12.5	75	1	7	13	18	22	22	22	1	13.0		13	13	13	13	13	13	13
35-54	2	6.5	25	3	3	6	10	10	10	10										
55-74	1	8.0		8	8	8	8	8	8	8	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	10	10.2	40	2	6	9	14	19	22	22	2	10.0	18	7	7	10	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	2	21.0	8	19	19	21	23	23	23	23										
25-34	3	21.7	152	14	14	15	31	36	36	36										
35-54	2	25.5	1105	2	2	25	49	49	49	49										
55-74	3	13.3	48	8	9	11	18	21	21	21	1	20.0		20	20	20	20	20	20	20
75 +																				
ALL AGES	11	18.3	196	3	9	15	22	41	48	49	1	20.0		20	20	20	20	20	20	20
SUBTOTAL	**21**	**14.4**	**134**	**2**	**7**	**13**	**19**	**28**	**42**	**49**	**3**	**13.3**	**44**	**7**	**8**	**13**	**18**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	2	10.5	13	8	8	10	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	12.5	25	9	9	12	16	16	16	16
55-74																				
75 +																				
ALL AGES											2	12.5	25	9	9	12	16	16	16	16
SUBTOTAL	**2**	**10.5**	**13**	**8**	**8**	**10**	**13**	**13**	**13**	**13**	**2**	**12.5**	**25**	**9**	**9**	**12**	**16**	**16**	**16**	**16**
GRAND TOTAL	**23**	**14.1**	**123**	**3**	**8**	**13**	**18**	**26**	**41**	**49**	**5**	**13.0**	**28**	**7**	**8**	**13**	**17**	**20**	**20**	**20**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	16.0		16	16	16	16	16	16	16										
35-54	1	26.0		26	26	26	26	26	26	26										
55-74																				
75 +																				
ALL AGES	2	21.0	50	16	16	21	26	26	26	26										
SUBTOTAL	**4**	**11.8**	**131**	**1**	**2**	**10**	**21**	**26**	**26**	**26**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	2	16.5	5	15	15	16	18	18	18	18										
SUBTOTAL	**2**	**16.5**	**5**	**15**	**15**	**16**	**18**	**18**	**18**	**18**										
GRAND TOTAL	6	13.3	87	1	4	15	18	25	26	26	1	1.0		1	1	1	1	1	1	1

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	24.7	144	11	15	29	33	34	34	34										
18-24	30	13.1	95	2	6	11	18	25	28	43	13	13.5	46	6	8	12	19	23	25	26
25-34	91	13.1	92	3	7	11	17	26	31	51	32	12.9	57	4	6	13	18	24	26	31
35-54	83	12.8	100	3	6	10	17	26	34	47	42	11.1	83	3	5	10	14	19	22	56
55-74	18	18.1	122	6	9	15	27	35	36	37	11	13.6	75	4	6	16	20	24	29	29
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	226	13.5	100	3	7	11	18	27	34	48	98	12.3	67	4	6	11	17	22	25	44
B. FEMALE																				
0-12 YRS.																				
13-17											1	25.0		25	25	25	25	25	25	25
18-24	10	19.0	447	3	8	14	21	50	76	76	3	7.0	9	4	5	7	9	10	10	10
25-34	51	14.0	121	4	7	11	17	26	39	52	27	7.8	41	1	3	6	13	16	19	27
35-54	105	14.5	119	6	7	12	17	28	36	62	21	9.1	33	3	4	7	14	18	20	20
55-74	65	17.9	161	6	9	14	24	35	41	64	16	8.9	52	2	4	7	11	19	26	29
75 +	4	13.8	126	2	6	12	21	29	29	29	1	3.0		3	3	3	3	3	3	3
ALL AGES	235	15.5	145	5	8	12	19	30	39	65	69	8.6	42	2	4	7	13	17	21	29
SUBTOTAL	**461**	**14.5**	**125**	**4**	**7**	**12**	**18**	**28**	**36**	**55**	**167**	**10.8**	**59**	**3**	**5**	**8**	**15**	**20**	**25**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	16.6	239	4	5	13	25	42	42	42										
25-34	24	16.5	269	4	6	10	19	40	57	68	1	1.0		1	1	1	1	1	1	1
35-54	27	11.2	102	2	4	8	16	21	30	49	5	12.2	99	3	7	9	16	29	29	29
55-74	12	12.1	103	2	3	11	17	27	34	35										
75 +																				
ALL AGES	68	13.6	170	3	5	9	18	27	43	65	6	10.3	101	1	3	8	12	27	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	6	8.0	11	3	5	9	11	11	11	11	1	9.0		9	9	9	9	9	9	9
25-34	11	24.8	658	4	7	11	39	65	83	85	4	4.0	5	2	2	3	5	7	7	7
35-54	15	12.7	101	3	5	9	19	24	35	39	2	7.0	72	1	1	7	13	13	13	13
55-74	14	23.1	417	5	7	19	29	65	67	68										
75 +	3	22.7	2	21	21	22	24	25	25	25										
ALL AGES	49	18.4	322	4	6	11	22	42	65	85	7	5.6	18	1	2	4	8	12	13	13
SUBTOTAL	**117**	**15.6**	**238**	**3**	**6**	**11**	**20**	**34**	**51**	**74**	**13**	**7.8**	**57**	**1**	**3**	**7**	**10**	**16**	**27**	**29**
GRAND TOTAL	**578**	**14.8**	**145**	**4**	**7**	**11**	**19**	**29**	**39**	**65**	**180**	**10.5**	**61**	**3**	**5**	**8**	**15**	**20**	**25**	**30**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	69.0		69	69	69	69	69	69	69										
13-17	10	21.1	488	2	6	12	47	78	98	99 +	1	6.0		6	6	6	6	6	6	6
18-24	28	17.8	280	3	7	14	22	39	49	81	1	11.0		11	11	11	11	11	11	11
25-34	75	15.8	165	4	7	12	23	32	41	66	7	10.9	39	2	5	12	16	19	19	19
35-54	53	14.4	61	7	10	13	16	23	32	45	11	7.4	19	3	3	8	11	13	15	15
55-74	18	21.1	424	3	8	13	29	57	71	75	3	27.3	883	5	8	16	50	61	61	61
75 +																				
ALL AGES	185	16.8	207	4	8	13	21	36	46	79	23	11.1	145	3	4	9	13	17	34	61
B. FEMALE																				
0-12 YRS.																				
13-17	12	20.8	390	3	5	10	45	49	50	50										
18-24	24	20.9	414	3	8	15	21	53	68	86	2	3.0	2	2	2	3	4	4	4	4
25-34	95	15.2	122	5	8	13	19	25	32	66	8	8.4	92	2	3	4	9	25	31	31
35-54	180	17.4	157	5	8	14	22	35	44	72	20	9.7	92	1	4	6	10	28	29	30
55-74	56	17.9	151	5	9	14	25	36	42	55	1	1.0		1	1	1	1	1	1	1
75 +	2	12.0	8	10	10	12	14	14	14	14	1	26.0		26	26	26	26	26	26	26
ALL AGES	369	17.2	171	5	8	14	22	35	44	67	32	9.2	91	1	3	5	10	28	30	31
SUBTOTAL	**554**	**17.1**	**182**	**5**	**8**	**14**	**21**	**36**	**45**	**75**	**55**	**10.0**	**112**	**2**	**4**	**6**	**12**	**26**	**30**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	34.5	113	27	27	34	42	42	42	42										
18-24	13	15.1	78	4	9	17	19	27	33	34	1	6.0		6	6	6	6	6	6	6
25-34	40	17.7	302	4	8	13	20	34	55	92	5	16.6	125	4	8	14	26	31	31	31
35-54	32	16.2	167	3	7	12	27	35	43	50	2	6.0		6	6	6	6	6	6	6
55-74	6	32.8	474	10	15	31	42	66	69	69										
75 +																				
ALL AGES	93	18.2	242	4	8	13	25	36	44	82	8	12.6	102	5	6	9	26	72	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	18.3	144	10	11	13	27	32	32	32	1	1.0		1	1	1	1	1	1	1
25-34	40	13.5	78	5	7	10	16	30	33	35	10	11.6	52	2	6	11	19	21	22	22
35-54	59	13.6	103	3	7	12	19	26	32	56	5	19.0	218	8	8	17	24	44	44	44
55-74	18	18.3	148	6	13	17	18	34	48	56	1	13.0		13	13	13	13	13	13	13
75 +	2	5.5	13	3	3	5	8	8	8	8										
ALL AGES	122	14.3	101	4	7	12	18	29	34	57	17	13.2	106	2	7	13	18	22	36	44
SUBTOTAL	**215**	**15.9**	**168**	**4**	**8**	**13**	**19**	**32**	**37**	**67**	**25**	**13.0**	**101**	**3**	**6**	**11**	**19**	**30**	**55**	**99 +**
GRAND TOTAL	**769**	**16.8**	**177**	**4**	**8**	**13**	**21**	**34**	**44**	**71**	**80**	**10.9**	**110**	**2**	**4**	**8**	**14**	**26**	**31**	**88**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	5	13.2	208	1	4	10	18	38	38	38	2	14.0	200	4	4	14	24	24	24	24
25-34	9	17.7	70	8	12	17	22	31	33	33										
35-54	2	20.5	85	14	14	20	27	27	27	27										
55-74											1	8.0		8	8	8	8	8	8	8
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	18	17.7	102	6	10	16	27	32	36	38	3	12.0	112	4	5	8	20	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	6	10.3	10	7	8	10	13	14	14	14	5	9.2	71	4	4	6	12	24	24	24
35-54	6	20.0	339	2	3	16	32	48	50	50	1	11.0		11	11	11	11	11	11	11
55-74	2	51.0	882	30	30	51	72	72	72	72	2	4.0	8	2	2	4	6	6	6	6
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	15	20.5	367	3	8	14	28	50	66	72	9	7.6	45	2	4	6	9	19	24	24
SUBTOTAL	**33**	**19.0**	**215**	**5**	**9**	**14**	**27**	**34**	**48**	**72**	**12**	**8.7**	**57**	**3**	**4**	**6**	**10**	**24**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	24.0		24	24	24	24	24	24	24										
25-34	1	11.0		11	11	11	11	11	11	11	2	6.5	41	2	2	6	11	11	11	11
35-54	2	16.0	98	9	9	16	23	23	23	23										
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	5	19.2	76	9	10	23	25	29	29	29	2	6.5	41	2	2	6	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	1	69.0		69	69	69	69	69	69	69										
25-34	4	17.5	380	2	6	11	29	46	46	46										
35-54	3	9.0	43	3	4	8	14	16	16	16	2	11.5	25	8	8	11	15	15	15	15
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	10	18.8	463	2	8	11	16	57	69	69	2	11.5	25	8	8	11	15	15	15	15
SUBTOTAL	**15**	**18.9**	**321**	**3**	**9**	**12**	**24**	**46**	**63**	**69**	**4**	**9.0**	**30**	**2**	**5**	**9**	**13**	**15**	**15**	**15**
GRAND TOTAL	**48**	**19.0**	**241**	**4**	**9**	**14**	**26**	**36**	**52**	**72**	**16**	**8.8**	**47**	**2**	**4**	**7**	**11**	**23**	**24**	**24**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11	1	5.0		5	5	5	5	5	5	5
13-17	12	25.4	490	9	11	18	29	60	81	85										
18-24	23	13.0	238	2	5	9	14	25	52	72	10	13.0	62	2	6	14	18	23	25	25
25-34	58	11.2	107	3	5	8	13	23	29	64	16	10.4	34	2	6	10	15	18	19	20
35-54	35	14.4	94	6	8	12	19	29	31	48	9	12.2	98	1	3	11	20	26	26	26
55-74	7	21.4	576	6	8	9	31	63	70	70	1	5.0		5	5	5	5	5	5	5
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	137	14.1	191	4	6	10	16	29	40	74	37	11.3	54	1	5	11	17	22	25	26
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
13-17	5	28.4	1241	3	4	14	46	88	88	88	1	5.0		5	5	5	5	5	5	5
18-24	13	18.8	190	3	10	21	22	34	52	56	3	9.3	105	2	3	5	17	21	21	21
25-34	43	11.5	88	2	5	8	16	27	34	35	7	5.3	7	1	3	6	8	8	8	8
35-54	79	11.8	57	3	6	10	16	23	28	31	7	6.6	21	2	3	6	9	14	15	15
55-74	30	14.5	117	2	6	14	21	26	29	54	10	10.0	39	3	4	9	14	19	20	20
75 +	3	22.3	217	9	12	20	33	38	38	38										
ALL AGES	174	13.3	124	2	6	11	18	26	31	56	29	7.6	31	2	4	6	9	17	20	21
SUBTOTAL	**311**	**13.7**	**152**	**3**	**6**	**10**	**17**	**28**	**33**	**71**	**66**	**9.7**	**46**	**2**	**4**	**8**	**15**	**20**	**23**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	21.5	374	7	8	15	35	49	49	49										
18-24	18	15.1	175	2	7	13	18	26	45	58	1	12.0		12	12	12	12	12	12	12
25-34	16	9.9	57	3	4	9	13	18	27	31	1	14.0		14	14	14	14	14	14	14
35-54	15	7.9	64	1	2	6	12	15	27	31	1	6.0		6	6	6	6	6	6	6
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	13.0		13	13	13	13	13	13	13	1	55.0		55	55	55	55	55	55	55
ALL AGES	55	11.9	124	2	4	9	16	25	31	58	4	21.8	500	6	9	13	34	55	55	55
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	6	13.5	45	3	11	15	16	21	22	22										
25-34	9	14.9	60	6	10	13	19	27	28	28	1	5.0		5	5	5	5	5	5	5
35-54	17	15.0	197	4	6	10	17	41	50	53	4	11.8	129	2	3	9	20	27	27	27
55-74	5	26.4	179	8	15	32	36	40	40	40	3	6.7	16	3	4	6	10	11	11	11
75 +	2	13.5	1	13	13	13	14	14	14	14	2	28.5	313	16	16	28	41	41	41	41
ALL AGES	39	16.1	138	4	8	14	19	34	43	53	10	12.9	157	2	4	8	16	34	41	41
SUBTOTAL	**94**	**13.6**	**134**	**3**	**6**	**11**	**17**	**28**	**39**	**56**	**14**	**15.4**	**243**	**3**	**5**	**11**	**16**	**42**	**52**	**55**
GRAND TOTAL	**405**	**13.7**	**147**	**3**	**6**	**10**	**17**	**28**	**34**	**68**	**80**	**10.7**	**82**	**2**	**4**	**8**	**15**	**21**	**26**	**51**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	38.0		38	38	38	38	38	38	38										
18-24											1	5.0		5	5	5	5	5	5	5
25-34	2	7.5	85	1	1	7	14	14	14	14										
35-54	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
55-74	7	15.3	37	7	10	17	17	23	25	25	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	11	15.0	105	3	7	16	17	30	37	38	3	3.3	3	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	17.0		17	17	17	17	17	17	17	1	1.0		1	1	1	1	1	1	1
35-54	5	11.8	11	7	10	12	14	16	16	16	1	7.0		7	7	7	7	7	7	7
55-74	4	21.3	215	10	13	16	30	43	43	43	1	16.0		16	16	16	16	16	16	16
75 +	2	5.0	18	2	2	5	8	8	8	8	2	6.0	2	5	5	6	7	7	7	7
ALL AGES	14	13.7	100	2	8	12	16	21	38	43	5	7.2	30	1	4	7	9	16	16	16
SUBTOTAL	**25**	**14.3**	**97**	**2**	**8**	**14**	**17**	**25**	**39**	**43**	**8**	**5.8**	**21**	**1**	**2**	**5**	**7**	**13**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-17	1	44.0		44	44	44	44	44	44	44										
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	4	30.3	343	10	14	31	46	48	48	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	26.0		26	26	26	26	26	26	26
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	12.0		12	12	12	12	12	12	12	1	4.0		4	4	4	4	4	4	4
55-74	3	24.7	118	16	17	21	33	37	37	37										
75 +	1	50.0		50	50	50	50	50	50	50	1	16.0		16	16	16	16	16	16	16
ALL AGES	5	27.2	253	12	15	21	40	50	50	50	4	12.3	117	3	3	10	21	26	26	26
SUBTOTAL	**9**	**28.6**	**256**	**11**	**15**	**21**	**45**	**49**	**50**	**50**	**4**	**12.3**	**117**	**3**	**3**	**10**	**21**	**26**	**26**	**26**
GRAND TOTAL	**34**	**18.1**	**173**	**5**	**10**	**16**	**19**	**43**	**47**	**50**	**12**	**7.9**	**57**	**2**	**3**	**5**	**11**	**19**	**25**	**26**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	4.0	8	2	2	4	6	6	6	6										
55-74	2	26.5	265	15	15	26	38	38	38	38										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	6	14.3	167	2	6	11	17	36	38	38	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24											1	27.0		27	27	27	27	27	27	27
25-34	3	8.7	31	4	5	7	13	15	15	15										
35-54	6	14.0	40	4	11	16	18	20	20	20	1	6.0		6	6	6	6	6	6	6
55-74	1	16.0		16	16	16	16	16	16	16	1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	11	12.0	37	4	6	14	17	19	20	20	3	20.3	156	6	11	27	28	28	28	28
SUBTOTAL	**17**	**12.8**	**77**	**3**	**6**	**14**	**17**	**20**	**32**	**38**	**4**	**16.3**	**167**	**4**	**5**	**16**	**27**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	23.0		23	23	23	23	23	23	23
35-54	3	19.7	52	14	15	17	25	28	28	28										
55-74																				
75 +																				
ALL AGES	3	19.7	52	14	15	17	25	28	28	28	1	23.0		23	23	23	23	23	23	23
SUBTOTAL	**4**	**17.8**	**49**	**12**	**13**	**15**	**22**	**28**	**28**	**28**	**2**	**13.0**	**200**	**3**	**3**	**13**	**23**	**23**	**23**	**23**
GRAND TOTAL	**21**	**13.8**	**72**	**4**	**7**	**14**	**17**	**23**	**32**	**38**	**6**	**15.2**	**143**	**3**	**4**	**14**	**27**	**28**	**28**	**28**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	25.1	304	2	14	25	35	51	55	58	1	24.0		24	24	24	24	24	24	24
13-17	57	22.3	321	4	9	18	33	53	70	99 +										
18-24	43	10.8	84	1	4	10	15	23	31	39	11	12.3	131	1	3	7	25	29	30	30
25-34	75	13.3	123	3	5	10	17	28	40	50	16	8.7	64	2	4	6	9	19	29	33
35-54	174	13.6	125	3	6	11	18	28	31	86	25	12.7	130	3	5	7	19	31	38	40
55-74	129	19.0	158	6	9	16	26	36	45	88	29	9.2	52	2	3	7	14	19	24	29
75 +	30	23.0	96	7	17	24	30	35	36	38	6	16.5	52	8	9	16	24	25	25	25
ALL AGES	531	16.6	172	4	7	14	23	35	46	87	88	11.2	88	2	4	7	16	27	30	39
B. FEMALE																				
0-12 YRS.	13	29.2	319	3	18	31	43	52	57	58	1	70.0		70	70	70	70	70	70	70
13-17	77	22.6	284	4	9	18	35	46	55	68	9	6.0	41	1	1	3	9	16	20	20
18-24	74	13.2	187	2	4	8	19	33	39	71	24	11.3	108	2	3	6	16	28	32	36
25-34	200	14.1	142	3	5	10	21	30	35	52	55	11.2	173	1	2	5	17	29	32	70
35-54	352	16.9	161	4	8	14	22	32	40	62	112	13.0	126	3	5	9	17	30	34	50
55-74	321	20.0	213	6	10	17	26	40	53	72	68	12.2	72	4	6	10	16	25	29	39
75 +	145	24.6	252	8	13	21	34	46	57	73	25	10.6	94	3	5	8	14	19	30	48
ALL AGES	1182	18.5	206	4	8	15	25	38	49	68	294	12.1	127	2	5	8	16	28	32	54
SUBTOTAL	**1713**	**17.9**	**197**	**4**	**8**	**15**	**24**	**36**	**47**	**70**	**382**	**11.9**	**118**	**2**	**5**	**8**	**16**	**28**	**31**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	24	29.8	299	14	16	29	36	44	61	93	1	1.0		1	1	50	99 +	99 +	99 +	99 +
13-17	51	29.8	391	9	14	29	45	73	97	99 +	1	92.0		92	92	96	99 +	99 +	99 +	99 +
18-24	43	10.1	54	2	3	9	15	20	23	28	8	9.6	89	3	4	6	12	26	31	31
25-34	91	13.0	98	2	6	12	17	24	30	54	17	18.1	266	2	4	10	30	35	49	56
35-54	182	18.3	212	5	8	15	22	36	51	68	26	9.1	49	3	4	6	13	18	21	32
55-74	68	16.6	109	4	11	15	21	27	34	53	9	13.4	102	3	6	10	24	28	29	29
75 +	25	20.6	100	7	15	21	27	32	40	40	11	16.0	302	5	6	11	16	43	62	64
ALL AGES	484	18.2	211	4	8	15	24	36	50	86	73	13.9	239	3	5	9	18	32	62	99 +
B. FEMALE																				
0-12 YRS.	7	28.7	386	9	18	25	54	89	99 +	99 +	2	14.5	313	2	2	14	27	27	27	27
13-17	85	27.4	448	5	12	21	43	57	75	97	4	13.5	118	5	8	29	99 +	99 +	99 +	99 +
18-24	91	19.0	231	4	7	15	29	42	60	99 +	12	12.3	146	2	2	7	19	32	36	37
25-34	211	18.6	228	3	7	16	24	42	48	76	46	13.0	148	3	5	8	18	34	40	46
35-54	284	18.3	194	4	8	14	25	39	49	62	46	12.8	192	2	3	7	18	34	44	65
55-74	150	21.0	184	7	12	19	28	39	56	99	26	12.5	158	2	4	6	20	31	40	46
75 +	49	24.6	197	10	15	20	34	47	55	62	11	10.0	59	2	4	9	11	24	24	24
ALL AGES	877	20.3	234	5	9	17	28	43	53	82	147	12.6	152	2	4	8	19	34	44	99 +
SUBTOTAL	**1361**	**19.5**	**229**	**4**	**9**	**16**	**26**	**42**	**51**	**83**	**220**	**13.0**	**181**	**2**	**4**	**8**	**19**	**34**	**46**	**99 +**
GRAND TOTAL	**3074**	**18.6**	**212**	**4**	**8**	**15**	**25**	**39**	**49**	**76**	**602**	**12.3**	**141**	**2**	**4**	**8**	**17**	**29**	**36**	**81**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	25.0	93	14	18	29	31	32	32	32										
13-17	4	28.3	726	4	7	23	49	63	63	63										
18-24	6	7.8	33	1	4	6	13	16	16	16	2	12.5	5	11	11	12	14	14	14	14
25-34	18	14.7	178	4	9	10	16	31	50	59	5	10.2	43	3	6	8	15	20	20	20
35-54	62	15.1	224	5	8	11	18	27	35	92	27	9.5	61	2	4	7	14	17	24	37
55-74	72	19.3	113	6	12	18	25	35	38	48	13	10.0	50	4	6	7	13	21	26	27
75 +	19	26.0	258	7	13	24	37	49	55	60	4	12.3	85	3	5	11	19	24	24	24
ALL AGES	184	18.0	193	5	9	14	24	36	42	70	51	10.0	54	3	5	8	14	20	24	37
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	25	23.4	374	3	9	20	31	47	60	88	6	10.5	18	4	7	12	13	15	15	15
18-24	18	11.9	177	3	4	7	12	28	46	56	5	6.6	4	4	5	7	8	9	9	9
25-34	56	12.4	92	2	6	9	18	26	32	41	35	11.9	131	2	4	8	15	27	33	57
35-54	182	13.8	79	4	7	12	18	27	30	45	95	10.8	77	3	5	9	14	19	26	50
55-74	201	20.7	165	7	12	18	28	38	44	70	52	10.6	58	3	5	9	15	22	28	31
75 +	62	22.8	221	6	12	21	30	38	55	76	10	9.0	15	4	7	8	10	15	17	17
ALL AGES	545	17.6	160	5	9	15	24	33	41	64	203	10.7	75	3	5	9	14	21	28	49
SUBTOTAL	**729**	**17.7**	**168**	**5**	**9**	**14**	**24**	**34**	**41**	**65**	**254**	**10.6**	**70**	**3**	**5**	**9**	**14**	**20**	**27**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	22.0	98	15	15	22	29	29	29	29										
13-17	12	31.7	341	15	19	24	39	62	74	76	1	60.0		60	60	60	60	60	60	60
18-24	13	16.0	162	4	7	14	22	36	44	46	2	2.5	5	1	1	2	4	4	4	4
25-34	52	13.0	141	3	6	11	16	23	33	63	7	12.1	147	1	3	7	21	31	33	33
35-54	92	16.6	161	6	9	13	20	33	43	67	9	7.1	15	3	4	7	9	13	15	15
55-74	50	20.1	161	9	11	17	25	39	46	57	7	12.1	110	1	4	8	19	28	30	30
75 +	8	15.9	148	3	9	12	21	36	41	41	3	8.0	76	2	2	4	14	18	18	18
ALL AGES	229	17.3	179	4	9	14	22	35	46	65	29	11.1	163	2	4	7	15	28	34	60
B. FEMALE																				
0-12 YRS.	4	20.3	173	1	11	25	29	29	29	29										
13-17	16	19.3	149	7	11	18	30	46	82	99 +	4	48.3	1988	8	13	86	99 +	99 +	99 +	99 +
18-24	32	20.6	367	2	5	16	27	48	62	80	4	6.3	15	2	3	6	9	11	11	11
25-34	123	15.7	149	4	7	14	21	30	34	71	28	12.2	162	2	4	8	15	26	44	58
35-54	239	16.7	187	3	7	13	22	34	42	64	45	9.0	46	2	3	8	12	20	23	29
55-74	125	21.8	195	8	12	18	28	45	50	79	19	14.0	165	3	7	8	17	36	45	50
75 +	32	23.6	166	8	12	21	35	41	45	46	8	16.6	209	3	6	12	25	40	41	41
ALL AGES	571	18.3	194	5	8	15	25	36	46	78	108	12.6	215	2	5	8	15	30	50	99 +
SUBTOTAL	**800**	**18.0**	**190**	**5**	**9**	**14**	**24**	**35**	**46**	**72**	**137**	**12.3**	**202**	**2**	**4**	**8**	**15**	**30**	**47**	**99 +**
GRAND TOTAL	**1529**	**17.9**	**178**	**5**	**9**	**14**	**24**	**35**	**43**	**72**	**391**	**11.2**	**117**	**3**	**5**	**8**	**14**	**22**	**31**	**71**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	2	18.0	2	17	17	18	19	19	19	19										
18-24	21	18.3	74	8	13	18	23	30	34	35	5	10.4	95	2	3	5	21	21	21	21
25-34	40	16.1	288	4	7	11	18	34	54	88	9	9.0	83	2	3	5	11	24	31	31
35-54	45	13.4	80	4	6	13	19	25	28	46	14	11.4	74	3	5	8	19	22	28	30
55-74	22	18.2	147	5	9	16	22	35	42	52	4	20.0	302	2	10	22	57	99 +	99 +	99 +
75 +	6	17.5	76	9	12	13	28	29	29	29										
ALL AGES	137	16.0	148	4	8	14	20	29	35	67	32	11.7	104	2	4	9	20	30	41	99 +
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	6	22.8	163	14	14	17	29	44	46	46										
18-24	12	17.8	207	5	8	15	20	40	53	55	3	6.3	11	4	4	5	9	10	10	10
25-34	55	12.8	59	4	7	12	16	24	28	36	5	8.4	7	5	6	8	10	12	12	12
35-54	115	16.0	84	6	9	15	21	25	29	54	13	8.4	43	1	5	7	11	18	24	25
55-74	74	17.5	161	6	10	15	20	31	40	80	7	8.4	63	1	4	6	10	22	25	25
75 +	10	19.7	96	7	12	19	25	33	38	38	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	273	16.1	110	5	9	15	20	28	35	54	30	7.9	34	2	4	6	10	14	25	25
SUBTOTAL	**410**	**16.1**	**121**	**5**	**9**	**14**	**20**	**28**	**35**	**56**	**62**	**9.8**	**74**	**2**	**4**	**7**	**13**	**23**	**30**	**93**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	24.0		24	24	24	24	24	24	24										
13-17																				
18-24	7	16.1	116	2	10	13	24	31	33	33										
25-34	5	16.0	368	5	5	10	20	50	50	50	1	44.0		44	44	44	44	44	44	44
35-54	22	13.5	91	5	6	11	17	28	35	40										
55-74	7	19.0	59	10	12	20	24	30	31	31										
75 +	2	33.0	32	29	29	33	37	37	37	37										
ALL AGES	45	16.4	121	5	9	13	24	32	38	50	1	44.0		44	44	44	44	44	44	44
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	9	12.8	32	7	8	10	19	20	21	21										
25-34	18	18.3	105	6	9	20	29	31	34	36	2	24.5	365	11	11	24	38	38	38	38
35-54	29	15.5	53	7	10	13	21	26	27	31										
55-74	16	17.6	152	5	9	15	22	31	46	53										
75 +	8	27.0	72	17	19	28	34	36	37	37										
ALL AGES	80	17.4	93	7	10	16	22	31	34	48	2	24.5	365	11	11	24	38	38	38	38
SUBTOTAL	**125**	**17.0**	**104**	**6**	**10**	**15**	**23**	**31**	**35**	**51**	**3**	**31.0**	**309**	**11**	**18**	**38**	**42**	**44**	**44**	**44**
GRAND TOTAL	**535**	**16.3**	**117**	**5**	**9**	**14**	**21**	**29**	**35**	**53**	**65**	**10.8**	**100**	**2**	**4**	**7**	**13**	**25**	**39**	**91**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	48.0		48	48	48	48	48	48	48	1	5.0		5	5	5	5	5	5	5
18-24	5	10.0	54	2	3	9	17	18	18	18										
25-34	10	11.8	60	3	6	10	17	23	27	27	4	7.8	4	6	6	7	9	11	11	11
35-54	21	14.0	89	3	7	12	23	27	30	31	1	23.0		23	23	23	23	23	23	23
55-74	14	21.9	140	10	11	18	30	43	44	44	1	12.0		12	12	12	12	12	12	12
75 +	2	17.5	221	7	7	17	28	28	28	28	1	10.0		10	10	10	10	10	10	10
ALL AGES	53	16.1	125	3	8	14	23	30	41	48	8	10.1	34	5	6	9	11	20	23	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	8	16.1	126	7	8	11	25	34	34	34										
25-34	23	12.1	65	4	5	11	17	23	30	33	5	19.6	468	7	8	11	25	58	58	58
35-54	50	17.2	138	5	8	14	24	37	41	47	12	10.3	69	2	4	7	16	24	26	26
55-74	34	21.9	249	8	11	16	27	52	58	62	2	18.5	265	7	7	18	30	30	30	30
75 +	8	14.4	47	6	9	13	19	24	26	26										
ALL AGES	123	17.3	156	5	9	13	22	34	44	59	19	13.6	181	3	5	8	16	28	45	58
SUBTOTAL	**176**	**16.9**	**147**	**5**	**8**	**14**	**23**	**33**	**43**	**58**	**27**	**12.6**	**136**	**4**	**6**	**8**	**15**	**25**	**34**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	37.0		37	37	37	37	37	37	37										
18-24	1	19.0		19	19	19	19	19	19	19	1	7.0		7	7	7	7	7	7	7
25-34	14	15.6	130	2	6	14	25	32	35	36	1	6.0		6	6	6	6	6	6	6
35-54	17	15.6	39	8	12	14	19	23	29	32	4	14.0	184	4	6	9	22	34	34	34
55-74	9	19.9	419	6	9	11	22	56	60	60	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	42	17.1	152	6	9	14	20	33	43	60	7	10.4	113	4	5	7	9	29	34	34
B. FEMALE																				
0-12 YRS.																				
13-17	3	21.3	483	4	6	14	38	46	46	46										
18-24	8	12.8	22	7	10	12	14	20	23	23										
25-34	20	18.0	235	4	7	14	20	34	53	70	8	12.5	103	4	5	7	19	29	32	32
35-54	33	21.4	247	7	13	16	29	37	42	85	3	10.0	108	4	4	4	18	22	22	22
55-74	7	32.0	336	20	22	25	33	65	72	72	1	5.0		5	5	5	5	5	5	5
75 +	7	36.9	158	20	25	36	48	52	53	53										
ALL AGES	78	22.0	255	6	12	17	29	41	51	81	12	11.3	89	4	4	6	19	25	31	32
SUBTOTAL	**120**	**20.3**	**222**	**6**	**11**	**15**	**27**	**37**	**50**	**76**	**19**	**10.9**	**94**	**4**	**4**	**6**	**16**	**28**	**33**	**34**
GRAND TOTAL	**296**	**18.3**	**179**	**5**	**9**	**15**	**24**	**36**	**45**	**66**	**46**	**11.9**	**117**	**4**	**5**	**8**	**15**	**26**	**32**	**58**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17	3	28.3	1139	1	5	18	54	66	66	66										
18-24	6	21.0	283	8	8	14	32	48	50	50	1	14.0		14	14	14	14	14	14	14
25-34	12	13.7	51	6	9	14	16	23	30	31	1	8.0		8	8	8	8	8	8	8
35-54	19	13.4	42	5	9	13	17	22	27	30	1	14.0		14	14	14	14	14	14	14
55-74	12	17.2	335	3	6	12	22	38	65	70	2	5.5	5	4	4	5	7	7	7	7
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	54	16.0	181	5	8	13	17	30	46	70	5	9.4	20	4	6	8	14	14	14	14
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	5	18.0	106	5	12	14	28	29	29	29										
18-24	5	11.4	16	7	8	10	15	17	17	17										
25-34	13	16.7	327	3	5	11	19	51	59	61	1	6.0		6	6	6	6	6	6	6
35-54	36	17.6	156	4	9	15	25	38	46	48	9	9.7	46	2	4	7	15	20	20	20
55-74	16	22.8	79	13	16	21	27	33	43	47	1	15.0		15	15	15	15	15	15	15
75 +	3	31.3	223	15	20	35	42	44	44	44	2	11.5	85	5	5	11	18	18	18	18
ALL AGES	79	18.6	161	5	9	15	26	37	47	58	13	10.1	42	2	5	7	16	19	20	20
SUBTOTAL	**133**	**17.5**	**171**	**5**	**9**	**14**	**21**	**33**	**48**	**67**	**18**	**9.9**	**34**	**3**	**5**	**8**	**14**	**19**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	30.2	170	15	19	30	40	48	48	48										
13-17	1	27.0		27	27	27	27	27	27	27										
18-24	1	34.0		34	34	34	34	34	34	34										
25-34	5	16.0	134	4	9	11	23	34	34	34	2	15.5	25	12	12	15	19	19	19	19
35-54	9	31.0	587	7	10	23	54	67	72	72	1	8.0		8	8	8	8	8	8	8
55-74	3	23.3	308	4	10	28	35	38	38	38	1	38.0		38	38	38	38	38	38	38
75 +																				
ALL AGES	24	26.7	322	6	11	24	36	53	64	72	4	19.3	174	8	10	15	28	38	38	38
B. FEMALE																				
0-12 YRS.	1	70.0		70	70	70	70	70	70	70										
13-17	4	28.0	102	14	21	30	34	38	38	38										
18-24	4	21.3	48	11	16	23	26	27	27	27										
25-34	7	20.1	310	9	10	16	18	51	59	59	4	14.5	102	5	7	12	22	28	28	28
35-54	27	18.1	167	8	10	14	19	37	44	59	1	34.0		34	34	34	34	34	34	34
55-74	9	11.6	106	2	6	8	14	30	32	32										
75 +	3	41.7	642	14	22	47	60	64	64	64										
ALL AGES	55	20.5	252	8	10	15	27	41	59	70	5	18.4	152	5	8	16	29	34	34	34
SUBTOTAL	**79**	**22.4**	**277**	**8**	**10**	**17**	**31**	**48**	**60**	**71**	**9**	**18.8**	**142**	**6**	**9**	**16**	**29**	**36**	**38**	**38**
GRAND TOTAL	**212**	**19.3**	**216**	**5**	**9**	**15**	**25**	**38**	**50**	**70**	**27**	**12.9**	**83**	**4**	**6**	**12**	**17**	**26**	**35**	**38**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	21.5	421	7	7	21	36	36	36	36										
13-17	3	34.3	178	20	24	37	44	46	46	46										
18-24	13	19.9	198	6	10	17	29	41	51	53	5	18.4	778	3	4	5	25	68	68	68
25-34	18	15.2	112	3	8	16	22	25	37	44	10	8.3	19	2	6	8	12	14	15	15
35-54	27	15.3	197	2	4	13	20	35	44	61	12	8.4	35	2	4	6	14	17	18	18
55-74	12	20.2	133	6	10	18	32	36	37	37	1	18.0		18	18	18	18	18	18	18
75 +	6	11.7	11	7	10	11	14	17	17	17										
ALL AGES	81	17.3	166	3	8	16	21	36	42	59	28	10.5	153	2	4	7	13	18	23	68
B. FEMALE																				
0-12 YRS.	3	20.3	167	11	12	15	30	35	35	35										
13-17	5	29.4	277	8	16	29	44	49	49	49										
18-24	10	13.9	43	3	11	14	19	21	22	22	1	3.0		3	3	3	3	3	3	3
25-34	21	10.3	45	3	6	9	14	20	25	28	5	5.0	10	1	2	5	8	8	8	8
35-54	74	16.8	123	6	9	16	20	29	41	59	22	9.5	102	1	3	6	15	18	31	45
55-74	55	18.1	227	2	9	15	21	40	57	65	9	13.6	212	2	4	12	15	37	49	49
75 +	8	26.6	155	15	18	24	30	48	53	53	1	5.0		5	5	5	5	5	5	5
ALL AGES	176	17.1	159	5	9	15	21	31	48	61	38	9.6	113	1	3	6	13	19	36	49
SUBTOTAL	**257**	**17.2**	**159**	**4**	**8**	**15**	**21**	**35**	**45**	**61**	**66**	**10.0**	**128**	**2**	**3**	**7**	**13**	**18**	**27**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	20.0	194	3	7	21	33	34	34	34										
13-17	5	19.2	95	10	11	19	25	34	34	34										
18-24	2	21.5	1	21	21	21	22	22	22	22	2	7.0	18	4	4	7	10	10	10	10
25-34	9	12.7	217	3	5	8	12	36	51	51										
35-54	19	15.3	50	6	11	15	20	26	28	28	2	8.0	8	6	6	8	10	10	10	10
55-74	6	18.3	229	3	4	16	27	41	43	43	2	7.5	25	4	4	7	11	11	11	11
75 +																				
ALL AGES	46	16.4	116	4	9	14	22	32	36	51	6	7.5	10	4	4	8	10	11	11	11
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	6	24.8	535	4	14	16	32	64	68	68										
18-24	10	13.2	136	1	3	11	17	31	38	38	3	13.7	55	5	8	18	18	18	18	18
25-34	17	11.2	84	2	5	7	17	24	30	33	1	30.0		30	30	30	30	30	30	30
35-54	21	14.3	95	3	6	14	21	34	65	99 +	7	10.9	77	2	3	10	17	24	25	25
55-74	13	25.8	183	13	19	22	31	45	56	59	1	16.0		16	16	16	16	16	16	16
75 +	2	13.5	41	9	9	13	18	18	18	18	1	1.0		1	1	1	1	1	1	1
ALL AGES	70	16.4	169	3	6	15	22	33	42	93	13	12.6	89	2	3	15	18	26	29	30
SUBTOTAL	**116**	**16.4**	**147**	**3**	**7**	**15**	**22**	**33**	**42**	**79**	**19**	**11.0**	**68**	**2**	**4**	**10**	**17**	**22**	**28**	**30**
GRAND TOTAL	**373**	**16.9**	**157**	**4**	**8**	**15**	**21**	**34**	**43**	**62**	**85**	**10.2**	**114**	**2**	**4**	**7**	**14**	**18**	**26**	**61**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	34.0		34	34	34	34	34	34	34										
13-17	2	15.5	5	14	14	15	17	17	17	17										
18-24	6	23.3	125	11	16	21	32	39	40	40										
25-34	9	15.0	132	3	7	13	19	33	41	41										
35-54	15	13.3	106	4	7	9	17	24	39	44	2	8.0	98	1	1	8	15	15	15	15
55-74	7	11.9	87	1	4	10	16	26	29	29	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	40	15.6	116	4	8	14	19	33	40	44	3	5.7	65	1	1	1	11	15	15	15
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	3	15.7	139	2	7	22	23	23	23	23										
18-24	13	12.6	80	6	8	8	14	30	31	31										
25-34	19	15.7	98	5	9	13	21	31	38	40	2	9.0	32	5	5	9	13	13	13	13
35-54	38	14.3	97	4	8	14	19	26	45	99 +	12	8.0	33	2	3	7	13	16	18	18
55-74	24	14.4	68	6	10	13	17	27	34	38	9	6.2	12	1	4	6	8	11	13	13
75 +	4	12.8	241	3	4	6	21	36	36	36										
ALL AGES	102	14.7	102	5	8	12	20	30	37	75	23	7.4	23	2	4	7	12	14	16	18
SUBTOTAL	**142**	**15.0**	**104**	4	**8**	**13**	**20**	**31**	**39**	**55**	**26**	**7.2**	**26**	**1**	**3**	**6**	**13**	**15**	**16**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	21.5	221	11	11	21	32	32	32	32										
13-17	2	33.0	242	22	22	33	44	44	44	44										
18-24	3	16.0	169	8	8	9	25	31	31	31	1	3.0		3	3	3	3	3	3	3
25-34	9	16.0	59	6	11	14	23	26	26	26										
35-54	17	12.5	92	4	6	9	15	28	33	36	1	2.0		2	2	2	2	2	2	2
55-74	3	12.7	31	8	9	11	17	19	19	19	1	3.0		3	3	3	3	3	3	3
75 +	3	9.3	6	8	8	8	11	12	12	12										
ALL AGES	39	14.9	98	5	8	11	21	30	34	44	3	2.7		2	2	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	4	20.0	105	7	12	21	28	30	30	30										
18-24	8	16.4	44	9	13	15	18	27	30	30										
25-34	18	16.8	131	5	8	15	21	34	41	44	2	12.5	85	6	6	12	19	19	19	19
35-54	28	18.0	296	7	11	13	18	31	44	95	1	4.0		4	4	4	4	4	4	4
55-74	12	20.4	84	7	16	21	25	33	35	35	3	13.0	229	1	3	8	24	30	30	30
75 +	2	27.5	265	16	16	27	39	39	39	39										
ALL AGES	72	18.3	174	7	11	16	23	32	38	84	6	11.3	122	1	4	7	19	29	30	30
SUBTOTAL	**111**	**17.1**	**149**	**6**	**9**	**14**	**23**	**31**	**36**	**64**	**9**	**8.4**	**96**	**1**	**3**	**4**	**11**	**26**	**30**	**30**
GRAND TOTAL	**253**	**15.9**	**125**	**5**	**8**	**14**	**21**	**31**	**37**	**52**	**35**	**7.5**	**42**	**1**	**3**	**6**	**12**	**15**	**19**	**30**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	41.0		41	41	41	41	41	41	41										
13-17																				
18-24	1	70.0		70	70	70	70	70	70	70										
25-34																				
35-54	4	15.5	119	2	7	16	24	27	27	27	3	11.0	1	10	10	11	12	12	12	12
55-74	1	34.0		34	34	34	34	34	34	34										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	9	29.3	408	6	15	27	41	58	70	70	3	11.0	1	10	10	11	12	12	12	12
B. FEMALE																				
0-12 YRS.	2	15.5	365	2	2	15	29	29	29	29										
13-17	3	25.3	597	7	9	16	44	53	53	53										
18-24	3	22.7	64	17	17	19	29	32	32	32										
25-34	4	24.0	398	8	11	17	36	53	53	53	1	6.0		6	6	6	6	6	6	6
35-54	8	14.8	37	8	10	13	19	24	26	26	3	21.3	263	4	9	24	33	36	36	36
55-74	7	27.9	208	9	23	25	38	48	50	50	3	12.7	69	3	6	17	18	18	18	18
75 +	4	26.3	293	11	12	23	40	48	48	48	1	11.0		11	11	11	11	11	11	11
ALL AGES	31	22.2	207	7	12	19	28	49	53	53	8	14.9	127	3	5	14	21	32	36	36
SUBTOTAL	**40**	**23.8**	**252**	**7**	**12**	**20**	**32**	**49**	**53**	**70**	**11**	**13.8**	**94**	**4**	**7**	**11**	**18**	**29**	**35**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.0	162	2	2	11	20	20	20	20	2	10.0	162	1	1	10	19	19	19	19
25-34	4	5.5	10	2	3	5	8	9	9	9										
35-54	5	25.0	77	13	17	28	32	34	34	34	1	7.0		7	7	7	7	7	7	7
55-74	2	43.5	13	41	41	43	46	46	46	46	2	4.0	2	3	3	4	5	5	5	5
75 +	1	27.0		27	27	27	27	27	27	27	1	11.0		11	11	11	11	11	11	11
ALL AGES	14	20.2	215	2	7	19	31	41	45	46	6	7.7	42	1	3	6	11	18	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	2	20.0	8	18	18	20	22	22	22	22										
25-34	7	19.4	305	3	9	16	24	49	55	55	1	8.0		8	8	8	8	8	8	8
35-54	5	24.6	241	6	14	19	39	44	44	44	5	5.8	31	2	2	3	9	15	15	15
55-74	3	14.7	1	14	14	15	15	15	15	15	5	11.2	163	2	3	5	17	33	33	33
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	18	19.2	193	4	14	16	22	42	51	55	12	8.6	77	2	3	6	11	20	31	33
SUBTOTAL	**32**	**19.7**	**194**	**3**	**8**	**17**	**27**	**42**	**46**	**55**	**18**	**8.3**	**62**	**2**	**3**	**6**	**11**	**16**	**27**	**33**
GRAND TOTAL	**72**	**22.0**	**226**	**5**	**12**	**18**	**30**	**45**	**52**	**67**	**29**	**10.4**	**78**	**2**	**4**	**8**	**13**	**22**	**33**	**36**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	2	13.0	2	12	12	13	14	14	14	14										
SUBTOTAL	**2**	**13.0**	**2**	**12**	**12**	**13**	**14**	**14**	**14**	**14**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
GRAND TOTAL	**3**	**11.0**	**13**	**7**	**8**	**12**	**13**	**14**	**14**	**14**										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54																				
55-74	4	14.3	8	11	11	14	17	17	17	17	1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	4	14.3	8	11	11	14	17	17	17	17	2	9.5	25	6	6	9	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	6.3	17	2	3	5	9	12	12	12										
35-54	8	14.5	130	7	9	11	13	34	42	42	1	3.0		3	3	3	3	3	3	3
55-74	3	10.7	20	8	8	8	14	16	16	16	1	2.0		2	2	2	2	2	2	2
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	16	11.6	78	5	7	10	13	16	34	42	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**20**	**12.1**	**65**	**5**	**8**	**11**	**13**	**17**	**30**	**42**	**4**	**6.0**	**25**	**2**	**2**	**4**	**9**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	14.0		14	14	14	14	14	14	14										
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11										
75 +											1	24.0		24	24	24	24	24	24	24
ALL AGES	2	12.5	5	11	11	12	14	14	14	14	1	24.0		24	24	24	24	24	24	24
SUBTOTAL	**3**	**8.7**	**45**	**1**	**3**	**11**	**13**	**14**	**14**	**14**	**2**	**14.5**	**181**	**5**	**5**	**14**	**24**	**24**	**24**	**24**
GRAND TOTAL	**23**	**11.7**	**61**	**4**	**8**	**11**	**14**	**17**	**26**	**42**	**6**	**8.8**	**71**	**2**	**3**	**5**	**13**	**23**	**24**	**24**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	4	15.3	45	9	11	13	19	25	25	25										
75 +	2	10.0	72	4	4	10	16	16	16	16										
ALL AGES	7	13.1	44	5	9	13	15	23	25	25										
SUBTOTAL	**7**	**13.1**	**44**	**5**	**9**	**13**	**15**	**23**	**25**	**25**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	2	14.5	25	11	11	14	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**14.5**	**25**	**11**	**11**	**14**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**9**	**13.4**	**37**	**6**	**10**	**13**	**16**	**22**	**25**	**25**										

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	37.0		37	37	37	37	37	37	37
55-74																				
75 +																				
ALL AGES											1	37.0		37	37	37	37	37	37	37
SUBTOTAL											**1**	**37.0**		**37**	**37**	**37**	**37**	**37**	**37**	**37**
GRAND TOTAL											**1**	**37.0**		**37**	**37**	**37**	**37**	**37**	**37**	**37**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	11.5	113	4	4	11	19	19	19	19										
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	3	10.7	57	4	5	9	16	19	19	19										
SUBTOTAL	**3**	**10.7**	**57**	**4**	**5**	**9**	**16**	**19**	**19**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	10.7	57	4	5	9	16	19	19	19										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	74.0		74	74	74	74	74	74	74										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	10	11.2	48	3	7	8	18	21	22	22	1	8.0		8	8	8	8	8	8	8
35-54	12	13.5	83	6	8	11	15	27	36	38										
55-74	8	16.4	211	4	5	11	25	40	43	43	3	6.7	12	3	4	7	9	10	10	10
75 +																				
ALL AGES	31	15.5	215	5	7	11	18	36	43	74	5	5.8	14	1	2	7	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.5	13	2	2	4	7	7	7	7										
18-24																				
25-34	9	10.3	87	1	4	7	14	25	31	31										
35-54	11	13.5	79	4	7	14	17	25	34	35	5	3.0	1	2	2	3	3	4	4	4
55-74	28	16.5	152	8	10	14	17	35	45	60	2	3.0	2	2	2	3	4	4	4	4
75 +	13	25.5	404	9	13	17	34	47	76	83	2	8.5	13	6	6	8	11	11	11	11
ALL AGES	63	16.6	196	4	8	14	17	34	40	80	9	4.2	8	2	3	3	5	9	11	11
SUBTOTAL	**94**	**16.2**	**201**	**5**	**8**	**13**	**17**	**34**	**42**	**79**	**14**	**4.8**	**10**	**2**	**3**	**4**	**7**	**10**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	6.0	50	1	1	6	11	11	11	11										
25-34	5	19.2	440	2	3	15	29	54	54	54										
35-54	9	7.9	61	3	4	5	8	21	28	28										
55-74	2	22.5	113	15	15	22	30	30	30	30	1	10.0		10	10	10	10	10	10	10
75 +	2	16.0	18	13	13	16	19	19	19	19	1	3.0		3	3	3	3	3	3	3
ALL AGES	20	12.8	166	2	4	8	17	29	42	54	2	6.5	25	3	3	6	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	1	38.0		38	38	38	38	38	38	38										
25-34	3	24.7	392	2	10	33	37	39	39	39	1	10.0		10	10	10	10	10	10	10
35-54	9	15.8	218	5	6	10	19	41	49	49	2	8.5	13	6	6	8	11	11	11	11
55-74	13	23.8	314	3	6	27	33	50	55	56	1	8.0		8	8	8	8	8	8	8
75 +	9	18.2	135	3	8	23	23	33	39	39	2	4.0		4	4	4	4	4	4	4
ALL AGES	36	20.2	244	2	6	19	30	39	49	56	6	7.2	8	4	4	7	10	11	11	11
SUBTOTAL	**56**	**17.6**	**224**	**2**	**5**	**13**	**28**	**39**	**49**	**56**	**8**	**7.0**	**10**	**3**	**4**	**7**	**10**	**11**	**11**	**11**
GRAND TOTAL	**150**	**16.7**	**210**	**3**	**7**	**13**	**22**	**37**	**43**	**74**	**22**	**5.6**	**10**	**2**	**3**	**4**	**8**	**10**	**11**	**11**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	20.0		20	20	20	20	20	20	20
18-24	1	27.0		27	27	27	27	27	27	27										
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9	2	5.5	1	5	5	5	6	6	6	6
55-74											1	22.0		22	22	22	22	22	22	22
75 +											2	14.0	18	11	11	14	17	17	17	17
ALL AGES	2	18.0	162	9	9	18	27	27	27	27	6	13.5	52	5	6	14	20	22	22	22
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7	2	9.5	41	5	5	9	14	14	14	14
35-54	2	9.5	1	9	9	9	10	10	10	10	3	7.0	19	4	4	5	10	12	12	12
55-74	2	6.0	2	5	5	6	7	7	7	7										
75 +	1	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
ALL AGES	6	6.5	10	1	5	7	9	10	10	10	7	7.3	20	2	4	5	11	14	14	14
SUBTOTAL	**8**	**9.4**	**58**	**2**	**6**	**8**	**10**	**22**	**27**	**27**	**13**	**10.2**	**41**	**4**	**5**	**9**	**15**	**20**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-24	1	15.0		15	15	15	15	15	15	15										
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15	1	2.0		2	2	2	2	2	2	2
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	17.7	20	15	15	15	21	23	23	23	2	4.0	8	2	2	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	13.3	30	9	9	12	17	21	21	21										
35-54	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
55-74											1	22.0		22	22	22	22	22	22	22
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	6	10.3	45	2	8	9	14	20	21	21	2	13.5	145	5	5	13	22	22	22	22
SUBTOTAL	**9**	**12.8**	**46**	**4**	**9**	**14**	**17**	**22**	**23**	**23**	**4**	**8.8**	**80**	**2**	**3**	**5**	**14**	**22**	**22**	**22**
GRAND TOTAL	**17**	**11.2**	**52**	**2**	**7**	**9**	**15**	**23**	**26**	**27**	**17**	**9.8**	**48**	**3**	**5**	**6**	**15**	**21**	**22**	**22**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	9.0		9	9	9	9	9	9	9
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	2	12.5	265	1	1	12	24	24	24	24	3	6.3	21	2	3	6	10	11	11	11
75 +											3	9.7	36	3	5	11	14	15	15	15
ALL AGES	3	9.0	169	1	1	2	18	24	24	24	7	8.1	23	2	4	9	11	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
25-34											2	5.0	2	4	4	5	6	6	6	6
35-54	3	6.7	6	4	5	7	8	9	9	9	3	5.0	1	4	4	5	6	6	6	6
55-74	4	11.8	72	4	6	9	17	24	24	24	4	6.3	2	4	5	6	7	8	8	8
75 +	1	22.0		22	22	22	22	22	22	22	4	5.3	1	4	4	5	6	7	7	7
ALL AGES	9	10.9	52	4	6	9	13	23	24	24	15	4.9	4	2	4	5	6	7	8	8
SUBTOTAL	**12**	**10.4**	**70**	**2**	**4**	**9**	**16**	**24**	**24**	**24**	**22**	**6.0**	**10**	**2**	**4**	**5**	**7**	**11**	**13**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	3	7.3	38	2	3	6	12	14	14	14
55-74	1	9.0		9	9	9	9	9	9	9	2	16.5	265	5	5	16	28	28	28	28
75 +	2	14.0	242	3	3	14	25	25	25	25	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	4	10.0	108	3	3	6	17	25	25	25	7	9.0	85	2	3	5	12	25	28	28
SUBTOTAL	**5**	**8.4**	**94**	**2**	**3**	**3**	**13**	**25**	**25**	**25**	**9**	**7.4**	**75**	**1**	**3**	**5**	**8**	**22**	**28**	**28**
GRAND TOTAL	**17**	**9.8**	**73**	**2**	**3**	**9**	**13**	**24**	**25**	**25**	**31**	**6.4**	**28**	**2**	**3**	**5**	**7**	**12**	**15**	**28**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**3.0**	**8**	**1**	**1**	**3**	**5**	**5**	**5**	**5**
GRAND TOTAL	**3**	**4.3**	**7**	**2**	**2**	**4**	**6**	**7**	**7**	**7**	**3**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											2	6.0	18	3	3	6	9	9	9	9
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	3	7.0	4	5	5	7	8	9	9	9	3	8.0	21	3	4	9	11	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	16.5	265	5	5	16	28	28	28	28	3	6.3	13	3	4	6	9	10	10	10
55-74	2	11.5	61	6	6	11	17	17	17	17	3	5.7	9	3	3	5	8	9	9	9
75 +											2	10.0	50	5	5	10	15	15	15	15
ALL AGES	5	11.6	116	2	4	6	20	28	28	28	8	7.0	17	3	4	6	9	13	15	15
SUBTOTAL	**8**	**9.9**	**73**	**3**	**5**	**6**	**13**	**25**	**28**	**28**	**11**	**7.3**	**16**	**3**	**4**	**6**	**10**	**13**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	2	9.0	32	5	5	9	13	13	13	13	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	4	11.3	16	5	9	13	14	14	14	14	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**5**	**11.4**	**13**	**5**	**10**	**13**	**13**	**14**	**14**	**14**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**13**	**10.5**	**47**	**4**	**5**	**9**	**13**	**19**	**26**	**28**	**12**	**7.0**	**16**	**3**	**4**	**6**	**10**	**13**	**15**	**15**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	13.5	41	9	9	13	18	18	18	18										
ALL AGES	2	13.5	41	9	9	13	18	18	18	18										
SUBTOTAL	**2**	**13.5**	**41**	**9**	**9**	**13**	**18**	**18**	**18**	**18**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**13.5**	**41**	**9**	**9**	**13**	**18**	**18**	**18**	**18**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	16.5	100	6	8	17	25	26	26	26										
18-24	5	5.0	4	2	4	5	6	7	7	7										
25-34	4	10.0	5	8	8	9	11	13	13	13	1	6.0		6	6	6	6	6	6	6
35-54	7	8.1	22	2	5	9	11	14	15	15	2	6.0	18	3	3	6	9	9	9	9
55-74	4	14.8	36	6	10	16	19	20	20	20										
75 +	1	13.0		13	13	13	13	13	13	13	1	9.0		9	9	9	9	9	9	9
ALL AGES	25	10.4	41	5	6	9	14	20	24	26	4	6.8	7	3	4	7	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	4	23.8	271	1	11	28	36	37	37	37										
18-24	6	10.5	24	4	7	10	15	17	17	17										
25-34	21	6.9	15	2	3	7	10	12	13	14										
35-54	17	12.2	35	5	8	11	16	21	24	25	1	5.0		5	5	5	5	5	5	5
55-74	7	14.7	164	3	4	10	22	35	38	38										
75 +	6	9.8	13	5	7	10	13	14	14	14	1	10.0		10	10	10	10	10	10	10
ALL AGES	61	11.0	67	3	5	9	14	22	29	38	2	7.5	13	5	5	7	10	10	10	10
SUBTOTAL	**86**	**10.8**	**59**	**3**	**6**	**9**	**14**	**22**	**25**	**38**	**6**	**7.0**	**8**	**3**	**5**	**7**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	7	11.0	33	5	7	10	16	19	20	20										
25-34	3	4.3	3	3	3	4	5	6	6	6	1	3.0		3	3	3	3	3	3	3
35-54	4	7.3	21	4	4	6	10	14	14	14	1	10.0		10	10	10	10	10	10	10
55-74	2	6.0	8	4	4	6	8	8	8	8	1	3.0		3	3	3	3	3	3	3
75 +	2	11.5	25	8	8	11	15	15	15	15	1	10.0		10	10	10	10	10	10	10
ALL AGES	19	8.4	25	4	4	7	11	16	19	20	4	6.5	16	3	3	6	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	3	8.0	31	2	4	9	12	13	13	13										
18-24	3	11.0	13	7	8	12	13	14	14	14										
25-34	12	8.8	33	2	5	8	10	16	23	24										
35-54	13	11.8	55	3	7	10	17	24	26	26	1	1.0		1	1	1	1	1	1	1
55-74	3	12.3	44	6	7	12	17	19	19	19	1	11.0		11	11	11	11	11	11	11
75 +	1	14.0		14	14	14	14	14	14	14	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	36	10.5	37	2	6	10	13	19	24	26	4	4.8	18	1	2	3	7	11	11	11
SUBTOTAL	**55**	**9.8**	**33**	**3**	**6**	**9**	**13**	**19**	**22**	**26**	**8**	**5.6**	**16**	**1**	**3**	**4**	**10**	**11**	**11**	**11**
GRAND TOTAL	**141**	**10.4**	**49**	**3**	**6**	**9**	**13**	**19**	**24**	**37**	**14**	**6.2**	**12**	**2**	**3**	**5**	**10**	**10**	**11**	**11**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	13.4	467	1	2	6	11	50	66	66	1	3.0		3	3	3	3	3	3	3
13-17	22	22.0	627	3	7	12	22	67	86	88	3	9.7	29	4	5	10	14	15	15	15
18-24	16	11.6	59	3	5	11	15	23	27	29	10	7.6	39	2	4	5	12	18	21	21
25-34	14	10.1	87	1	2	7	16	22	30	32	22	4.9	20	1	2	4	5	13	16	16
35-54	33	11.4	85	2	5	9	15	25	30	42	19	6.1	30	1	3	4	10	14	18	21
55-74	37	8.8	79	2	4	6	11	19	23	50	29	5.0	25	1	2	3	6	14	15	21
75 +	37	11.4	87	2	5	10	16	21	27	49	30	7.8	116	3	4	5	8	15	60	99 +
ALL AGES	167	12.2	180	2	5	9	15	23	39	81	114	6.2	50	2	3	4	7	14	18	75
B. FEMALE																				
0-12 YRS.	3	7.0	43	1	3	10	57	99 +	99 +	99 +	3	2.7	2	1	1	3	4	4	4	4
13-17	5	8.2	38	2	3	6	13	17	17	17	5	23.2	784	2	3	6	47	64	64	64
18-24	23	12.1	58	5	7	11	16	23	27	34	5	7.0	51	2	2	4	11	19	19	19
25-34	38	10.9	90	3	5	8	13	23	35	42	11	5.1	12	1	2	4	7	11	11	11
35-54	60	11.4	127	3	5	8	13	22	31	64	26	7.0	21	2	3	6	12	14	15	16
55-74	57	11.6	110	2	4	9	16	29	36	96	57	6.8	70	2	3	5	7	13	16	51
75 +	69	12.9	134	2	4	9	17	33	40	89	52	8.1	92	2	3	5	9	14	20	59
ALL AGES	255	11.7	110	2	5	9	15	27	39	97	159	7.6	88	2	3	5	8	14	18	58
SUBTOTAL	**422**	**11.9**	**138**	**2**	**5**	**9**	**15**	**26**	**38**	**85**	**273**	**7.0**	**73**	**2**	**3**	**5**	**8**	**14**	**18**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	13.5	265	2	2	13	25	25	25	25										
13-17	10	30.4	605	2	17	25	44	67	84	84	2	27.5	1405	1	1	27	54	54	54	54
18-24	11	9.8	27	2	7	9	12	18	19	19	2	11.5	13	9	9	11	14	14	14	14
25-34	14	8.1	48	1	4	5	12	19	23	24	5	5.8	19	1	3	5	7	13	13	13
35-54	17	14.3	280	3	5	8	13	37	57	67	8	9.4	49	2	3	7	16	18	19	19
55-74	22	11.9	241	2	4	8	14	20	45	76	12	4.8	8	2	3	4	6	8	12	13
75 +	9	22.6	735	5	6	11	55	91	99 +	99 +	15	6.3	12	2	4	7	8	9	13	15
ALL AGES	85	14.8	311	2	5	9	17	38	69	94	44	7.6	72	2	3	5	9	15	18	54
B. FEMALE																				
0-12 YRS.																				
13-17	3	21.3	136	9	12	23	30	32	32	32	1	9.0		9	9	9	9	9	9	9
18-24	9	9.8	46	3	7	8	11	21	25	25	5	12.4	102	2	2	16	19	25	25	25
25-34	30	9.8	59	2	5	8	12	23	28	31	6	6.2	64	1	1	2	10	20	21	21
35-54	36	13.6	165	3	7	9	16	31	35	67	6	10.7	267	3	3	4	5	40	44	44
55-74	29	18.7	246	6	11	15	21	34	45	86	20	8.7	64	2	4	5	13	18	27	35
75 +	22	17.9	198	4	10	15	25	29	46	69	20	7.6	25	2	5	7	9	19	56	99 +
ALL AGES	129	14.5	164	3	7	11	18	28	34	73	58	8.6	69	2	3	6	12	20	30	95
SUBTOTAL	**214**	**14.6**	**222**	**3**	**6**	**10**	**18**	**31**	**44**	**85**	**102**	**8.1**	**71**	**2**	**3**	**5**	**10**	**17**	**23**	**76**
GRAND TOTAL	**636**	**12.8**	**168**	**2**	**5**	**9**	**16**	**27**	**39**	**84**	**375**	**7.3**	**72**	**2**	**3**	**5**	**8**	**15**	**20**	**61**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	7.0	20	2	3	7	10	13	14	14										
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	3	28.3	548	3	10	33	45	49	49	49										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	13.2	203	2	3	9	15	38	47	49										
B. FEMALE																				
0-12 YRS.	2	9.0	128	1	1	9	17	17	17	17										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.0	128	1	1	9	17	17	17	17										
SUBTOTAL	**14**	**12.6**	**184**	**1**	**3**	**9**	**17**	**35**	**46**	**49**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17																				
18-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	19.5	5	18	18	19	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**19.5**	**5**	**18**	**18**	**19**	**21**	**21**	**21**	**21**										
GRAND TOTAL	**16**	**13.4**	**167**	**1**	**3**	**10**	**18**	**32**	**44**	**49**										

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	10.4	122	3	4	6	13	23	39	45										
13-17	3	11.0	4	9	9	11	12	13	13	13										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	19	10.5	102	3	4	8	13	21	36	45										
B. FEMALE																				
0-12 YRS.	4	17.3	81	9	9	16	25	27	27	27										
13-17	3	8.7	35	3	4	8	13	15	15	15										
18-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	14.5	71	4	8	12	22	26	27	27										
SUBTOTAL	**27**	**11.7**	**93**	**3**	**4**	**9**	**15**	**24**	**30**	**45**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	30.0	709	2	10	33	49	55	55	55										
13-17	1	8.0		8	8	8	8	8	8	8										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	24.5	594	2	5	20	44	55	55	55										
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17																				
18-24	1	24.0		24	24	24	24	24	24	24										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.0	128	8	8	16	24	24	24	24										
SUBTOTAL	**6**	**21.7**	**399**	**3**	**8**	**16**	**33**	**53**	**55**	**55**										
GRAND TOTAL	**33**	**13.5**	**154**	**3**	**4**	**9**	**17**	**28**	**43**	**55**										

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	37.0		37	37	37	37	37	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**37.0**		**37**	**37**	**37**	**37**	**37**	**37**	**37**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	52.0		52	52	52	52	52	52	52										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	52.0		52	52	52	52	52	52	52										
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	**2**	**30.5**	**925**	**9**	**9**	**30**	**52**	**52**	**52**	**52**										
GRAND TOTAL	**3**	**32.7**	**473**	**9**	**16**	**37**	**48**	**52**	**52**	**52**										

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	7.5	74	1	1	4	13	21	22	22	3	2.3	1	2	2	2	3	3	3	3
18-24	9	4.2	18	1	1	2	6	11	14	14	6	2.7	2	1	2	2	3	5	5	5
25-34	9	4.1	8	1	2	3	7	8	8	8	11	3.0	1	2	2	3	4	4	4	4
35-54	23	5.7	21	1	2	5	9	13	14	15	25	3.2	6	1	2	3	4	6	9	11
55-74	11	7.1	42	2	3	5	7	19	21	21	19	2.7	2	1	1	2	4	5	6	6
75 +	6	4.5	6	1	2	5	6	7	7	7	8	2.9	2	1	2	3	4	5	5	5
ALL AGES	64	5.6	24	1	2	5	7	13	16	22	72	2.9	3	1	2	3	4	5	6	11
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	4	6.5	60	1	1	3	11	18	18	18	3	2.3	3	1	1	2	3	4	4	4
18-24	14	5.3	13	1	2	5	8	10	12	12	10	3.2	18	1	1	2	3	9	15	15
25-34	19	9.3	56	1	2	9	15	21	22	22	21	3.6	10	1	2	3	4	8	12	14
35-54	48	7.5	69	1	2	4	10	17	32	37	66	3.4	17	1	2	2	4	5	9	29
55-74	48	8.0	76	1	2	5	11	21	24	43	46	3.3	5	1	2	3	4	6	7	13
75 +	11	9.2	92	1	2	4	16	24	29	30	20	3.7	6	1	2	3	4	7	10	12
ALL AGES	145	7.9	65	1	2	5	11	18	24	37	166	3.4	11	1	2	3	4	6	9	15
SUBTOTAL	**209**	**7.2**	**54**	**1**	**2**	**5**	**9**	**17**	**22**	**35**	**238**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17											1	1.0		1	1	1	1	1	1	1
18-24	7	9.7	215	1	1	4	10	36	42	42	4	2.8	2	2	2	2	4	5	5	5
25-34	14	13.1	69	2	10	12	15	29	29	29	9	6.3	26	2	2	6	9	14	17	17
35-54	36	11.5	108	2	4	9	14	24	39	44	18	4.8	17	1	2	4	5	8	15	19
55-74	12	8.3	30	2	3	7	12	17	18	18	8	6.0	20	1	2	5	9	13	14	14
75 +	1	10.0		10	10	10	10	10	10	10	1	8.0		8	8	8	8	8	8	8
ALL AGES	71	11.0	93	2	4	9	14	22	31	44	41	5.1	18	1	2	4	7	10	15	19
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24	1	2.0		2	2	2	2	2	2	2
13-17	4	7.8	103	2	2	3	13	23	23	23										
18-24	13	8.6	59	1	3	6	15	21	23	24	7	3.3	5	1	1	4	5	6	6	6
25-34	30	13.3	114	4	6	10	20	24	27	54	17	6.1	46	1	2	4	7	19	24	25
35-54	47	12.7	76	3	6	11	16	24	31	40	29	4.4	16	2	2	3	5	7	10	22
55-74	47	12.2	115	3	3	11	16	27	36	52	30	5.8	23	2	3	4	7	11	14	25
75 +	10	13.6	67	2	7	16	18	23	27	27	6	5.3	17	2	2	4	6	12	13	13
ALL AGES	152	12.3	94	3	5	10	18	24	29	52	90	5.1	23	2	2	4	6	10	14	25
SUBTOTAL	**223**	**11.9**	**94**	**2**	**5**	**10**	**16**	**24**	**30**	**46**	**131**	**5.1**	**22**	**1**	**2**	**4**	**6**	**10**	**14**	**25**
GRAND TOTAL	**432**	**9.6**	**80**	**1**	**3**	**7**	**14**	**21**	**27**	**42**	**369**	**3.9**	**14**	**1**	**2**	**3**	**4**	**7**	**10**	**22**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	2.6	6	1	1	2	3	7	7	7	1	33.0		33	33	33	33	33	33	33
13-17	12	5.8	64	1	2	3	5	18	27	29	6	6.8	143	1	1	2	5	28	31	31
18-24	2	2.0		2	2	2	2	2	2	2	4	2.0	1	1	1	2	3	3	3	3
25-34	6	4.3	5	2	2	4	6	7	7	7										
35-54	6	7.2	82	1	2	3	8	23	25	25	5	4.8	16	1	2	4	7	11	11	11
55-74	2	4.0	8	2	2	4	6	6	6	6	1	6.0		6	6	6	6	6	6	6
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	33	5.0	39	1	2	3	6	9	23	29	18	6.6	92	1	1	3	6	25	32	33
B. FEMALE																				
0-12 YRS.	7	5.9	22	2	3	3	8	14	15	15	1	4.0		4	4	4	4	4	4	4
13-17	16	4.0	9	1	2	3	6	9	10	11	3	1.0		1	1	1	1	1	1	1
18-24	19	7.6	141	1	1	5	7	23	41	47	18	3.4	9	1	1	3	4	8	11	13
25-34	14	4.8	11	1	3	4	6	10	12	12	21	5.0	50	1	2	3	5	9	21	34
35-54	21	6.3	58	1	2	3	9	18	23	29	12	2.9	4	1	1	2	5	6	6	6
55-74	8	7.3	63	2	3	4	8	21	26	26	8	5.9	10	2	4	5	8	11	12	12
75 +											2	4.0		4	4	4	4	4	4	4
ALL AGES	85	6.0	55	1	2	3	7	12	21	42	65	4.0	22	1	2	3	4	8	11	31
SUBTOTAL	**118**	**5.7**	**51**	**1**	**2**	**3**	**6**	**12**	**23**	**37**	**83**	**4.6**	**37**	**1**	**1**	**3**	**5**	**8**	**12**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
18-24	2	7.0	8	5	5	7	9	9	9	9										
25-34	6	13.2	122	3	4	10	19	31	32	32	3	2.3	6	1	1	1	4	5	5	5
35-54	6	10.5	188	2	3	5	9	35	38	38	2	4.5	13	2	2	4	7	7	7	7
55-74	3	2.3	3	1	1	2	3	4	4	4	1	4.0		4	4	4	4	4	4	4
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	19	10.4	107	2	3	6	14	27	35	38	8	3.0	5	1	1	2	4	6	7	7
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	7	29.0	932	2	3	14	56	71	74	74										
18-24	4	28.0	2069	1	3	7	53	96	96	96	4	3.3	2	1	2	3	4	5	5	5
25-34	12	13.7	170	3	6	9	24	57	92	99 +	8	7.3	166	1	2	2	5	29	39	39
35-54	22	7.3	47	2	3	4	10	22	51	99 +	9	4.6	33	1	2	2	5	14	19	19
55-74	5	17.6	371	1	2	8	35	44	44	44	8	7.3	53	2	3	4	12	19	19	19
75 +	1	4.0		4	4	4	4	4	4	4	3	8.7	153	1	1	2	18	23	23	23
ALL AGES	52	14.2	387	2	3	6	19	49	92	99 +	32	6.1	72	1	2	3	5	19	23	39
SUBTOTAL	**71**	**13.2**	**312**	**2**	**3**	**6**	**18**	**44**	**72**	**99 +**	**40**	**5.5**	**59**	**1**	**2**	**3**	**5**	**19**	**21**	**39**
GRAND TOTAL	**189**	**8.5**	**161**	**1**	**2**	**4**	**9**	**23**	**38**	**98**	**123**	**4.9**	**44**	**1**	**2**	**3**	**5**	**9**	**19**	**35**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	8.0	98	1	1	7	15	15	15	15	1	6.0		6	6	6	6	6	6	6
35-54	2	14.5	85	8	8	14	21	21	21	21	1	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	6	10.0	66	1	1	11	15	20	21	21	2	5.0	2	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	3	14.7	445	1	2	4	30	39	39	39										
25-34	1	22.0		22	22	22	22	22	22	22	1	33.0		33	33	33	33	33	33	33
35-54	7	12.3	112	3	6	8	22	28	28	28	2	4.5	25	1	1	4	8	8	8	8
55-74	2	9.0	2	8	8	9	10	10	10	10	2	10.5	61	5	5	10	16	16	16	16
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	14	12.2	141	1	4	8	22	29	37	39	6	11.2	140	1	4	6	16	31	33	33
SUBTOTAL	**20**	**11.6**	**113**	**1**	**3**	**8**	**18**	**27**	**33**	**39**	**8**	**9.6**	**109**	**2**	**4**	**5**	**12**	**28**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24																				
25-34	3	11.7	25	6	8	13	15	16	16	16										
35-54	3	12.3	39	7	8	11	17	19	19	19	2	3.0	2	2	2	3	4	4	4	4
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	7	12.4	23	6	8	13	16	18	19	19	3	4.0	4	2	2	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	9	8.8	36	4	5	7	10	19	21	21										
35-54	3	12.0	63	3	6	15	17	18	18	18										
55-74											2	5.5	1	5	5	5	6	6	6	6
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	13	10.3	44	4	5	7	17	19	21	21	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**20**	**11.1**	**35**	**4**	**6**	**9**	**16**	**19**	**20**	**21**	**5**	**4.6**	**3**	**2**	**3**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**40**	**11.3**	**73**	**2**	**5**	**8**	**16**	**22**	**27**	**39**	**13**	**7.7**	**71**	**2**	**4**	**5**	**7**	**19**	**30**	**33**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	1	25.0		25	25	25	25	25	25	25										
18-24	4	18.8	269	2	5	18	32	37	37	37										
25-34											1	22.0		22	22	22	22	22	22	22
35-54	3	11.0	49	3	6	14	15	16	16	16	1	3.0		3	3	3	3	3	3	3
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	10	15.7	126	2	8	14	25	32	37	37	2	12.5	181	3	3	12	22	22	22	22
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	29.0		29	29	29	29	29	29	29										
18-24	1	14.0		14	14	14	14	14	14	14	1	1.0		1	1	1	1	1	1	1
25-34	2	11.0	18	8	8	11	14	14	14	14	1	22.0		22	22	22	22	22	22	22
35-54	2	17.5	221	7	7	17	28	28	28	28										
55-74	3	20.3	578	5	6	8	38	48	48	48	2	29.5	1013	7	7	29	52	52	52	52
75 +																				
ALL AGES	10	17.0	190	6	8	11	28	38	48	48	4	20.5	519	1	4	14	37	52	52	52
SUBTOTAL	**20**	**16.4**	**149**	**4**	**8**	**14**	**26**	**33**	**42**	**48**	**6**	**17.8**	**366**	**1**	**3**	**14**	**22**	**49**	**52**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	12.5	13	10	10	12	15	15	15	15										
18-24	2	6.5	1	6	6	6	7	7	7	7										
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	3	20.0	139	10	12	17	29	33	33	33	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	8	14.9	79	6	8	13	19	29	33	33	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	1	25.0		25	25	25	25	25	25	25	1	3.0		3	3	3	3	3	3	3
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	51.0	2592	15	15	51	87	87	87	87										
75 +																				
ALL AGES	7	25.3	844	2	8	15	29	76	87	87	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**15**	**19.7**	**432**	**6**	**8**	**15**	**24**	**33**	**73**	**87**	**2**	**5.5**	**13**	**3**	**3**	**5**	**8**	**8**	**8**	**8**
GRAND TOTAL	**35**	**17.8**	**264**	**5**	**8**	**14**	**25**	**33**	**45**	**87**	**8**	**14.8**	**293**	**2**	**3**	**7**	**22**	**43**	**52**	**52**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	22.3	192	10	13	19	29	38	54	59										
13-17	28	20.6	228	6	11	18	24	36	51	76	1	1.0		1	1	1	1	1	1	1
18-24	13	2.9	6	1	1	2	4	7	9	9	6	2.5	2	1	2	2	3	5	5	5
25-34	22	8.6	61	1	3	7	10	20	26	34	10	2.5	1	1	2	2	4	4	4	4
35-54	27	8.6	38	1	3	8	12	18	20	22	16	5.9	73	2	2	3	6	12	29	36
55-74	13	8.7	43	1	3	6	16	17	17	17	14	4.7	12	2	3	4	6	8	13	15
75 +	1	9.0		9	9	9	9	9	9	9	1	8.0		8	8	8	8	8	8	8
ALL AGES	119	12.6	144	1	4	10	17	28	35	64	48	4.4	29	1	2	3	5	7	12	36
B. FEMALE																				
0-12 YRS.	10	26.2	99	14	18	24	35	40	44	44	1	4.0		4	4	4	4	4	4	4
13-17	56	19.7	184	3	8	18	30	37	45	57	3	2.7	2	1	1	3	4	4	4	4
18-24	29	8.0	35	1	5	6	10	15	18	30	10	2.8	2	1	2	2	4	5	5	5
25-34	52	9.0	79	1	3	7	11	19	29	45	28	4.1	12	2	2	3	5	7	11	19
35-54	85	12.2	81	3	6	11	17	24	27	45	49	4.9	25	1	2	4	6	8	10	35
55-74	68	11.1	92	2	5	9	14	21	30	56	37	5.9	17	2	3	5	7	11	13	21
75 +	14	11.9	115	4	5	8	15	26	38	42	15	7.5	39	2	4	6	8	16	23	25
ALL AGES	314	12.8	117	2	5	9	18	29	35	50	143	5.1	20	2	2	4	6	9	13	26
SUBTOTAL	**433**	**12.8**	**123**	**2**	**5**	**9**	**17**	**29**	**35**	**53**	**191**	**4.9**	**23**	**2**	**2**	**4**	**6**	**9**	**12**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	24	20.7	163	7	12	17	27	43	45	48										
13-17	49	24.1	264	6	14	21	31	46	58	72										
18-24	27	9.1	68	1	3	6	12	25	28	29	1	5.0		5	5	5	5	5	5	5
25-34	37	10.4	68	1	4	8	15	23	28	30	3	13.0	196	3	4	7	23	29	29	29
35-54	53	12.0	193	2	4	8	15	22	33	76	8	7.9	39	1	2	8	12	17	19	19
55-74	19	13.6	39	6	9	13	19	21	24	26	5	5.0	7	3	3	4	7	9	9	9
75 +	4	14.8	89	3	8	15	21	26	26	26	1	6.0		6	6	6	6	6	6	6
ALL AGES	213	15.3	183	2	6	12	21	30	43	69	18	7.7	48	2	3	6	10	25	68	99 +
B. FEMALE																				
0-12 YRS.	11	18.5	107	7	13	14	26	34	39	40										
13-17	76	25.8	286	6	12	23	36	49	63	93										
18-24	51	12.1	138	2	3	7	19	29	30	58	7	8.6	80	2	3	3	16	22	23	23
25-34	76	10.0	68	1	3	7	16	23	27	81	15	9.9	70	2	3	8	14	24	26	27
35-54	96	14.4	160	2	5	10	20	30	39	60	34	6.9	40	2	3	4	7	17	19	29
55-74	36	10.5	42	3	5	9	15	21	22	26	18	5.2	7	3	3	5	7	9	11	11
75 +	11	16.0	72	9	10	15	20	29	36	37	5	9.6	107	3	4	6	12	28	28	28
ALL AGES	357	15.4	178	2	5	11	22	34	43	69	79	7.4	45	2	3	5	8	19	24	29
SUBTOTAL	**570**	**15.3**	**181**	**2**	**5**	**12**	**21**	**32**	**43**	**69**	**97**	**7.4**	**46**	**2**	**3**	**5**	**9**	**19**	**26**	**66**
GRAND TOTAL	**1003**	**14.2**	**158**	**2**	**5**	**11**	**20**	**31**	**38**	**65**	**288**	**5.8**	**31**	**2**	**2**	**4**	**7**	**12**	**19**	**33**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54	2	11.0	32	7	7	11	15	15	15	15										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	8.3	38	3	4	7	13	15	15	15	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**7.0**	**32**	**3**	**3**	**5**	**11**	**15**	**15**	**15**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**4**	**7.0**	**32**	**3**	**3**	**5**	**11**	**15**	**15**	**15**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	7.0		7	7	7	7	7	7	7										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	7.0		7	7	7	7	7	7	7										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	3	7.7	52	3	3	4	13	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	2	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**5**	**8.6**	**28**	**3**	**4**	**10**	**12**	**16**	**16**	**16**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	2	4.5	13	2	2	4	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**3**	**7.7**	**36**	**2**	**3**	**7**	**12**	**14**	**14**	**14**										
GRAND TOTAL	**8**	**8.3**	**26**	**2**	**3**	**8**	**12**	**15**	**16**	**16**										

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34																				
35-54	2	4.5	1	4	4	4	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	4.7		4	4	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17	1	26.0		26	26	26	26	26	26	26										
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34	3	6.3	11	4	4	5	9	10	10	10										
35-54	7	11.0	40	4	5	9	18	19	19	19	3	5.3	25	2	2	3	9	11	11	11
55-74	3	13.7	85	6	7	11	21	24	24	24	1	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	16	10.5	59	4	5	8	16	24	25	26	4	7.8	39	2	2	7	13	15	15	15
SUBTOTAL	19	9.6	54	4	4	6	13	22	25	26	4	7.8	39	2	2	7	13	15	15	15
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	2	11.0	2	10	10	11	12	12	12	12										
25-34																				
35-54	4	16.8	43	8	11	18	22	23	23	23										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	8	13.0	38	7	8	11	18	22	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	18.0		18	18	18	18	18	18	18	2	6.5	13	4	4	6	9	9	9	9
35-54	11	18.5	222	1	5	18	28	38	49	50										
55-74	4	16.0	5	14	14	16	18	18	18	18	1	26.0		26	26	26	26	26	26	26
75 +	4	9.0	37	3	4	8	14	16	16	16										
ALL AGES	22	16.2	145	2	5	15	23	31	39	50	3	13.0	133	4	5	9	22	26	26	26
SUBTOTAL	30	15.4	115	3	8	14	21	29	32	50	3	13.0	133	4	5	9	22	26	26	26
GRAND TOTAL	49	13.1	99	4	5	11	18	26	30	50	7	10.0	72	2	3	9	14	24	26	26

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	5.0	61	1	1	2	4	18	25	25										
13-17	4	20.3	220	4	9	19	31	39	39	39	3	1.0		1	1	1	1	1	1	1
18-24	2	11.5	25	8	8	11	15	15	15	15	5	1.8	1	1	1	2	2	3	3	3
25-34	1	3.0		3	3	3	3	3	3	3	2	4.5	13	2	2	4	7	7	7	7
35-54	3	10.0	117	1	2	7	18	22	22	22	2	2.0	2	1	1	2	3	3	3	3
55-74	10	4.4	9	1	2	4	7	8	8	8	2	1.0		1	1	1	1	1	1	1
75 +	7	5.0	17	1	2	4	6	12	13	13	4	6.3	3	5	5	6	7	9	9	9
ALL AGES	36	7.3	71	1	2	4	8	21	25	39	18	2.9	6	1	1	2	5	7	8	9
B. FEMALE																				
0-12 YRS.	6	7.7	128	1	2	2	9	28	30	30	1	15.0		15	15	15	15	15	15	15
13-17	19	16.1	274	1	4	13	18	43	57	62	3	1.3		1	1	1	2	2	2	2
18-24	3	4.7	9	2	2	4	7	8	8	8	3	1.7		1	1	2	2	2	2	2
25-34	6	8.8	36	2	3	8	14	17	17	17	3	3.7	4	2	2	3	5	6	6	6
35-54	10	6.0	14	1	3	5	10	11	11	11										
55-74	6	5.5	14	1	4	5	6	11	12	12	9	6.2	12	2	4	6	8	11	13	13
75 +	15	10.0	78	3	4	7	10	25	28	29	7	4.3	8	1	2	4	6	9	9	9
ALL AGES	65	10.2	127	1	3	7	12	25	30	60	26	4.7	14	1	2	3	7	9	13	15
SUBTOTAL	**101**	**9.1**	**109**	**1**	**2**	**6**	**11**	**24**	**29**	**56**	**44**	**3.9**	**12**	**1**	**1**	**3**	**6**	**9**	**10**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	16.0	213	1	7	13	25	36	36	36	2	3.5	5	2	2	3	5	5	5	5
13-17	6	8.8	56	1	2	8	12	20	21	21	2	3.0	2	2	2	3	4	4	4	4
18-24	7	3.4	2	2	2	3	5	5	5	5	1	5.0		5	5	5	5	5	5	5
25-34	8	5.4	7	2	3	5	7	9	9	9	4	1.8	2	1	1	1	3	4	4	4
35-54	9	8.9	26	2	5	10	12	16	18	18	6	3.8	11	1	1	2	8	8	8	8
55-74	1	2.0		2	2	2	2	2	2	2	3	3.3	6	2	2	2	5	6	6	6
75 +	3	3.7	9	1	1	3	6	7	7	7										
ALL AGES	38	7.3	47	1	2	5	11	14	20	36	18	3.2	6	1	1	2	5	7	8	8
B. FEMALE																				
0-12 YRS.	2	14.0	338	1	1	14	27	27	27	27										
13-17	13	18.5	173	5	10	15	24	36	50	53	3	1.3		1	1	1	2	2	2	2
18-24	2	10.0	72	4	4	10	16	16	16	16	2	4.0	2	3	3	4	5	5	5	5
25-34	8	3.5	15	1	1	2	5	10	12	12	1	5.0		5	5	5	5	5	5	5
35-54	9	7.6	24	2	3	7	10	16	16	16	4	4.0	13	1	1	4	7	8	8	8
55-74	4	9.0	42	2	4	8	14	17	17	17	2	8.5	113	1	1	8	16	16	16	16
75 +	9	15.0	131	5	7	9	23	33	39	39	4	3.0	3	1	2	3	4	5	5	5
ALL AGES	47	11.8	118	1	4	9	16	26	33	53	16	3.9	15	1	1	3	5	8	14	16
SUBTOTAL	**85**	**9.8**	**90**	**1**	**3**	**7**	**13**	**22**	**28**	**48**	**34**	**3.5**	**10**	**1**	**1**	**3**	**5**	**8**	**8**	**16**
GRAND TOTAL	**186**	**9.4**	**101**	**1**	**3**	**6**	**12**	**23**	**29**	**52**	**78**	**3.8**	**10**	**1**	**1**	**3**	**5**	**8**	**9**	**16**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	48.0		48	48	48	48	48	48	48										
18-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	2	30.0	648	12	12	30	48	48	48	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	39.0	2738	2	2	39	76	76	76	76										
35-54	2	6.5	13	4	4	6	9	9	9	9										
55-74	2	9.0	128	1	1	9	17	17	17	17										
75 +	1	39.0		39	39	39	39	39	39	39										
ALL AGES	7	21.1	762	1	2	9	33	69	76	76										
SUBTOTAL	**9**	**23.1**	**667**	**1**	**3**	**12**	**41**	**65**	**76**	**76**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	38.0		38	38	38	38	38	38	38
35-54																				
55-74																				
75 +																				
ALL AGES											1	38.0		38	38	38	38	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	19.5	5	18	18	19	21	21	21	21										
75 +																				
ALL AGES	2	19.5	5	18	18	19	21	21	21	21										
SUBTOTAL	**2**	**19.5**	**5**	**18**	**18**	**19**	**21**	**21**	**21**	**21**	1	38.0		38	38	38	38	38	38	38
GRAND TOTAL	11	22.5	533	2	5	17	34	59	75	76	1	38.0		38	38	38	38	38	38	38

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17																				
18-24																				
25-34	2	19.5	41	15	15	19	24	24	24	24										
35-54	6	16.3	62	6	9	17	21	26	27	27										
55-74	2	34.5	365	21	21	34	48	48	48	48										
75 +	3	14.3	18	10	11	15	17	18	18	18										
ALL AGES	14	19.1	101	9	15	18	21	29	44	48										
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	9.0	49	4	4	6	14	17	17	17										
25-34	11	18.6	39	10	14	20	22	26	28	28										
35-54	28	14.5	135	4	6	9	21	31	36	50										
55-74	17	18.7	184	7	8	15	24	43	48	49	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	59	16.2	129	5	7	14	22	31	41	50	2	4.5	25	1	1	4	8	8	8	8
SUBTOTAL	**73**	**16.8**	**122**	**5**	**8**	**15**	**22**	**30**	**44**	**50**	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	4	9.8	58	2	3	9	16	19	19	19	1	11.0		11	11	11	11	11	11	11
35-54	12	9.3	50	2	4	8	13	21	23	23										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +	1	9.0		9	9	9	9	9	9	9	1	12.0		12	12	12	12	12	12	12
ALL AGES	20	10.7	54	2	5	9	15	21	25	27	2	11.5	1	11	11	11	12	12	12	12
B. FEMALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17	3	29.3	180	14	19	36	37	38	38	38										
18-24	15	13.5	51	6	9	12	16	21	31	35	1	6.0		6	6	6	6	6	6	6
25-34	15	15.0	141	4	6	11	22	25	42	48										
35-54	19	10.4	33	3	5	11	14	17	20	22										
55-74	12	14.0	66	4	10	12	16	27	31	32										
75 +																				
ALL AGES	64	13.8	84	5	7	12	17	25	35	47	2	13.5	113	6	6	13	21	21	21	21
SUBTOTAL	**84**	**13.0**	**79**	**4**	**6**	**11**	**17**	**23**	**33**	**45**	**4**	**12.5**	**39**	**6**	**8**	**11**	**16**	**21**	**21**	**21**
GRAND TOTAL	**157**	**14.8**	**101**	**5**	**7**	**13**	**20**	**27**	**36**	**49**	**6**	**9.8**	**46**	**1**	**6**	**9**	**12**	**20**	**21**	**21**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	30.0	800	10	10	30	50	50	50	50	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +																				
ALL AGES	3	27.0	427	10	13	21	43	50	50	50	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**27.0**	**427**	**10**	**13**	**21**	**43**	**50**	**50**	**50**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24																				
25-34	3	8.0	7	5	6	9	10	10	10	10										
35-54	3	12.3	36	8	8	10	17	19	19	19										
55-74																				
75 +																				
ALL AGES	7	11.7	36	6	8	10	17	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**7**	**11.7**	**36**	**6**	**8**	**10**	**17**	**21**	**21**	**21**										
GRAND TOTAL	**10**	**16.3**	**173**	**6**	**9**	**10**	**21**	**36**	**50**	**50**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	30.3	1124	11	11	11	55	69	69	69										
18-24	4	4.8	12	1	2	4	7	9	9	9										
25-34	2	5.5	5	4	4	5	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	9	13.4	447	2	4	7	11	46	69	69										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	2	5.0		5	5	5	5	5	5	5										
ALL AGES	4	4.0	2	2	3	4	5	5	5	5										
SUBTOTAL	**13**	**10.5**	**319**	**2**	**4**	**5**	**9**	**23**	**60**	**69**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34	3	18.0	27	12	14	21	21	21	21	21										
35-54	2	10.5	145	2	2	10	19	19	19	19										
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	6	14.7	53	3	12	16	21	21	21	21	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**7**	**14.4**	**46**	**4**	**12**	**13**	**20**	**21**	**21**	**21**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**20**	**11.9**	**219**	**2**	**4**	**8**	**13**	**21**	**45**	**69**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
SUBTOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34																				
35-54	2	21.5	85	15	15	21	28	28	28	28										
55-74																				
75 +																				
ALL AGES	3	18.3	74	12	13	15	25	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	23.5	43	16	18	24	29	29	29	29										
35-54	3	11.7	1	10	10	12	13	13	13	13	2	18.5	265	7	7	18	30	30	30	30
55-74																				
75 +																				
ALL AGES	7	18.4	64	10	12	16	27	29	29	29	2	18.5	265	7	7	18	30	30	30	30
SUBTOTAL	**10**	**18.4**	**58**	**11**	**12**	**15**	**28**	**29**	**29**	**29**	**2**	**18.5**	**265**	**7**	**7**	**18**	**30**	**30**	**30**	**30**
GRAND TOTAL	**11**	**17.7**	**58**	**11**	**12**	**15**	**26**	**29**	**29**	**29**	**2**	**18.5**	**265**	**7**	**7**	**18**	**30**	**30**	**30**	**30**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	2	12.0	242	1	1	12	23	23	23	23										
B. FEMALE																				
0-12 YRS.	2	23.0	800	3	3	23	43	43	43	43										
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	3	7.7	32	3	4	6	12	14	14	14	1	6.0		6	6	6	6	6	6	6
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	1.0		1	1	1	1	1	1	1	2	6.5	61	1	1	6	12	12	12	12
55-74																				
75 +																				
ALL AGES	8	10.1	194	1	3	5	11	34	43	43	3	6.3	31	1	2	6	10	12	12	12
SUBTOTAL	**10**	**10.5**	**178**	**1**	**3**	**5**	**14**	**33**	**43**	**43**	**3**	**6.3**	**31**	**1**	**2**	**6**	**10**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +																				
ALL AGES	2	15.5	61	10	10	15	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	1	16.0		16	16	16	16	16	16	16	2	5.5	13	3	3	5	8	8	8	8
75 +																				
ALL AGES	3	11.7	33	5	7	14	15	16	16	16	4	3.5	10	1	1	2	5	8	8	8
SUBTOTAL	**5**	**13.2**	**37**	**5**	**9**	**14**	**17**	**21**	**21**	**21**	**4**	**3.5**	**10**	**1**	**1**	**2**	**5**	**8**	**8**	**8**
GRAND TOTAL	**15**	**11.4**	**127**	**1**	**3**	**8**	**16**	**23**	**38**	**43**	**7**	**4.7**	**17**	**1**	**1**	**3**	**7**	**11**	**12**	**12**

DEPENDENT PERSONALITY (301.6).

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.0	128	2	2	10	18	18	18	18										
25-34											1	3.0		3	3	3	3	3	3	3
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	10.0	128	2	2	10	18	18	18	18	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**3**	**8.7**	**68**	**2**	**3**	**6**	**15**	**18**	**18**	**18**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	2	29.0	128	21	21	29	37	37	37	37										
55-74																				
75 +																				
ALL AGES	4	15.8	275	2	2	12	29	37	37	37										
SUBTOTAL	**5**	**14.6**	**214**	**2**	**3**	**10**	**25**	**37**	**37**	**37**										
GRAND TOTAL	8	12.4	151	2	3	8	19	32	37	37	2	3.5	1	3	3	3	4	4	4	4

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	37.0		37	37	37	37	37	37	37										
18-24	3	5.0	13	1	2	6	7	8	8	8	1	4.0		4	4	4	4	4	4	4
25-34	3	3.3	5	1	2	4	5	5	5	5										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	8	9.1	139	1	3	5	9	29	37	37	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	20.0		20	20	20	20	20	20	20										
35-54																				
55-74																				
75 +																				
ALL AGES	3	12.7	103	1	4	17	19	20	20	20										
SUBTOTAL	**11**	**10.1**	**120**	**1**	**2**	**6**	**15**	**27**	**36**	**37**	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	25.0	512	9	9	25	41	41	41	41										
18-24	5	8.0	22	3	4	6	13	13	13	13										
25-34	2	14.0	18	11	11	14	17	17	17	17										
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	10	13.2	115	4	6	12	14	29	41	41										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**11**	**13.2**	**103**	**4**	**7**	**13**	**14**	**27**	**40**	**41**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**22**	**11.6**	**110**	**1**	**5**	**10**	**14**	**25**	**39**	**41**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	3	9.7	53	4	5	12	59	99 +	99 +	99 +										
18-24	13	11.2	215	2	2	7	13	25	51	57	1	6.0		6	6	6	6	6	6	6
25-34	10	4.8	38	1	1	2	8	15	18	18	3	7.3	58	2	2	4	13	16	16	16
35-54	5	5.6	18	1	2	5	8	12	12	12	2	18.0	242	7	7	18	29	29	29	29
55-74																				
75 +																				
ALL AGES	32	7.9	110	1	2	5	12	18	51	99 +	6	10.7	103	2	4	6	16	28	29	29
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	9	42.2	1288	4	11	39	72	92	92	92										
18-24	11	9.6	134	1	2	8	11	25	41	42	1	6.0		6	6	6	6	6	6	6
25-34	18	8.8	87	1	2	5	15	21	29	35	3	7.0	31	2	3	6	11	13	13	13
35-54	12	11.0	62	1	3	11	17	22	22	22										
55-74	1	8.0		8	8	3	8	8	8	8										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	53	15.4	423	1	3	8	17	40	64	92	4	6.8	20	2	4	6	10	13	13	13
SUBTOTAL	**85**	**12.6**	**315**	**1**	**2**	**7**	**14**	**34**	**59**	**97**	**10**	**9.1**	**69**	**2**	**4**	**6**	**13**	**22**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	37.7	2757	2	5	13	77	98	98	98										
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	7	9.6	76	2	2	8	15	23	25	25	1	1.0		1	1	1	1	1	1	1
25-34	6	9.3	219	1	1	4	7	36	39	39	3	4.3	13	1	2	4	7	8	8	8
35-54	9	18.2	669	1	2	7	23	60	83	83	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	26	15.9	577	1	2	7	16	38	86	98	5	3.0	10	1	1	1	5	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	6	21.2	899	6	6	9	15	75	82	82										
18-24	11	12.5	94	1	3	11	19	27	29	29	2	14.5	181	5	5	14	24	24	24	24
25-34	25	12.9	84	2	7	13	17	35	50	99 +	1	3.0		3	3	3	3	3	3	3
35-54	16	13.3	114	5	5	9	21	26	37	42	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	58	13.8	167	3	6	11	18	28	40	98	5	12.8	88	3	4	11	22	24	24	24
SUBTOTAL	**84**	**14.4**	**291**	**1**	**5**	**11**	**18**	**29**	**52**	**99**	**10**	**7.9**	**70**	**1**	**1**	**4**	**11**	**22**	**24**	**24**
GRAND TOTAL	**169**	**13.5**	**302**	**1**	**3**	**8**	**16**	**31**	**57**	**99**	**20**	**8.5**	**66**	**1**	**3**	**6**	**12**	**22**	**26**	**29**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	3	14.3	242	3	4	8	26	32	32	32										
18-24	5	12.0	171	1	1	12	18	33	33	33	3	6.0	25	1	2	6	10	11	11	11
25-34	1	7.0		7	7	7	7	7	7	7	2	20.0	8	18	18	20	22	22	22	22
35-54	3	10.3	22	5	7	13	13	13	13	13	3	4.0	7	2	2	3	6	7	7	7
55-74	1	9.0		9	9	9	9	9	9	9	1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	13	11.5	106	1	4	9	13	32	33	33	10	8.4	55	1	2	6	13	20	22	22
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	5	1.8	2	1	1	1	2	4	4	4	1	7.0		7	7	7	7	7	7	7
25-34	2	2.5	1	2	2	2	3	3	3	3	1	12.0		12	12	12	12	12	12	12
35-54	3	5.3	57	1	1	1	11	14	14	14	2	6.5	5	5	5	6	8	8	8	8
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	10	3.0	16	1	1	2	3	9	14	14	6	6.2	14	1	4	6	8	12	12	12
SUBTOTAL	**23**	**7.8**	**83**	**1**	**1**	**4**	**12**	**18**	**32**	**33**	**16**	**7.6**	**38**	**1**	**2**	**6**	**11**	**17**	**21**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	4.3	2	2	3	4	5	6	6	6										
35-54	3	4.7	12	1	2	5	7	8	8	8	1	18.0		18	18	18	18	18	18	18
55-74																				
75 +																				
ALL AGES	8	4.3	5	1	2	4	6	7	8	8	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	6	22.3	537	3	9	16	24	63	67	67										
18-24	2	2.0		2	2	2	2	2	2	2										
25-34	3	6.3	7	4	4	6	8	9	9	9	4	7.5	25	2	4	7	11	14	14	14
35-54	3	9.0	31	4	5	8	13	15	15	15	2	2.0	2	1	1	2	3	3	3	3
55-74	1	12.0		12	12	12	12	12	12	12										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	15	13.1	263	2	4	9	15	24	56	67	7	5.3	20	1	2	3	7	13	14	14
SUBTOTAL	**23**	**10.0**	**188**	**2**	**3**	**6**	**11**	**19**	**39**	**67**	**8**	**6.9**	**37**	**1**	**2**	**5**	**11**	**17**	**18**	**18**
GRAND TOTAL	**46**	**8.9**	**134**	**1**	**2**	**5**	**12**	**18**	**32**	**67**	**24**	**7.3**	**37**	**1**	**2**	**6**	**11**	**18**	**19**	**22**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	16.0		16	16	16	16	16	16	16										
GRAND TOTAL	1	16.0		16	16	16	16	16	16	16										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
SUBTOTAL	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**										
GRAND TOTAL	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	22.0		22	22	22	22	22	22	22										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	22.0		22	22	22	22	22	22	22										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	14.0		14	14	14	14	14	14	14
55-74	3	3.0	1	2	2	3	4	4	4	4	5	2.4	5	1	1	1	4	6	6	6
75 +																				
ALL AGES	4	2.8	1	2	2	3	3	4	4	4	6	4.3	27	1	1	2	6	13	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	4	2.8	1	2	2	3	3	4	4	4	6	4.3	27	1	1	2	6	13	14	14
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	4	2.8	1	2	2	3	3	4	4	4	6	4.3	27	1	1	2	6	13	14	14

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	46.5	1105	23	23	46	70	70	70	70										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	46.5	1105	23	23	46	70	70	70	70										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**46.5**	**1105**	**23**	**23**	**46**	**70**	**70**	**70**	**70**										
GRAND TOTAL	**2**	**46.5**	**1105**	**23**	**23**	**46**	**70**	**70**	**70**	**70**										

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	27.0		27	27	27	27	27	27	27
35-54																				
55-74																				
75 +																				
ALL AGES											1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**
GRAND TOTAL											**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											4	8.0	196	1	1	1	15	29	29	29
18-24	6	2.5	3	1	1	2	4	5	5	5	5	2.2	7	1	1	1	3	7	7	7
25-34	15	5.3	76	1	2	3	5	6	29	36	25	5.6	73	1	2	3	5	7	33	34
35-54	67	7.2	93	1	2	3	8	21	29	48	66	3.9	19	1	2	3	4	6	9	31
55-74	39	5.8	44	1	2	4	6	12	26	28	46	7.4	65	2	3	4	6	20	28	33
75 +	1	4.0		4	4	4	4	4	4	4	8	5.8	4	3	4	6	7	8	9	9
ALL AGES	128	6.3	71	1	2	4	6	15	27	39	154	5.3	46	1	2	3	5	9	25	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	7.0	91	1	1	2	14	18	18	18	1	1.0		1	1	1	1	1	1	1
25-34	6	4.7	15	1	2	3	6	11	12	12	5	9.2	194	1	2	4	12	34	34	34
35-54	17	5.4	9	2	3	4	8	10	11	11	20	5.0	56	1	1	3	5	9	22	35
55-74	11	8.5	82	1	2	5	12	24	29	29	9	5.7	10	3	4	5	6	11	13	13
75 +											3	2.3	1	2	2	2	3	3	3	3
ALL AGES	37	6.3	37	1	2	4	8	13	20	29	38	5.4	55	1	2	3	5	9	26	35
SUBTOTAL	**165**	**6.3**	**63**	**1**	**2**	**4**	**6**	**14**	**26**	**36**	**192**	**5.4**	**47**	**1**	**2**	**3**	**5**	**9**	**26**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	5.5	25	2	2	5	9	9	9	9	2	42.0		42	42	42	42	42	42	42
18-24	8	3.4	5	1	2	3	4	7	8	8	15	16.5	281	1	2	7	30	42	42	42
25-34	34	7.8	62	1	3	5	8	20	29	30	52	15.5	169	2	3	9	28	28	28	42
35-54	61	7.7	44	2	3	6	11	18	22	28	122	12.2	143	2	3	5	28	28	28	42
55-74	29	10.2	266	2	2	5	10	26	33	84	80	9.6	91	2	3	5	13	28	28	29
75 +	1	3.0		3	3	3	3	3	3	3	6	9.7	77	3	3	5	17	23	24	24
ALL AGES	135	7.9	94	1	3	5	9	19	27	38	277	12.5	146	2	3	5	28	28	29	42
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24											3	6.7	10	3	4	8	9	9	9	9
25-34	15	11.7	111	1	5	9	14	27	34	36	21	15.1	179	1	3	9	28	28	35	42
35-54	22	8.0	100	1	2	4	7	25	33	36	28	12.0	147	2	3	5	28	28	30	42
55-74	9	17.7	225	4	6	14	31	41	45	45	25	15.7	117	4	5	16	28	29	30	30
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	47	11.0	133	1	3	6	15	31	36	45	78	13.7	141	2	4	7	28	28	29	42
SUBTOTAL	**182**	**8.7**	**105**	**1**	**3**	**5**	**10**	**22**	**30**	**42**	**355**	**12.7**	**147**	**2**	**3**	**6**	**28**	**28**	**29**	**42**
GRAND TOTAL	**347**	**7.6**	**86**	**1**	**2**	**4**	**9**	**21**	**28**	**37**	**547**	**10.1**	**124**	**1**	**3**	**4**	**15**	**28**	**29**	**42**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	11	25.1	214	6	9	30	37	42	43	43	3	36.3	100	25	29	42	42	42	42	42
18-24	45	11.6	147	1	2	4	28	29	30	34	33	22.8	165	2	15	25	31	39	42	44
25-34	199	14.0	127	2	4	9	28	29	30	31	138	20.9	183	2	5	28	30	36	40	43
35-54	364	12.1	108	2	3	7	22	29	30	32	341	18.2	169	3	4	23	29	33	38	42
55-74	158	12.9	116	2	4	9	22	29	30	37	155	17.1	158	3	4	15	28	30	36	40
75 +	10	11.2	64	4	6	8	15	25	28	28	11	17.4	133	3	4	21	28	30	30	30
ALL AGES	788	12.9	119	2	3	8	24	29	30	36	681	18.8	171	3	4	24	30	34	39	42
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.5	61	6	6	11	17	17	17	17										
18-24	11	15.9	109	1	7	16	25	29	30	30	6	21.5	213	2	4	28	32	35	35	35
25-34	52	13.4	125	2	3	8	28	29	30	31	40	22.5	176	2	6	28	30	37	40	43
35-54	87	14.0	134	2	4	10	26	29	31	51	75	16.9	198	2	4	11	30	36	39	42
55-74	45	15.5	129	2	5	14	28	30	31	36	39	18.2	241	3	5	10	30	42	47	50
75 +	3	17.0	163	3	7	20	26	28	28	28	1	5.0		5	5	5	5	5	5	5
ALL AGES	200	14.3	127	2	4	11	27	29	30	40	161	18.7	205	2	4	21	30	36	40	48
SUBTOTAL	**988**	**13.2**	**120**	**2**	**4**	**8**	**25**	**29**	**30**	**36**	**842**	**18.8**	**176**	**3**	**4**	**23**	**30**	**35**	**39**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	24.0	52	18	19	22	29	32	32	32										
13-17	58	22.8	109	7	15	27	30	31	36	49	32	26.5	229	5	11	29	41	43	45	46
18-24	63	17.7	184	3	4	20	29	33	40	50	72	23.4	164	3	10	28	30	42	42	44
25-34	199	15.3	125	2	5	14	28	30	33	36	220	23.6	168	3	13	28	30	40	42	43
35-54	241	14.1	104	3	5	11	23	29	30	35	201	20.1	157	3	6	23	29	35	42	42
55-74	82	13.4	98	2	4	10	22	28	29	35	74	16.5	144	2	4	18	27	30	33	45
75 +	7	7.3	103	2	2	3	6	25	30	30	3	18.3	428	4	5	9	34	42	42	42
ALL AGES	653	15.5	123	3	5	14	27	30	31	38	602	21.7	169	3	7	27	30	39	42	43
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	19	27.6	119	9	27	29	33	41	42	42	5	25.8	171	8	17	26	35	43	43	43
18-24	30	14.8	112	2	4	14	26	28	32	35	16	25.8	200	5	11	30	37	42	42	42
25-34	68	17.3	126	4	8	16	28	30	33	53	50	25.8	195	3	15	28	38	42	42	42
35-54	70	12.6	74	3	4	13	18	26	28	32	37	20.7	170	3	5	22	28	41	42	43
55-74	41	14.4	100	4	6	11	22	28	29	43	25	17.1	191	3	5	15	27	30	45	54
75 +	4	13.8	205	4	5	8	22	35	35	35	3	23.3	13	21	21	22	26	27	27	27
ALL AGES	233	15.8	118	3	6	14	26	29	33	42	136	22.8	188	3	7	26	30	42	42	45
SUBTOTAL	**886**	**15.6**	**121**	**3**	**5**	**14**	**27**	**30**	**32**	**42**	**738**	**21.9**	**172**	**3**	**7**	**27**	**30**	**41**	**42**	**43**
GRAND TOTAL	**1874**	**14.3**	**123**	**2**	**4**	**10**	**27**	**29**	**31**	**38**	**1580**	**20.2**	**179**	**3**	**5**	**26**	**30**	**37**	**42**	**43**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	21.0		21	21	21	21	21	21	21										
25-34	8	20.0	145	3	10	22	30	32	32	32	2	20.5	545	4	4	20	37	37	37	37
35-54	14	15.9	122	2	6	15	28	30	30	30	2	5.5	13	3	3	5	8	8	8	8
55-74																				
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	24	17.4	118	2	6	17	28	30	31	32	4	13.0	261	3	3	6	22	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	12.0	21	8	9	11	15	17	17	17	1	41.0		41	41	41	41	41	41	41
25-34	13	14.1	105	5	7	8	21	32	33	33	4	7.0	54	3	3	4	11	18	18	18
35-54	13	14.5	139	3	6	11	28	32	34	35	3	16.3	498	2	3	5	33	42	42	42
55-74	2	11.0	8	9	9	11	13	13	13	13										
75 +																				
ALL AGES	31	13.8	102	4	7	11	19	31	33	35	8	14.8	297	2	3	4	29	42	42	42
SUBTOTAL	**55**	**15.4**	**109**	**4**	**7**	**12**	**26**	**31**	**32**	**35**	**12**	**14.2**	**261**	**2**	**3**	**5**	**27**	**41**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	34.0		34	34	34	34	34	34	34
25-34	17	14.6	96	2	6	17	22	28	29	29	14	16.1	229	2	3	9	30	35	41	43
35-54	19	15.6	111	3	7	15	22	31	35	39	12	17.7	184	3	4	15	30	37	37	37
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	37	15.0	98	3	7	15	22	29	31	39	27	17.4	207	2	3	13	30	36	38	43
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24											2	33.5	25	30	30	33	37	37	37	37
25-34	29	14.2	72	4	7	14	18	25	34	34	5	18.2	181	2	4	28	28	28	28	28
35-54	11	16.7	93	6	9	15	25	31	32	32	12	21.4	187	1	7	27	28	36	41	42
55-74	3	17.7	107	6	10	21	25	26	26	26	2	26.0		26	26	26	26	26	26	26
75 +																				
ALL AGES	44	15.3	74	4	8	15	21	27	33	34	21	22.2	160	2	7	28	28	35	39	42
SUBTOTAL	**81**	**15.1**	**86**	**4**	**7**	**15**	**21**	**29**	**31**	**38**	**48**	**19.5**	**188**	**2**	**4**	**26**	**30**	**36**	**38**	**43**
GRAND TOTAL	**136**	**15.2**	**95**	**4**	**7**	**14**	**22**	**30**	**32**	**36**	**60**	**18.5**	**201**	**2**	**4**	**22**	**30**	**37**	**41**	**43**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	42.0		42	42	42	42	42	42	42
25-34	2	21.0	162	12	12	21	30	30	30	30	1	2.0		2	2	2	2	2	2	2
35-54	2	22.0	72	16	16	22	28	28	28	28	4	13.5	217	3	4	8	23	35	35	35
55-74	2	25.0	50	20	20	25	30	30	30	30										
75 +																				
ALL AGES	6	22.7	58	12	16	24	30	30	30	30	6	16.3	311	2	3	8	35	41	42	42
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24											1	42.0		42	42	42	42	42	42	42
25-34	2	8.0	8	6	6	8	10	10	10	10	4	27.5	28	20	24	29	31	32	32	32
35-54	12	14.5	115	4	6	10	25	30	30	30	6	22.7	231	3	4	30	30	38	39	39
55-74	2	29.5	113	22	22	29	37	37	37	37	5	25.8	115	7	23	30	31	34	34	34
75 +	2	12.5	221	2	2	12	23	23	23	23										
ALL AGES	18	15.2	127	3	6	10	23	30	34	37	17	24.6	164	3	17	30	31	38	41	42
SUBTOTAL	**24**	**17.1**	**117**	**5**	**7**	**16**	**29**	**30**	**32**	**37**	**23**	**22.4**	**205**	**3**	**5**	**30**	**32**	**40**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	12.7	121	1	4	14	21	23	23	23	1	5.0		5	5	5	5	5	5	5
25-34	6	15.5	110	3	9	13	26	29	29	29	4	24.5	43	17	19	25	30	30	30	30
35-54	11	13.2	72	4	8	10	17	27	30	30	5	16.2	165	3	7	10	30	30	30	30
55-74	4	13.0	103	6	7	9	19	28	28	28	3	11.0	37	7	7	8	15	18	18	18
75 +																				
ALL AGES	24	13.7	80	2	8	10	20	28	29	30	13	16.7	112	5	8	17	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	23.5	685	5	5	23	42	42	42	42
25-34	10	14.0	127	2	4	10	28	29	30	30	6	27.5	274	5	10	34	41	42	42	42
35-54	18	20.2	84	7	13	21	28	31	33	34	5	25.0	102	7	23	30	30	30	30	30
55-74	6	20.3	173	1	13	20	30	36	37	37	6	22.8	130	8	15	24	30	36	37	37
75 +																				
ALL AGES	34	18.4	112	4	8	17	28	30	34	37	19	24.9	179	6	11	30	35	41	42	42
SUBTOTAL	**58**	**16.4**	**104**	**3**	**8**	**15**	**26**	**30**	**31**	**37**	**32**	**21.6**	**162**	**5**	**8**	**24**	**30**	**39**	**42**	**42**
GRAND TOTAL	**82**	**16.6**	**107**	**4**	**7**	**15**	**27**	**30**	**31**	**37**	**55**	**21.9**	**178**	**4**	**7**	**28**	**30**	**39**	**42**	**42**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24	17	15.1	129	3	6	9	24	29	34	37	15	19.5	197	1	3	24	31	35	37	38
25-34	55	16.3	114	3	7	15	28	30	30	37	48	22.8	205	3	4	28	35	39	40	42
35-54	22	19.2	120	4	7	21	29	30	33	38	15	26.3	171	2	24	28	36	40	41	42
55-74																				
75 +																				
ALL AGES	95	16.7	117	3	7	18	28	30	30	38	78	22.8	198	2	5	28	35	38	40	42
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25	1	23.0		23	23	23	23	23	23	23
18-24	28	11.4	30	6	8	10	14	17	24	30	11	19.0	216	3	3	23	30	37	42	42
25-34	40	12.8	50	4	7	12	17	21	28	31	19	19.4	279	1	3	29	35	39	41	41
35-54	2	5.5	5	4	4	5	7	7	7	7	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	71	12.2	44	5	7	11	16	21	27	31	32	18.9	239	2	3	23	32	38	41	42
SUBTOTAL	**166**	**14.8**	**90**	**3**	**7**	**12**	**22**	**30**	**30**	**37**	**110**	**21.7**	**210**	**2**	**4**	**28**	**35**	**38**	**41**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	36.0	450	21	21	36	51	51	51	51	1	27.0		27	27	27	27	27	27	27
18-24	20	13.0	41	4	8	13	17	18	24	30	32	25.1	183	3	17	30	32	42	42	46
25-34	57	14.4	94	2	5	15	21	28	30	35	146	24.2	192	2	6	30	33	42	42	42
35-54	21	16.5	84	5	7	17	23	30	31	31	39	28.1	188	4	25	30	40	42	42	43
55-74																				
75 +																				
ALL AGES	100	15.0	93	3	6	15	21	29	30	43	218	25.0	192	2	14	30	35	42	42	43
B. FEMALE																				
0-12 YRS.																				
13-17											2	19.0	648	1	1	19	37	37	37	37
18-24	21	18.7	153	6	8	16	29	37	41	41	10	21.3	191	5	6	24	35	35	35	35
25-34	47	14.0	74	5	7	14	18	29	30	41	29	23.4	204	3	6	28	33	42	42	42
35-54	10	16.5	44	8	14	16	21	25	29	29	4	19.0	172	4	8	21	30	30	30	30
55-74																				
75 +																				
ALL AGES	78	15.6	93	5	8	15	20	30	33	41	45	22.4	195	3	6	28	34	41	42	42
SUBTOTAL	**178**	**15.3**	**91**	**4**	**7**	**15**	**21**	**30**	**31**	**41**	**263**	**24.6**	**190**	**3**	**8**	**30**	**35**	**42**	**42**	**42**
GRAND TOTAL	**344**	**15.0**	**92**	**4**	**7**	**14**	**21**	**30**	**30**	**41**	**373**	**23.7**	**199**	**3**	**5**	**29**	**35**	**41**	**42**	**42**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	29.5	314	6	18	31	40	49	49	49	2	21.0	800	1	1	20	41	41	41	41
18-24											2	27.0	8	25	25	27	29	29	29	29
25-34	1	30.0		30	30	30	30	30	30	30										
35-54	1	31.0		31	31	31	31	31	31	31										
55-74																				
75 +																				
ALL AGES	6	29.8	191	8	30	31	32	47	49	49	4	24.0	281	1	12	27	35	41	41	41
B. FEMALE																				
0-12 YRS.																				
13-17											1	37.0		37	37	37	37	37	37	37
18-24																				
25-34											4	40.0	8	36	38	41	42	42	42	42
35-54																				
55-74																				
75 +																				
ALL AGES											5	39.4	8	36	37	40	42	42	42	42
SUBTOTAL	**6**	**29.8**	**191**	**8**	**30**	**31**	**32**	**47**	**49**	**49**	**9**	**32.6**	**172**	**10**	**28**	**37**	**41**	**42**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	51.0		51	51	51	51	51	51	51
13-17	2	16.5	5	15	15	16	18	18	18	18	4	15.8	219	4	4	12	27	35	35	35
18-24	6	18.2	107	5	10	18	29	30	30	30	8	20.5	249	2	3	27	30	38	42	42
25-34	5	20.0	31	14	16	18	24	28	28	28	2	21.5	841	1	1	21	42	42	42	42
35-54	5	18.0	154	2	6	22	29	29	29	29	5	17.4	358	2	2	7	37	39	39	39
55-74																				
75 +																				
ALL AGES	18	18.4	78	5	14	18	28	29	30	30	20	20.4	303	1	3	22	36	42	47	51
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42										
18-24	3	16.3	502	1	2	6	33	42	42	42	1	3.0		3	3	3	3	3	3	3
25-34	7	18.9	88	5	11	19	27	28	28	28	3	19.7	206	3	9	28	28	28	28	28
35-54											2	35.0	98	28	28	35	42	42	42	42
55-74																				
75 +																				
ALL AGES	11	20.3	206	3	7	19	28	42	42	42	6	22.0	246	3	3	28	28	41	42	42
SUBTOTAL	**29**	**19.1**	**123**	**4**	**10**	**18**	**28**	**30**	**42**	**42**	**26**	**20.8**	**279**	**2**	**3**	**26**	**35**	**42**	**44**	**51**
GRAND TOTAL	**35**	**21.0**	**143**	**4**	**11**	**21**	**29**	**32**	**42**	**49**	**35**	**23.8**	**274**	**2**	**3**	**28**	**39**	**42**	**42**	**51**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	3.0	2	2	2	3	4	4	4	4
25-34	2	23.5	61	18	18	23	29	29	29	29	1	30.0		30	30	30	30	30	30	30
35-54																				
55-74																				
75 +																				
ALL AGES	2	23.5	61	18	18	23	29	29	29	29	3	12.0	244	2	2	4	23	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17	2	55.5	421	41	41	55	70	70	70	70										
18-24	2	19.0	450	4	4	19	34	34	34	34	2	33.0	8	31	31	33	35	35	35	35
25-34	3	29.7	2	29	29	29	31	31	31	31	2	20.5	613	3	3	20	38	38	38	38
35-54	1	30.0		30	30	30	30	30	30	30	1	2.0		2	2	2	2	2	2	2
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	9	31.2	338	8	25	30	36	58	70	70	5	21.8	317	2	3	31	36	38	38	38
SUBTOTAL	**11**	**29.8**	**286**	**9**	**21**	**29**	**33**	**53**	**69**	**70**	**8**	**18.1**	**277**	**2**	**3**	**17**	**33**	**37**	**38**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	23.8	288	5	5	25	36	46	47	47										
25-34	13	23.1	132	4	14	29	30	33	37	38	2	25.5	1	25	25	25	26	26	26	26
35-54	2	17.0	338	4	4	17	30	30	30	30										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	22	22.0	175	4	7	29	30	37	42	47	2	25.5	1	25	25	25	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-24	1	29.0		29	29	29	29	29	29	29										
25-34	5	19.0	170	3	13	16	25	39	39	39										
35-54											1	45.0		45	45	45	45	45	45	45
55-74																				
75 +																				
ALL AGES	7	21.0	128	6	16	21	27	37	39	39	1	45.0		45	45	45	45	45	45	45
SUBTOTAL	**29**	**21.8**	**157**	**4**	**8**	**23**	**30**	**37**	**39**	**47**	**3**	**32.0**	**127**	**25**	**25**	**26**	**40**	**45**	**45**	**45**
GRAND TOTAL	**40**	**24.0**	**199**	**4**	**14**	**29**	**30**	**38**	**44**	**70**	**11**	**21.9**	**261**	**2**	**3**	**26**	**34**	**41**	**45**	**45**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	7.0		7	7	7	7	7	7	7	3	3.3	3	2	2	3	4	5	5	5
35-54	2	4.5	1	4	4	4	5	5	5	5	1	21.0		21	21	21	21	21	21	21
55-74																				
75 +																				
ALL AGES	4	5.5	2	4	4	5	6	7	7	7	4	7.8	79	2	2	4	13	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	14.3	226	2	4	10	26	31	31	31	4	22.5	118	12	13	21	31	35	35	35
35-54	2	6.0	18	3	3	6	9	9	9	9										
55-74											2	4.5	5	3	3	4	6	6	6	6
75 +																				
ALL AGES	5	11.0	138	2	3	9	15	31	31	31	6	16.5	158	3	6	13	28	34	35	35
SUBTOTAL	**9**	**8.6**	**77**	**2**	**4**	**6**	**9**	**23**	**31**	**31**	**10**	**13.0**	**135**	**2**	**3**	**9**	**21**	**31**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24																				
25-34	2	15.0	392	1	1	15	29	29	29	29	1	38.0		38	38	38	38	38	38	38
35-54	1	7.0		7	7	7	7	7	7	7										
55-74											1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	4	12.8	144	1	4	10	21	29	29	29	2	33.0	50	28	28	33	38	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	11.3	133	3	3	7	19	28	28	28	2	15.0	338	2	2	15	28	28	28	28
35-54	1	18.0		18	18	18	18	18	18	18	1	28.0		28	28	28	28	28	28	28
55-74	1	18.0		18	18	18	18	18	18	18	2	57.5	1985	26	26	57	89	89	89	89
75 +																				
ALL AGES	6	13.5	93	3	4	14	18	27	28	28	5	34.6	1046	2	20	28	43	89	89	89
SUBTOTAL	**10**	**13.2**	**100**	**2**	**4**	**12**	**18**	**28**	**29**	**29**	**7**	**34.1**	**710**	**7**	**26**	**28**	**36**	**79**	**89**	**89**
GRAND TOTAL	**19**	**11.0**	**90**	**2**	**4**	**7**	**17**	**29**	**30**	**31**	**17**	**21.7**	**456**	**2**	**5**	**21**	**28**	**37**	**71**	**89**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	28.5	365	15	15	28	42	42	42	42										
18-24	4	17.5	209	4	5	18	30	30	30	30	1	30.0		30	30	30	30	30	30	30
25-34	14	14.2	112	3	6	10	28	30	31	31	1	3.0		3	3	3	3	3	3	3
35-54	16	15.1	149	3	6	7	30	30	31	31	2	28.5	5	27	27	28	30	30	30	30
55-74	2	7.0	8	5	5	7	9	9	9	9	1	12.0		12	12	12	12	12	12	12
75 +											1	42.0		42	42	42	42	42	42	42
ALL AGES	38	15.3	141	3	6	10	30	30	31	42	6	24.0	198	4	12	28	30	41	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	11.3	61	6	6	8	16	23	23	23	1	1.0		1	1	1	1	1	1	1
25-34	18	10.7	158	2	7	8	9	18	43	58	4	25.0	293	2	13	27	36	43	43	43
35-54	7	9.0	91	2	4	7	8	26	30	30	2	15.5	421	1	1	15	30	30	30	30
55-74											2	13.5	13	11	11	13	16	16	16	16
75 +																				
ALL AGES	29	10.4	122	2	6	7	9	22	31	58	9	17.7	230	1	2	16	30	38	43	43
SUBTOTAL	**67**	**13.2**	**136**	**3**	**6**	**8**	**19**	**30**	**31**	**55**	**15**	**20.2**	**213**	**1**	**5**	**25**	**30**	**42**	**43**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											3	30.0		30	30	30	30	30	30	30
25-34	8	13.3	173	4	6	7	17	35	43	43	9	23.8	180	3	13	30	30	37	42	42
35-54	4	10.0	89	1	3	8	16	23	23	23	4	36.8	40	28	31	38	42	42	42	42
55-74																				
75 +																				
ALL AGES	12	12.2	137	2	6	7	17	29	41	43	16	28.2	137	5	29	30	33	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24	1	6.0		6	6	6	6	6	6	6	5	27.0	182	5	22	30	33	42	42	42
25-34	3	7.7	25	3	4	7	11	13	13	13	7	28.6	96	13	28	30	32	40	42	42
35-54	9	18.9	138	9	10	14	27	38	42	42	2	29.0	2	28	28	29	30	30	30	30
55-74																				
75 +																				
ALL AGES	14	15.5	119	6	9	12	18	33	40	42	14	28.1	100	9	28	30	30	42	42	42
SUBTOTAL	**26**	**14.0**	**124**	**3**	**6**	**10**	**18**	**31**	**42**	**43**	**30**	**28.1**	**119**	**7**	**28**	**30**	**30**	**42**	**42**	**42**
GRAND TOTAL	**93**	**13.4**	**132**	**3**	**6**	**9**	**18**	**30**	**32**	**52**	**45**	**25.5**	**159**	**3**	**16**	**30**	**30**	**42**	**42**	**43**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-24	11	20.5	187	5	7	28	30	35	41	42	6	16.0	252	1	2	12	27	40	42	42
25-34	13	16.0	189	2	4	11	28	33	43	45	5	23.6	142	10	15	24	29	42	42	42
35-54	3	22.7	182	7	13	30	31	31	31	31	1	19.0		19	19	19	19	19	19	19
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	28	19.3	188	4	6	20	30	37	42	45	13	18.1	188	1	8	17	25	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	4	14.0	129	3	5	12	22	29	29	29	1	41.0		41	41	41	41	41	41	41
25-34	3	35.0	43	28	30	36	40	41	41	41	2	23.0	392	9	9	23	37	37	37	37
35-54	4	27.3	35	18	24	30	31	31	31	31	5	20.6	178	4	8	27	30	35	35	35
55-74																				
75 +																				
ALL AGES	11	24.5	141	6	16	29	31	38	41	41	9	21.3	236	3	8	27	35	39	41	41
SUBTOTAL	**39**	**20.8**	**175**	**4**	**7**	**28**	**30**	**38**	**42**	**45**	**22**	**19.4**	**200**	**2**	**9**	**18**	**28**	**41**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	28.5	221	18	18	28	39	39	39	39										
18-24	3	26.3	245	10	14	28	38	41	41	41	15	30.3	78	28	29	30	30	42	42	42
25-34	7	20.0	171	4	7	21	32	36	37	37	20	31.6	135	13	28	30	42	42	42	42
35-54	5	21.2	130	3	13	28	29	30	30	30	2	28.5	5	27	27	28	30	30	30	30
55-74																				
75 +	1	30.0		30	30	30	30	30	30	30	1	30.0		30	30	30	30	30	30	30
ALL AGES	18	22.9	145	4	14	26	30	38	40	41	38	30.8	105	23	28	30	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	5	22.2	117	11	13	21	30	38	38	38										
18-24											2	28.0	338	15	15	28	41	41	41	41
25-34	3	19.0	9	16	17	19	21	22	22	22	6	25.2	78	9	28	28	30	30	30	30
35-54	4	13.8	12	9	11	14	16	18	18	18	3	18.3	228	1	7	26	27	28	28	28
55-74	2	16.0	2	15	15	16	17	17	17	17										
75 +																				
ALL AGES	14	18.2	54	11	14	16	21	28	36	38	11	23.8	134	5	18	28	29	35	40	41
SUBTOTAL	**32**	**20.8**	**110**	**8**	**14**	**19**	**28**	**37**	**39**	**41**	**49**	**29.3**	**113**	**10**	**28**	**30**	**36**	**42**	**42**	**42**
GRAND TOTAL	**71**	**20.8**	**144**	**4**	**10**	**21**	**30**	**37**	**41**	**44**	**71**	**26.2**	**160**	**4**	**19**	**28**	**34**	**42**	**42**	**42**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	21.4	141	4	11	29	30	30	30	30	1	38.0		38	38	38	38	38	38	38
18-24	13	30.8	109	23	29	30	35	43	45	45	1	3.0		3	3	3	3	3	3	3
25-34	17	24.6	130	7	12	29	31	37	41	43	5	15.4	115	6	7	9	26	29	29	29
35-54	18	25.4	87	9	27	28	30	31	36	40	5	18.4	153	4	6	21	30	30	30	30
55-74	1	28.0		28	28	28	28	28	28	28										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	54	26.2	107	8	27	29	30	38	43	45	13	16.5	157	4	6	9	29	32	37	38
B. FEMALE																				
0-12 YRS.																				
13-17	4	28.3	233	13	15	29	41	42	42	42	1	25.0		25	25	25	25	25	25	25
18-24	2	26.5	5	25	25	26	28	28	28	28	1	21.0		21	21	21	21	21	21	21
25-34	11	27.9	119	8	27	29	36	39	40	40	5	18.8	142	1	9	26	27	28	28	28
35-54	9	25.6	170	5	17	28	33	42	44	44										
55-74	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	28	26.6	128	9	18	28	35	41	42	44	8	18.0	118	2	8	23	26	28	28	28
SUBTOTAL	**82**	**26.3**	**115**	**9**	**25**	**28**	**30**	**40**	**42**	**45**	**21**	**17.0**	**138**	**3**	**6**	**21**	**27**	**30**	**34**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	30	25.9	104	9	21	30	31	36	37	42	1	5.0		5	5	5	5	5	5	5
18-24	10	21.2	103	5	10	27	28	29	29	29										
25-34	15	25.2	84	5	28	28	28	30	33	34	4	10.5	60	3	4	10	17	19	19	19
35-54	7	9.9	58	2	4	8	15	21	22	22	4	9.0	65	4	4	5	13	21	21	21
55-74	1	30.0		30	30	30	30	30	30	30										
75 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	64	23.4	112	5	16	28	30	32	35	41	9	9.2	50	3	4	5	16	20	21	21
B. FEMALE																				
0-12 YRS.	2	23.5	113	16	16	23	31	31	31	31										
13-17	7	30.3	97	18	23	30	37	45	46	46										
18-24	4	18.3	126	7	8	19	28	28	28	28	2	15.0	392	1	1	15	29	29	29	29
25-34	16	15.5	197	2	4	8	28	37	41	42	3	4.3	13	1	2	4	7	8	8	8
35-54	9	22.6	136	7	10	28	31	36	37	37	2	15.0	338	2	2	15	28	28	28	28
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	39	20.8	167	4	8	28	30	38	41	46	7	10.4	159	1	1	4	23	29	29	29
SUBTOTAL	**103**	**22.4**	**134**	**4**	**10**	**28**	**30**	**34**	**38**	**44**	**16**	**9.8**	**89**	**1**	**3**	**5**	**17**	**27**	**29**	**29**
GRAND TOTAL	**185**	**24.1**	**130**	**5**	**15**	**28**	**30**	**37**	**41**	**45**	**37**	**13.9**	**127**	**2**	**4**	**8**	**25**	**29**	**30**	**38**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	13	1.5	1	1	1	1	2	3	4	4	14	1.1		1	1	1	1	2	2	2
18-24	15	3.9	71	1	1	1	2	5	27	34	22	1.4		1	1	1	2	2	3	3
25-34	24	8.8	86	1	2	5	10	28	29	32	19	1.6	1	1	1	1	2	3	3	3
35-54	62	7.1	64	2	3	4	7	25	28	30	34	3.7	30	1	1	2	3	7	13	30
55-74	25	7.0	39	1	3	7	10	12	17	31	15	3.1	3	1	2	3	4	6	6	6
75 +	2	5.5	13	3	3	5	8	8	8	8	4	1.8	1	1	1	2	2	3	3	3
ALL AGES	142	6.5	59	1	2	4	7	18	28	32	108	2.4	11	1	1	2	3	4	6	21
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	10	1.6	1	1	1	1	2	3	4	4	9	1.1		1	1	1	1	2	2	2
18-24	6	11.8	170	1	3	5	28	29	29	29	3	1.0		1	1	1	1	1	1	1
25-34	12	4.0	11	1	1	3	7	9	9	9	4	8.8	116	1	1	5	16	24	24	24
35-54	8	9.3	82	1	3	7	11	25	30	30	10	2.3	2	1	1	2	3	4	5	5
55-74	6	4.3	7	1	3	4	5	9	9	9	4	3.3		2	2	3	4	4	4	4
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	43	5.5	51	1	1	3	7	10	28	30	31	2.8	18	1	1	1	3	5	9	24
SUBTOTAL	**185**	**6.2**	**58**	**1**	**2**	**3**	**7**	**12**	**28**	**32**	**139**	**2.5**	**12**	**1**	**1**	**1**	**3**	**4**	**6**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	14	12.5	263	1	1	6	24	31	51	57	3	12.0	201	1	2	7	23	28	28	28
18-24	9	3.0	2	1	2	3	4	5	5	5	2	17.0	512	1	1	16	33	33	33	33
25-34	27	8.3	85	2	2	4	10	26	28	35	12	12.4	338	1	1	3	21	41	55	57
35-54	54	7.7	58	1	3	5	9	19	28	31	11	4.8	4	2	3	5	6	8	8	8
55-74	16	4.7	9	2	2	4	6	10	11	11	7	5.3	11	2	3	5	6	11	12	12
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	121	7.6	80	1	2	4	9	22	28	41	35	8.8	157	1	2	5	7	32	34	57
B. FEMALE																				
0-12 YRS.																				
13-17	6	3.0	6	1	1	2	5	7	7	7	2	2.0		2	2	2	2	2	2	2
18-24	10	6.5	87	1	1	2	9	23	28	28	4	1.0		1	1	1	1	1	1	1
25-34	12	8.9	108	1	3	5	10	24	36	38	6	2.8	13	1	1	1	3	9	10	10
35-54	12	8.0	276	1	1	2	6	24	55	60	10	3.0	6	1	1	2	4	7	7	7
55-74	9	12.7	238	1	2	4	18	39	44	44										
75 +	1	17.0		17	17	17	17	17	17	17	1	10.0		10	10	10	10	10	10	10
ALL AGES	50	8.3	152	1	1	3	9	23	38	60	23	2.8	8	1	1	1	4	8	10	10
SUBTOTAL	**171**	**7.8**	**100**	**1**	**2**	**4**	**9**	**22**	**29**	**54**	**58**	**6.4**	**106**	**1**	**1**	**3**	**7**	**11**	**33**	**55**
GRAND TOTAL	**356**	**7.0**	**78**	**1**	**2**	**4**	**8**	**19**	**28**	**38**	**197**	**3.6**	**43**	**1**	**1**	**2**	**3**	**7**	**10**	**34**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	1	20.0		20	20	20	20	20	20	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**10.5**	**181**	**1**	**1**	**10**	**20**	**20**	**20**	**20**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**4**	**6.5**	**83**	**1**	**1**	**2**	**12**	**20**	**20**	**20**										

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	24.0	76	14	17	28	29	30	30	30	2	20.5	761	1	1	20	40	40	40	40
18-24	1	28.0		28	28	28	28	28	28	28	3	11.7	73	4	5	10	18	21	21	21
25-34	2	26.5	5	25	25	26	28	28	28	28	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	6	25.5	34	15	25	28	28	30	30	30	6	12.8	235	1	1	7	21	38	40	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	9.5	41	5	5	9	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.5	41	5	5	9	14	14	14	14										
SUBTOTAL	**8**	**21.5**	**85**	**8**	**14**	**26**	**28**	**29**	**30**	**30**	**6**	**12.8**	**235**	**1**	**1**	**7**	**21**	**38**	**40**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	27.5	198	9	18	29	37	43	43	43	4	34.5	123	21	25	36	43	45	45	45
18-24	1	21.0		21	21	21	21	21	21	21	2	34.0	98	27	27	34	41	41	41	41
25-34	3	5.0	7	3	3	4	7	8	8	8	2	35.5	113	28	28	35	43	43	43	43
35-54	4	22.0	144	4	16	28	28	28	28	28										
55-74																				
75 +																				
ALL AGES	12	19.5	178	4	6	24	28	35	42	43	8	34.6	85	23	27	35	42	44	45	45
B. FEMALE																				
0-12 YRS.																				
13-17	2	24.0	72	18	18	24	30	30	30	30										
18-24	1	22.0		22	22	22	22	22	22	22										
25-34	3	19.3	178	4	10	27	27	27	27	27	1	16.0		16	16	16	16	16	16	16
35-54																				
55-74																				
75 +																				
ALL AGES	6	21.3	92	5	18	24	27	30	30	30	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**18**	**20.1**	**143**	**4**	**8**	**24**	**28**	**31**	**38**	**43**	**9**	**32.6**	**108**	**18**	**25**	**30**	**42**	**44**	**45**	**45**
GRAND TOTAL	**26**	**20.5**	**123**	**4**	**9**	**26**	**28**	**30**	**33**	**43**	**15**	**24.7**	**245**	**1**	**11**	**27**	**41**	**43**	**44**	**45**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	3	3.7	6	1	2	4	5	6	6	6	2	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.5	221	1	1	11	22	22	22	22										
18-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	12.0	111	1	4	13	20	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	12.0	111	1	4	13	20	22	22	22										
GRAND TOTAL	6	7.8	68	1	1	5	13	21	22	22	2	1.0		1	1	1	1	1	1	1

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	30.0		30	30	30	30	30	30	30										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	2	20.0	200	10	10	20	30	30	30	30	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**13.7**	**219**	**1**	**2**	**10**	**25**	**30**	**30**	**30**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	2	9.5	85	3	3	9	16	16	16	16	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	2	9.5	85	3	3	9	16	16	16	16										
35-54	2	5.0	8	3	3	5	7	7	7	7										
55-74	1	25.0		25	25	25	25	25	25	25										
75 +																				
ALL AGES	5	10.8	91	3	3	7	18	25	25	25	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**7**	**10.4**	**76**	**3**	**3**	**7**	**16**	**23**	**25**	**25**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
GRAND TOTAL	**10**	**11.4**	**102**	**1**	**3**	**8**	**16**	**27**	**30**	**30**	**3**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	8.4	16	2	6	10	11	12	12	12										
35-54	2	10.0	8	8	8	10	12	12	12	12	1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	7	8.9	12	3	7	10	12	12	12	12	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	3	9.7	7	8	8	8	12	13	13	13										
SUBTOTAL	**10**	**9.1**	**11**	**4**	**8**	**9**	**12**	**13**	**13**	**13**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	6.2	16	1	4	6	8	12	12	12	3	18.0	553	2	3	7	35	45	45	45
35-54	11	8.5	27	3	5	7	12	17	19	19										
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	17	7.6	23	2	5	6	11	14	18	19	3	18.0	553	2	3	7	35	45	45	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	9	12.7	116	3	5	8	22	30	31	31	1	28.0		28	28	28	28	28	28	28
35-54	4	9.3	8	5	7	10	11	12	12	12										
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	13	11.6	83	3	6	8	14	29	31	31	2	21.0	98	14	14	21	28	28	28	28
SUBTOTAL	**30**	**9.4**	**50**	**3**	**5**	**7**	**12**	**19**	**28**	**31**	**5**	**19.2**	**304**	**2**	**6**	**14**	**32**	**45**	**45**	**45**
GRAND TOTAL	**40**	**9.3**	**40**	**3**	**5**	**8**	**12**	**17**	**24**	**31**	**6**	**17.5**	**260**	**2**	**7**	**11**	**28**	**43**	**45**	**45**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	2.3	1	1	1	2	3	3	3	3	5	14.4	302	1	1	4	30	38	38	38
25-34	25	11.8	97	1	3	8	22	26	28	28	13	10.5	233	1	2	3	13	36	41	42
35-54	7	9.4	49	2	4	6	14	20	21	21	2	1.5	1	1	1	1	2	2	2	2
55-74																				
75 +																				
ALL AGES	36	10.3	84	1	3	6	21	22	27	28	20	10.6	223	1	1	3	17	36	40	42
B. FEMALE																				
0-12 YRS.																				
13-17	2	7.0	72	1	1	7	13	13	13	13										
18-24	14	4.4	9	1	1	4	7	8	9	9										
25-34	27	8.5	30	2	4	7	12	17	19	23	6	13.0	212	2	3	5	28	34	35	35
35-54	2	7.0	2	6	6	7	8	8	8	8	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	45	7.1	26	1	4	7	9	14	18	23	7	11.3	197	1	2	4	22	34	35	35
SUBTOTAL	**81**	**8.5**	**54**	**1**	**3**	**6**	**13**	**22**	**23**	**28**	**27**	**10.7**	**210**	**1**	**1**	**3**	**22**	**35**	**39**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	17.5	545	1	1	17	34	34	34	34	2	10.5	181	1	1	10	20	20	20	20
18-24	17	10.9	69	1	5	10	14	23	28	31	9	26.2	282	3	6	34	38	42	42	42
25-34	27	8.7	69	1	3	6	10	26	28	28	13	27.8	255	3	10	38	41	41	42	42
35-54	10	6.5	41	1	2	5	6	17	22	22	7	29.1	265	4	15	36	39	43	44	44
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	56	9.3	74	1	3	7	12	23	28	34	32	25.8	264	3	6	34	40	42	42	44
B. FEMALE																				
0-12 YRS.																				
13-17	2	23.5	685	5	5	23	42	42	42	42										
18-24	12	6.0	11	2	3	7	8	11	11	11	2	3.5	1	3	3	3	4	4	4	4
25-34	15	9.3	49	4	5	6	11	22	26	28	4	12.5	362	2	2	3	22	41	41	41
35-54	6	15.2	77	4	9	15	22	25	25	25	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	35	10.0	76	2	5	7	11	22	27	42	7	8.4	208	2	2	3	4	34	41	41
SUBTOTAL	**91**	**9.6**	**73**	**2**	**4**	**7**	**11**	**23**	**28**	**39**	**39**	**22.6**	**297**	**2**	**3**	**30**	**39**	**42**	**42**	**44**
GRAND TOTAL	**172**	**9.1**	**64**	**1**	**3**	**7**	**12**	**22**	**27**	**33**	**66**	**17.8**	**290**	**1**	**2**	**6**	**36**	**41**	**42**	**44**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	6.0		6	6	6	6	6	6	6	1	14.0		14	14	14	14	14	14	14
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	1	6	6	6	7	7	7	7	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	2.5	1	2	2	2	3	3	3	3
25-34	2	8.0	8	6	6	8	10	10	10	10	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	2	8.0	8	6	6	8	10	10	10	10	4	3.0	1	2	2	3	4	4	4	4
SUBTOTAL	**4**	**7.3**	**3**	**6**	**6**	**7**	**8**	**10**	**10**	**10**	**5**	**5.2**	**25**	**2**	**3**	**3**	**6**	**14**	**14**	**14**
GRAND TOTAL	**6**	**5.2**	**12**	**1**	**1**	**6**	**7**	**10**	**10**	**10**	**6**	**4.7**	**21**	**2**	**2**	**3**	**4**	**13**	**14**	**14**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	2	7.5	85	1	1	7	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**11.0**	**79**	**1**	**3**	**14**	**17**	**18**	**18**	**18**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**3**	**11.0**	**79**	**1**	**3**	**14**	**17**	**18**	**18**	**18**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	18.0	215	1	2	22	28	36	39	39	11	24.7	315	1	4	29	39	45	49	49
18-24	15	10.7	122	1	2	6	19	28	34	36	11	22.3	154	8	13	18	34	39	42	42
25-34	18	15.0	145	1	3	14	28	30	33	35	22	17.6	246	1	2	17	29	39	40	42
35-54	13	12.9	124	2	3	7	25	28	28	28	11	18.8	331	2	3	10	30	46	53	54
55-74	1	4.0		4	4	4	4	4	4	4	1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	55	13.6	140	1	3	8	26	30	34	39	56	20.3	250	1	3	24	32	41	42	54
B. FEMALE																				
0-12 YRS.																				
13-17	2	10.0	72	4	4	10	16	16	16	16	5	26.8	407	1	7	39	42	44	44	44
18-24	13	11.2	162	1	2	5	28	30	31	31	4	18.3	378	2	2	15	34	41	41	41
25-34	13	18.9	141	4	7	18	28	34	38	39	10	18.2	193	3	4	20	30	36	38	38
35-54	8	17.1	166	3	6	13	30	34	34	34	10	19.6	311	2	3	16	36	42	42	42
55-74	5	5.0	3	3	4	5	6	7	7	7	6	17.7	273	3	5	10	35	41	42	42
75 +																				
ALL AGES	41	14.0	144	2	4	8	28	32	34	39	35	19.7	266	2	3	18	36	42	42	44
SUBTOTAL	**96**	**13.7**	**142**	**1**	**3**	**8**	**27**	**30**	**34**	**39**	**91**	**20.1**	**252**	**2**	**3**	**23**	**34**	**41**	**42**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15	1	1.0		1	1	1	1	1	1	1
13-17	27	18.1	129	2	10	17	26	37	40	42	1	1.0		1	1	1	1	1	1	1
18-24	15	9.8	55	2	4	7	15	22	24	25	6	12.8	100	1	6	10	21	27	28	28
25-34	23	11.7	116	1	2	7	21	29	33	35	10	11.3	244	1	2	5	10	40	42	42
35-54	13	9.8	58	2	4	9	14	21	27	28	4	11.0	137	2	3	7	18	28	28	28
55-74	3	10.7	21	7	7	9	14	16	16	16	2	20.5	365	7	7	20	34	34	34	34
75 +																				
ALL AGES	82	13.1	106	2	6	10	18	29	33	41	24	11.5	169	1	2	6	16	34	40	42
B. FEMALE																				
0-12 YRS.											2	7.5	85	1	1	7	14	14	14	14
13-17	18	20.9	265	3	13	18	23	38	58	72	5	26.0	207	9	16	23	37	46	46	46
18-24	4	16.0	262	5	6	9	25	40	40	40	1	1.0		1	1	1	1	1	1	1
25-34	22	14.0	131	2	6	8	28	30	33	34	9	11.2	179	1	3	4	15	34	42	42
35-54	10	13.7	186	2	3	7	27	34	41	41	7	8.1	88	1	3	5	10	25	28	28
55-74	4	11.8	33	7	7	10	16	20	20	20	3	4.7	9	2	2	4	7	8	8	8
75 +	2	6.0	18	3	3	6	9	9	9	9	1	9.0		9	9	9	9	9	9	9
ALL AGES	60	15.8	179	2	6	12	23	33	39	69	28	11.7	159	1	3	7	16	32	42	46
SUBTOTAL	**142**	**14.2**	**139**	**2**	**6**	**10**	**19**	**30**	**37**	**44**	**52**	**11.6**	**160**	**1**	**2**	**6**	**16**	**34**	**41**	**46**
GRAND TOTAL	**238**	**14.0**	**140**	**2**	**4**	**10**	**22**	**30**	**35**	**41**	**143**	**17.0**	**235**	**1**	**3**	**10**	**30**	**41**	**42**	**49**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	2	14.5	145	6	6	14	23	23	23	23										
SUBTOTAL	**3**	**12.3**	**88**	**6**	**6**	**8**	**19**	**23**	**23**	**23**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	22.0		22	22	22	22	22	22	22										
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	33.0		33	33	33	33	33	33	33										
55-74	1	22.0		22	22	22	22	22	22	22	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	18.7	262	1	6	22	30	33	33	33	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**19.5**	**179**	**1**	**11**	**22**	**28**	**33**	**33**	**33**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**7**	**16.4**	**134**	**2**	**6**	**22**	**23**	**31**	**33**	**33**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3										
13-17											1	1.0		1	1	1	1	1	1	1
18-24											1	1.0		1	1	1	1	1	1	1
25-34											2	2.0		2	2	2	2	2	2	2
35-54	2	3.0	2	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
55-74	2	1.5	1	1	1	1	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
75 +	2	2.5	1	2	2	2	3	3	3	3	1	12.0		12	12	12	12	12	12	12
ALL AGES	8	2.3	1	1	1	2	3	4	4	4	8	3.0	14	1	1	2	3	9	12	12
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	2	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	4	5.8	47	1	2	3	10	16	16	16	2	2.5	5	1	1	2	4	4	4	4
35-54	2	3.0	2	2	2	3	4	4	4	4	5	2.8	2	1	2	3	4	5	5	5
55-74	6	3.0	4	1	1	3	4	6	6	6	7	3.7	9	1	2	3	4	9	10	10
75 +	3	3.3	6	2	2	2	5	6	6	6	3	18.0	333	6	7	9	31	39	39	39
ALL AGES	18	3.4	12	1	2	3	4	6	12	16	18	5.7	75	1	2	3	5	10	27	39
SUBTOTAL	**26**	**3.1**	**9**	**1**	**2**	**2**	**3**	**6**	**8**	**16**	**26**	**4.8**	**57**	**1**	**2**	**3**	**4**	**10**	**17**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	4.0		4	4	4	4	4	4	4										
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
55-74											4	6.8	3	4	5	7	8	8	8	8
75 +											2	4.0	2	3	3	4	5	5	5	5
ALL AGES	4	2.5	3	1	1	2	4	4	4	4	9	4.4	8	1	2	4	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	2	2.5	5	1	1	2	4	4	4	4	3	3.3	6	2	2	2	5	6	6	6
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54	3	3.3	17	1	1	1	6	8	8	8	2	2.0		2	2	2	2	2	2	2
55-74	3	3.7	6	1	2	4	5	6	6	6	2	2.5	1	2	2	2	3	3	3	3
75 +											3	2.7	2	1	1	3	4	4	4	4
ALL AGES	8	3.3	7	1	1	3	5	7	8	8	11	3.0	3	1	2	2	4	6	6	6
SUBTOTAL	**12**	**3.0**	**6**	**1**	**1**	**3**	**4**	**7**	**8**	**8**	**20**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**	**8**
GRAND TOTAL	**38**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**16**	**46**	**4.3**	**34**	**1**	**2**	**3**	**5**	**8**	**10**	**39**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	7.0		7	7	7	7	7	7	7	3	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	2	5.0	8	3	3	5	7	7	7	7	3	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**7**	**7**	**5**	**1.8**		**1**	**1**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	2.0	2	1	1	2	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17											1	54.0		54	54	54	54	54	54	54
18-24																				
25-34																				
35-54	4	8.8	66	1	3	7	14	20	20	20	2	6.0	8	4	4	6	8	8	8	8
55-74	2	4.5	5	3	3	4	6	6	6	6	3	4.7	14	2	2	3	7	9	9	9
75 +											2	6.5	25	3	3	6	10	10	10	10
ALL AGES	6	7.3	46	1	3	5	9	19	20	20	8	11.6	303	2	3	6	9	41	54	54
SUBTOTAL	**7**	**6.4**	**44**	**1**	**2**	**5**	**8**	**18**	**20**	**20**	**10**	**9.7**	**252**	**1**	**3**	**4**	**9**	**32**	**54**	**54**
GRAND TOTAL	**11**	**5.5**	**30**	**1**	**2**	**4**	**7**	**13**	**19**	**20**	**15**	**7.1**	**176**	**1**	**2**	**3**	**7**	**10**	**43**	**54**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	3	2.3	1	2	2	2	3	3	3	3
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34											1	7.0		7	7	7	7	7	7	7
35-54	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74	2	5.5	41	1	1	5	10	10	10	10										
75 +											2	5.5	25	2	2	5	9	9	9	9
ALL AGES	4	4.8	14	1	2	4	7	10	10	10	8	3.8	7	2	2	3	5	8	9	9
B. FEMALE																				
0-12 YRS.	3	6.0	19	3	3	4	9	11	11	11	4	4.8	32	1	1	3	8	13	13	13
13-17	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
18-24	2	3.5	1	3	3	3	4	4	4	4	1	4.0		4	4	4	4	4	4	4
25-34	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
35-54	2	5.0	2	4	4	5	6	6	6	6	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											2	8.0	8	6	6	8	10	10	10	10
ALL AGES	9	4.3	8	2	3	4	5	9	11	11	10	5.3	16	1	3	4	8	11	13	13
SUBTOTAL	**13**	**4.5**	**8**	**2**	**3**	**4**	**5**	**10**	**11**	**11**	**18**	**4.6**	**12**	**1**	**2**	**3**	**7**	**10**	**12**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54	2	3.0		3	3	3	3	3	3	3										
55-74																				
75 +											2	5.0	2	4	4	5	6	6	6	6
ALL AGES	3	4.0	3	3	3	3	5	6	6	6	2	5.0	2	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	3.0		3	3	3	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
55-74	1	1.0		1	1	1	1	1	1	1	4	4.5	1	4	4	4	5	6	6	6
75 +	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
ALL AGES	3	2.3	6	1	1	1	4	5	5	5	8	4.0	1	3	3	4	5	6	6	6
SUBTOTAL	**6**	**3.2**	**4**	**1**	**1**	**3**	**5**	**6**	**6**	**6**	**10**	**4.2**	**1**	**3**	**3**	**4**	**5**	**6**	**6**	**6**
GRAND TOTAL	**19**	**4.1**	**7**	**1**	**2**	**4**	**5**	**8**	**11**	**11**	**28**	**4.5**	**8**	**2**	**3**	**4**	**6**	**9**	**10**	**13**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	2.0	1	1	1	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**6**	**6**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.5	61	6	6	11	17	17	17	17										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	61	6	6	11	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**11.5**	**61**	**6**	**6**	**11**	**17**	**17**	**17**	**17**										
GRAND TOTAL	**6**	**5.8**	**35**	**1**	**2**	**4**	**6**	**16**	**17**	**17**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	12.0		12	12	12	12	12	12	12
55-74																				
75 +																				
ALL AGES											1	12.0		12	12	12	12	12	12	12
SUBTOTAL											**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
GRAND TOTAL											1	12.0		12	12	12	12	12	12	12

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74	1	23.0		23	23	23	23	23	23	23	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	2	13.5	181	4	4	13	23	23	23	23	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**13.5**	**181**	**4**	**4**	**13**	**23**	**23**	**23**	**23**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	7.7	16	3	5	10	10	10	10	10										
55-74											1	3.0		3	3	3	3	3	3	3
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	3	7.7	16	3	5	10	10	10	10	10	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**3**	**7.7**	**16**	**3**	**5**	**10**	**10**	**10**	**10**	**10**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**5**	**10.0**	**64**	**3**	**4**	**10**	**13**	**23**	**23**	**23**	**3**	**4.0**	**1**	**3**	**3**	**4**	**5**	**5**	**5**	**5**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	18.0		18	18	18	18	18	18	18										
18-24																				
25-34																				
35-54											2	3.0	2	2	2	3	4	4	4	4
55-74	4	17.5	139	6	7	17	27	30	30	30										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	6	15.5	110	5	6	13	25	29	30	30	3	2.7	1	2	2	2	4	4	4	4
SUBTOTAL	**6**	**15.5**	**110**	**5**	**6**	**13**	**25**	**29**	**30**	**30**	**3**	**2.7**	**1**	**2**	**2**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.5	25	11	11	14	18	18	18	18	1	60.0		60	60	60	60	60	60	60
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	4	10.8	25	7	7	9	14	18	18	18	1	60.0		60	60	60	60	60	60	60
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	12.0		12	12	12	12	12	12	12
25-34																				
35-54	1	24.0		24	24	24	24	24	24	24										
55-74											2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24	3	5.7	30	2	2	3	10	12	12	12
SUBTOTAL	**5**	**13.4**	**55**	**7**	**7**	**11**	**19**	**24**	**24**	**24**	**4**	**19.3**	**756**	**2**	**2**	**7**	**36**	**60**	**60**	**60**
GRAND TOTAL	**11**	**14.5**	**80**	**6**	**7**	**11**	**23**	**27**	**30**	**30**	**7**	**12.1**	**459**	**2**	**2**	**3**	**10**	**50**	**60**	**60**

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.5	181	2	2	11	21	21	21	21										
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	3	11.7	89	2	4	12	19	21	21	21										
B. FEMALE																				
0-12 YRS.	2	15.5	181	6	6	15	25	25	25	25	1	48.0		48	48	48	48	48	48	48
13-17	21	26.6	448	3	7	20	41	53	64	78	3	5.0	7	3	3	4	7	8	8	8
18-24	5	21.6	421	5	6	18	30	56	56	56	7	11.3	128	1	2	9	21	28	29	29
25-34	5	26.4	694	4	5	13	54	56	56	56	2	6.5	41	2	2	6	11	11	11	11
35-54	4	32.0	1005	6	9	23	55	76	76	76	2	21.5	545	5	5	21	38	38	38	38
55-74											1	2.0		2	2	2	2	2	2	2
75 +											3	6.7	16	3	4	6	10	11	11	11
ALL AGES	37	25.9	474	4	6	19	44	56	77	99 +	19	11.6	181	2	3	6	11	34	43	48
SUBTOTAL	**40**	**24.8**	**458**	**4**	**6**	**18**	**41**	**56**	**77**	**99 +**	**19**	**11.6**	**181**	**2**	**3**	**6**	**11**	**34**	**43**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	13.5	221	3	8	24	81	99 +	99 +	99 +										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54	1	42.0		42	42	42	42	42	42	42										
55-74																				
75 +																				
ALL AGES	4	18.8	324	3	5	24	56	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.	4	36.3	430	17	20	32	52	64	64	64										
13-17	18	43.6	605	12	29	41	70	96	99 +	99 +	2	3.0		3	3	3	3	3	3	3
18-24	13	27.6	423	3	10	33	48	68	93	99 +										
25-34	7	17.9	145	1	5	25	28	29	29	29	2	33.5	25	30	30	33	37	37	37	37
35-54	5	24.2	533	3	5	14	47	52	52	52										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	48	32.0	533	4	12	31	50	78	99	99 +	4	18.3	316	3	3	30	53	99 +	99 +	99 +
SUBTOTAL	**52**	**31.0**	**522**	**3**	**12**	**30**	**50**	**86**	**99 +**	**99 +**	**4**	**18.3**	**316**	**3**	**3**	**30**	**53**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**92**	**28.3**	**499**	**3**	**11**	**25**	**48**	**71**	**97**	**99 +**	**23**	**12.7**	**200**	**2**	**3**	**7**	**27**	**39**	**64**	**99 +**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	6.2	47	1	1	4	7	18	19	19	2	1.5	1	1	1	1	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	5.4	44	1	1	2	7	17	19	19	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**7**	**5.4**	**44**	**1**	**1**	**2**	**7**	**17**	**19**	**19**	**3**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	14.3	60	10	10	11	18	26	26	26										
13-17	5	24.0	108	10	14	29	32	33	33	33										
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	10	17.9	123	6	10	13	29	32	33	33	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**11**	**16.4**	**135**	**2**	**10**	**11**	**28**	**32**	**33**	**33**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**18**	**12.1**	**126**	**1**	**2**	**10**	**19**	**31**	**33**	**33**	**4**	**3.5**	**5**	**1**	**1**	**3**	**5**	**6**	**6**	**6**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.												1	2.0		2	2	2	2	2	2	2
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES												1	2.0		2	2	2	2	2	2	2
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL												1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL																						
GRAND TOTAL												1	2.0		2	2	2	2	2	2	2

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	1.5		1	1	1	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	7	2.0	2	1	1	2	2	4	5	5										
B. FEMALE																				
0-12 YRS.	2	8.0	98	1	1	8	15	15	15	15										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.0	98	1	1	8	15	15	15	15										
SUBTOTAL	9	3.3	21	1	1	2	3	11	15	15										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	2	7.0	18	4	4	7	10	10	10	10										
GRAND TOTAL	11	4.0	21	1	1	2	5	12	15	15										

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	15.3	138	1	8	15	23	30	30	30	1	45.0		45	45	45	45	45	45	45
13-17	2	35.0	98	28	28	35	42	42	42	42	2	7.0	32	3	3	7	11	11	11	11
18-24											1	3.0		3	3	3	3	3	3	3
25-34											2	12.5	145	4	4	12	21	21	21	21
35-54																				
55-74																				
75 +																				
ALL AGES	6	21.8	210	2	15	22	30	41	42	42	6	14.5	272	3	3	7	21	43	45	45
B. FEMALE																				
0-12 YRS.	5	23.8	38	14	20	26	28	30	30	30	2	22.5	181	13	13	22	32	32	32	32
13-17	14	32.1	495	4	14	26	57	61	65	66										
18-24	11	31.3	699	4	13	18	51	70	85	86	8	14.6	333	5	6	7	13	46	59	59
25-34	10	21.3	329	2	9	18	28	51	55	55	1	28.0		28	28	28	28	28	28	28
35-54											4	4.0	5	2	2	3	5	7	7	7
55-74	1	59.0		59	59	59	59	59	59	59	2	6.0	18	3	3	6	9	9	9	9
75 +																				
ALL AGES	41	28.9	459	4	13	23	49	59	63	86	17	12.8	212	3	5	7	13	31	50	59
SUBTOTAL	**47**	**28.0**	**427**	**3**	**14**	**23**	**41**	**59**	**61**	**86**	**23**	**13.3**	**215**	**3**	**4**	**7**	**14**	**35**	**50**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	53.5	13	51	51	53	56	56	56	56	2	33.5	1861	3	3	33	64	64	64	64
13-17	5	38.6	297	19	25	37	51	63	63	63	1	59.0		59	59	59	59	59	59	59
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	59.0		59	59	59	59	59	59	59										
55-74																				
75 +																				
ALL AGES	8	44.9	247	21	32	49	57	62	63	63	4	32.3	1141	3	3	31	61	64	64	64
B. FEMALE																				
0-12 YRS.	2	31.0	128	23	23	31	39	39	39	39										
13-17	17	24.6	299	6	14	21	29	54	66	70	3	59.0	156	45	49	63	67	69	69	69
18-24	21	25.5	328	3	13	22	38	56	57	57	3	48.7	417	25	33	59	61	62	62	62
25-34	17	29.4	589	2	4	29	54	58	61	63	2	35.5	1	35	35	35	36	36	36	36
35-54	10	20.2	348	5	7	13	25	53	54	54	3	9.0	12	5	8	11	56	99 +	99 +	99 +
55-74											5	6.0	13	2	3	5	9	11	11	11
75 +	1	9.0		9	9	9	9	9	9	9	1	8.0		8	8	8	8	8	8	8
ALL AGES	68	25.4	371	3	9	21	38	56	58	69	17	27.0	587	4	8	18	59	67	88	99 +
SUBTOTAL	**76**	**27.4**	**394**	**4**	**10**	**23**	**48**	**57**	**60**	**68**	**21**	**28.0**	**646**	**3**	**5**	**18**	**59**	**65**	**81**	**99 +**
GRAND TOTAL	**123**	**27.6**	**405**	**4**	**11**	**23**	**46**	**57**	**60**	**74**	**44**	**20.3**	**466**	**3**	**5**	**11**	**35**	**62**	**65**	**99 +**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.											2	33.0	50	28	28	33	38	38	38	38
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	33.0	50	28	28	33	38	38	38	38
SUBTOTAL	1	9.0		9	9	9	9	9	9	9	2	33.0	50	28	28	33	38	38	38	38
GRAND TOTAL	1	9.0		9	9	9	9	9	9	9	2	33.0	50	28	28	33	38	38	38	38

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	10.0	108	4	4	4	18	22	22	22	1	30.0		30	30	30	30	30	30	30
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	10.0	108	4	4	4	18	22	22	22	1	30.0		30	30	30	30	30	30	30
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**11.3**	**77**	**4**	**4**	**10**	**18**	**22**	**22**	**22**	**2**	**16.5**	**365**	**3**	**3**	**16**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	19.3	760	1	2	6	40	51	51	51
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											4	15.3	570	1	2	4	28	51	51	51
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**4**	**15.3**	**570**	**1**	**2**	**4**	**28**	**51**	**51**	**51**
GRAND TOTAL	**5**	**9.6**	**72**	**3**	**4**	**4**	**17**	**22**	**22**	**22**	**6**	**15.7**	**415**	**1**	**3**	**5**	**30**	**49**	**51**	**51**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.0		2	2	2	2	2	2	2	1	20.0		20	20	20	20	20	20	20
13-17	3	2.0	1	1	1	2	3	3	3	3										
18-24	2	3.5	1	3	3	3	4	4	4	4	2	2.0	2	1	1	2	3	3	3	3
25-34	7	3.1	2	1	2	4	4	4	4	4	5	4.0	11	1	1	3	7	8	8	8
35-54	4	4.0	2	3	3	4	5	6	6	6	9	2.6	2	1	2	2	3	5	6	6
55-74	2	1.5	1	1	1	1	2	2	2	2	2	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	21	2.9	1	1	2	3	4	4	5	6	19	3.7	20	1	2	2	3	8	15	20
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	2	2.5	1	2	2	2	3	3	3	3
13-17	7	4.3	9	2	2	4	4	10	11	11	4	2.8		2	2	3	3	3	3	3
18-24	4	3.3	4	1	1	3	5	6	6	6	6	2.3	2	1	1	2	3	4	4	4
25-34	8	5.8	26	2	3	4	6	15	18	18	16	3.5	3	1	2	3	5	6	6	6
35-54	10	3.5	8	1	1	3	5	8	10	10	30	4.2	7	2	3	4	5	7	9	14
55-74	7	5.9	18	2	2	4	9	12	13	13	8	4.8	4	2	3	4	7	7	7	7
75 +											2	4.5	1	4	4	4	5	5	5	5
ALL AGES	37	4.6	14	1	2	4	5	10	12	18	68	3.8	5	2	2	3	5	6	7	13
SUBTOTAL	**58**	**4.0**	**10**	**1**	**2**	**3**	**4**	**7**	**11**	**18**	**87**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**7**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
13-17	2	2.5	1	2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
35-54	4	9.5	139	2	2	4	16	27	27	27	1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2	2	9.5	61	4	4	9	15	15	15	15
75 +																				
ALL AGES	9	5.8	65	2	2	3	5	19	27	27	6	5.2	23	2	3	3	4	14	15	15
B. FEMALE																				
0-12 YRS.	4	3.5	6	1	1	3	5	6	6	6	1	8.0		8	8	8	8	8	8	8
13-17	4	6.8	33	2	2	6	11	14	14	14	1	4.0		4	4	4	4	4	4	4
18-24	2	4.0	2	3	3	4	5	5	5	5	3	4.0	19	1	1	2	7	9	9	9
25-34	3	7.3	27	3	4	6	11	13	13	13	13	4.6	6	3	3	4	5	7	11	12
35-54	10	4.5	9	1	3	4	5	9	10	10	22	4.0	5	2	3	3	6	7	8	8
55-74	2	10.0	72	4	4	10	16	16	16	16	5	4.6	4	3	3	4	6	8	8	8
75 +											4	3.8	2	2	2	4	5	5	5	5
ALL AGES	25	5.4	18	2	3	4	7	13	14	16	49	4.3	5	2	3	4	5	8	8	12
SUBTOTAL	**34**	**5.5**	**29**	**2**	**2**	**4**	**6**	**13**	**16**	**27**	**55**	**4.4**	**7**	**2**	**3**	**4**	**5**	**8**	**9**	**15**
GRAND TOTAL	**92**	**4.5**	**17**	**1**	**2**	**3**	**5**	**10**	**13**	**23**	**142**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**8**	**15**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	2.0	2	1	1	2	3	3	3	3										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	2	4.5	5	3	3	4	6	6	6	6
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54	2	14.0	128	6	6	14	22	22	22	22	1	1.0		1	1	1	1	1	1	1
55-74											1	4.0		4	4	4	4	4	4	4
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	3	10.0	112	2	3	6	18	22	22	22	4	5.5	51	1	1	2	10	16	16	16
SUBTOTAL	**5**	**6.8**	**76**	**1**	**2**	**3**	**10**	**22**	**22**	**22**	**6**	**5.2**	**31**	**1**	**1**	**3**	**6**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	6.0	4	4	4	6	7	8	8	8										
55-74											1	8.0		8	8	8	8	8	8	8
75 +	3	11.3	51	5	6	10	17	19	19	19										
ALL AGES	6	8.7	30	4	5	7	10	18	19	19	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	2.5	1	2	2	2	3	3	3	3
55-74	3	10.3	61	4	5	8	16	19	19	19	2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	3	10.3	61	4	5	8	16	19	19	19	4	2.5		2	2	2	3	3	3	3
SUBTOTAL	**9**	**9.2**	**35**	**4**	**5**	**8**	**12**	**19**	**19**	**19**	**5**	**3.6**	**6**	**2**	**2**	**3**	**4**	**8**	**8**	**8**
GRAND TOTAL	**14**	**8.4**	**45**	**2**	**4**	**6**	**10**	**20**	**21**	**22**	**11**	**4.5**	**19**	**1**	**2**	**3**	**5**	**11**	**16**	**16**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17																				
18-24																				
25-34	2	5.5	13	3	3	5	8	8	8	8										
35-54	3	3.0	3	2	2	2	4	5	5	5	2	2.5	1	2	2	2	3	3	3	3
55-74	1	7.0		7	7	7	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	7	6.7	40	2	2	5	8	18	20	20	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
25-34	2	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
35-54	3	2.0	1	1	1	2	3	3	3	3	4	4.5	6	2	2	4	6	7	7	7
55-74											4	4.3	4	1	3	5	6	6	6	6
75 +											2	1.5	1	1	1	1	2	2	2	2
ALL AGES	7	1.7	1	1	1	1	3	3	3	3	15	3.3	4	1	2	3	5	6	7	7
SUBTOTAL	**14**	**4.2**	**26**	**1**	**1**	**2**	**5**	**9**	**18**	**20**	**19**	**3.1**	**3**	**1**	**2**	**2**	**5**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54	2	9.5	85	3	3	9	16	16	16	16	3	2.7	1	2	2	2	4	4	4	4
55-74																				
75 +																				
ALL AGES	3	6.7	66	1	1	3	13	16	16	16	4	3.5	4	2	2	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	17.0		17	17	17	17	17	17	17
25-34	2	9.0	98	2	2	9	16	16	16	16	1	3.0		3	3	3	3	3	3	3
35-54	5	2.6	1	1	2	3	3	4	4	4	1	3.0		3	3	3	3	3	3	3
55-74	4	8.3	76	2	2	5	14	21	21	21										
75 +																				
ALL AGES	12	5.4	41	1	2	3	5	17	20	21	3	7.7	65	3	3	3	14	17	17	17
SUBTOTAL	**15**	**5.7**	**42**	**1**	**2**	**3**	**6**	**16**	**20**	**21**	**7**	**5.3**	**28**	**2**	**2**	**3**	**5**	**15**	**17**	**17**
GRAND TOTAL	**29**	**5.0**	**33**	**1**	**2**	**3**	**5**	**16**	**20**	**21**	**26**	**3.7**	**10**	**1**	**2**	**3**	**5**	**6**	**9**	**17**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	9.0		9	9	9	9	9	9	9										
GRAND TOTAL	1	9.0		9	9	9	9	9	9	9										

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	4.0		4	4	4	4	4	4	4

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	6.7	16	3	4	6	10	11	11	11	1	2.0		2	2	2	2	2	2	2
25-34	2	12.0	162	3	3	12	21	21	21	21										
35-54	3	7.0	91	1	1	2	14	18	18	18	3	3.0	12	1	1	1	5	7	7	7
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	9	7.6	54	1	2	3	13	20	21	21	4	2.8	8	1	1	1	4	7	7	7
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	3	3.0	7	1	1	2	5	6	6	6	1	1.0		1	1	1	1	1	1	1
25-34	6	7.0	67	1	2	3	13	20	21	21	2	1.5	1	1	1	1	2	2	2	2
35-54	1	3.0		3	3	3	3	3	3	3	5	1.4	1	1	1	1	2	3	3	3
55-74	1	8.0		8	8	8	8	8	8	8										
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	13	5.8	36	1	2	3	9	15	20	21	9	1.8	2	1	1	1	2	4	5	5
SUBTOTAL	**22**	**6.5**	**42**	**1**	**2**	**3**	**11**	**19**	**21**	**21**	**13**	**2.1**	**3**	**1**	**1**	**1**	**2**	**5**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	20.0	578	3	3	20	37	37	37	37	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
35-54	1	17.0		17	17	17	17	17	17	17	2	8.0	50	3	3	8	13	13	13	13
55-74	2	1.5	1	1	1	1	2	2	2	2										
75 +																				
ALL AGES	6	11.8	192	1	2	7	17	35	37	37	4	5.5	26	2	2	3	8	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	2	29.5	1405	3	3	29	56	56	56	56										
18-24	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	2	3.0	2	2	2	3	4	4	4	4	3	5.7	32	1	2	4	10	12	12	12
35-54	3	2.7	1	2	2	2	4	4	4	4	7	4.4	13	1	1	3	7	10	10	10
55-74	1	19.0		19	19	19	19	19	19	19	3	5.0	13	2	2	4	8	9	9	9
75 +																				
ALL AGES	9	10.6	318	2	2	3	8	41	56	56	14	4.7	14	1	2	3	8	10	12	12
SUBTOTAL	**15**	**11.1**	**250**	**2**	**2**	**3**	**15**	**37**	**51**	**56**	**18**	**4.9**	**15**	**1**	**2**	**3**	**8**	**11**	**13**	**13**
GRAND TOTAL	**37**	**8.4**	**127**	**1**	**2**	**3**	**11**	**20**	**31**	**56**	**31**	**3.7**	**12**	**1**	**1**	**2**	**5**	**9**	**12**	**13**

STRESS REACT, MIXED DIS (308.4)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				0TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
SUBTOTAL	2	2.5	1	2	2	2	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	2.5	1	2	2	2	3	3	3	3										

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	4.0	7	2	2	3	6	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	4	8.0	85	1	1	5	14	21	21	21										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	9	5.3	41	1	1	3	7	16	21	21	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	3	32.3	1000	2	9	30	56	65	65	65										
18-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54	2	3.5	1	3	3	3	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	3	4.0	19	1	1	2	7	9	9	9										
75 +																				
ALL AGES	10	12.0	423	1	2	3	9	47	65	65	3	3.0	3	1	1	4	4	4	4	4
SUBTOTAL	**19**	**8.8**	**242**	**1**	**2**	**3**	**8**	**26**	**49**	**65**	**5**	**2.4**	**2**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	2	7.0	72	1	1	7	13	13	13	13
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13	2	7.0	72	1	1	7	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	3	4.7	14	2	2	3	7	9	9	9	1	10.0		10	10	10	10	10	10	10
35-54	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	5	4.6	13	1	2	3	8	9	9	9	2	6.0	32	2	2	6	10	10	10	10
SUBTOTAL	**6**	**6.0**	**22**	**1**	**2**	**5**	**9**	**13**	**13**	**13**	**4**	**6.5**	**35**	**1**	**1**	**6**	**11**	**13**	**13**	**13**
GRAND TOTAL	**25**	**8.2**	**187**	**1**	**2**	**3**	**8**	**21**	**39**	**65**	**9**	**4.2**	**19**	**1**	**1**	**2**	**6**	**12**	**13**	**13**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	10.2	13	5	8	10	13	14	14	14										
13-17	42	15.5	336	1	4	8	22	40	53	88	3	1.3		1	1	1	2	2	2	2
18-24	45	3.7	12	1	1	3	5	8	9	20	7	2.0	3	1	1	1	2	5	6	6
25-34	54	6.5	23	1	3	6	8	12	16	25	25	3.4	6	1	2	3	4	6	9	11
35-54	53	8.3	49	1	3	7	12	16	20	39	10	3.2	2	1	2	3	4	5	6	6
55-74	8	6.8	26	1	3	6	9	15	17	17	2	3.5	5	2	2	3	5	5	5	5
75 +	6	8.2	18	1	6	8	12	13	13	13	1	7.0		7	7	7	7	7	7	7
ALL AGES	213	8.3	102	1	3	6	10	17	25	52	48	3.1	5	1	2	3	4	6	7	11
B. FEMALE																				
0-12 YRS.	3	9.0	25	4	5	9	13	14	14	14	1	5.0		5	5	5	5	5	5	5
13-17	111	11.5	216	1	3	7	13	27	35	85	9	6.3	87	1	2	3	6	22	30	30
18-24	104	6.0	33	1	2	5	7	13	15	32	21	4.1	16	1	2	3	4	7	13	20
25-34	132	6.8	26	1	3	6	9	14	17	24	26	5.4	29	1	3	3	6	12	17	25
35-54	111	7.3	41	2	3	6	9	14	22	31	29	5.4	28	1	2	3	7	15	17	20
55-74	31	9.9	62	2	4	8	13	20	29	33	11	9.0	111	3	4	6	9	22	38	40
75 +	14	11.6	44	4	6	11	16	19	25	27	6	3.2	1	2	2	3	4	5	5	5
ALL AGES	506	8.1	79	1	3	6	10	16	24	38	103	5.5	37	1	2	3	6	12	18	35
SUBTOTAL	**719**	**8.2**	**85**	**1**	**3**	**6**	**10**	**16**	**24**	**42**	**151**	**4.7**	**28**	**1**	**2**	**3**	**5**	**9**	**15**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	23.0	60	14	15	23	30	32	32	32										
13-17	31	16.5	179	2	4	15	25	38	40	50	1	2.0		2	2	51	99 +	99 +	99 +	99 +
18-24	56	7.6	41	2	4	6	10	14	18	38	2	5.0	18	2	2	5	8	8	8	8
25-34	73	9.1	92	2	3	6	13	20	25	54	12	4.3	13	1	1	3	7	10	11	11
35-54	72	8.2	34	2	4	7	11	16	19	27	9	5.1	21	1	2	5	6	12	16	16
55-74	13	10.7	47	4	6	8	16	22	24	24	4	5.3	3	4	4	5	6	8	8	8
75 +																				
ALL AGES	251	9.8	83	2	4	7	14	20	27	42	28	4.6	14	1	2	4	7	11	20	99 +
B. FEMALE																				
0-12 YRS.	2	15.0	8	13	13	15	17	17	17	17										
13-17	43	13.7	234	1	4	9	21	30	35	86	1	1.0		1	1	50	99 +	99 +	99 +	99 +
18-24	74	9.1	107	2	2	7	12	19	23	65	4	6.0	22	3	3	4	9	13	13	13
25-34	98	9.3	78	2	4	6	12	18	26	50	17	9.0	71	2	3	5	14	23	27	29
35-54	96	9.8	60	2	4	8	14	19	25	39	11	6.5	31	1	3	4	9	16	18	18
55-74	29	10.9	73	1	6	7	15	25	28	30	8	6.9	19	3	4	6	8	14	17	17
75 +	3	14.0	97	3	6	17	21	22	22	22	2	12.0	98	5	5	12	19	19	19	19
ALL AGES	345	10.2	98	2	3	7	13	22	26	46	43	7.6	46	2	3	5	11	18	25	99 +
SUBTOTAL	**596**	**10.0**	**92**	**2**	**4**	**7**	**13**	**22**	**27**	**46**	**71**	**6.5**	**34**	**1**	**3**	**5**	**8**	**18**	**23**	**99 +**
GRAND TOTAL	**1315**	**9.0**	**89**	**1**	**3**	**6**	**12**	**19**	**25**	**44**	**222**	**5.3**	**30**	**1**	**2**	**4**	**6**	**12**	**18**	**55**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34											3	6.3	13	3	4	6	9	10	10	10
35-54											1	7.0		7	7	7	7	7	7	7
55-74											3	6.0	4	4	4	6	7	8	8	8
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	7	6.3	5	3	4	6	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
25-34	6	7.5	20	3	4	6	12	14	14	14	4	18.8	156	3	9	20	28	32	32	32
35-54	2	12.5	113	5	5	12	20	20	20	20	2	6.0	8	4	4	6	8	8	8	8
55-74											2	4.5	5	3	3	4	6	6	6	6
75 +																				
ALL AGES	9	8.6	31	3	5	7	12	18	20	20	9	11.1	114	3	4	6	17	29	32	32
SUBTOTAL	**10**	**8.1**	**30**	**3**	**4**	**6**	**12**	**17**	**20**	**20**	**16**	**9.0**	**69**	**3**	**4**	**6**	**9**	**24**	**30**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	6.5	61	1	1	6	12	12	12	12	3	6.3	18	3	3	5	9	11	11	11
35-54	1	12.0		12	12	12	12	12	12	12	2	14.0	200	4	4	14	24	24	24	24
55-74																				
75 +																				
ALL AGES	3	8.3	41	1	4	12	12	12	12	12	5	9.4	76	3	4	5	14	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	2	35.0	2312	1	1	35	69	69	69	69										
18-24	2	7.5	85	1	1	7	14	14	14	14	1	34.0		34	34	34	34	34	34	34
25-34	2	16.0	98	9	9	16	23	23	23	23										
35-54	3	12.0	52	4	6	14	17	18	18	18	2	8.0	72	2	2	8	14	14	14	14
55-74	1	13.0		13	13	13	13	13	13	13	1	10.0		10	10	10	10	10	10	10
75 +	1	23.0		23	23	23	23	23	23	23	1	3.0		3	3	3	3	3	3	3
ALL AGES	11	17.2	355	1	5	14	22	42	67	69	5	12.6	168	2	3	10	19	34	34	34
SUBTOTAL	**14**	**15.3**	**293**	**1**	**4**	**13**	**18**	**28**	**60**	**69**	**10**	**11.0**	**111**	**2**	**3**	**7**	**14**	**29**	**34**	**34**
GRAND TOTAL	**24**	**12.3**	**191**	**1**	**4**	**10**	**14**	**23**	**37**	**69**	**26**	**9.8**	**82**	**3**	**4**	**6**	**11**	**25**	**32**	**34**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	16.8	204	6	8	11	20	35	54	60										
13-17	19	13.9	112	2	6	12	18	30	38	41	3	4.7	21	2	2	2	8	10	10	10
18-24	13	5.2	19	1	2	4	6	13	15	15	5	2.6	3	1	1	3	4	5	5	5
25-34	21	5.0	19	1	2	4	7	10	15	19	6	4.3	3	2	3	5	5	6	6	6
35-54	22	7.3	30	1	3	6	10	17	17	17	4	4.5	16	1	1	3	7	10	10	10
55-74	6	6.5	66	2	3	3	4	21	23	23	2	4.5	1	4	4	4	5	5	5	5
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	97	9.2	89	1	3	7	12	19	24	51	20	4.0	7	1	2	4	5	8	10	10
B. FEMALE																				
0-12 YRS.	10	12.3	52	4	7	13	15	22	29	29										
13-17	46	13.7	149	2	5	11	18	41	45	99 +	5	3.2	4	1	2	3	4	6	6	6
18-24	32	6.8	75	1	2	4	8	12	24	45	7	4.7	26	1	1	3	6	13	15	15
25-34	35	6.6	25	1	2	6	11	13	14	20	17	8.1	77	2	3	5	10	18	31	37
35-54	50	7.7	50	1	3	6	9	15	22	34	11	9.8	70	2	4	6	14	24	25	25
55-74	12	11.4	50	2	4	14	18	19	21	21	5	7.4	35	2	3	5	11	17	17	17
75 +	4	12.0	31	4	8	13	15	17	17	17	1	8.0		8	8	8	8	8	8	8
ALL AGES	189	9.4	80	1	3	7	13	19	29	46	46	7.4	54	1	3	5	9	17	24	37
SUBTOTAL	**286**	**9.3**	**83**	**1**	**3**	**7**	**13**	**19**	**28**	**46**	**66**	**6.3**	**43**	**1**	**2**	**5**	**8**	**15**	**20**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	30.3	394	13	14	17	49	55	56	56										
13-17	15	16.1	192	3	7	13	22	29	50	57										
18-24	18	5.8	20	1	2	5	8	13	15	16	2	6.0	8	4	4	6	8	8	8	8
25-34	28	9.1	102	1	2	4	13	23	35	38	1	10.0		10	10	10	10	10	10	10
35-54	13	11.5	91	2	5	7	18	28	30	30	5	3.4	13	1	1	1	6	9	9	9
55-74	2	12.0	18	9	9	12	15	15	15	15										
75 +	2	14.5	1	14	14	14	15	15	15	15										
ALL AGES	85	12.0	151	2	3	8	14	28	40	57	8	4.9	14	1	1	4	8	10	10	10
B. FEMALE																				
0-12 YRS.	8	17.6	171	4	8	14	26	38	41	41	1	3.0		3	3	3	3	3	3	3
13-17	18	18.2	127	4	11	17	30	36	72	99 +	1	8.0		8	8	8	8	8	8	8
18-24	34	12.5	184	2	4	6	14	37	42	52	2	7.5	5	6	6	7	9	9	9	9
25-34	36	9.8	50	2	4	9	15	22	24	25	12	9.8	99	3	4	7	11	21	36	39
35-54	24	8.3	75	1	3	5	11	19	26	39	5	14.8	111	5	9	10	21	32	32	32
55-74	8	13.1	102	3	5	11	18	30	32	32	3	3.3	2	2	2	4	4	4	4	4
75 +	2	16.5	41	12	12	16	21	21	21	21	2	26.0	722	7	7	26	45	45	45	45
ALL AGES	130	12.2	117	2	4	10	17	31	38	61	26	10.8	122	3	4	7	10	30	40	45
SUBTOTAL	**215**	**12.1**	**130**	**2**	**4**	**9**	**16**	**30**	**38**	**56**	**34**	**9.4**	**102**	**2**	**4**	**7**	**10**	**18**	**38**	**45**
GRAND TOTAL	**501**	**10.5**	**105**	**2**	**3**	**7**	**14**	**24**	**34**	**54**	**100**	**7.4**	**64**	**1**	**3**	**5**	**9**	**15**	**24**	**42**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	16.5	89	9	10	12	21	32	36	36	1	2.0		2	2	2	2	2	2	2
13-17	14	13.5	164	2	5	10	15	30	46	50										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	4	5.0	23	1	2	3	8	12	12	12										
55-74																				
75 +																				
ALL AGES	27	12.7	127	1	5	10	15	27	38	50	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	3	9.7	80	1	3	9	16	19	19	19										
13-17	13	13.8	272	2	4	7	18	38	56	60										
18-24	3	3.7	6	1	2	4	5	6	6	6										
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	20	11.4	194	1	3	7	13	27	46	60	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**47**	**12.1**	**153**	**1**	**4**	**9**	**15**	**27**	**38**	**60**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	24.3	407	2	9	30	38	41	41	41										
13-17	6	15.3	129	1	2	19	24	27	27	27	1	5.0		5	5	5	5	5	5	5
18-24	3	8.7	55	1	3	9	14	16	16	16										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	13	15.1	169	1	2	16	25	32	39	41	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	13.5	1	13	13	13	14	14	14	14										
13-17	7	9.4	69	2	3	8	12	23	26	26	1	4.0		4	4	4	4	4	4	4
18-24	2	12.0	72	6	6	12	18	18	18	18										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	12	10.2	49	3	4	9	13	20	25	26	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**25**	**12.7**	**115**	**2**	**4**	**11**	**19**	**27**	**33**	**41**	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**72**	**12.3**	**138**	**1**	**4**	**9**	**17**	**27**	**36**	**58**	**4**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**5**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	18.5	238	8	11	14	18	32	58	67										
13-17	22	19.7	490	5	8	12	21	53	82	84										
18-24	2	5.5	25	2	2	5	9	9	9	9										
25-34	10	10.2	95	1	2	7	18	23	28	28										
35-54	8	6.5	23	1	3	6	8	14	16	16	1	1.0		1	1	1	1	1	1	1
55-74	4	7.5	28	3	4	6	11	15	15	15	1	4.0		4	4	4	4	4	4	4
75 +	2	5.5	41	1	1	5	10	10	10	10										
ALL AGES	63	14.6	270	2	6	11	16	30	50	83	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.	13	14.9	115	4	7	13	19	33	35	35										
13-17	49	20.9	332	3	8	16	26	46	51	88	2	7.5	25	4	4	7	11	11	11	11
18-24	14	8.1	72	1	1	6	10	21	29	31	4	14.8	201	2	5	11	24	35	35	35
25-34	12	6.5	35	1	2	5	9	14	21	22										
35-54	22	9.4	129	1	2	6	12	23	36	49	3	13.3	387	2	2	2	28	36	36	36
55-74	2	20.0	18	17	17	20	23	23	23	23	2	5.5	5	4	4	5	7	7	7	7
75 +	4	12.3	63	1	7	14	17	20	20	20										
ALL AGES	116	14.7	222	1	4	10	20	34	47	78	11	11.4	156	2	3	7	12	35	36	36
SUBTOTAL	**179**	**14.7**	**237**	**1**	**5**	**10**	**18**	**32**	**46**	**83**	**13**	**10.0**	**142**	**2**	**2**	**4**	**11**	**35**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	24.5	106	14	16	29	37	88	99 +	99 +										
13-17	12	14.7	54	6	8	14	20	26	27	27										
18-24	4	4.5	8	1	2	4	6	8	8	8	3	8.3	73	2	3	5	15	18	18	18
25-34	5	5.4	26	1	1	5	7	14	14	14										
35-54	8	13.3	127	1	5	14	14	31	38	38	2	2.0		2	2	2	2	2	2	2
55-74	3	6.0	37	2	2	3	10	13	13	13										
75 +	1	39.0		39	39	39	39	39	39	39										
ALL AGES	39	13.6	117	2	5	13	18	35	39	99 +	5	5.8	48	2	2	2	8	18	18	18
B. FEMALE																				
0-12 YRS.	5	22.4	225	9	11	14	37	42	42	42										
13-17	15	16.8	285	4	4	11	22	45	58	62	2	5.0	18	2	2	5	8	8	8	8
18-24	7	17.3	148	5	9	13	21	37	41	41										
25-34	6	6.5	13	3	4	5	8	12	13	13										
35-54	10	7.2	36	1	4	6	8	17	20	20	3	11.3	2	10	10	12	12	12	12	12
55-74																				
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	43	13.9	178	3	5	9	19	36	43	62	6	10.3	29	3	8	11	12	17	18	18
SUBTOTAL	**82**	**13.7**	**149**	**3**	**5**	**12**	**18**	**36**	**41**	**87**	**11**	**8.3**	**38**	**2**	**2**	**8**	**12**	**18**	**18**	**18**
GRAND TOTAL	**261**	**14.4**	**208**	**2**	**5**	**11**	**18**	**33**	**42**	**84**	**24**	**9.2**	**92**	**2**	**2**	**6**	**12**	**20**	**35**	**36**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	65.0		65	65	65	65	65	65	65	1	2.0		2	2	2	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	2	8.5	61	3	3	8	14	14	14	14										
35-54	4	7.0	65	2	2	3	11	19	19	19	2	15.0	288	3	3	15	27	27	27	27
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	9	13.8	410	1	3	4	15	47	65	65	4	9.3	140	2	2	4	16	27	27	27
B. FEMALE																				
0-12 YRS.	2	9.0	98	2	2	9	16	16	16	16	1	2.0		2	2	2	2	2	2	2
13-17	6	16.8	246	4	7	9	29	42	43	43	1	6.0		6	6	6	6	6	6	6
18-24	6	2.8	5	1	1	2	5	6	6	6										
25-34	3	5.0	4	3	3	5	6	7	7	7	1	12.0		12	12	12	12	12	12	12
35-54	6	12.3	118	3	3	10	16	30	32	32	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	23	9.8	120	2	3	6	11	30	36	43	5	5.6	15	2	3	5	7	12	12	12
SUBTOTAL	**32**	**10.9**	**194**	**1**	**3**	**6**	**13**	**30**	**42**	**65**	**9**	**7.2**	**65**	**2**	**3**	**5**	**7**	**21**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	18.8	95	8	12	17	24	34	34	34										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	3	6.7	20	2	3	7	10	11	11	11										
25-34	10	17.6	187	2	3	17	26	37	38	38										
35-54	9	12.9	59	3	7	13	16	24	28	28	1	1.0		1	1	1	1	1	1	1
55-74	2	13.5	61	8	8	13	19	19	19	19										
75 +																				
ALL AGES	30	14.5	110	2	7	13	21	31	36	38	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	9	25.2	66	12	21	27	31	33	34	34										
18-24	3	12.7	99	5	6	9	20	24	24	24	1	59.0		59	59	59	59	59	59	59
25-34	9	21.0	884	2	4	9	23	71	95	95										
35-54	13	17.4	109	4	12	15	23	30	40	42										
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	2	13.5	181	4	4	13	23	23	23	23										
ALL AGES	38	19.2	271	4	9	16	26	33	40	95	1	59.0		59	59	59	59	59	59	59
SUBTOTAL	**68**	**17.1**	**203**	**3**	**8**	**14**	**24**	**33**	**36**	**85**	**2**	**30.0**	**1682**	**1**	**1**	**29**	**59**	**59**	**59**	**59**
GRAND TOTAL	**100**	**15.1**	**207**	**2**	**4**	**12**	**22**	**32**	**37**	**90**	**11**	**11.4**	**304**	**1**	**2**	**5**	**10**	**40**	**57**	**59**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23	1	2.0		2	2	2	2	2	2	2
13-17	31	12.9	197	1	2	6	22	39	43	45	4	2.0	2	1	1	2	3	4	4	4
18-24	10	6.1	36	1	2	4	10	16	19	19	1	1.0		1	1	1	1	1	1	1
25-34	6	3.0	4	1	1	2	5	6	6	6	3	1.7		1	1	2	2	2	2	2
35-54	11	5.5	25	1	1	4	10	13	14	14	3	4.0	9	1	2	4	6	7	7	7
55-74	3	7.3	43	1	2	7	12	14	14	14	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	62	9.4	126	1	2	5	13	25	39	45	13	2.5	4	1	1	2	4	5	7	7
B. FEMALE																				
0-12 YRS.	5	5.6	18	2	3	3	9	12	12	12										
13-17	42	15.6	203	2	5	9	28	39	42	51	8	2.3	2	1	1	2	3	4	5	5
18-24	13	4.3	25	1	1	2	5	14	16	16	1	1.0		1	1	1	1	1	1	1
25-34	15	6.7	39	1	1	5	11	14	19	21										
35-54	12	6.2	35	1	2	3	8	17	18	18	2	5.0	8	3	3	5	7	7	7	7
55-74	2	4.0	18	1	1	4	7	7	7	7										
75 +	2	6.5	25	3	3	6	10	10	10	10										
ALL AGES	91	10.3	132	1	2	6	13	30	39	48	11	2.6	4	1	1	2	3	6	7	7
SUBTOTAL	**153**	**9.9**	**130**	**1**	**2**	**5**	**13**	**28**	**39**	**45**	**24**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	11	22.3	305	6	7	14	42	47	49	49										
18-24	8	8.1	105	1	2	4	9	26	32	32	1	5.0		5	5	5	5	5	5	5
25-34	7	7.6	35	1	1	10	13	14	14	14	3	4.0	7	2	2	3	6	7	7	7
35-54	6	8.5	25	4	6	6	12	16	17	17	2	2.5	1	2	2	2	3	3	3	3
55-74	2	5.5	41	1	1	5	10	10	10	10										
75 +																				
ALL AGES	34	12.5	174	1	4	8	14	36	46	49	6	3.7	4	2	2	3	5	7	7	7
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	4	18.5	414	1	1	17	36	39	39	39	2	4.0	8	2	2	4	6	6	6	6
18-24	13	10.3	241	1	2	3	13	31	51	56										
25-34	12	12.0	64	3	6	11	18	24	25	25	4	6.3	51	2	2	3	10	17	17	17
35-54	12	7.1	23	1	3	7	10	14	16	16	4	6.5	40	3	3	4	10	16	16	16
55-74	4	14.0	47	5	9	15	19	21	21	21	1	11.0		11	11	11	11	11	11	11
75 +	2	16.5	41	12	12	16	21	21	21	21										
ALL AGES	47	11.2	126	1	3	8	16	25	34	56	12	5.9	31	2	2	3	8	16	17	17
SUBTOTAL	**81**	**11.7**	**146**	**1**	**3**	**8**	**15**	**28**	**41**	**54**	**18**	**5.2**	**22**	**2**	**2**	**3**	**6**	**14**	**17**	**17**
GRAND TOTAL	**234**	**10.6**	**134**	**1**	**2**	**6**	**14**	**28**	**39**	**49**	**42**	**3.7**	**13**	**1**	**2**	**3**	**4**	**7**	**13**	**17**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	10.0		10	10	10	10	10	10	10
55-74																				
75 +																				
ALL AGES											1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	1	11.0		11	11	11	11	11	11	11										
SUBTOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**2**	**6.0**	**50**	**1**	**1**	**6**	**11**	**11**	**11**	**11**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	2	39.5	265	28	28	39	51	51	51	51										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	5	20.2	403	10	10	11	24	56	56	56										
55-74											2	5.5	1	5	5	5	6	6	6	6
75 +	2	4.0	18	1	1	3	7	7	7	7	1	6.0		6	6	6	6	6	6	6
ALL AGES	11	19.4	353	1	8	11	27	53	56	56	4	4.8	3	2	3	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	20.0	8	18	18	20	22	22	22	22										
25-34	1	13.0		13	13	13	13	13	13	13	2	3.0		3	3	3	3	3	3	3
35-54	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74											2	2.0		2	2	2	2	2	2	2
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	4	15.0	42	7	10	15	20	22	22	22	6	2.8	3	1	2	2	3	6	6	6
SUBTOTAL	**15**	**18.2**	**266**	**1**	**8**	**13**	**23**	**51**	**55**	**56**	**10**	**3.6**	**4**	**1**	**2**	**3**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54																				
55-74	1	36.0		36	36	36	36	36	36	36										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	4	17.8	150	9	10	13	25	36	36	36	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	32.0		32	32	32	32	32	32	32										
55-74	2	19.0	50	14	14	19	24	24	24	24										
75 +	2	7.0	32	3	3	7	11	11	11	11	3	13.7	133	6	6	8	22	27	27	27
ALL AGES	5	16.8	129	3	9	14	26	32	32	32	3	13.7	133	6	6	8	22	27	27	27
SUBTOTAL	**9**	**17.2**	**123**	**5**	**10**	**14**	**26**	**34**	**36**	**36**	**4**	**10.8**	**122**	**2**	**4**	**7**	**17**	**27**	**27**	**27**
GRAND TOTAL	**24**	**17.8**	**206**	**3**	**9**	**13**	**24**	**37**	**52**	**56**	**14**	**5.6**	**43**	**1**	**2**	**4**	**6**	**10**	**23**	**27**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	1.3		1	1	1	2	2	2	2	12	2.4	4	1	1	2	4	6	7	7
13-17	4	1.8		1	1	2	2	2	2	2	9	2.8	1	1	2	3	4	4	4	4
18-24	3	8.3	57	4	4	4	14	17	17	17	3	2.7	2	1	1	3	4	4	4	4
25-34	12	3.4	6	1	1	3	6	7	7	7	8	5.9	14	2	3	5	9	12	12	12
35-54	6	3.7	3	2	2	3	6	6	6	6	6	2.8	2	1	2	3	4	5	5	5
55-74	3	11.0	63	5	6	8	17	20	20	20	1	1.0		1	1	1	1	1	1	1
75 +	2	6.5	13	4	4	6	9	9	9	9										
ALL AGES	40	3.9	16	1	1	2	5	8	13	20	39	3.3	6	1	1	3	4	6	9	12
B. FEMALE																				
0-12 YRS.	3	1.0		1	1	1	1	1	1	1	10	1.7	1	1	1	1	2	3	4	4
13-17	2	2.0		2	2	2	2	2	2	2	5	1.4		1	1	1	2	2	2	2
18-24	2	2.0		2	2	2	2	2	2	2	4	1.0		1	1	1	1	1	1	1
25-34	8	4.1	10	1	2	3	6	9	10	10	9	3.8	5	1	2	3	5	7	7	7
35-54	8	4.8	11	1	2	4	7	10	10	10	9	2.6	2	1	1	3	3	4	5	5
55-74	1	1.0		1	1	1	1	1	1	1	5	2.4	2	1	1	3	3	4	4	4
75 +											5	9.6	37	3	3	13	14	15	15	15
ALL AGES	24	3.5	8	1	1	2	5	9	10	10	47	3.1	11	1	1	2	3	6	13	15
SUBTOTAL	**64**	**3.7**	**14**	**1**	**1**	**2**	**5**	**8**	**10**	**20**	**86**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**11**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	2	9.0	50	4	4	9	14	14	14	14										
35-54	2	44.0	1568	16	30	72	93	99 +	99 +	99 +	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	5	23.0	772	4	9	15	72	97	99 +	99 +	3	3.7	8	2	2	2	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
25-34	3	4.7	2	3	3	5	6	6	6	6	1	4.0		4	4	4	4	4	4	4
35-54	2	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
55-74	1	7.0		7	7	7	7	7	7	7										
75 +											3	7.0	21	2	3	8	10	11	11	11
ALL AGES	7	5.6	2	3	5	5	7	8	8	8	6	5.8	11	2	4	5	8	11	11	11
SUBTOTAL	**12**	**12.8**	**364**	**4**	**5**	**7**	**14**	**78**	**96**	**99 +**	**9**	**5.1**	**10**	**2**	**2**	**4**	**7**	**10**	**11**	**11**
GRAND TOTAL	**76**	**5.1**	**76**	**1**	**1**	**3**	**6**	**10**	**17**	**92**	**95**	**3.3**	**9**	**1**	**1**	**3**	**4**	**7**	**11**	**15**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
ALL AGES	2	5.5	5	4	4	5	7	7	7	7	2	4.5	13	2	2	4	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	17.5	221	7	7	17	28	28	28	28										
ALL AGES	3	17.3	112	7	9	17	25	28	28	28										
SUBTOTAL	**5**	**12.6**	**98**	**4**	**6**	**7**	**20**	**28**	**28**	**28**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	17.0		17	17	17	17	17	17	17
ALL AGES											2	10.0	98	3	3	10	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
SUBTOTAL	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**	**2**	**10.0**	**98**	**3**	**3**	**10**	**17**	**17**	**17**	**17**
GRAND TOTAL	**6**	**13.0**	**80**	**4**	**7**	**11**	**17**	**27**	**28**	**28**	**4**	**7.3**	**46**	**2**	**2**	**5**	**12**	**17**	**17**	**17**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
25-34	1	4.0		4	4	4	4	4	4	4	1	10.0		10	10	10	10	10	10	10
35-54	5	17.0	285	1	1	18	28	41	41	41	3	6.7	26	1	3	8	10	11	11	11
55-74	10	9.2	48	2	4	7	11	21	22	22	8	4.9	3	3	3	5	6	7	7	7
75 +	22	12.9	182	3	5	10	13	25	44	64	21	7.4	29	2	4	6	11	14	18	22
ALL AGES	40	11.8	149	2	4	9	15	23	36	64	34	6.6	22	1	3	6	8	13	15	22
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	4	17.5	182	1	7	18	27	33	33	33	1	4.0		4	4	4	4	4	4	4
55-74	24	8.8	44	3	4	8	11	16	25	29	9	9.9	102	2	3	7	19	66	99+	99+
75 +	29	11.8	55	4	6	11	17	23	26	29	55	8.1	108	3	4	5	10	22	99+	99+
ALL AGES	60	11.0	71	3	4	9	15	23	29	35	65	8.3	104	3	4	6	10	28	99+	99+
SUBTOTAL	**100**	**11.3**	**101**	**3**	**4**	**9**	**15**	**23**	**30**	**52**	**99**	**7.7**	**76**	**2**	**4**	**6**	**10**	**19**	**82**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	13.7	155	1	3	14	23	26	26	26										
18-24	4	3.5	4	1	2	3	5	6	6	6										
25-34	6	15.3	115	7	7	11	26	30	31	31										
35-54	6	16.7	41	9	14	16	17	27	28	28	3	3.3	6	2	2	2	5	6	6	6
55-74	10	8.6	26	2	6	8	12	16	19	19	2	7.0	8	5	5	7	9	9	9	9
75 +	6	17.7	132	4	7	18	22	35	36	36	6	10.7	115	2	4	11	26	86	99+	99+
ALL AGES	35	12.5	83	3	6	10	17	26	30	36	11	8.0	71	2	3	5	11	52	93	99+
B. FEMALE																				
0-12 YRS.																				
13-17	5	5.8	22	3	3	4	7	14	14	14										
18-24	4	4.3		3	3	4	5	5	5	5										
25-34	7	7.3	43	4	4	5	7	19	22	22										
35-54	7	18.7	246	4	7	13	31	43	45	45										
55-74	7	5.6	20	1	2	4	8	13	14	14	2	5.0	8	3	4	7	77	99+	99+	99+
75 +	21	14.0	96	4	7	12	19	30	35	36	12	7.0	14	3	4	8	10	32	87	99+
ALL AGES	51	11.0	102	3	4	7	14	26	36	45	14	6.7	13	3	4	7	10	91	99+	99+
SUBTOTAL	**86**	**11.6**	**94**	**3**	**4**	**8**	**15**	**26**	**35**	**42**	**25**	**7.3**	**37**	**2**	**4**	**7**	**11**	**79**	**99+**	**99+**
GRAND TOTAL	**186**	**11.5**	**96**	**3**	**4**	**9**	**15**	**25**	**32**	**44**	**124**	**7.7**	**67**	**2**	**4**	**6**	**10**	**21**	**99+**	**99+**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	17.0	258	2	4	9	31	42	42	42										
13-17	16	20.3	305	3	6	15	28	47	56	60	1	2.0		2	2	2	2	2	2	2
18-24	10	8.4	39	2	3	6	16	17	18	18	7	16.7	849	1	2	5	13	68	82	82
25-34	31	10.6	66	1	2	9	18	22	23	26	19	4.7	22	1	2	3	5	9	16	21
35-54	33	11.6	142	1	4	7	15	27	42	50	14	5.5	4	3	5	6	7	8	9	9
55-74	17	19.7	166	5	10	19	28	41	46	48	8	11.3	172	2	3	6	16	34	38	38
75 +	7	22.4	425	9	10	13	32	58	63	63	10	4.9	7	2	3	4	7	9	10	10
ALL AGES	123	14.3	176	2	4	10	19	32	43	61	59	7.2	135	2	2	5	7	10	23	78
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	24	19.9	287	2	8	15	29	51	55	59	4	21.8	1455	2	2	41	99 +	99 +	99 +	99 +
18-24	27	10.1	133	1	3	7	11	29	39	46	12	4.3	15	1	2	3	5	10	14	15
25-34	54	10.6	75	2	4	10	14	23	33	37	22	4.8	29	1	2	3	4	12	17	25
35-54	95	10.8	107	1	4	8	12	23	31	54	51	5.0	17	1	2	4	6	9	17	20
55-74	60	13.6	135	2	5	12	18	25	40	55	32	7.4	16	3	5	7	9	14	15	20
75 +	15	12.3	133	3	4	9	15	33	38	40	14	6.1	8	3	4	5	8	10	12	12
ALL AGES	276	12.2	130	2	4	9	15	28	38	55	135	6.1	58	2	3	4	7	12	18	99 +
SUBTOTAL	**399**	**12.8**	**146**	**2**	**4**	**9**	**16**	**29**	**41**	**57**	**194**	**6.4**	**81**	**2**	**3**	**4**	**7**	**12**	**20**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	25.2	647	3	13	14	35	60	90	93										
13-17	24	26.8	271	2	12	28	38	46	55	61										
18-24	16	10.0	103	1	4	7	10	26	36	40	4	9.0	78	1	2	7	15	21	21	21
25-34	26	14.2	192	2	5	9	21	30	49	54	8	5.0	23	2	2	3	6	14	16	16
35-54	46	13.9	91	2	6	13	21	27	30	40	13	5.3	22	1	2	3	7	13	16	17
55-74	19	12.6	87	3	4	11	21	27	30	31	3	11.0	171	2	3	5	21	26	26	26
75 +	5	17.2	98	5	7	23	24	26	26	26										
ALL AGES	147	16.4	206	2	5	13	24	36	41	62	28	6.4	41	2	2	3	9	19	30	99 +
B. FEMALE																				
0-12 YRS.	6	43.0	1104	5	14	61	80	97	99 +	99 +										
13-17	29	29.3	479	3	13	28	34	65	91	99 +	3	16.7	645	1	1	3	35	46	46	46
18-24	23	19.7	372	4	6	12	29	53	63	76	15	10.1	220	2	2	4	12	26	50	58
25-34	55	11.9	102	3	6	9	14	22	37	48	15	9.7	217	3	4	6	9	12	49	62
35-54	80	14.8	195	3	5	10	19	33	47	68	28	6.0	21	2	3	5	7	13	17	19
55-74	28	15.1	127	2	8	12	19	33	37	48	10	8.9	91	2	4	4	10	26	27	27
75 +	16	18.3	203	3	8	14	23	43	49	51	7	9.7	41	3	4	9	13	19	21	21
ALL AGES	237	17.4	274	3	6	12	23	43	56	92	78	8.6	124	2	3	5	10	18	27	61
SUBTOTAL	**384**	**17.0**	**248**	**3**	**6**	**12**	**23**	**38**	**52**	**88**	**106**	**8.0**	**103**	**2**	**3**	**4**	**10**	**19**	**26**	**78**
GRAND TOTAL	**783**	**14.9**	**199**	**2**	**5**	**11**	**20**	**34**	**47**	**71**	**300**	**7.0**	**89**	**2**	**3**	**4**	**8**	**14**	**23**	**90**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	26.7	682	2	10	13	44	67	78	78										
13-17	21	21.3	725	2	6	13	28	58	96	97	1	9.0		9	9	9	9	9	9	9
18-24	3	10.7	41	4	6	11	15	17	17	17										
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	36	21.4	614	3	6	12	28	56	91	97	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.	6	22.8	166	9	13	21	30	41	42	42										
13-17	6	15.8	141	2	7	14	27	31	32	32										
18-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	14	17.9	142	6	9	13	29	33	40	42										
SUBTOTAL	**50**	**20.4**	**480**	**3**	**8**	**13**	**28**	**43**	**78**	**97**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	10.7	63	3	5	10	17	19	19	19										
13-17	23	21.6	264	4	7	14	31	46	49	51										
18-24																				
25-34	2	3.0	8	1	1	2	5	5	5	5										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	29	18.7	248	3	6	13	29	45	48	51										
B. FEMALE																				
0-12 YRS.	2	13.5	1	13	13	13	14	14	14	14										
13-17	10	20.0	388	3	6	10	44	50	52	52										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	18.9	324	4	7	12	29	49	52	52										
SUBTOTAL	**41**	**18.8**	**261**	**3**	**6**	**13**	**29**	**46**	**49**	**52**										
GRAND TOTAL	**91**	**19.7**	**377**	**3**	**7**	**13**	**29**	**45**	**52**	**97**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	53.0		53	53	53	53	53	53	53										
13-17	2	11.0	32	7	7	11	15	15	15	15										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	25.0	604	7	9	15	43	53	53	53										
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	4	34.8	389	11	19	36	50	56	56	56										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	31.8	339	11	18	27	48	56	56	56										
SUBTOTAL	**8**	**29.3**	**375**	**8**	**13**	**23**	**49**	**55**	**56**	**56**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	42.5	1105	19	19	42	66	66	66	66										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	42.5	1105	19	19	42	66	66	66	66										
B. FEMALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17	1	8.0		8	8	8	8	8	8	8										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	22.5	421	8	8	22	37	37	37	37										
SUBTOTAL	**4**	**32.5**	**642**	**8**	**13**	**28**	**51**	**66**	**66**	**66**										
GRAND TOTAL	**12**	**30.3**	**421**	**8**	**13**	**23**	**49**	**59**	**65**	**66**										

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	14.5	72	4	6	15	19	24	31	33										
13-17	32	20.9	345	5	8	12	33	45	61	77	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	47	18.9	262	4	7	15	24	42	50	77	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	9.0	2	8	8	9	10	10	10	10										
13-17	24	16.5	333	5	8	9	21	50	86	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	26	15.9	312	5	8	9	17	49	84	99 +										
SUBTOTAL	**73**	**17.8**	**279**	**4**	**8**	**12**	**24**	**44**	**60**	**95**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.5	365	1	1	14	28	28	28	28										
13-17	23	25.1	535	3	7	13	41	63	70	73										
18-24	1	25.0		25	25	25	25	25	25	25	1	11.0		11	11	11	11	11	11	11
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	26	24.3	493	3	6	17	36	61	69	73	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.	4	24.5	100	14	18	23	31	38	38	38										
13-17	22	19.1	159	4	8	16	29	35	40	45										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	26	19.9	150	5	8	20	29	36	39	45										
SUBTOTAL	**52**	**22.1**	**320**	**4**	**8**	**20**	**32**	**45**	**61**	**73**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
GRAND TOTAL	**125**	**19.6**	**298**	**4**	**8**	**12**	**29**	**44**	**61**	**86**	**2**	**6.5**	**41**	**2**	**2**	**6**	**11**	**11**	**11**	**11**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	32.0	1999	7	9	11	55	99	99	99+										
13-17	7	16.4	384	5	6	9	14	51	60	60										
18-24	5	13.6	95	3	5	13	21	27	27	27										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	18	18.1	577	5	6	10	15	50	83	99										
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	1	19.0		19	19	19	19	19	19	19										
18-24	3	9.7	43	2	5	13	14	14	14	14										
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	6	11.7	37	2	7	13	15	19	19	19										
SUBTOTAL	**24**	**16.5**	**442**	**5**	**6**	**11**	**15**	**30**	**72**	**99**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	16.8	88	9	11	14	20	33	34	34										
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	6	7.3	20	3	4	7	10	14	14	14										
25-34	3	15.0	67	8	9	13	21	24	24	24										
35-54																				
55-74																				
75 +																				
ALL AGES	16	12.5	64	4	8	10	15	24	31	34										
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	3	14.0	57	6	8	15	19	21	21	21										
SUBTOTAL	**19**	**12.7**	**61**	**4**	**8**	**11**	**16**	**23**	**29**	**34**										
GRAND TOTAL	**43**	**14.8**	**273**	**4**	**7**	**11**	**15**	**25**	**43**	**99**										

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	53.0		53	53	53	53	53	53	53										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	53.0		53	53	53	53	53	53	53										
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**1**	**53.0**		**53**	**53**	**53**	**53**	**53**	**53**	**53**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17	3	20.7	530	4	6	11	38	47	47	47										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	20.7	530	4	6	11	38	47	47	47										
SUBTOTAL	**4**	**20.3**	**353**	**4**	**7**	**15**	**33**	**47**	**47**	**47**										
GRAND TOTAL	**5**	**26.8**	**481**	**4**	**9**	**19**	**48**	**53**	**53**	**53**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	1.3		1	1	1	2	2	2	2
13-17	4	8.3	13	4	5	8	11	13	13	13	2	5.0	2	4	4	5	6	6	6	6
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	7	5.4	20	1	2	4	8	12	13	13	6	2.5	4	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	5	12.2	170	2	6	8	15	35	35	35	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	12.2	170	2	6	8	15	35	35	35	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**12**	**8.3**	**84**	**1**	**2**	**7**	**9**	**20**	**33**	**35**	**8**	**2.1**	**4**	**1**	**1**	**1**	**3**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	3	16.7	123	4	8	21	24	25	25	25										
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	4	15.8	84	4	8	17	23	25	25	25	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	3	20.3	502	5	6	10	37	46	46	46										
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	4	16.5	392	5	5	8	28	46	46	46	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**8**	**16.1**	**206**	**4**	**5**	**11**	**23**	**40**	**46**	**46**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**20**	**11.4**	**140**	**2**	**4**	**8**	**13**	**30**	**40**	**46**	**10**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	24	20.4	246	2	4	21	36	42	43	44	2	22.0	2	21	21	22	23	23	23	23
13-17	52	19.8	205	5	9	15	30	42	49	50	1	1.0		1	1	1	1	1	1	1
18-24	5	9.8	31	1	6	12	13	15	15	15										
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	83	19.2	204	3	8	15	31	42	46	50	4	11.5	148	1	1	11	22	23	23	23
B. FEMALE																				
0-12 YRS.	4	11.3	45	2	6	12	16	18	18	18	1	1.0		1	1	1	1	1	1	1
13-17	35	14.9	125	3	7	11	21	30	36	44	1	5.0		5	5	5	5	5	5	5
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	40	14.7	113	2	7	12	20	30	35	44	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**123**	**17.7**	**179**	**3**	**8**	**14**	**27**	**39**	**43**	**50**	**6**	**8.7**	**109**	**1**	**1**	**3**	**21**	**23**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	26.1	227	7	16	24	35	48	51	51	1	30.0		30	30	30	30	30	30	30
13-17	29	24.8	352	7	13	19	31	48	61	88										
18-24	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	40	24.2	305	7	12	20	30	48	55	88	2	15.5	421	1	1	15	30	30	30	30
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	20	23.8	204	8	14	21	32	41	52	62										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	21	24.0	191	9	14	22	31	41	51	62										
SUBTOTAL	**61**	**24.1**	**264**	**7**	**13**	**21**	**30**	**44**	**55**	**85**	**2**	**15.5**	**421**	**1**	**1**	**15**	**30**	**30**	**30**	**30**
GRAND TOTAL	**184**	**19.8**	**216**	**4**	**9**	**16**	**29**	**41**	**48**	**61**	**8**	**10.4**	**148**	**1**	**1**	**3**	**22**	**28**	**30**	**30**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	3	6.3	23	1	3	8	9	10	10	10											
13-17	1	6.0		6	6	6	6	6	6	6											
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	4	6.3	14	1	3	7	9	10	10	10											
B. FEMALE																					
0-12 YRS.	4	9.5	75	1	2	8	16	20	20	20											
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	4	9.5	75	1	2	8	16	20	20	20											
SUBTOTAL	**8**	**7.9**	**41**	**1**	**3**	**7**	**11**	**18**	**20**	**20**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	6	15.0	12	11	13	14	17	21	21	21											
13-17	6	30.0	80	17	25	31	36	40	41	41											
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	12	22.5	103	12	14	19	31	37	40	41											
B. FEMALE																					
0-12 YRS.	1	23.0		23	23	23	23	23	23	23											
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	23.0		23	23	23	23	23	23	23											
SUBTOTAL	**13**	**22.5**	**96**	**13**	**14**	**21**	**29**	**37**	**40**	**41**											
GRAND TOTAL	**21**	**17.0**	**123**	**3**	**9**	**14**	**23**	**35**	**38**	**41**											

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	19.0		19	19	19	19	19	19	19										
GRAND TOTAL	1	19.0		19	19	19	19	19	19	19										

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	16.0		16	16	16	16	16	16	16										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	28	22.9	117	10	15	24	29	41	51	99+										
13-17	29	32.2	485	5	14	30	42	59	67	99	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	57	27.7	317	9	15	27	38	53	63	99+	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	12	25.2	189	10	15	18	37	44	49	50										
13-17	40	30.2	302	9	15	31	41	46	58	90	2	4.0	18	1	1	3	7	7	7	7
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	52	29.0	279	10	15	30	41	45	57	89	2	4.0	18	1	1	3	7	7	7	7
SUBTOTAL	**109**	**28.3**	**298**	**9**	**15**	**28**	**38**	**49**	**59**	**99**	**3**	**3.7**	**9**	**1**	**1**	**3**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	29	16.7	175	4	9	14	21	29	50	64										
13-17	14	35.6	357	9	23	43	49	78	94	99+	1	30.0		30	30	30	30	30	30	30
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	43	22.8	310	6	10	19	31	50	68	99+	1	30.0		30	30	30	30	30	30	30
B. FEMALE																				
0-12 YRS.	9	24.8	362	7	10	22	32	54	68	68										
13-17	19	24.2	319	9	12	18	35	41	63	81										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	28	24.4	320	9	11	20	33	41	69	81										
SUBTOTAL	**71**	**23.4**	**312**	**6**	**10**	**19**	**32**	**49**	**68**	**96**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**
GRAND TOTAL	**180**	**26.4**	**306**	**8**	**13**	**23**	**37**	**49**	**62**	**99+**	**4**	**10.3**	**178**	**1**	**1**	**5**	**18**	**30**	**30**	**30**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS: TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES: 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS: TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES: 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	3.0	7	1	1	2	5	6	6	6										
13-17	2	7.5	13	5	5	7	10	10	10	10										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	4.8	13	1	1	5	7	10	10	10										
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	3	7.3	5	5	6	8	9	9	9	9	2	2.5	5	1	1	2	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	8.3	5	5	6	8	10	11	11	11	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**9**	**6.3**	**12**	**1**	**4**	**6**	**9**	**11**	**11**	**11**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	21.5	421	7	7	21	36	36	36	36										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	21.5	421	7	7	21	36	36	36	36										
B. FEMALE																				
0-12 YRS.																				
13-17	4	3.3	10	1	1	2	5	8	8	8										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	3.3	10	1	1	2	5	8	8	8										
SUBTOTAL	**6**	**9.3**	**180**	**1**	**1**	**5**	**8**	**33**	**36**	**36**										
GRAND TOTAL	**15**	**7.5**	**74**	**1**	**2**	**6**	**9**	**11**	**30**	**36**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	56	16.9	206	3	8	12	22	38	47	71	5	17.2	127	3	9	16	26	32	32	32
13-17	8	28.9	295	9	14	29	38	53	59	59										
18-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	65	18.3	226	3	9	13	23	39	49	70	5	17.2	127	3	9	16	26	32	32	32
B. FEMALE																				
0-12 YRS.	13	19.5	563	2	2	11	27	58	77	81										
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	14	20.4	530	2	2	13	31	55	75	81										
SUBTOTAL	**79**	**18.7**	**273**	**2**	**8**	**13**	**25**	**42**	**51**	**78**	**5**	**17.2**	**127**	**3**	**9**	**16**	**26**	**32**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	44	27.3	294	11	17	24	31	45	64	89	7	26.4	170	12	16	27	37	45	46	46
13-17	17	23.2	416	6	9	20	36	88	99 +	99 +										
18-24	2	18.5	1	18	18	18	19	19	19	19										
25-34	1	27.0		27	27	27	27	27	27	27										
35-54																				
55-74																				
75 +																				
ALL AGES	64	25.9	313	8	15	23	32	56	84	99 +	7	26.4	170	12	16	27	37	45	46	46
B. FEMALE																				
0-12 YRS.	12	23.0	286	9	13	15	31	49	62	64										
13-17	1	40.0		40	40	40	40	40	40	40										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	24.3	285	10	13	15	37	46	61	64										
SUBTOTAL	**77**	**25.6**	**307**	**9**	**14**	**22**	**33**	**55**	**78**	**99 +**	**7**	**26.4**	**170**	**12**	**16**	**27**	**37**	**45**	**46**	**46**
GRAND TOTAL	**156**	**22.1**	**300**	**3**	**11**	**18**	**30**	**44**	**67**	**99**	**12**	**22.6**	**160**	**8**	**13**	**21**	**30**	**42**	**45**	**46**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**2**	**5.5**	**13**	**3**	**3**	**5**	**8**	**8**	**8**	**8**										
GRAND TOTAL	**3**	**5.3**	**7**	**3**	**3**	**5**	**7**	**8**	**8**	**8**										

Appendix

APPENDIX 1

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**
Northeast	71	22.5	36,849	20.1	177	23.5	20,503	28.6
North Central	121	38.4	78,113	42.7	218	28.9	21,405	29.9
South	49	15.6	27,196	14.8	143	19.0	10,653	14.9
West	74	23.5	41,026	22.4	215	28.6	19,031	26.6
U.S.	315	100.0	183,184	100.0	753	100.0	71,592	100.0

APPENDIX 2

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes (Summary Tables)	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
293.82	Organic hallucinosis syndrome	25
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295: 0 Unspecified state 1 Subchronic state 2 Chronic state 3 Subchronic state with acute exacerbation 4 Chronic state with acute exacerbation 5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree, without mention of psychotic behavior 4 Severe degree, specified as with psychotic behavior 5 In partial or unspecified remission 6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
296.90	Unspecified affective psychosis	50
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.4	Psychogenic paranoid psychosis	61
298.8	Other and unspecified reactive psychosis	62
298.9	Unspecified psychosis	63
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	64
299.8	Other specified early childhood psychoses	65
299.9	Unspecified childhood psychosis	66
300	**Neurotic disorders**	
300.0	Anxiety states	67
300.00	Anxiety state, unspecified	67
300.01	Panic disorder	67
300.02	Generalized anxiety disorder	67
300.09	Other anxiety states	67
300.1	Hysteria	68
300.10	Hysteria, unspecified	68
300.11	Conversion disorder	68
300.12	Psychogenic amnesia	68
300.13	Psychogenic fugue	68
300.14	Multiple personality	68
300.15	Dissociative disorder or reaction, unspecified	68
300.16	Factitious illness with psychological symptoms	68
300.19	Other and unspecified factitious illness	68
300.2	Phobic disorders	69
300.20	Phobia, unspecified	69
300.21	Agoraphobia with panic attacks	69
300.22	Agoraphobia without mention of panic attacks	69
300.23	Social phobia	69
300.29	Other isolated or simple phobias	69
300.3	Obsessive-compulsive disorders	70
300.4	Neurotic depression	71
300.5	Neurasthenia	72
300.6	Depersonalization syndrome	73
300.7	Hypochondriasis	74

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
300.8	Other neurotic disorders	75
300.81	Somatization disorder	75
300.89	Other neurotic disorders	75
300.9	Unspecified neurotic disorder	76
301	**Personality disorders**	
301.0	Paranoid personality disorder	77
301.1	Affective personality disorder	78
301.10	Affective personality disorder, unspecified	78
301.11	Chronic hypomanic personality disorder	78
301.12	Chronic depressive personality disorder	78
301.13	Cyclothymic disorder	78
301.2	Schizoid personality disorder	79
301.20	Schizoid personality disorder, unspecified	79
301.21	Introverted personality	79
301.22	Schizotypal personality	79
301.3	Explosive personality disorder	80
301.4	Compulsive personality disorder	81
301.5	Histrionic personality disorder	82
301.50	Histrionic personality disorder, unspecified	82
301.51	Chronic factitious illness with physical symptoms	82
301.59	Other histrionic personality disorder	82
301.6	Dependent personality disorder	83
301.7	Antisocial personality disorder	84
301.8	Other personality disorders	85
301.81	Narcissistic personality	85
301.82	Avoidant personality	85
301.83	Borderline personality	85
301.84	Passive-aggressive personality	85
301.89	Other personality disorders	85
301.9	Unspecified personality disorder	86
302	**Sexual deviations and disorders**	
302.2	Pedophilia	87
302.5	Trans-sexualism	88
302.50	Trans-sexualism with unspecified sexual history	88
302.51	Trans-sexualism with asexual history	88
302.52	Trans-sexualism with homosexual history	88
302.53	Trans-sexualism with heterosexual history	88
302.6	Disorders of psychosexual identity	89
302.7	Psychosexual dysfunction	90
302.70	Psychosexual dysfunction, unspecified	90
302.71	Psychosexual dysfunction with inhibited sexual desire	90
302.72	Psychosexual dysfunction with inhibited sexual excitement	90
302.73	Psychosexual dysfunction with inhibited female orgasm	90
302.74	Psychosexual dysfunction with inhibited male orgasm	90
302.75	Psychosexual dysfunction with premature ejaculation	90
302.76	Psychosexual dysfunction with functional dyspareunia	90
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	90
302.8	Other specified psychosexual disorders	91
302.81	Fetishism	91
302.82	Voyeurism	91
302.83	Sexual masochism	91
302.84	Sexual sadism	91

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
302.85	Gender identity disorder of adolescent or adult life	91
302.89	Other specified psychosexual disorders	91
302.9	Unspecified psychosexual disorder	92
303	**Alcohol dependence syndrome** Fifth-digit subclassification for use with 303: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
303.0	Acute alcoholic intoxication	93
303.9	Other and unspecified alcohol dependence	94
304	**Drug dependence** Fifth-digit subclassification for use with 304: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
304.0	Opioid type dependence	95
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	96
304.2	Cocaine dependence	97
304.3	Cannabis dependence	98
304.4	Amphetamine and other psychostimulant dependence	99
304.6	Other specified drug dependence	100
304.7	Combinations of opioid type drug with any other drug dependence	101
304.8	Combinations of drug dependence excluding opioid type drug	102
304.9	Unspecified drug dependence	103
305	**Nondependent abuse of drugs** Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
305.0	Alcohol abuse	104
305.1	Tobacco use disorder	105
305.2	Cannabis abuse	106
305.3	Hallucinogen abuse	107
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	108
305.5	Opioid abuse	109
305.6	Cocaine abuse	110
305.7	Amphetamine or related acting sympathomimetic abuse	111
305.8	Antidepressant type abuse	112
305.9	Other, mixed, or unspecified drug abuse	113
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	114
306.1	Respiratory malfunction arising from mental factors	115
306.2	Cardiovascular malfunction arising from mental factors	116
306.4	Gastrointestinal malfunction arising from mental factors	117
306.5	Genitourinary malfunction arising from mental factors	118
306.50	Psychogenic genitourinary malfunction, unspecified	118
306.51	Psychogenic vaginismus	118

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
306.52	Psychogenic dysmenorrhea	118
306.53	Psychogenic dysuria	118
306.59	Other genitourinary malfunction arising from mental factors	118
306.6	Endocrine disorder arising from mental factors	119
306.8	Other specified psychophysiological malfunction	120
306.9	Unspecified psychophysiological malfunction	121
307	**Special symptoms or syndromes, not elsewhere classified**	
307.1	Anorexia nervosa	122
307.2	Tics	123
307.20	Tic disorder, unspecified	123
307.21	Transient tic disorder of childhood	123
307.22	Chronic motor tic disorder	123
307.23	Gilles de la Tourette's disorder	123
307.3	Stereotyped repetitive movements	124
307.4	Specific disorders of sleep of nonorganic origin	125
307.40	Nonorganic sleep disorder, unspecified	125
307.41	Transient disorder of initiating or maintaining sleep	125
307.42	Persistent disorder of initiating or maintaining sleep	125
307.43	Transient disorder of initiating or maintaining wakefulness	125
307.44	Persistent disorder of initiating or maintaining wakefulness	125
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	125
307.46	Somnambulism or night terrors	125
307.47	Other dysfunctions of sleep stages or arousal from sleep	125
307.48	Repetitive intrusions of sleep	125
307.49	Other specific disorders of sleep of nonorganic origin	125
307.5	Other and unspecified disorders of eating	126
307.50	Eating disorder, unspecified	126
307.51	Bulimia	126
307.52	Pica	126
307.53	Psychogenic rumination	126
307.54	Psychogenic vomiting	126
307.59	Other disorders of eating	126
307.6	Enuresis	127
307.7	Encopresis	128
307.8	Psychalgia	129
307.80	Psychogenic pain, site unspecified	129
307.81	Tension headache	129
307.89	Other psychalgia	129
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	130
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	131
308.1	Predominant disturbance of consciousness	132
308.2	Predominant psychomotor disturbance	133
308.3	Other acute reactions to stress	134
308.4	Mixed disorders as reaction to stress	135
308.9	Unspecified acute reaction to stress	136
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	137
309.1	Adjustment reaction with prolonged depressive reaction	138
309.2	Adjustment reaction with predominant disturbance of other emotions	139
309.21	Separation anxiety disorder	139

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
309.22	Emancipation disorder of adolescence and early adult life	139
309.23	Specific academic or work inhibition	139
309.24	Adjustment reaction with anxious mood	139
309.28	Adjustment reaction with mixed emotional features	139
309.29	Other adjustment reactions with predominant disturbance of other emotions	139
309.3	Adjustment reaction with predominant disturbance of conduct	140
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	141
309.8	Other specified adjustment reactions	142
309.81	Prolonged posttraumatic stress disorder	142
309.82	Adjustment reaction with physical symptoms	142
309.83	Adjustment reaction with withdrawal	142
309.89	Other specified adjustment reactions	142
309.9	Unspecified adjustment reaction	143
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	144
310.1	Organic personality syndrome	145
310.2	Postconcussion syndrome	146
310.8	Other specified nonpsychotic mental disorders following organic brain damage	147
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	148
311	**Depressive disorder, not elsewhere classified**	149
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	150
312.1	Undersocialized conduct disorder, unaggressive type	151
312.2	Socialized conduct disorder	152
312.3	Disorders of impulse control, not elsewhere classified	153
312.30	Impulse control disorder, unspecified	153
312.31	Pathological gambling	153
312.32	Kleptomania	153
312.33	Pyromania	153
312.34	Intermittent explosive disorder	153
312.35	Isolated explosive disorder	153
312.39	Other disorders of impulse control	153
312.4	Mixed disturbance of conduct and emotions	154
312.8	Other specified disturbances of conduct, not elsewhere classified	155
312.9	Unspecified disturbance of conduct	156
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	157
313.1	Misery and unhappiness disorder specific to childhood and adolescence	158
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	159
313.21	Shyness disorder of childhood	159
313.22	Introverted disorder of childhood	159
313.23	Elective mutism specific to childhood and adolescence	159
313.3	Relationship problems specific to childhood and adolescence	160
313.8	Other or mixed emotional disturbances of childhood or adolescence	161

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
313.81	Oppositional disorder of childhood or adolescence	161
313.82	Identity disorder of childhood or adolescence	161
313.83	Academic underachievement disorder of childhood or adolescence	161
313.89	Other emotional disturbances of childhood or adolescence	161
313.9	Unspecified emotional disturbance of childhood or adolescence	162
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	163
314.00	Attention deficit disorder of childhood without mention of hyperactivity	163
314.01	Attention deficit disorder of childhood with hyperactivity	163
314.9	Unspecified hyperkinetic syndrome of childhood	164

APPENDIX 3

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	161
Acute alcoholic intoxication	303.0	93
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0-308.9	131-136
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0-309.9	137-143
Adjustment reaction with anxious mood	309.24	139
Adjustment reaction with brief depressive reaction	309.0	137
Adjustment reaction with mixed emotional features	309.28	139
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	141
Adjustment reaction with physical symptoms	309.82	142
Adjustment reaction with predominant disturbance of other emotions	309.2	139
Adjustment reaction with predominant disturbance of conduct	309.3	140
Adjustment reaction with prolonged depressive reaction	309.1	138
Adjustment reaction with withdrawal	309.83	142
Affective personality disorder	301.1	78
Affective personality disorder, unspecified	301.10	78
Affective psychoses	296.0-296.9	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	69
Agoraphobia without mention of panic attacks	300.22	69
Alcohol abuse	305.0	104
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0-303.9	93-94
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0-291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	99
Amphetamine or related acting sympathomimetic abuse	305.7	111
Anorexia nervosa	307.1	122
Antidepressant type abuse	305.8	112
Antisocial personality disorder	301.7	84
Anxiety state, unspecified	300.00	67
Anxiety states	300.0	67
Arteriosclerotic dementia	290.4	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delirium	290.41	7
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	163
Attention deficit disorder of childhood without mention of hyperactivity	314.00	163
Attention deficit disorder of childhood with hyperactivity	314.01	163
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	85
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	96
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	108
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	85
Bulimia	307.51	126
Cannabis abuse	305.2	106
Cannabis dependence	304.3	98
Cardiovascular malfunction arising from mental factors	306.2	116
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	78
Chronic factitious illness with physical symptoms	301.51	82
Chronic hypomanic personality disorder	301.11	78
Chronic motor tic disorder	307.22	123
Cocaine abuse	305.6	110
Cocaine dependence	304.2	97
Combinations of drug dependence excluding opioid type drug	304.8	102
Combinations of opioid type drug with any other drug dependence	304.7	101
Compulsive personality disorder	301.4	81
Conversion disorder	300.11	68
Cyclothymic disorder	301.13	78
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	83
Depersonalization syndrome	300.6	73
Depressive disorder, not elsewhere classified	311	149
Depressive type psychosis	298.0	57
Disorders of impulse control, not elsewhere classified	312.3	153
Disorders of psychosexual identity	302.6	89
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	68
Disturbance of conduct, not elsewhere classified Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	312 .0-312.9	150-156
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	157-162

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Drug dependence	304 .0-304.9	95-103
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	126
Elective mutism specific to childhood and adolescence	313.23	159
Emancipation disorder of adolescence and early adult life	309.22	139
Encopresis	307.7	128
Endocrine disorder arising from mental factors	306.6	119
Enuresis	307.6	127
Excitative type psychosis	298.1	58
Explosive personality disorder	301.3	80
Factitious illness with psychological symptoms	300.16	68
Fetishism	302.81	91
Frontal lobe syndrome	310.0	144
Gastrointestinal malfunction arising from mental factors	306.4	117
Gender identity disorder of adolescent or adult life	302.85	91
Generalized anxiety disorder	300.02	67
Genitourinary malfunction arising from mental factors	306.5	118
Gilles de la Tourette's disorder	307.23	123
Hallucinogen abuse	305.3	107
Histrionic personality disorder	301.5	82
Histrionic personality disorder, unspecified	301.50	82
Hyperkinetic syndrome of childhood	314.0-314.9	163-164
Hypochondriasis	300.7	74
Hysteria	300.1	68
Hysteria, unspecified	300.10	68
Identity disorder of childhood or adolescence	313.82	161
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	153
Infantile autism	299.0	64
Intermittent explosive disorder	312.34	153
Introverted disorder of childhood	313.22	159
Introverted personality	301.21	79
Isolated explosive disorder	312.35	153
Kleptomania	312.32	153

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Latent schizophrenia	295.5	36
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Misery and unhappiness disorder specific to childhood and adolescence	313.1	158
Mixed disorders as reaction to stress	308.4	135
Mixed disturbance of conduct and emotions	312.4	154
Multiple personality	300.14	68
Musculoskeletal malfunction arising from mental factors	306.0	114
Narcissistic personality	301.81	85
Neurasthenia	300.5	72
Neurotic depression	300.4	71
Neurotic disorders	300.0-300.9	67-76
Nondependent abuse of drugs	305.0-305.9	104-113
Fifth-digit subclassification for use with 305:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	125
Obsessive-compulsive disorders	300.3	70
Opioid abuse	305.5	109
Opioid type dependence	304.0	95
Oppositional disorder of childhood or adolescence	313.81	161
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	145
Other acute reactions to stress	308.3	134
Other adjustment reactions with predominant disturbance of other emotions	309.29	139
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	94
Other and unspecified disorders of eating	307.5	126
Other and unspecified factitious illness	300.19	68
Other and unspecified reactive psychosis	298.8	62
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	130
Other anxiety states	300.09	67
Other disorders of eating	307.59	126
Other disorders of impulse control	312.39	153
Other dysfunctions of sleep stages or arousal from sleep	307.47	125
Other emotional disturbances of childhood or adolescence	313.89	161
Other genitourinary malfunction arising from mental factors	306.59	118
Other histrionic personality disorder	301.59	82
Other isolated or simple phobias	300.29	69
Other manic-depressive psychosis	296.89	49
Other neurotic disorders	300.8	75
Other neurotic disorders	300.89	75

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Other nonorganic psychoses	298.0-298.9	57-63
Other or mixed emotional disturbances of childhood or adolescence	313.8	161
Other organic psychotic conditions (chronic)	294.0-294.9	27-30
Other personality disorders	301.8	85
Other personality disorders	301.89	85
Other psychalgia	307.89	129
Other specific disorders of sleep of nonorganic origin	307.49	125
Other specified adjustment reactions	309.8	142
Other specified adjustment reactions	309.89	142
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	155
Other specified drug dependence	304.6	100
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	65
Other specified nonpsychotic mental disorders following organic brain damage	310.8	147
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	120
Other specified psychosexual disorders	302.8	91
Other specified psychosexual disorders	302.89	91
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	113
Overanxious disorder specific to childhood and adolescence	313.0	157
Panic disorder	300.01	67
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	77
Paranoid state, simple	297.0	51
Paranoid states	297.0-297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	85
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	153
Pedophilia	302.2	87
Persistent disorder of initiating or maintaining sleep	307.42	125
Persistent disorder of initiating or maintaining wakefulness	307.44	125
Personality disorders	301.0-301.9	77-86
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	125
Phobia, unspecified	300.20	69
Phobic disorders	300.2	69
Physiological malfunction arising from mental factors	306 .0-306.9	114-121
Pica	307.52	126
Postconcussion syndrome	310.2	146
Predominant disturbance of consciousness	308.1	132
Predominant disturbance of emotions	308.0	131
Predominant psychomotor disturbance	308.2	133
Presenile dementia	290.1	4

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	142
Psychalgia	307.8	129
Psychogenic amnesia	300.12	68
Psychogenic dysmenorrhea	306.52	118
Psychogenic dysuria	306.53	118
Psychogenic fugue	300.13	68
Psychogenic genitourinary malfunction, unspecified	306.50	118
Psychogenic pain, site unspecified	307.80	129
Psychogenic paranoid psychosis	298.4	61
Psychogenic rumination	307.53	126
Psychogenic vaginismus	306.51	118
Psychogenic vomiting	307.54	126
Psychoses with origin specific to childhood	299.0-299.9	64-66
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	90
Psychosexual dysfunction with inhibited sexual desire	302.71	90
Psychosexual dysfunction with inhibited sexual excitement	302.72	90
Psychosexual dysfunction with inhibited female orgasm	302.73	90
Psychosexual dysfunction with inhibited male orgasm	302.74	90
Psychosexual dysfunction with premature ejaculation	302.75	90
Psychosexual dysfunction with functional dyspareunia	302.76	90
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	90
Psychosexual dysfunction, unspecified	302.70	90
Pyromania	312.33	153
Reactive confusion	298.2	59
Relationship problems specific to childhood and adolescence	313.3	160
Repetitive intrusions of sleep	307.48	125
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	115
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	79
Schizoid personality disorder, unspecified	301.20	79
Schizophrenic disorders	295.0-295.9	31-40
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	79
Senile and presenile organic psychotic conditions	290.0-290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	159
Separation anxiety disorder	309.21	139
Sexual deviations and disorders	302.2-302.9	87-92
Sexual masochism	302.83	91
Sexual sadism	302.84	91
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	159
Simple type schizophrenia	295.0	31
Social phobia	300.23	69
Socialized conduct disorder	312.2	152
Somatization disorder	300.81	75
Somnambulism or night terrors	307.46	125
Special symptoms or syndromes, not elsewhere classified	307.1-307.9	122-130
Specific academic or work inhibition	309.23	139
Specific disorders of sleep of nonorganic origin	307.4	125
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	144-148
Stereotyped repetitive movements	307.3	124
Subacute delirium	293.1	24
Tension headache	307.81	129
Tic disorder, unspecified	307.20	123
Tics	307.2	123
Tobacco use disorder	305.1	105
Trans-sexualism	302.5	88
Trans-sexualism with asexual history	302.51	88
Trans-sexualism with heterosexual history	302.53	88
Trans-sexualism with homosexual history	302.52	88
Trans-sexualism with unspecified sexual history	302.50	88
Transient disorder of initiating or maintaining sleep	307.41	125
Transient disorder of initiating or maintaining wakefulness	307.43	125
Transient organic psychotic conditions	293.0-293.9	23-26
Transient tic disorder of childhood	307.21	123
Undersocialized conduct disorder, aggressive type	312.0	150
Undersocialized conduct disorder, unaggressive type	312.1	151
Unspecified acute reaction to stress	308.9	136
Unspecified adjustment reaction	309.9	143
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	66
Unspecified disturbance of conduct	312.9	156
Unspecified drug dependence	304.9	103
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	162
Unspecified hyperkinetic syndrome of childhood	314.9	164
Unspecified neurotic disorder	300.9	76
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	148
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	86
Unspecified psychophysiological malfunction	306.9	121
Unspecified psychosexual disorder	302.9	92

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified psychosis	298.9	63
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	91

Appendix 4

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.* It was developed in response to a need expressed by medical records administrators for a standard means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal agencies). This crosswalk has been specifically developed to facilitate such coding, and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association, and is available through the APA Office of Research.

INSTRUCTIONS

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code, and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*. *ICD-9-CM* is the more inclusive system, however, since one of its primary purpose is to serve as a complete list of medical terms to assist in the coding of medical records. There are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote 1 for general notes about the crosswalk.

---

*Developed by J. Thompson and H. A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R **Code**	***ICD-9-CM*** **Code**	**Narrative** ***ICD-9-CM*****, plus [*****DSM-III-R*****]**	**Footnotes**
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor or verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

B4465 2.5

LOS

PSYCHIATRIC

LENGTH OF STAY

HKS PUBLICATIONS

by Diagnosis
United States, Western Region, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
November, 1989

PSYCHIATRIC LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This publication represents one volume in the third annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1988
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1988
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1988
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1988
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1988
ISSN 0898-0535

The Length of Stay series has been published annually since 1963. In addition to *Psychiatric Length of Stay*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Description of the Database

Data Collection v
Data Quality v
Database Characteristics vi

Organization of Psychiatric Length of Stay Tables x

Explanation of Psychiatric Length of Stay Statistics xii

Application of Psychiatric Length of Stay Tables xiii

Trends in Psychiatric Length of Stay xiv

Length of Stay Tables 1

APPENDIX:

1: State Inclusions and Hospital Counts by Region 167

2: Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 168

3: Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 176

4: Crosswalk From *DSM-III-R* to *ICD-9-CM* 184

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Psychiatric Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available, and to Philip M. Margolis, Professor of Psychiatry, University of Michigan Medical Center and Professor of Community Mental Health, School of Public Health, University of Michigan.

1988 PSYCHIATRIC LENGTH OF STAY BOOKS

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS
Linda E. Vanek, Assistant Manager, Normative Publications

INFORMATION SERVICES
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Stacey Koepke, Customer Service Representive,
Mary Kay Murray, Marketing Specialist,
Tracey Stewart, Publication Specialist,
Robert Travis, Librarian.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer disk, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports.

5. Data are standardized to create an aggregated patient record base.

   This annually updated database is used to create the Psychiatric Length of Stay (LOS) series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specifc diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40% of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,068 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages vii-ix. Table definitions are as follows:

Hospitals with or without a Psychiatric Unit or Beds

The 1987 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Average Occupancy

According to *AHA Guide*, 1989, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."[2]

Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

---

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals,* American Hospital Association, Chicago, Illinois, 1976.

[2] *American Hospital Association Guide to the Health Care Field,* American Hospital Association, Chicago, Illinois, 1989.

Table 1
1988 PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[*]

	Hospitals with Psychiatric Unit/Beds	Hospitals without Psychiatric Unit/Beds	Total
Number of Hospitals			
Universe**	1,322	4,198	5,520
Sample	315	753	1,068
Hospitals as Percent of Universe			
Universe	100.0	100.0	100.0
Sample	23.8	17.9	19.3
Number of Urban Hospitals			
Universe	1,061	1,839	2,900
Sample	237	359	596
Urban Hospitals as Percent of Universe			
Universe	80.3	43.8	52.5
Sample	17.9	8.6	10.8
Number of High/Medium Teaching Intensity Hospitals			
Universe	601	329	930
Sample	124	90	214
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe			
Universe	45.5	7.8	16.8
Sample	9.4	2.1	3.9
Average Occupancy as Percent of Universe			
Universe	66.3	51.6	55.1
Sample	66.3	55.5	58.6

---

[*] Hospitals with average stay less than 30 days.

**The Universe means all hospitals recording facility information on the 1987 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	315	100.0	183,184	100.0
Control				
Public	39	12.4	19,263	10.5
Private	251	79.7	150,721	82.3
Unknown	25	7.9	13,200	7.2
Bedsize				
<100 Beds	27	8.6	6,079	3.3
100-199	71	22.5	31,592	17.2
200-299	70	22.2	35,744	19.5
300-399	64	20.3	46,289	25.3
400-499	35	11.1	24,542	13.4
500+	48	15.2	38,938	21.3
Teaching Intensity				
Low	191	60.6	96,313	52.6
Medium	77	24.4	51,963	28.4
High	47	14.9	34,908	19.1
Location				
Rural	78	24.8	30,143	16.5
Urban	237	75.2	153,041	83.5

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	753	100.0	71,592	100.0
Control				
Public	167	22.2	8,669	12.1
Private	566	75.2	60,350	84.3
Private	20	2.7	2,573	3.6
Bedsize				
<100 Beds	409	54.3	19,894	27.8
100-199	187	24.8	17,638	24.6
200-299	88	11.7	16,615	23.2
300-399	37	4.9	7,242	10.1
400-499	15	2.0	7,357	10.3
500+	17	2.3	2,846	4.0
Teaching Intensity				
Low	663	88.0	54,509	76.1
Medium	71	9.4	15,150	21.2
High	19	2.5	1,933	2.7
Location				
Rural	394	52.3	20,518	28.7
Urban	359	47.7	51,074	71.3

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the four census regions. Appendix 1 lists the states comprising each region, and the number of hospitals and patients included in each volume.



Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included at the end of the Appendix.) The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 2 lists, in numerical order, the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying description, and the page number in the particular volume where a table is located. Appendix 3 lists, in alphabetical order, the psychiatric diagnoses and accompanying numerical codes.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

a. Hospitals with a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.

b. Hospitals without a Psychiatric Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 2 or 3 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The 1988 Psychiatric Length of Stay series represents the third annual edition of this publication. The series provides a comparative view of inpatient psychiatric patterns in short-term general hospitals throughout the United States.

Profile of Psychiatric Database

For each of the three years (1986-1988), 4% of the patient records included in the standard length of stay database list a psychiatric disorder as a principal diagnosis. Approximately 72% percent of the discharge records included in the 1988 tables are from hospitals with psychiatric units or beds, with the remaining 28% from hospitals without psychiatric units.

Diagnoses most often reported for patients in hospitals with psychiatric unit/beds, along with the frequency and length of stay for each, are shown in TABLE 4. These can be compared to the most frequently reported diagnoses in hospitals without psychiatric units in TABLE 5. Hospitals with psychiatric units are more likely to report adjustment reactions (ICD-9-CM 309) for younger age groups and affective psychoses (ICD-9-CM 296) for older ages, whereas diagnoses in hospitals without psychiatric units are more often substance abuse related (ICD-9-CM codes 303-305). The prevalence of substance abuse problems with psychiatric patients is further evidenced when secondary diagnoses are examined. Alcohol dependence (ICD-9-CM 303) is found as a secondary diagnosis in 24% of the patients with a psychiatric principal diagnosis in hospitals with psychiatric units and in 50% of the same patients in hospitals without units.

Table 4
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITH PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	309 Adjustment Reaction	21%	14.2
	296 Affective Psychoses	17%	24.6
	300 Neurotic Disorders	14%	21.9
18-24	296 Affective Psychoses	20%	15.7
	309 Adjustment Reaction	16%	7.6
	295 Schizophrenic Disorders	14%	17.4
25-54	296 Affective Psychoses	27%	15.2
	303 Alcohol Dependence Syndrome	18%	12.7
	295 Schizophrenic Disorders	17%	15.8
55-74	296 Affective Psychoses	40%	19.1
	303 Alcohol Dependence Syndrome	14%	12.7
	295 Schizophrenic Disorders	11%	19.2
75+	296 Affective Psychoses	32%	21.4
	290 Senile/Presenile Psychoses	23%	13.3
	293 Transient Org. Mental Disorders	7%	11.9
All Ages	296 Affective Psychoses	27%	17.2
	303 Alcohol Dependence Syndrome	14%	13.6
	295 Schizophrenic Disorders	13%	16.7

Table 5
FREQUENCY OF PRINCIPAL PSYCHIATRIC DIAGNOSES

HOSPITALS WITHOUT PSYCHIATRIC UNITS

AGE GROUP	CODE/TITLE	FREQUENCY	AVG. LOS
0-17	303 Alcohol Dependence Syndrome	15%	24.2
	296 Affective Psychoses	13%	25.8
	305 Nondependent Drug Abuse	11%	6.4
18-24	303 Alcohol Dependence Syndrome	27%	16.2
	304 Drug Dependence	20%	15.9
	296 Affective Psychoses	8%	11.4
25-54	303 Alcohol Dependence Syndrome	35%	13.0
	291 Alcohol Psychoses	14%	5.2
	304 Drug Dependence	12%	14.3
55-74	303 Alcohol Dependence Syndrome	29%	11.5
	291 Alcohol Psychoses	14%	6.9
	296 Affective Psychoses	13%	13.2
75+	290 Senile/Presenile Psychoses	28%	11.5
	296 Affective Psychoses	9%	14.7
	300 Neurotic Disorders	8%	6.7
All Ages	303 Alcohol Dependence Syndrome	29%	13.5
	291 Alcohol Psychoses	11%	5.6
	304 Drug Dependence	10%	15.5

Psychiatric drug therapy (ICD-9-CM 94.25) and CAT scan of head (ICD-9-CM 87.03) are procedures most frequently recorded for patients with a principal psychiatric diagnosis code. The incidence of drug therapy is higher (33%) in hospitals without psychiatric units/beds, than hospitals with psychiatric units (17%).

Psychiatric Length of Stay

In the United States, the average stay for psychiatric patients in short-term general hospitals with a psychiatric unit is 30% longer (14.4 days) than in hospitals without units (11.0 days). This ratio has remained constant over three years. Recent research indicates an even larger difference between the length of stay in the two types of hospitals, suggesting that many of the patients in hospitals without units are transferred to other hospitals to be treated by a psychiatrist. Since patients transferred to other acute care facilities are excluded from our data, this would explain the longer stays.

Age and sex differences are noted in length of stay for both types of hospitals. Children under the age of 18, constituting 10% of the discharges with a psychiatric principal diagnosis, have the longest length of stay of any age group. Generally, females of any age have longer stays than males.

TABLE 6 displays three years of hospital stay trends in the United States and four regions for all psychiatric codes (290.0-314.9) in hospitals with a psychiatric unit.

Table 6
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88
ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITH PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	13.9	14.8	15.4
North Central	14.9	14.7	14.9
South	13.2	14.1	14.6
West	11.8	12.3	12.4
U.S.	13.7	14.1	14.4

A continuing increase in length of stay for psychiatric inpatient care is evident for U.S. hospitals with psychiatric units; from 1986 to 1988 there is a 5% increase in stay (.7 days). The established pattern of high lengths of stay in the northeast and low stays in the west remains constant in 1988, as it did in 1987. For all psychiatric diagnoses, the difference between the northeastern and western regions in 1988 is 3 days.

One possible explanation for the increasing days of inpatient stay may relate to the fact that patients staying over 99 days are excluded from the computation of the average length of stay. If there has been a decrease in total days for the outliers, for example, from 120 to 94 days, their stay would now be included in the average, causing that figure to be higher. This theory needs to be tested out in future studies.

Differences in average length of stay from 1986-1988 are not as steady in hospitals without psychiatric units/beds. As Table 7 shows below, there has been a 6% increase in stay (.6 days) throughout the United States, but regional differences are not consistent with the usual pattern. Length of stay increases in the northeast, north central and southern regions, but continues to decline in the west. Despite the increase, hospitals without psychiatric units/beds in the northeast continue to have a considerably shorter hospital stay for psychiatric patients than any other region.

Table 7
AVERAGE LENGTH OF STAY, UNITED STATES AND REGIONS, 1986-88
ALL PSYCHIATRIC CODES (290.0-314.9)

HOSPITALS WITHOUT PSYCHIATRIC UNITS

	1986	1987	1988
Northeast	7.6	8.7	9.2
North Central	10.9	11.9	12.3
South	9.7	10.3	11.4
West	11.6	11.4	11.2
U.S.	10.4	10.7	11.0

In summary, this analysis of the 1988 Psychiatric Length of Stay data reveals:

1. In the United States, for all psychiatric codes, the average length of stay continues to increase in short-term hospitals either with or without a psychiatric unit.

2. For hospitals with a psychiatric unit or beds regional variations in length of stay are consistent with the widely acknowledged patterns, high length of stays in the northeast and north central and low stays in the south and west region.

3. For the same group of diagnoses in hospitals without a psychiatric unit/beds, although length of stay generally increases, the above mentioned regional patterns do not hold.

This discussion introduces a few of the analyses possible using the Psychiatric Length of Stay series. As readers conduct their own inquiries, it is essential to remember that the statistics in this section are merely descriptive, drawn from the discharge records of 1,068 short-term general hospitals in the United States. In the course of using psychiatric length of stay data it is important that readers routinely:

1. examine the characteristics of the database;
2. look at the patient counts in each diagnosis table; and
3. consider any clinical, financial, legal, and social issues which might affect the data.

Such caution, paired with expertise, will make the statistics and tables presented in the next section an appropriate tool for developing cost and quality of care guidelines for patients with psychiatric conditions.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	244	21.1	259	2	8	19	32	45	50	99 +	72	4.6	76	1	1	2	3	14	21	89
13-17	632	15.7	230	1	3	11	24	38	44	74	200	11.4	221	1	1	3	20	33	45	65
18-24	844	11.2	137	1	3	7	18	28	31	52	422	12.9	175	1	2	8	22	29	31	59
25-34	1812	11.0	122	1	3	7	16	28	30	46	941	12.4	143	1	2	7	22	28	30	50
35-54	2168	11.1	114	1	3	7	17	27	30	44	1269	11.5	135	1	2	6	21	28	30	43
55-74	1055	12.5	123	2	4	8	20	28	33	44	766	8.4	87	1	2	4	11	25	29	38
75 +	509	10.0	95	2	4	7	13	23	29	52	395	6.2	43	2	3	4	7	12	17	32
ALL AGES	7264	12.0	137	1	3	7	18	28	34	52	4065	10.6	132	1	2	5	18	28	30	49
B. FEMALE																				
0-12 YRS.	154	19.0	343	1	5	13	32	46	52	98	54	10.0	232	1	1	2	11	38	49	51
13-17	1020	14.6	218	1	3	10	21	35	44	82	239	11.7	240	1	1	4	20	33	48	96
18-24	819	9.7	137	1	2	5	13	27	36	56	332	10.1	172	1	2	4	13	28	32	56
25-34	1861	10.4	119	1	3	7	14	26	31	53	675	10.6	129	1	2	7	15	28	29	63
35-54	2915	11.0	116	2	4	7	15	25	31	53	1078	10.1	119	1	2	5	15	28	29	46
55-74	1877	13.3	151	2	4	10	18	29	37	59	805	8.6	84	1	2	5	11	24	28	43
75 +	962	11.7	145	2	4	8	15	27	35	62	631	6.3	54	2	3	4	8	13	19	53
ALL AGES	9608	11.8	146	2	3	8	16	28	36	59	3814	9.3	120	1	2	5	12	27	29	54
SUBTOTAL	**16872**	**11.9**	**142**	**1**	**3**	**8**	**17**	**28**	**35**	**57**	**7879**	**10.0**	**126**	**1**	**2**	**5**	**15**	**28**	**29**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	395	31.4	327	9	19	31	43	57	80	99 +	23	16.7	199	2	5	14	30	42	60	99 +
13-17	1085	21.8	331	3	6	18	35	46	57	99 +	337	23.5	290	2	8	24	37	46	56	99 +
18-24	1243	11.6	140	1	3	7	18	28	31	48	690	15.0	153	1	3	15	26	29	32	58
25-34	2754	11.2	116	1	3	7	19	28	30	41	1607	13.3	125	2	3	9	22	28	30	40
35-54	2834	10.4	114	2	3	6	15	27	30	46	1874	10.5	108	1	3	6	19	28	29	39
55-74	922	11.4	130	2	4	7	16	27	32	62	674	9.0	79	2	3	5	13	22	28	37
75 +	263	10.8	106	2	4	7	14	22	29	49	156	7.1	63	2	3	5	8	17	22	33
ALL AGES	9496	13.1	178	2	3	7	21	30	40	66	5361	12.5	138	2	3	7	21	28	31	51
B. FEMALE																				
0-12 YRS.	158	28.6	302	6	16	28	43	66	99 +	99 +	24	21.7	429	1	5	15	41	51	83	99 +
13-17	1256	19.0	304	2	5	14	29	44	56	97	305	22.0	326	1	5	21	34	47	58	99 +
18-24	1188	11.3	146	1	3	7	16	28	37	52	447	13.8	182	1	3	9	22	29	39	78
25-34	2654	11.0	139	2	3	7	15	28	33	56	970	12.3	143	2	3	6	21	29	33	49
35-54	2887	11.0	120	2	3	7	15	27	33	51	1054	10.3	120	1	3	5	15	28	30	46
55-74	1183	13.0	118	3	5	10	18	27	32	56	537	9.3	88	2	3	6	11	25	30	37
75 +	429	13.0	133	3	5	10	16	28	39	55	221	6.4	44	2	3	4	7	14	19	30
ALL AGES	9755	12.7	166	2	4	8	18	30	40	65	3558	12.0	157	1	3	6	21	29	36	57
SUBTOTAL	**19251**	**12.9**	**172**	**2**	**3**	**8**	**19**	**30**	**40**	**65**	**8919**	**12.3**	**145**	**2**	**3**	**7**	**21**	**29**	**33**	**55**
GRAND TOTAL	**36123**	**12.4**	**159**	**2**	**3**	**8**	**18**	**29**	**37**	**61**	**16798**	**11.2**	**138**	**1**	**3**	**6**	**20**	**28**	**31**	**54**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	9	11.2	102	2	4	10	15	28	28	28	8	11.4	131	3	5	7	12	31	38	38
75 +	36	9.8	97	1	4	7	13	18	24	55	37	8.0	117	1	3	4	7	20	34	52
ALL AGES	45	10.1	96	2	4	7	12	21	28	55	45	8.6	119	2	3	4	8	21	39	52
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	10	8.3	68	1	3	6	12	21	28	28	7	6.7	19	2	3	6	11	12	12	12
75 +	40	7.4	43	1	3	5	11	15	22	29	45	5.4	56	1	2	4	6	10	12	51
ALL AGES	50	7.6	46	1	3	5	12	15	26	29	52	5.6	51	2	2	4	6	11	12	50
SUBTOTAL	**95**	**8.7**	**72**	**1**	**3**	**6**	**12**	**18**	**27**	**43**	**97**	**7.0**	**84**	**2**	**3**	**4**	**7**	**13**	**21**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	16.0	25	11	12	16	20	21	21	21	2	10.5	25	7	7	10	14	14	14	14
75 +	6	8.2	45	3	4	5	10	20	21	21	8	6.9	49	2	4	5	6	19	24	24
ALL AGES	9	10.8	49	3	5	10	17	21	21	21	10	7.6	44	2	5	5	7	19	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	18.5	313	6	6	18	31	31	31	31	2	18.0	98	11	11	18	25	25	25	25
75 +	9	12.7	61	3	7	11	21	23	23	23	8	7.1	67	2	2	4	8	21	26	26
ALL AGES	11	13.7	87	4	7	11	22	26	31	31	10	9.3	84	2	3	5	11	25	26	26
SUBTOTAL	**20**	**12.4**	**69**	**3**	**6**	**10**	**21**	**22**	**27**	**31**	**20**	**8.5**	**60**	**2**	**3**	**5**	**11**	**24**	**25**	**26**
GRAND TOTAL	**115**	**9.4**	**72**	**2**	**3**	**6**	**13**	**21**	**27**	**39**	**117**	**7.2**	**80**	**2**	**3**	**4**	**7**	**15**	**25**	**51**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	11.7	5	9	10	12	13	14	14	14										
55-74	21	11.6	88	3	6	9	14	22	34	43	16	4.9	3	2	4	5	6	9	68	99+
75 +	39	7.9	29	2	4	7	11	16	17	26	36	7.9	119	2	3	5	8	12	26	64
ALL AGES	64	9.2	50	2	4	8	12	16	21	41	52	6.9	86	2	3	5	7	11	29	99
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	21.8	97	11	14	21	29	34	34	34										
55-74	18	7.0	17	2	3	7	11	12	13	13	23	7.9	41	2	3	6	11	21	22	22
75 +	48	6.7	25	2	3	5	10	14	16	21	55	8.3	241	1	2	4	8	36	97	99+
ALL AGES	70	7.6	38	2	3	6	11	15	20	32	78	8.2	181	1	3	5	8	21	78	99+
SUBTOTAL	**134**	**8.4**	**44**	**2**	**4**	**7**	**11**	**16**	**20**	**35**	**130**	**7.7**	**142**	**2**	**3**	**5**	**8**	**15**	**60**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	3.0		3	3	3	3	3	3	3	1	9.0		9	9	9	9	9	9	9
55-74	7	10.6	58	2	5	10	17	21	22	22	5	16.0	555	3	4	6	20	58	58	58
75 +	9	11.3	132	1	3	9	14	29	39	39	6	5.8	23	3	3	4	7	14	15	15
ALL AGES	17	10.5	92	1	4	9	14	21	33	39	13	9.7	223	2	3	5	8	24	52	58
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74	9	11.9	98	4	5	6	16	29	32	32	3	8.7	23	3	5	11	12	12	12	12
75 +	13	8.1	25	4	4	7	9	17	19	20	8	5.3	24	2	3	4	5	14	17	17
ALL AGES	23	10.1	59	4	5	7	13	22	27	32	11	6.2	24	2	3	4	10	14	17	17
SUBTOTAL	**40**	**10.3**	**71**	**3**	**4**	**8**	**14**	**21**	**28**	**39**	**24**	**8.1**	**130**	**2**	**3**	**4**	**8**	**15**	**29**	**58**
GRAND TOTAL	**174**	**8.8**	**51**	**2**	**4**	**7**	**12**	**17**	**22**	**38**	**154**	**7.8**	**138**	**2**	**3**	**5**	**8**	**15**	**52**	**99+**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	11	14.5	130	5	6	10	20	31	41	42	2	2.5	5	1	1	2	4	4	4	4
75 +	22	12.0	67	3	6	11	21	24	54	99 +	3	8.7	133	1	1	3	17	22	22	22
ALL AGES	33	12.8	87	3	6	11	21	24	39	99 +	5	6.2	80	1	1	3	8	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	15	15.7	165	4	7	13	21	27	46	53	4	6.5	4	5	5	6	8	9	9	9
75 +	50	10.9	40	4	6	10	14	19	21	34	16	8.8	273	3	3	4	6	12	53	70
ALL AGES	65	12.0	71	4	6	10	15	21	27	50	20	8.3	218	3	3	5	6	11	41	70
SUBTOTAL	**98**	**12.3**	**75**	**3**	**6**	**10**	**17**	**23**	**28**	**77**	**25**	**7.9**	**186**	**2**	**3**	**4**	**6**	**13**	**34**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	7.3	18	4	4	6	10	12	12	12	1	6.0		6	6	6	6	6	6	6
75 +	4	10.8	38	6	7	8	14	20	20	20	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	7	9.3	29	4	6	8	11	18	20	20	3	4.3	3	3	3	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	19.5	85	13	13	19	26	26	26	26	1	8.0		8	8	8	8	8	8	8
75 +	15	14.1	116	4	7	12	20	23	39	45	4	4.8	1	3	4	5	6	6	6	6
ALL AGES	17	14.8	108	5	7	13	22	25	38	45	5	5.4	3	3	4	5	6	8	8	8
SUBTOTAL	**24**	**13.2**	**89**	**4**	**7**	**11**	**17**	**23**	**32**	**45**	**8**	**5.0**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**8**
GRAND TOTAL	**122**	**12.5**	**77**	**4**	**6**	**10**	**17**	**23**	**28**	**66**	**33**	**7.2**	**142**	**2**	**3**	**5**	**6**	**10**	**21**	**70**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	13	11.5	29	4	7	12	15	18	20	20	10	6.3	27	1	2	4	11	14	15	15
75 +	34	8.9	50	3	4	7	11	14	18	40	37	5.5	19	2	3	4	7	11	13	23
ALL AGES	47	9.6	45	3	5	9	14	16	19	40	47	5.7	20	2	3	4	8	12	14	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	14	10.6	28	5	7	9	14	19	20	21	6	4.3	2	3	3	4	6	6	6	6
75 +	58	7.6	39	2	3	6	10	16	20	33	56	6.4	18	2	4	5	8	10	15	22
ALL AGES	72	8.2	37	2	4	7	10	17	21	32	62	6.2	17	3	4	5	8	10	15	22
SUBTOTAL	**119**	**8.8**	**40**	**2**	**4**	**7**	**12**	**17**	**20**	**36**	**109**	**6.0**	**18**	**2**	**3**	**5**	**8**	**11**	**14**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	4.5	13	2	3	7	77	99 +	99 +	99 +	3	8.7	85	1	2	6	16	19	19	19
75 +	7	13.3	61	5	7	14	16	26	28	28	2	1.0		1	1	1	1	1	1	1
ALL AGES	9	11.3	63	3	7	11	17	64	99 +	99 +	5	5.6	61	1	1	1	9	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	10.5	6	8	9	10	12	14	14	14										
75 +	10	10.0	11	5	8	10	13	14	14	14	8	5.5	29	1	2	4	6	15	18	18
ALL AGES	14	10.1	10	7	8	10	13	14	14	14	8	5.5	29	1	2	4	6	15	18	18
SUBTOTAL	**23**	**10.6**	**29**	**5**	**7**	**10**	**14**	**18**	**50**	**99 +**	**13**	**5.5**	**38**	**1**	**1**	**4**	**6**	**18**	**19**	**19**
GRAND TOTAL	**142**	**9.1**	**38**	**3**	**5**	**8**	**13**	**17**	**20**	**44**	**122**	**5.9**	**20**	**2**	**3**	**5**	**8**	**11**	**15**	**22**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	17	6.8	24	3	4	5	8	12	18	22	11	10.9	210	1	2	5	13	35	47	48
75 +	26	8.7	42	2	4	9	12	16	23	27	32	6.5	26	2	3	5	9	12	16	26
ALL AGES	43	8.0	34	2	4	7	11	14	22	27	43	7.7	72	2	3	5	9	15	26	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	14	9.2	99	2	3	5	9	30	32	33	17	8.1	41	2	4	6	9	16	24	28
75 +	39	8.8	34	3	5	8	10	15	20	34	47	7.2	35	2	3	5	9	17	19	28
ALL AGES	53	8.9	50	3	4	8	10	16	29	34	64	7.4	37	2	3	6	9	17	20	28
SUBTOTAL	**96**	**8.5**	**43**	**3**	**4**	**7**	**11**	**15**	**22**	**34**	**107**	**7.5**	**51**	**2**	**3**	**5**	**9**	**16**	**22**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	17.0		17	17	17	17	17	17	17
55-74	4	8.3	28	4	4	6	12	16	16	16	1	4.0		4	4	4	4	4	4	4
75 +	6	8.0	33	3	4	7	8	18	19	19	4	7.0	13	2	4	8	9	10	10	10
ALL AGES	10	8.1	28	3	4	7	8	17	19	19	6	8.2	27	2	4	8	10	16	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	15.9	337	4	8	11	12	48	57	57	4	6.0	11	1	4	7	8	8	8	8
75 +	11	8.3	43	2	3	6	11	18	23	24	9	10.8	64	3	5	9	13	23	30	30
ALL AGES	18	11.2	160	3	4	9	11	21	44	57	13	9.3	52	3	5	8	11	17	27	30
SUBTOTAL	**28**	**10.1**	**112**	**3**	**4**	**8**	**11**	**18**	**27**	**57**	**19**	**8.9**	**43**	**2**	**5**	**8**	**11**	**15**	**24**	**30**
GRAND TOTAL	**124**	**8.8**	**59**	**3**	**4**	**7**	**11**	**16**	**23**	**40**	**126**	**7.7**	**50**	**2**	**3**	**6**	**10**	**16**	**22**	**34**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	5.5	1	5	5	5	6	6	6	6	1	10.0		10	10	10	10	10	10	10
ALL AGES	2	5.5	1	5	5	5	6	6	6	6	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3	1	12.0		12	12	12	12	12	12	12
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**3**	**4.7**	**2**	**3**	**3**	**5**	**6**	**6**	**6**	**6**	**2**	**11.0**	**2**	**10**	**10**	**11**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**2**	**5.5**	**5**	**4**	**4**	**5**	**7**	**7**	**7**	**7**										
GRAND TOTAL	**5**	**5.0**	**3**	**3**	**4**	**5**	**6**	**7**	**7**	**7**	**2**	**11.0**	**2**	**10**	**10**	**11**	**12**	**12**	**12**	**12**

SENILE PSYCHOT COND NOS (290.9)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	15.0		15	15	15	15	15	15	15
ALL AGES											1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	3	3.0	4	1	1	3	4	5	5	5	1	6.0		6	6	6	6	6	6	6
ALL AGES	3	3.0	4	1	1	3	4	5	5	5	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**3**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**5**	**5**	**2**	**10.5**	**41**	**6**	**6**	**10**	**15**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	7.5	1	7	7	7	8	8	8	8										
ALL AGES	2	7.5	1	7	7	7	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**7.5**	**1**	**7**	**7**	**7**	**8**	**8**	**8**	**8**										
GRAND TOTAL	**5**	**4.8**	**8**	**1**	**2**	**5**	**7**	**8**	**8**	**8**	**2**	**10.5**	**41**	**6**	**6**	**10**	**15**	**15**	**15**	**15**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34	2	5.5	5	4	4	5	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
35-54	9	3.4	7	2	2	3	3	8	10	10	20	3.9	3	2	2	4	5	6	7	7
55-74	8	7.4	39	1	2	4	13	16	17	17	14	6.9	40	2	3	5	8	17	23	25
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	19	5.3	22	2	2	3	6	14	16	17	38	5.0	20	2	2	4	6	9	14	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	3	6.3	45	2	2	3	11	14	14	14	5	4.2	5	2	2	4	6	7	7	7
55-74	3	12.7	53	7	8	10	18	21	21	21	5	5.4	6	2	3	6	7	8	8	8
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	8	8.3	42	2	3	6	12	19	21	21	10	4.8	5	2	2	5	7	8	8	8
SUBTOTAL	**27**	**6.2**	**29**	**2**	**2**	**4**	**9**	**15**	**18**	**21**	**48**	**5.0**	**16**	**2**	**2**	**4**	**6**	**8**	**11**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	14.0	242	3	3	14	25	25	25	25
25-34	14	5.4	29	1	2	3	6	15	17	18	32	8.2	89	1	2	4	12	28	28	28
35-54	72	5.2	26	2	2	3	6	11	16	27	89	6.6	45	2	2	4	8	18	23	28
55-74	23	7.5	28	3	4	6	9	19	19	19	51	6.5	38	2	3	4	7	17	21	26
75 +	4	7.0	35	1	1	7	12	13	13	13	7	8.6	68	2	3	5	16	21	22	22
ALL AGES	113	5.8	26	2	3	4	6	13	19	25	181	7.0	53	2	2	4	8	20	26	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	3	11.7	253	1	2	4	23	30	30	30
25-34	3	18.3	202	2	8	26	27	27	27	27	4	9.3	124	3	3	4	15	26	26	26
35-54	9	7.7	10	4	5	7	11	12	12	12	16	4.0	5	2	2	4	5	6	9	11
55-74	11	5.1	3	3	4	5	6	8	8	8	20	8.4	58	3	4	5	10	20	28	31
75 +	1	49.0		49	49	49	49	49	49	49	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	25	9.3	108	3	4	5	10	26	32	49	45	6.9	54	2	3	4	7	16	27	31
SUBTOTAL	**138**	**6.4**	**43**	**2**	**3**	**4**	**7**	**14**	**19**	**31**	**226**	**7.0**	**52**	**2**	**3**	**4**	**8**	**20**	**26**	**29**
GRAND TOTAL	**165**	**6.4**	**40**	**2**	**3**	**4**	**7**	**14**	**19**	**29**	**274**	**6.6**	**47**	**2**	**3**	**4**	**7**	**17**	**25**	**28**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74											2	24.5	545	8	8	24	41	41	41	41
75 +																				
ALL AGES											3	16.7	455	1	3	8	33	41	41	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	1	47.0		47	47	47	47	47	47	47	1	12.0		12	12	12	12	12	12	12
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	3	22.7	472	5	8	16	39	47	47	47	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**3**	**22.7**	**472**	**5**	**8**	**16**	**39**	**47**	**47**	**47**	**4**	**15.5**	**310**	**1**	**4**	**10**	**26**	**41**	**41**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	11.0	18	8	8	11	14	14	14	14	2	3.0	8	1	1	3	5	5	5	5
55-74	4	2.8	2	1	2	4	99 +	99 +	99 +	99 +	4	6.8	11	3	4	6	9	11	11	11
75 +																				
ALL AGES	6	5.5	23	1	3	6	57	99 +	99 +	99 +	6	5.5	13	1	3	5	8	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	6.0	18	3	3	6	9	9	9	9										
55-74	2	36.5	2113	4	4	36	69	69	69	69	3	14.7	157	3	5	13	24	28	28	28
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	4	21.3	1017	3	3	6	39	69	69	69	4	11.8	138	3	3	8	20	28	28	28
SUBTOTAL	**10**	**11.8**	**419**	**2**	**3**	**6**	**41**	**99 +**	**99 +**	**99 +**	**10**	**8.0**	**64**	**2**	**3**	**5**	**11**	**20**	**28**	**28**
GRAND TOTAL	**13**	**14.3**	**416**	**2**	**4**	**8**	**39**	**99 +**	**99 +**	**99 +**	**14**	**10.1**	**129**	**1**	**3**	**6**	**12**	**29**	**38**	**41**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	8	11.3	44	2	6	11	17	20	20	20	9	14.2	123	2	5	12	26	28	29	29
75 +	1	13.0		13	13	13	13	13	13	13	1	9.0		9	9	9	9	9	9	9
ALL AGES	9	11.4	41	2	8	11	15	20	20	20	11	12.6	113	2	4	9	24	28	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	9.0		9	9	9	9	9	9	9	3	9.3	87	3	3	5	16	20	20	20
55-74											2	8.0	50	3	3	8	13	13	13	13
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	2	9.0		9	9	9	9	9	9	9	6	8.0	49	3	3	4	13	19	20	20
SUBTOTAL	**11**	**11.0**	**33**	**3**	**9**	**10**	**14**	**20**	**20**	**20**	**17**	**11.0**	**91**	**2**	**3**	**6**	**18**	**27**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											3	16.7	7	15	15	15	19	20	20	20
25-34	4	2.3	2	1	1	2	3	4	4	4	18	12.7	50	2	5	15	15	22	24	25
35-54	6	5.8	12	2	4	5	6	11	12	12	50	14.3	128	3	4	15	19	22	34	64
55-74	15	13.3	178	3	6	10	14	23	48	56	26	14.7	85	3	6	15	21	22	27	46
75 +	4	10.0	67	4	5	7	15	22	22	22	6	6.5	20	2	3	5	9	13	14	14
ALL AGES	29	9.8	116	2	4	6	12	22	25	56	103	13.7	97	3	5	15	17	21	27	54
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	9.0		9	9	9	9	9	9	9
25-34	1	6.0		6	6	6	6	6	6	6	5	12.2	27	3	11	14	15	15	15	15
35-54	7	10.3	48	3	5	8	16	20	21	21	15	15.2	191	3	3	15	21	28	48	55
55-74	9	11.3	135	2	4	6	19	31	35	35	10	12.1	36	5	7	11	16	21	21	21
75 +	3	6.0	1	5	5	6	7	7	7	7	2	8.5	61	3	3	8	14	14	14	14
ALL AGES	20	9.9	76	2	5	6	14	22	29	35	33	13.2	104	3	6	14	17	21	27	55
SUBTOTAL	**49**	**9.8**	**98**	**2**	**4**	**6**	**12**	**22**	**25**	**56**	**136**	**13.6**	**97**	**3**	**5**	**15**	**17**	**21**	**27**	**56**
GRAND TOTAL	**60**	**10.1**	**84**	**2**	**4**	**7**	**12**	**21**	**23**	**54**	**153**	**13.3**	**97**	**3**	**5**	**15**	**17**	**22**	**28**	**55**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	4	3.3	2	2	2	3	4	5	5	5
35-54	8	4.3	6	2	3	4	5	8	10	10	5	3.2	2	2	2	3	4	5	5	5
55-74																				
75 +																				
ALL AGES	10	3.8	6	2	2	3	4	7	10	10	9	3.2	2	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	3.0		3	3	3	3	3	3	3	2	3.0		3	3	3	3	3	3	3
55-74											3	11.0	217	2	2	3	22	28	28	28
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	2	8.0	50	3	3	8	13	13	13	13	6	6.8	108	2	2	3	3	26	28	28
SUBTOTAL	**12**	**4.5**	**12**	**2**	**2**	**3**	**5**	**11**	**13**	**13**	**15**	**4.7**	**42**	**2**	**2**	**3**	**4**	**5**	**22**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	2	3.0	8	1	1	3	5	5	5	5
25-34	7	8.7	90	1	3	5	12	25	28	28	6	3.3	4	1	2	3	5	5	5	5
35-54	17	3.9	47	1	1	2	3	5	21	30	28	6.0	45	1	2	4	6	14	26	28
55-74	6	7.7	47	1	2	7	9	19	20	20	11	8.5	39	2	4	6	13	18	20	20
75 +											4	6.8	66	2	2	3	11	19	19	19
ALL AGES	31	5.7	56	1	2	3	5	16	28	30	51	6.2	39	1	2	4	7	16	20	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	6	2.8	4	1	1	2	4	6	6	6	3	4.0	1	3	3	4	5	5	5	5
35-54	5	6.2	13	3	4	5	8	12	12	12	9	4.9	11	2	3	5	5	10	13	13
55-74	4	11.3	155	4	4	5	18	30	30	30	4	2.8	4	1	1	3	4	5	5	5
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	16	6.6	51	1	3	5	7	13	25	30	17	4.1	8	1	3	4	5	6	11	13
SUBTOTAL	**47**	**6.0**	**53**	**1**	**2**	**4**	**6**	**14**	**28**	**30**	**68**	**5.7**	**31**	**1**	**2**	**4**	**6**	**13**	**19**	**28**
GRAND TOTAL	**59**	**5.7**	**45**	**1**	**2**	**4**	**6**	**13**	**24**	**30**	**83**	**5.5**	**33**	**2**	**2**	**4**	**5**	**13**	**19**	**28**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	2.7	2	1	1	3	4	4	4	4										
35-54	1	3.0		3	3	3	3	3	3	3	1	17.0		17	17	17	17	17	17	17
55-74																				
75 +																				
ALL AGES	4	2.8	1	1	2	3	4	4	4	4	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34											2	3.0		3	3	3	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	3	2.7		2	2	3	3	3	3	3
SUBTOTAL	**5**	**2.4**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**4**	**4**	**6.3**	**51**	**2**	**2**	**3**	**10**	**17**	**17**	**17**
GRAND TOTAL	**7**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**4**	**6.3**	**51**	**2**	**2**	**3**	**10**	**17**	**17**	**17**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	8.5	1	8	8	8	9	9	9	9
55-74																				
75 +																				
ALL AGES											2	8.5	1	8	8	8	9	9	9	9
SUBTOTAL	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34											1	28.0		28	28	28	28	28	28	28
35-54	4	15.8	718	2	2	3	29	56	56	56	1	1.0		1	1	1	1	1	1	1
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	6	12.3	462	2	2	3	7	51	56	56	2	14.5	365	1	1	14	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	6.5	61	1	1	6	12	12	12	12										
55-74																				
75 +																				
ALL AGES	2	6.5	61	1	1	6	12	12	12	12										
SUBTOTAL	**8**	**10.9**	**345**	**1**	**2**	**3**	**9**	**43**	**56**	**56**	**2**	**14.5**	**365**	**1**	**1**	**14**	**28**	**28**	**28**	**28**
GRAND TOTAL	**9**	**11.4**	**306**	**1**	**2**	**4**	**13**	**40**	**56**	**56**	**4**	**11.5**	**134**	**1**	**4**	**8**	**18**	**28**	**28**	**28**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	9	4.3	5	1	3	4	5	8	9	9	12	2.6	1	1	2	2	4	4	4	4
35-54	53	4.9	35	1	2	3	5	9	24	27	60	3.8	16	1	2	3	4	6	14	20
55-74	12	7.8	63	2	3	4	10	21	26	27	27	5.7	44	1	2	4	7	11	16	35
75 +	4	2.8		2	2	3	3	3	3	3	2	5.0	8	3	3	5	7	7	7	7
ALL AGES	79	5.1	35	1	2	3	5	10	23	27	101	4.2	22	1	2	3	5	8	13	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	14.0	808	1	2	3	3	65	72	72	2	1.5	1	1	1	1	2	2	2	2
35-54	19	3.2	4	1	2	2	5	6	7	8	21	4.0	7	1	2	3	5	7	10	12
55-74	5	5.0	3	3	4	5	6	7	7	7	16	4.2	9	1	2	3	6	9	10	10
75 +	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
ALL AGES	31	5.6	156	1	2	3	5	7	8	72	40	3.9	8	1	2	3	5	8	10	12
SUBTOTAL	**110**	**5.3**	**67**	**1**	**2**	**3**	**5**	**9**	**19**	**45**	**141**	**4.1**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17																				
18-24	3	19.0	208	3	8	23	29	31	31	31	26	9.2	119	1	2	4	7	30	31	32
25-34	47	4.2	14	1	2	3	6	8	10	23	126	7.7	72	2	3	5	6	26	28	31
35-54	131	4.7	22	1	2	3	6	9	11	33	353	7.0	64	1	2	5	6	24	28	30
55-74	81	6.3	91	1	2	4	7	11	14	59	157	7.3	60	2	3	5	7	21	28	30
75 +	11	6.9	30	2	3	5	9	15	20	21	8	8.6	56	2	3	6	14	20	20	20
ALL AGES	273	5.3	45	1	2	3	6	10	14	35	671	7.3	66	1	3	5	7	25	28	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											15	11.1	99	3	4	6	12	28	31	32
25-34	13	3.4	6	1	2	3	5	7	9	10	41	7.9	76	2	3	5	6	27	29	32
35-54	48	4.5	21	2	2	3	5	9	10	30	141	6.4	41	2	3	5	6	10	27	30
55-74	27	7.0	45	2	3	5	9	19	25	25	74	7.3	50	3	4	5	7	11	29	32
75 +	3	18.7	156	7	9	17	28	32	32	32	6	8.3	27	4	5	7	9	17	18	18
ALL AGES	91	5.6	35	2	2	4	6	10	21	31	277	7.2	51	2	4	5	7	16	28	31
SUBTOTAL	**364**	**5.4**	**42**	**1**	**2**	**3**	**6**	**10**	**14**	**33**	**948**	**7.3**	**61**	**2**	**3**	**5**	**7**	**24**	**28**	**30**
GRAND TOTAL	**474**	**5.4**	**48**	**1**	**2**	**3**	**6**	**10**	**14**	**33**	**1089**	**6.9**	**57**	**2**	**3**	**5**	**6**	**21**	**28**	**30**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	2	7.5	61	2	2	7	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**2**	**7.5**	**61**	**2**	**2**	**7**	**13**	**13**	**13**	**13**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	4.5	13	2	2	4	7	7	7	7	1	15.0		15	15	15	15	15	15	15
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74											1	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	5	3.0	6	1	2	2	4	7	7	7	2	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	4	6.3	51	2	2	3	10	17	17	17	1	2.0		2	2	2	2	2	2	2
35-54	1	8.0		8	8	8	8	8	8	8	1	12.0		12	12	12	12	12	12	12
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	7	7.9	33	2	3	8	13	16	17	17	2	7.0	50	2	2	7	12	12	12	12
SUBTOTAL	**12**	**5.8**	**27**	**1**	**2**	**3**	**8**	**15**	**17**	**17**	**4**	**11.0**	**38**	**2**	**7**	**13**	**15**	**15**	**15**	**15**
GRAND TOTAL	**14**	**6.1**	**27**	**2**	**2**	**3**	**8**	**14**	**16**	**17**	**6**	**7.8**	**48**	**1**	**2**	**7**	**15**	**15**	**15**	**15**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	1.0		1	1	1	1	1	1	1	3	3.7	8	2	2	2	6	7	7	7
35-54	2	2.5	1	2	2	2	3	3	3	3	5	5.2	11	3	3	4	6	11	11	11
55-74	2	5.0	2	4	4	5	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	8	3.3	3	1	2	3	5	6	6	6	11	4.7	8	2	3	4	6	9	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	2.0		2	2	2	2	2	2	2
25-34	4	2.8	2	1	1	3	4	4	4	4	5	3.4	11	1	1	2	5	9	9	9
35-54	7	3.6	15	1	1	2	4	10	12	12	1	3.0		3	3	3	3	3	3	3
55-74	3	16.7	280	6	6	8	29	36	36	36	4	3.0	3	1	1	3	4	5	5	5
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	14	6.1	84	1	2	3	6	14	31	36	13	3.0	5	1	2	2	4	6	8	9
SUBTOTAL	**22**	**5.1**	**55**	**1**	**2**	**3**	**5**	**9**	**22**	**36**	**24**	**3.8**	**7**	**1**	**2**	**3**	**5**	**8**	**10**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											5	24.2	233	5	16	21	33	47	47	47
18-24	2	4.0	8	2	2	4	6	6	6	6	46	10.4	106	2	5	6	7	28	29	35
25-34	14	4.9	14	2	2	4	6	13	13	13	121	8.9	73	3	4	6	7	28	29	29
35-54	13	5.5	31	1	2	3	7	14	19	20	85	7.4	47	3	4	6	7	19	28	29
55-74	5	8.0	104	2	2	5	10	26	26	26	12	9.8	85	3	4	8	11	22	34	36
75 +	1	9.0		9	9	9	9	9	9	9	2	2.5	5	1	1	2	4	4	4	4
ALL AGES	35	5.6	31	2	2	4	6	13	18	26	271	8.9	78	2	4	6	8	28	29	34
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.5	13	1	1	3	6	6	6	6	1	3.0		3	3	3	3	3	3	3
18-24	6	3.8	3	2	3	3	4	7	7	7	33	11.4	103	1	4	7	21	28	29	30
25-34	20	4.5	15	1	2	3	5	8	13	18	64	7.9	68	1	3	5	7	26	28	29
35-54	26	9.7	79	1	4	6	13	24	29	37	48	8.5	56	2	5	7	9	22	28	34
55-74	4	14.3	39	5	10	16	18	19	19	19	18	11.6	88	3	6	8	11	28	31	33
75 +	2	19.5	481	4	4	19	35	35	35	35	3	12.3	142	5	5	6	21	26	26	26
ALL AGES	60	7.8	64	1	3	5	9	18	26	37	167	9.2	75	2	3	6	10	28	28	32
SUBTOTAL	**95**	**7.0**	**52**	**1**	**2**	**5**	**8**	**18**	**24**	**36**	**438**	**9.0**	**77**	**2**	**4**	**6**	**9**	**28**	**28**	**33**
GRAND TOTAL	**117**	**6.6**	**53**	**1**	**2**	**4**	**7**	**16**	**23**	**36**	**462**	**8.8**	**74**	**2**	**4**	**6**	**8**	**28**	**28**	**33**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17											1	1.0		1	1	1	1	1	1	1
18-24	5	3.6	4	1	2	3	5	6	6	6	3	3.7	14	1	1	2	6	8	8	8
25-34	5	4.2	8	1	2	4	6	8	8	8	3	2.7	4	1	1	2	4	5	5	5
35-54	1	4.0		4	4	4	4	4	4	4	1	10.0		10	10	10	10	10	10	10
55-74	4	3.5	1	3	3	3	4	5	5	5	3	4.3	5	2	3	5	6	6	6	6
75 +	5	4.8	5	2	3	5	6	8	8	8	6	6.7	13	2	5	6	10	12	12	12
ALL AGES	20	4.1	4	1	3	4	5	7	8	8	18	4.7	12	1	2	5	6	10	11	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.0	2	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34	1	2.0		2	2	2	2	2	2	2	6	4.8	23	1	2	3	5	13	14	14
35-54	4	7.0	22	2	3	7	11	11	11	11	3	8.3	61	2	3	6	14	17	17	17
55-74	4	5.0	5	3	3	4	6	8	8	8	6	5.5	24	2	3	4	6	14	15	15
75 +	10	4.4	7	1	3	4	5	8	10	10	6	5.8	3	3	5	6	7	8	8	8
ALL AGES	21	4.8	9	2	3	4	6	10	11	11	22	5.6	20	2	2	5	6	14	16	17
SUBTOTAL	**41**	**4.4**	**7**	**2**	**3**	**4**	**5**	**8**	**10**	**11**	**40**	**5.2**	**16**	**1**	**2**	**5**	**6**	**11**	**14**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	20	7.8	55	1	2	5	11	19	24	28	8	6.0	32	1	1	5	8	15	18	18
25-34	25	4.3	6	1	3	4	6	7	9	11	5	7.6	19	4	5	6	10	15	15	15
35-54	13	4.4	7	2	3	4	6	8	10	11	6	7.5	44	1	2	5	14	17	17	17
55-74	5	10.2	28	4	5	13	14	15	15	15	1	7.0		7	7	7	7	7	7	7
75 +	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
ALL AGES	65	6.0	26	1	3	4	7	13	16	27	21	6.9	27	1	3	6	8	16	17	18
B. FEMALE																				
0-12 YRS.																				
13-17	3	22.7	55	14	17	26	27	28	28	28										
18-24	4	6.3	18	2	3	5	9	12	12	12	6	12.0	178	1	3	5	28	30	30	30
25-34	17	4.9	18	1	2	3	7	9	14	17	7	8.1	94	1	2	6	8	25	29	29
35-54	7	10.9	182	1	2	5	18	34	37	37										
55-74	3	5.7	1	5	5	5	7	7	7	7	3	7.3	87	1	1	3	14	18	18	18
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	34	7.9	75	1	2	5	9	22	28	37	17	9.0	108	1	2	3	11	29	30	30
SUBTOTAL	**99**	**6.6**	**44**	**1**	**2**	**5**	**8**	**15**	**21**	**33**	**38**	**7.8**	**63**	**1**	**2**	**6**	**9**	**18**	**29**	**30**
GRAND TOTAL	**140**	**6.0**	**33**	**1**	**3**	**4**	**7**	**12**	**17**	**29**	**78**	**6.5**	**40**	**1**	**2**	**5**	**7**	**15**	**18**	**30**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	1.0		1	1	1	1	1	1	1										
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	1.7	1	1	1	1	3	3	3	3	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	13.0		13	13	13	13	13	13	13	2	7.5	1	7	7	7	8	8	8	8
75 +											2	2.0	2	1	1	2	3	3	3	3
ALL AGES	1	13.0		13	13	13	13	13	13	13	5	4.4	9	1	2	3	7	8	8	8
SUBTOTAL	**4**	**4.5**	**33**	**1**	**1**	**2**	**8**	**13**	**13**	**13**	**6**	**3.8**	**9**	**1**	**1**	**3**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	9.0		9	9	9	9	9	9	9	1	13.0		13	13	13	13	13	13	13
25-34	4	3.5	9	1	1	3	6	7	7	7	1	4.0		4	4	4	4	4	4	4
35-54	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	7	4.3	9	1	2	4	6	9	9	9	4	5.8	23	2	3	4	9	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34											3	2.0	3	1	1	1	3	4	4	4
35-54	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
55-74	1	10.0		10	10	10	10	10	10	10	2	2.0		2	2	2	2	2	2	2
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	3	6.0	16	2	3	6	9	10	10	10	8	2.0	1	1	1	2	3	4	4	4
SUBTOTAL	**10**	**4.8**	**10**	**1**	**2**	**4**	**7**	**9**	**10**	**10**	**12**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**12**	**13**
GRAND TOTAL	**14**	**4.7**	**15**	**1**	**1**	**4**	**7**	**10**	**12**	**13**	**18**	**3.4**	**10**	**1**	**1**	**3**	**4**	**8**	**11**	**13**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	15.0		15	15	15	15	15	15	15	1	7.0		7	7	7	7	7	7	7
18-24	3	3.0	1	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34	2	1.0		1	1	1	1	1	1	1	4	4.8	46	1	1	2	8	15	15	15
35-54	5	8.4	222	1	1	2	11	35	35	35	4	2.0	1	1	1	2	3	3	3	3
55-74	7	5.1	65	1	1	2	4	19	23	23	24	5.0	10	2	3	4	7	10	11	12
75 +	13	5.1	13	1	3	4	7	12	12	12	14	4.5	6	2	3	4	7	8	9	9
ALL AGES	32	5.5	52	1	1	3	5	13	22	35	48	4.6	10	1	2	3	7	9	11	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.0	2	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
25-34	6	2.7	3	1	2	2	3	6	6	6	1	3.0		3	3	3	3	3	3	3
35-54	5	5.2	26	2	2	3	7	14	14	14	9	3.2	13	1	1	2	3	10	12	12
55-74	23	6.5	49	2	2	4	6	22	23	24	28	5.0	9	2	3	4	7	8	10	16
75 +	20	4.9	12	2	3	4	6	7	13	18	29	4.6	10	2	2	3	6	10	11	15
ALL AGES	56	5.2	28	2	2	3	5	12	21	24	68	4.5	10	2	2	3	6	9	11	16
SUBTOTAL	**88**	**5.3**	**37**	**1**	**2**	**3**	**5**	**12**	**22**	**31**	**116**	**4.5**	**10**	**2**	**2**	**3**	**6**	**9**	**11**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	3.8	6	1	2	3	5	7	7	7	4	16.3	87	5	10	16	22	28	28	28
25-34	13	3.8	7	1	2	3	5	8	10	10	3	2.7	8	1	1	1	5	6	6	6
35-54	11	6.1	30	1	2	5	9	14	19	19	3	11.7	251	2	2	3	23	30	30	30
55-74	5	8.4	10	4	5	10	11	11	11	11	7	4.4	11	2	2	3	5	10	11	11
75 +	6	6.3	7	3	4	6	8	10	10	10	8	4.8	11	2	3	4	6	10	12	12
ALL AGES	39	5.4	15	1	2	4	7	11	11	19	25	7.1	61	2	2	4	8	17	28	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	2.6	6	1	1	2	3	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	7	4.3	9	1	2	3	6	9	10	10	1	2.0		2	2	2	2	2	2	2
35-54	10	6.6	54	1	2	3	8	20	22	22	8	12.8	92	2	4	11	21	26	27	27
55-74	12	5.8	18	2	3	4	7	14	15	15	9	6.4	23	1	2	7	9	13	16	16
75 +	12	7.9	70	3	4	5	8	18	31	33	7	5.6	11	1	2	6	8	10	10	10
ALL AGES	46	5.9	38	2	3	4	7	13	19	33	26	7.8	49	1	2	6	10	20	24	27
SUBTOTAL	**85**	**5.7**	**27**	**1**	**3**	**4**	**7**	**11**	**16**	**29**	**51**	**7.4**	**55**	**1**	**2**	**4**	**10**	**18**	**27**	**30**
GRAND TOTAL	**173**	**5.5**	**32**	**1**	**2**	**4**	**6**	**12**	**18**	**31**	**167**	**5.4**	**25**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	3	2.7	4	1	1	2	4	5	5	5	1	3.0		3	3	3	3	3	3	3
25-34	4	7.5	65	1	2	5	13	19	19	19	1	4.0		4	4	4	4	4	4	4
35-54	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74	3	2.3	3	1	1	2	3	4	4	4	2	24.0	968	2	2	24	46	46	46	46
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	13	4.0	23	1	2	2	4	9	17	19	6	9.7	317	1	2	3	4	42	46	46
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	2.3	6	1	1	1	4	5	5	5	1	3.0		3	3	3	3	3	3	3
35-54	3	6.0	61	1	1	2	12	15	15	15	1	4.0		4	4	4	4	4	4	4
55-74	3	3.0	3	1	2	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
75 +											3	3.7	8	2	2	2	6	7	7	7
ALL AGES	10	3.5	19	1	1	2	4	10	15	15	6	4.2	5	2	2	3	7	7	7	7
SUBTOTAL	**23**	**3.8**	**20**	**1**	**1**	**2**	**4**	**9**	**16**	**19**	**12**	**6.9**	**155**	**1**	**2**	**3**	**5**	**19**	**42**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.5	1	3	3	3	4	4	4	4	1	11.0		11	11	11	11	11	11	11
18-24	13	4.0	5	1	3	3	5	7	8	8	2	1.0		1	1	1	1	1	1	1
25-34	26	4.8	20	1	2	4	6	8	13	23	5	3.2	5	1	1	4	5	6	6	6
35-54	4	6.5	32	3	3	4	10	15	15	15	3	6.3	17	2	3	7	9	10	10	10
55-74																				
75 +																				
ALL AGES	45	4.7	15	1	3	4	6	8	12	23	11	4.4	13	1	1	4	7	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	32	2	2	6	10	10	10	10										
18-24	9	3.8	4	1	2	4	5	6	7	7										
25-34	10	3.6	6	1	2	2	6	7	8	8	1	3.0		3	3	3	3	3	3	3
35-54	6	11.3	127	2	4	7	18	30	31	31	1	2.0		2	2	2	2	2	2	2
55-74	1	12.0		12	12	12	12	12	12	12	1	3.0		3	3	3	3	3	3	3
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	28	5.8	39	2	2	4	7	11	19	31	4	3.8	4	2	2	3	5	7	7	7
SUBTOTAL	**73**	**5.1**	**24**	**2**	**2**	**4**	**6**	**9**	**15**	**29**	**15**	**4.2**	**11**	**1**	**1**	**3**	**7**	**10**	**11**	**11**
GRAND TOTAL	**96**	**4.8**	**23**	**1**	**2**	**3**	**6**	**9**	**15**	**27**	**27**	**5.4**	**73**	**1**	**2**	**3**	**6**	**9**	**16**	**46**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	2.0	2	1	1	2	3	3	3	3
13-17	2	2.5	5	1	1	2	4	4	4	4										
18-24	2	8.0	50	3	3	8	13	13	13	13										
25-34	3	13.7	407	2	2	2	28	37	37	37	6	2.3	3	1	1	2	3	5	5	5
35-54	11	3.0	4	1	1	3	5	6	6	6	10	2.5	1	1	2	3	3	4	4	4
55-74	24	4.5	8	2	2	3	6	9	11	13	23	4.6	13	1	2	4	6	8	12	18
75 +	14	5.2	14	1	2	4	8	10	12	13	25	4.9	18	2	2	4	5	10	13	21
ALL AGES	56	4.9	29	1	2	3	6	10	13	36	66	4.1	13	1	2	3	5	7	10	21
B. FEMALE																				
0-12 YRS.											1	7.0		7	7	7	7	7	7	7
13-17	2	10.5	181	1	1	10	20	20	20	20	1	21.0		21	21	21	21	21	21	21
18-24	5	16.8	191	2	2	22	28	30	30	30	1	2.0		2	2	2	2	2	2	2
25-34	2	6.0	8	4	4	6	8	8	8	8										
35-54	7	4.4	21	1	1	3	5	12	14	14	6	2.8	5	1	2	2	3	7	7	7
55-74	26	4.7	13	2	2	4	6	10	13	15	28	5.3	23	1	2	4	7	10	16	23
75 +	45	4.9	12	2	3	4	6	9	12	18	64	4.5	9	2	2	4	6	9	10	15
ALL AGES	87	5.6	31	2	2	4	7	13	18	29	101	4.8	15	1	2	4	6	9	11	22
SUBTOTAL	**143**	**5.3**	**31**	**1**	**2**	**4**	**6**	**10**	**15**	**30**	**167**	**4.5**	**14**	**1**	**2**	**3**	**6**	**9**	**11**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54	3	10.7	99	1	3	10	18	21	21	21	2	12.0	200	2	2	12	22	22	22	22
55-74	8	13.0	157	3	3	8	23	32	33	33	8	3.8	5	1	2	3	6	7	7	7
75 +	6	5.5	4	3	4	5	7	8	8	8	12	4.7	7	2	3	4	6	8	11	11
ALL AGES	18	9.4	94	1	3	6	11	28	32	33	24	5.0	18	2	2	4	6	8	14	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											3	3.3	7	1	1	3	5	6	6	6
55-74	13	9.1	51	3	4	6	13	21	23	24	14	3.9	6	1	2	3	6	8	8	8
75 +	15	9.9	114	2	3	7	10	27	37	41	22	4.5	6	2	3	4	6	8	8	8
ALL AGES	30	9.2	79	2	3	7	10	22	27	41	39	4.2	6	1	2	3	6	8	8	8
SUBTOTAL	**48**	**9.3**	**82**	**2**	**3**	**6**	**11**	**23**	**31**	**41**	**63**	**4.5**	**11**	**2**	**2**	**4**	**6**	**8**	**8**	**21**
GRAND TOTAL	**191**	**6.3**	**46**	**1**	**2**	**4**	**8**	**13**	**21**	**35**	**230**	**4.5**	**13**	**1**	**2**	**3**	**6**	**8**	**10**	**21**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	6.5	5	5	5	6	8	8	8	8
55-74	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
75 +	3	10.7	175	3	3	3	20	26	26	26	3	8.0	61	3	3	4	14	17	17	17
ALL AGES	4	8.3	140	1	2	3	15	26	26	26	6	6.7	29	3	3	4	8	16	17	17
SUBTOTAL	**5**	**7.0**	**114**	**1**	**2**	**3**	**9**	**26**	**26**	**26**	**7**	**5.9**	**28**	**1**	**3**	**4**	**7**	**15**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4	1	6.0		6	6	6	6	6	6	6
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											2	2.0	2	1	1	2	3	3	3	3
ALL AGES	1	3.0		3	3	3	3	3	3	3	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**	**3**	**3.3**	**7**	**1**	**1**	**3**	**5**	**6**	**6**	**6**
GRAND TOTAL	**7**	**6.0**	**79**	**1**	**2**	**3**	**4**	**22**	**26**	**26**	**10**	**5.1**	**22**	**1**	**3**	**4**	**6**	**12**	**17**	**17**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	35.0		35	35	35	35	35	35	35										
18-24	2	8.5	85	2	2	8	15	15	15	15										
25-34	7	6.9	27	2	3	6	7	16	18	18	1	41.0		41	41	41	41	41	41	41
35-54	2	8.5	13	6	6	8	11	11	11	11										
55-74	12	10.9	74	2	5	8	16	23	30	31	5	5.0	9	2	3	4	7	9	9	9
75 +	4	8.3	61	3	4	5	13	20	20	20	2	6.0	18	3	3	6	9	9	9	9
ALL AGES	28	10.0	74	2	4	7	15	20	31	35	8	9.8	166	2	3	5	9	31	41	41
B. FEMALE																				
0-12 YRS.																				
13-17	2	12.0	72	6	6	12	18	18	18	18										
18-24	1	14.0		14	14	14	14	14	14	14	1	6.0		6	6	6	6	6	6	6
25-34	3	8.3	37	2	4	9	13	14	14	14										
35-54	5	6.2	29	1	3	4	9	15	15	15	2	10.5	145	2	2	10	19	19	19	19
55-74	23	12.5	187	2	4	7	15	33	44	58	2	4.5	1	4	4	4	5	5	5	5
75 +	15	16.8	594	2	3	6	23	42	81	94	4	9.0	22	4	5	8	12	15	15	15
ALL AGES	49	12.9	276	2	4	7	15	29	43	94	9	8.0	32	3	4	6	11	17	19	19
SUBTOTAL	**77**	**11.9**	**201**	**2**	**4**	**7**	**15**	**23**	**36**	**84**	**17**	**8.8**	**90**	**2**	**4**	**6**	**9**	**18**	**33**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	2	36.0	2178	3	3	36	69	69	69	69	1	15.0		15	15	15	15	15	15	15
25-34	2	10.5	13	8	8	10	13	13	13	13	3	31.3	1672	2	5	14	62	78	78	78
35-54	11	10.2	61	2	3	10	14	21	27	28	3	10.0	49	2	5	13	14	15	15	15
55-74	6	10.5	34	4	6	9	14	19	20	20	1	4.0		4	4	4	4	4	4	4
75 +	5	11.6	86	3	5	11	15	27	27	27	1	4.0		4	4	4	4	4	4	4
ALL AGES	27	12.2	177	3	4	10	14	26	34	69	9	16.3	568	2	3	13	15	53	78	78
B. FEMALE																				
0-12 YRS.	1	58.0		58	58	58	58	58	58	58										
13-17	2	50.5	1861	20	20	50	81	81	81	81										
18-24	3	15.3	172	5	6	11	25	30	30	30										
25-34	4	10.0	85	1	2	9	17	21	21	21	1	1.0		1	1	1	1	1	1	1
35-54	7	14.1	102	7	8	12	14	32	36	36	5	11.6	122	2	4	8	17	30	30	30
55-74	15	11.2	78	3	6	10	12	23	33	37	2	8.0	32	4	4	8	12	12	12	12
75 +	7	19.9	368	3	5	17	30	52	56	56	1	8.0		8	8	8	8	8	8	8
ALL AGES	39	16.7	292	3	7	12	19	37	57	81	9	9.2	78	1	3	8	12	23	30	30
SUBTOTAL	**66**	**14.8**	**248**	**3**	**5**	**11**	**17**	**34**	**56**	**79**	**18**	**12.8**	**316**	**2**	**4**	**8**	**14**	**26**	**59**	**78**
GRAND TOTAL	**143**	**13.3**	**222**	**2**	**4**	**9**	**15**	**30**	**39**	**82**	**35**	**10.9**	**204**	**2**	**4**	**7**	**13**	**19**	**38**	**78**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
25-34	2	9.0	128	1	1	9	17	17	17	17										
35-54	4	3.8	7	1	1	3	6	7	7	7	2	5.0	18	2	2	5	8	8	8	8
55-74	4	8.6	34	4	4	7	13	17	17	17	10	3.3	3	1	2	3	5	6	6	6
75 +	4	8.3	36	2	3	8	13	14	14	14	7	4.0	13	1	1	3	5	10	11	11
ALL AGES	15	6.8	34	1	2	5	12	17	17	17	21	3.5	7	1	2	3	5	7	9	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24																				
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54	3	3.7	4	2	2	3	5	6	6	6	2	2.0	2	1	1	2	3	3	3	3
55-74	7	4.7	10	1	1	5	7	9	9	9	5	4.0	10	1	2	3	6	9	9	9
75 +	5	9.2	44	1	3	10	15	16	16	16	6	5.8	29	1	1	4	12	13	13	13
ALL AGES	18	6.1	19	1	3	5	9	13	16	16	13	4.5	18	1	1	3	6	12	13	13
SUBTOTAL	**33**	**6.4**	**25**	**1**	**2**	**5**	**9**	**15**	**17**	**17**	**34**	**3.9**	**11**	**1**	**2**	**3**	**5**	**9**	**12**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	6	6.2	4	3	5	6	8	9	9	9	1	2.0		2	2	2	2	2	2	2
35-54	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	9	5.6	6	2	4	6	8	9	9	9	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	2.3	1	2	2	2	3	3	3	3										
35-54	2	23.5	13	21	21	23	26	26	26	26	1	1.0		1	1	1	1	1	1	1
55-74	3	8.7	96	2	2	4	16	20	20	20	1	7.0		7	7	7	7	7	7	7
75 +	4	7.3	1	6	6	7	8	9	9	9	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	12	9.1	70	2	3	6	14	22	25	26	4	5.3	9	1	3	6	7	8	8	8
SUBTOTAL	**21**	**7.6**	**44**	**2**	**3**	**6**	**8**	**20**	**23**	**26**	**6**	**4.2**	**8**	**1**	**2**	**4**	**7**	**8**	**8**	**8**
GRAND TOTAL	**54**	**6.9**	**32**	**1**	**3**	**5**	**9**	**16**	**19**	**26**	**40**	**4.0**	**10**	**1**	**2**	**3**	**5**	**9**	**11**	**13**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	4.0		4	4	4	4	4	4	4	1	49.0		49	49	49	49	49	49	49
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	4.0		4	4	4	4	4	4	4	3	17.7	735	2	2	2	37	49	49	49
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											2	4.0	2	3	3	4	5	5	5	5
75 +	2	25.5	925	4	4	25	47	47	47	47	1	2.0		2	2	2	2	2	2	2
ALL AGES	2	25.5	925	4	4	25	47	47	47	47	3	3.3	3	2	2	3	4	5	5	5
SUBTOTAL	**3**	**18.3**	**618**	**4**	**4**	**4**	**36**	**47**	**47**	**47**	**6**	**10.5**	**357**	**2**	**2**	**3**	**5**	**45**	**49**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	4	15.5	196	2	5	13	26	34	34	34										
55-74	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	6	11.0	166	1	2	5	18	32	34	34	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**7**	**10.4**	**142**	**1**	**2**	**7**	**15**	**31**	**34**	**34**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**10**	**12.8**	**246**	**1**	**3**	**6**	**18**	**40**	**47**	**47**	**8**	**8.1**	**275**	**1**	**1**	**2**	**4**	**36**	**49**	**49**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	6.0	3	4	5	7	7	7	7	7										
55-74	1	4.0		4	4	4	4	4	4	4	4	8.8	2	6	7	9	10	10	10	10
75 +	6	9.2	27	1	5	10	13	15	15	15	4	5.3	10	3	3	4	7	10	10	10
ALL AGES	12	8.0	27	2	4	7	12	16	17	17	8	7.0	9	3	4	7	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	18.0		18	18	18	18	18	18	18										
35-54											1	12.0		12	12	12	12	12	12	12
55-74	3	10.7	57	4	5	9	16	19	19	19	2	14.5	85	8	8	14	21	21	21	21
75 +	3	3.0	4	1	1	3	4	5	5	5	4	7.3	18	3	4	6	10	13	13	13
ALL AGES	7	8.4	54	1	3	5	16	19	19	19	7	10.0	36	3	6	8	13	19	21	21
SUBTOTAL	**19**	**8.2**	**34**	**2**	**4**	**7**	**12**	**18**	**19**	**19**	**15**	**8.4**	**23**	**3**	**4**	**8**	**10**	**13**	**19**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	58.0		58	58	58	58	58	58	58
25-34											1	5.0		5	5	5	5	5	5	5
35-54											1	9.0		9	9	9	9	9	9	9
55-74	1	13.0		13	13	13	13	13	13	13	2	24.5	1013	2	2	24	47	47	47	47
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13	5	24.2	689	2	4	9	50	58	58	58
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	9.5	85	3	3	9	16	16	16	16										
55-74	1	3.0		3	3	3	3	3	3	3	2	10.0	98	3	3	10	17	17	17	17
75 +	1	14.0		14	14	14	14	14	14	14	1	7.0		7	7	7	7	7	7	7
ALL AGES	4	9.0	49	3	3	9	15	16	16	16	3	9.0	52	3	4	7	14	17	17	17
SUBTOTAL	**5**	**9.8**	**40**	**3**	**3**	**13**	**14**	**16**	**16**	**16**	**8**	**18.5**	**470**	**2**	**4**	**8**	**32**	**55**	**58**	**58**
GRAND TOTAL	**24**	**8.5**	**34**	**2**	**3**	**7**	**14**	**17**	**18**	**19**	**23**	**11.9**	**188**	**3**	**4**	**8**	**12**	**26**	**51**	**58**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	4.3	3	3	3	4	5	6	6	6										
18-24											2	15.5	25	12	12	15	19	19	19	19
25-34	2	15.0	98	8	8	15	22	22	22	22	3	14.0	57	7	8	13	20	22	22	22
35-54	3	6.3	58	1	1	3	12	15	15	15	2	16.5	85	10	10	16	23	23	23	23
55-74	2	10.0	162	1	1	9	19	19	19	19	3	30.7	1539	7	7	9	59	76	76	76
75 +	2	5.5	13	3	3	5	8	8	8	8	1	3.0		3	3	3	3	3	3	3
ALL AGES	12	7.8	50	1	3	5	12	20	22	22	11	18.3	407	5	8	12	21	44	73	76
B. FEMALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17	2	2.0	2	1	1	2	3	3	3	3										
18-24																				
25-34	3	4.0	19	1	1	2	7	9	9	9										
35-54	3	5.7	65	1	1	1	12	15	15	15										
55-74	5	10.0	55	1	3	12	15	19	19	19	1	59.0		59	59	59	59	59	59	59
75 +	7	11.6	225	2	5	7	9	38	45	45										
ALL AGES	21	9.8	154	1	1	7	12	28	43	45	1	59.0		59	59	59	59	59	59	59
SUBTOTAL	**33**	**9.1**	**114**	**1**	**2**	**6**	**12**	**20**	**39**	**45**	**12**	**21.7**	**507**	**6**	**8**	**12**	**22**	**64**	**74**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	61.0		61	61	61	61	61	61	61										
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	3	15.3	34	9	11	17	19	20	20	20	2	15.5	265	4	4	15	27	27	27	27
35-54	3	11.0	67	2	5	13	17	18	18	18										
55-74	3	10.7	1	10	10	11	11	11	11	11	1	4.0		4	4	4	4	4	4	4
75 +	4	13.8	4	11	12	13	15	17	17	17	2	7.5	1	7	7	7	8	8	8	8
ALL AGES	14	16.2	187	8	11	13	17	24	53	61	6	9.2	78	4	4	6	8	25	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42	1	5.0		5	5	5	5	5	5	5
18-24	1	37.0		37	37	37	37	37	37	37										
25-34											2	13.5	113	6	6	13	21	21	21	21
35-54	4	13.3	252	3	4	6	22	37	37	37	5	17.2	109	6	8	17	24	32	32	32
55-74	5	14.0	53	5	7	16	20	22	22	22	1	18.0		18	18	18	18	18	18	18
75 +	3	5.7		5	5	6	6	6	6	6										
ALL AGES	14	15.6	190	5	6	7	22	38	41	42	9	15.1	86	5	6	17	21	28	32	32
SUBTOTAL	**28**	**15.9**	**182**	**5**	**7**	**12**	**18**	**37**	**44**	**61**	**15**	**12.7**	**87**	**4**	**5**	**8**	**20**	**27**	**31**	**32**
GRAND TOTAL	**61**	**12.2**	**155**	**1**	**4**	**8**	**16**	**28**	**42**	**59**	**27**	**16.7**	**282**	**4**	**6**	**10**	**22**	**31**	**62**	**76**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-24	2	13.0	2	12	12	13	14	14	14	14										
25-34	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	3	13.7	168	1	4	13	23	27	27	27	1	14.0		14	14	14	14	14	14	14
75 +	6	13.3	45	4	8	14	19	20	20	20	4	3.5	4	1	2	3	5	6	6	6
ALL AGES	14	13.6	73	3	8	12	19	27	29	30	6	4.8	24	1	1	3	6	13	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	24.0		24	24	24	24	24	24	24										
35-54	2	9.5	41	5	5	9	14	14	14	14										
55-74	2	8.5	1	8	8	8	9	9	9	9										
75 +	7	21.0	248	6	8	15	37	43	43	43	3	8.3	31	3	4	8	12	14	14	14
ALL AGES	12	17.3	175	6	7	12	23	42	43	43	3	8.3	31	3	4	8	12	14	14	14
SUBTOTAL	**26**	**15.3**	**119**	**4**	**8**	**12**	**20**	**30**	**42**	**43**	**9**	**6.0**	**26**	**1**	**2**	**4**	**9**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
35-54	1	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
55-74	3	11.3	59	3	5	13	17	18	18	18	1	4.0		4	4	4	4	4	4	4
75 +	1	19.0		19	19	19	19	19	19	19	1	1.0		1	1	1	1	1	1	1
ALL AGES	7	10.0	50	1	4	10	17	19	19	19	4	4.5	11	1	2	4	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	8	10.9	84	2	4	8	16	26	29	29										
75 +	5	12.6	109	2	6	8	19	29	29	29	1	3.0		3	3	3	3	3	3	3
ALL AGES	14	11.4	79	2	6	8	16	29	29	29	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**21**	**10.9**	**68**	**2**	**5**	**9**	**16**	**23**	**29**	**29**	**5**	**4.2**	**9**	**1**	**2**	**4**	**5**	**9**	**9**	**9**
GRAND TOTAL	**47**	**13.3**	**100**	**3**	**6**	**11**	**19**	**28**	**32**	**43**	**14**	**5.4**	**19**	**1**	**3**	**4**	**8**	**14**	**14**	**14**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54	1	5.0		5	5	5	5	5	5	5	1	18.0		18	18	18	18	18	18	18
55-74	1	20.0		20	20	20	20	20	20	20										
75 +																				
ALL AGES	4	7.3	74	1	2	4	12	20	20	20	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74											1	3.0		3	3	3	3	3	3	3
75 +	1	22.0		22	22	22	22	22	22	22	1	7.0		7	7	7	7	7	7	7
ALL AGES	2	13.0	162	4	4	13	22	22	22	22	2	5.0	8	3	3	5	7	7	7	7
SUBTOTAL	**6**	**9.2**	**85**	**1**	**3**	**4**	**20**	**22**	**22**	**22**	**3**	**9.3**	**61**	**3**	**4**	**7**	**15**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	6.0	18	3	3	6	9	9	9	9										
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	4	4.5	9	3	3	3	6	9	9	9	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	16.0		16	16	16	16	16	16	16										
35-54																				
55-74																				
75 +	1	23.0		23	23	23	23	23	23	23	1	7.0		7	7	7	7	7	7	7
ALL AGES	2	19.5	25	16	16	19	23	23	23	23	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**6**	**9.5**	**70**	**3**	**3**	**6**	**16**	**22**	**23**	**23**	**2**	**8.0**	**2**	**7**	**7**	**8**	**9**	**9**	**9**	**9**
GRAND TOTAL	**12**	**9.3**	**72**	**2**	**3**	**4**	**18**	**22**	**23**	**23**	**5**	**8.8**	**31**	**3**	**6**	**7**	**11**	**18**	**18**	**18**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	12.8	177	2	4	14	31	93	99 +	99 +	4	30.8	329	19	21	23	41	58	58	58
25-34	10	8.4	32	2	5	7	9	18	20	20	3	4.7	1	4	4	4	6	6	6	6
35-54	5	14.6	32	5	12	16	18	20	20	20	3	5.3	17	1	2	6	8	9	9	9
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	21	10.9	64	3	5	8	17	25	59	99 +	10	15.3	292	2	4	8	23	41	58	58
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	8.5	1	8	8	8	9	9	9	9										
25-34	10	13.3	101	4	6	10	22	29	34	34	2	4.0	8	2	2	4	6	6	6	6
35-54	8	16.9	129	4	7	15	25	34	36	36	2	4.0	18	1	1	4	7	7	7	7
55-74	5	11.2	131	2	5	7	15	31	31	31	1	17.0		17	17	58	99 +	99 +	99 +	99 +
75 +	2	6.0	18	3	3	6	9	9	9	9										
ALL AGES	27	13.1	101	3	6	9	21	30	34	36	5	6.6	40	1	2	6	17	92	99 +	99 +
SUBTOTAL	**48**	**12.1**	**85**	**3**	**6**	**9**	**19**	**30**	**34**	**99 +**	**15**	**12.4**	**217**	**1**	**4**	**7**	**21**	**54**	**87**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	20.2	594	1	5	7	35	60	60	60	2	4.0		4	4	4	4	4	4	4
25-34	1	17.0		17	17	17	17	17	17	17	1	42.0		42	42	42	42	42	42	42
35-54	1	21.0		21	21	21	21	21	21	21	3	10.7	81	4	5	7	17	21	21	21
55-74																				
75 +																				
ALL AGES	7	19.9	395	2	6	17	25	53	60	60	6	13.7	235	4	4	6	21	40	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	11.0	51	5	5	10	17	19	19	19										
35-54	3	8.0	49	3	3	5	13	16	16	16										
55-74																				
75 +																				
ALL AGES	7	9.7	45	3	5	5	16	18	19	19										
SUBTOTAL	**14**	**14.8**	**231**	**3**	**5**	**11**	**19**	**30**	**53**	**60**	**6**	**13.7**	**235**	**4**	**4**	**7**	**37**	**88**	**99 +**	**99 +**
GRAND TOTAL	**62**	**12.7**	**117**	**3**	**5**	**9**	**19**	**29**	**35**	**95**	**21**	**12.8**	**210**	**2**	**4**	**7**	**22**	**66**	**99 +**	**99 +**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	8	22.4	206	6	8	21	38	39	39	39	1	1.0		1	1	1	1	1	1	1
25-34	8	14.8	482	1	2	5	19	54	64	64	2	7.5	1	7	7	7	8	8	8	8
35-54	5	11.6	171	5	5	6	13	35	35	35	3	19.3	168	5	9	23	28	30	30	30
55-74																				
75 +																				
ALL AGES	21	16.9	297	3	5	7	31	39	50	64	6	12.3	132	1	5	7	23	29	30	30
B. FEMALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-24											1	4.0		4	4	4	4	4	4	4
25-34	4	10.3	5	7	8	10	12	13	13	13	3	15.3	144	7	8	10	24	29	29	29
35-54	10	7.7	16	3	6	7	9	13	17	17	1	8.0		8	8	8	8	8	8	8
55-74	4	12.3	148	2	5	8	19	30	30	30	5	5.4	23	1	2	3	10	12	12	12
75 +																				
ALL AGES	18	9.3	39	3	6	8	10	16	25	30	11	8.2	59	2	3	7	10	19	28	29
SUBTOTAL	**39**	**13.4**	**189**	**3**	**6**	**7**	**16**	**37**	**39**	**64**	**17**	**9.6**	**83**	**1**	**4**	**7**	**10**	**28**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	10.0	73	3	5	6	13	25	26	26	2	22.0	18	19	20	25	81	99 +	99 +	99 +
35-54	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	8	10.9	60	4	5	8	15	24	26	26	3	15.3	144	2	10	22	62	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54	2	19.5	145	11	11	19	28	28	28	28										
55-74	2	11.5	5	10	10	11	13	13	13	13	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	4	15.5	71	10	10	12	20	28	28	28	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**12**	**12.4**	**63**	**4**	**6**	**10**	**16**	**27**	**28**	**28**	**5**	**10.8**	**110**	**2**	**3**	**12**	**25**	**92**	**99 +**	**99 +**
GRAND TOTAL	**51**	**13.2**	**157**	**3**	**6**	**9**	**16**	**32**	**38**	**64**	**22**	**9.9**	**84**	**2**	**3**	**7**	**17**	**29**	**54**	**99 +**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	20.5	361	3	5	13	34	52	56	56	2	29.0	288	17	17	29	41	41	41	41
18-24	126	11.2	129	2	4	8	14	25	29	57	39	17.5	293	4	6	12	26	42	70	99 +
25-34	390	10.5	114	2	4	7	14	22	30	54	95	11.8	103	2	5	10	15	29	37	99 +
35-54	305	9.6	58	2	4	7	13	20	24	33	105	12.1	149	2	4	8	16	30	36	62
55-74	50	10.3	106	2	4	7	12	26	33	49	10	12.2	132	2	5	7	15	32	36	36
75 +	2	21.0	722	2	2	21	40	40	40	40	1	5.0		5	5	5	5	5	5	5
ALL AGES	884	10.5	99	2	4	7	14	21	29	49	252	12.9	158	2	5	9	17	31	38	99
B. FEMALE																				
0-12 YRS.											1	24.0		24	24	24	24	24	24	24
13-17	2	6.0	8	4	4	6	8	8	8	8										
18-24	26	7.6	24	3	3	7	11	16	32	99 +	11	10.9	49	4	5	10	14	23	25	25
25-34	171	11.7	108	2	5	9	16	26	32	56	31	10.2	121	1	3	7	14	23	28	54
35-54	311	10.9	109	2	4	8	14	23	31	55	54	12.7	121	2	4	10	18	26	35	49
55-74	127	13.2	165	3	5	10	18	26	30	72	23	14.7	177	3	4	11	21	39	44	44
75 +	25	17.2	211	4	6	14	25	45	48	51	7	8.1	100	1	2	2	12	25	28	28
ALL AGES	662	11.6	123	3	4	8	16	25	31	61	127	12.1	124	1	4	8	17	26	35	50
SUBTOTAL	**1546**	**11.0**	**109**	**2**	**4**	**8**	**14**	**23**	**30**	**55**	**379**	**12.6**	**147**	**2**	**4**	**9**	**17**	**29**	**37**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	37.5	145	29	29	37	46	46	46	46										
13-17	7	24.0	802	2	6	12	37	73	80	80	3	3.3	1	3	3	3	4	4	4	4
18-24	59	10.3	80	3	4	7	13	21	25	47	21	16.0	201	2	5	15	21	34	48	60
25-34	201	10.4	126	3	4	6	13	22	29	60	49	12.0	171	3	5	7	14	23	46	62
35-54	162	11.7	143	2	4	8	14	27	34	59	47	13.8	216	2	6	10	19	29	55	99 +
55-74	15	11.2	50	5	6	8	16	23	24	24	1	24.0		24	24	24	24	24	24	24
75 +																				
ALL AGES	446	11.2	138	3	4	7	14	25	32	60	121	13.3	189	2	5	9	17	28	48	87
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	2	15.0	338	2	2	15	28	28	28	28										
18-24	15	8.7	34	3	5	6	12	16	22	24	3	7.0	3	6	6	6	8	9	9	9
25-34	71	10.3	89	3	4	7	12	22	31	48	11	12.2	236	1	3	9	13	36	52	54
35-54	85	13.4	190	3	6	10	16	23	32	88	18	17.4	411	3	4	13	21	43	70	83
55-74	41	15.0	170	3	6	12	19	32	36	69	4	5.8	19	2	2	5	9	11	11	11
75 +	4	15.0	113	7	7	11	22	30	30	30	2	43.5	365	30	30	43	57	57	57	57
ALL AGES	219	12.4	145	3	5	9	16	24	33	69	38	15.2	328	2	4	9	18	44	56	83
SUBTOTAL	**665**	**11.6**	**140**	**3**	**4**	**8**	**14**	**25**	**32**	**66**	**159**	**13.8**	**220**	**2**	**5**	**9**	**17**	**30**	**53**	**83**
GRAND TOTAL	**2211**	**11.2**	**118**	**2**	**4**	**8**	**14**	**23**	**31**	**56**	**538**	**13.0**	**167**	**2**	**5**	**9**	**17**	**30**	**40**	**85**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	1	20.0		20	20	20	20	20	20	20										
18-24	12	10.1	81	1	2	8	16	22	29	30	7	23.4	357	6	13	23	23	55	63	63
25-34	3	4.3	25	1	1	2	8	10	10	10	8	9.4	18	5	6	9	11	16	18	18
35-54	2	20.5	181	11	11	20	30	30	30	30	2	6.0	2	5	5	6	7	7	7	7
55-74											2	10.0	32	6	6	10	14	14	14	14
75 +																				
ALL AGES	19	11.8	105	1	2	10	18	30	30	30	19	14.3	179	5	6	11	17	23	45	63
B. FEMALE																				
0-12 YRS.																				
13-17	5	24.6	253	4	10	30	37	41	41	41										
18-24	2	8.0	32	4	4	8	12	12	12	12	1	11.0		11	11	11	11	11	11	11
25-34	9	7.4	23	2	4	6	11	15	16	16	3	3.7	4	2	2	3	5	6	6	6
35-54	7	7.0	20	2	3	6	11	13	13	13	8	4.1	8	2	2	3	5	9	10	10
55-74	1	4.0		4	4	4	4	4	4	4	4	3.0	1	2	2	3	4	4	4	4
75 +																				
ALL AGES	24	10.8	111	3	4	7	13	31	37	41	16	4.2	8	2	2	3	5	10	11	11
SUBTOTAL	**43**	**11.3**	**105**	**2**	**4**	**7**	**14**	**30**	**32**	**41**	**35**	**9.7**	**124**	**2**	**3**	**6**	**11**	**23**	**23**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	39.0	757	11	18	40	59	66	66	66										
18-24	4	5.3	26	2	2	3	8	13	13	13	10	24.1	389	3	6	22	28	53	70	70
25-34	7	6.0	10	1	4	6	8	10	10	10	7	8.7	65	1	2	5	15	21	22	22
35-54	3	6.3	18	3	3	5	9	11	11	11	2	16.0	288	4	4	16	28	28	28	28
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	18	11.7	258	2	3	7	11	32	56	66	19	17.6	286	2	4	17	26	34	55	70
B. FEMALE																				
0-12 YRS.																				
13-17	2	14.5	313	2	2	14	27	27	27	27										
18-24	1	4.0		4	4	4	4	4	4	4	2	17.0	50	12	12	17	22	22	22	22
25-34	3	10.7	133	3	3	5	19	24	24	24	2	34.5	545	18	18	34	51	51	51	51
35-54	4	8.0	35	3	3	6	12	16	16	16	2	7.0	8	5	5	7	9	9	9	9
55-74	4	10.0	34	5	5	10	15	16	16	16										
75 +																				
ALL AGES	14	9.8	68	3	4	5	16	24	26	27	6	19.5	276	5	9	15	22	48	51	51
SUBTOTAL	**32**	**10.8**	**172**	**2**	**3**	**6**	**12**	**25**	**39**	**66**	**25**	**18.0**	**275**	**2**	**5**	**17**	**24**	**37**	**56**	**70**
GRAND TOTAL	**75**	**11.1**	**131**	**2**	**3**	**7**	**14**	**30**	**35**	**60**	**60**	**13.2**	**199**	**2**	**4**	**7**	**19**	**28**	**44**	**69**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	20.0	18	17	17	20	23	23	23	23										
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	32.0		32	32	32	32	32	32	32										
75 +																				
ALL AGES	4	19.0	138	4	10	20	27	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**5**	**16.2**	**143**	**4**	**5**	**17**	**25**	**32**	**32**	**32**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	1	5.0		5	5	5	5	5	5	5	1	8.0		8	8	8	8	8	8	8
55-74	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	5	4.4	16	1	2	3	6	11	11	11	2	4.5	25	1	1	4	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	12.5	25	9	9	12	16	16	16	16										
25-34	2	17.0	200	7	7	17	27	27	27	27										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	5	13.6	68	7	8	9	19	27	27	27	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**10**	**9.0**	**61**	**1**	**3**	**8**	**11**	**21**	**27**	**27**	**3**	**4.0**	**13**	**1**	**1**	**3**	**7**	**8**	**8**	**8**
GRAND TOTAL	**15**	**11.4**	**92**	**2**	**4**	**9**	**17**	**27**	**31**	**32**	**3**	**4.0**	**13**	**1**	**2**	**5**	**54**	**99 +**	**99 +**	**99 +**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	5	16.6	224	6	7	10	24	42	42	42	1	61.0		61	61	61	61	61	61	61
18-24	44	12.0	108	2	5	8	16	27	33	48	6	16.7	204	4	7	12	22	41	43	43
25-34	120	10.1	86	2	3	7	15	23	26	48	20	10.9	159	1	3	7	12	27	43	53
35-54	86	10.1	129	2	3	7	14	24	28	95	25	10.4	140	1	3	7	14	22	42	49
55-74	16	8.3	32	4	4	6	10	17	21	23	3	3.0	1	2	2	3	4	4	4	4
75 +	1	39.0		39	39	39	39	39	39	39										
ALL AGES	273	10.5	106	2	3	7	15	24	29	54	55	11.7	192	1	3	7	14	33	47	61
B. FEMALE																				
0-12 YRS.																				
13-17	2	12.5	85	6	6	12	19	19	19	19										
18-24	15	9.5	198	3	4	6	7	14	48	59	7	10.1	76	2	4	7	15	24	26	26
25-34	64	12.4	148	3	4	7	17	31	41	58	11	8.3	40	2	5	8	9	17	24	25
35-54	103	10.7	80	3	5	7	14	24	32	40	26	10.1	114	1	2	8	16	22	31	49
55-74	51	15.1	155	3	5	11	22	37	41	46	14	11.1	56	2	4	11	17	22	24	24
75 +	5	14.6	239	2	4	12	20	41	41	41	1	6.0		6	6	6	6	6	6	6
ALL AGES	240	12.1	125	3	5	8	17	29	37	48	59	9.9	78	1	3	8	14	23	25	47
SUBTOTAL	**513**	**11.3**	**114**	**2**	**4**	**7**	**16**	**25**	**34**	**51**	**114**	**10.8**	**132**	**1**	**3**	**7**	**14**	**23**	**39**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	12.7	48	6	7	12	18	20	20	20										
18-24	25	10.1	65	3	5	7	12	20	31	32	4	24.8	304	8	10	22	39	46	46	46
25-34	58	9.2	114	2	3	6	11	23	27	64	14	8.3	59	1	3	5	12	22	24	25
35-54	51	9.0	61	1	4	7	11	21	26	35	3	3.0	4	1	1	3	4	5	5	5
55-74	9	10.2	83	3	5	7	11	26	32	32	1	5.0		5	5	5	5	5	5	5
75 +	2	14.5	145	6	6	14	23	23	23	23										
ALL AGES	148	9.5	82	2	4	7	12	22	28	36	22	10.4	133	1	3	5	13	27	38	46
B. FEMALE																				
0-12 YRS.																				
13-17	2	43.5	1201	19	19	43	68	68	68	68										
18-24	6	8.0	34	1	5	6	14	16	16	16	2	11.0	98	4	4	11	18	18	18	18
25-34	31	10.7	65	3	5	7	16	23	29	29	1	3.0		3	3	3	3	3	3	3
35-54	36	9.8	73	2	4	7	13	22	31	35	7	20.7	119	9	10	25	31	33	33	33
55-74	15	11.5	83	2	5	11	13	20	33	38	3	18.7	208	4	8	19	29	33	33	33
75 +																				
ALL AGES	90	11.0	104	2	5	8	15	22	29	56	13	17.4	133	4	8	18	27	33	33	33
SUBTOTAL	**238**	**10.1**	**90**	**2**	**4**	**7**	**13**	**22**	**29**	**41**	**35**	**13.0**	**140**	**3**	**4**	**9**	**21**	**33**	**33**	**46**
GRAND TOTAL	**751**	**10.9**	**107**	**2**	**4**	**7**	**15**	**24**	**32**	**48**	**149**	**11.3**	**134**	**1**	**3**	**8**	**15**	**25**	**34**	**53**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	7	33.6	324	13	16	35	47	58	60	60	1	22.0		22	22	22	22	22	22	22
18-24	63	11.9	223	2	3	7	17	22	31	89	12	17.1	74	6	13	14	23	29	34	35
25-34	121	13.8	159	3	5	9	18	30	43	62	23	8.9	44	2	5	8	11	16	22	32
35-54	126	14.4	190	3	5	10	18	30	37	73	24	10.7	78	4	5	8	14	20	30	43
55-74	18	13.8	154	2	5	9	18	34	43	46	4	8.3	19	3	5	8	11	14	14	14
75 +	2	18.5	181	9	9	18	28	28	28	28										
ALL AGES	338	14.1	191	3	5	10	18	30	44	70	64	11.3	68	4	5	9	14	23	28	42
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36										
13-17	7	13.4	45	6	9	11	18	23	24	24	1	6.0		6	6	53	99 +	99 +	99 +	99 +
18-24	52	12.0	131	2	4	8	16	22	30	56	15	18.0	123	7	11	13	26	29	42	47
25-34	142	14.2	146	3	6	11	19	30	42	58	21	15.9	296	4	7	10	16	37	59	77
35-54	227	14.1	148	3	5	10	20	30	38	53	42	13.7	68	4	7	12	19	27	28	29
55-74	76	16.7	185	4	8	11	23	37	45	60	15	17.9	257	4	7	12	24	42	56	61
75 +	2	6.0	2	5	5	6	7	7	7	7										
ALL AGES	507	14.3	151	3	5	11	19	31	41	56	94	15.4	157	4	7	12	22	29	44	90
SUBTOTAL	**845**	**14.2**	**167**	**3**	**5**	**10**	**19**	**31**	**43**	**61**	**158**	**13.8**	**123**	**4**	**6**	**11**	**17**	**27**	**34**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	55.0		55	55	55	55	55	55	55										
13-17	6	26.5	379	3	9	25	47	50	50	50										
18-24	41	13.2	204	3	4	9	15	27	48	70	11	12.8	69	4	6	9	21	25	26	26
25-34	87	11.3	103	2	5	8	16	25	32	84	19	13.9	216	4	7	8	15	37	53	57
35-54	85	12.7	106	3	5	10	17	27	29	53	27	17.9	263	4	7	13	21	47	59	62
55-74	6	12.2	63	3	7	10	18	24	25	25	1	18.0		18	18	18	18	18	18	18
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	227	12.8	138	2	5	9	17	28	33	63	58	15.7	203	4	7	11	19	34	54	62
B. FEMALE																				
0-12 YRS.																				
13-17	4	24.5	730	1	2	20	47	56	56	56										
18-24	31	8.7	42	2	4	7	13	20	23	24	12	12.0	56	4	5	10	19	22	23	23
25-34	105	12.1	204	2	4	7	14	29	37	82	12	16.0	200	5	7	11	16	42	49	50
35-54	105	10.6	78	3	4	8	15	22	27	45	20	17.5	233	3	5	12	24	41	51	58
55-74	43	16.7	155	6	9	12	22	35	44	56	6	11.3	85	1	8	9	14	27	28	28
75 +	3	15.3	2	15	15	15	16	16	16	16										
ALL AGES	291	12.1	142	3	4	9	15	26	35	57	50	15.1	162	4	6	11	20	34	44	58
SUBTOTAL	**518**	**12.4**	**141**	**3**	**5**	**9**	**16**	**27**	**35**	**59**	**108**	**15.4**	**183**	**4**	**7**	**11**	**19**	**34**	**50**	**60**
GRAND TOTAL	**1363**	**13.5**	**158**	**3**	**5**	**10**	**18**	**29**	**38**	**61**	**266**	**14.4**	**149**	**4**	**7**	**11**	**18**	**28**	**43**	**62**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24	9	10.1	96	1	2	7	15	26	31	31										
25-34	10	16.9	127	3	5	16	25	32	34	34	5	4.0	22	1	1	2	6	12	12	12
35-54	9	12.8	127	3	5	8	17	30	39	39	3	5.0	28	1	1	3	9	11	11	11
55-74	2	9.5	13	7	7	9	12	12	12	12										
75 +																				
ALL AGES	30	13.1	111	2	5	11	18	31	34	39	9	4.3	18	1	1	3	6	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	3	10.3	58	5	5	7	16	19	19	19										
25-34	4	13.0	118	3	4	11	21	27	27	27	5	7.0	34	2	2	6	11	16	16	16
35-54	9	10.4	67	3	5	9	15	23	28	28	3	4.7	22	1	1	3	8	10	10	10
55-74	12	13.5	118	5	6	13	14	27	42	45										
75 +																				
ALL AGES	29	12.4	87	5	5	10	16	25	29	45	8	6.1	28	1	2	4	9	14	16	16
SUBTOTAL	**59**	**12.8**	**97**	**3**	**5**	**11**	**17**	**28**	**33**	**44**	**17**	**5.2**	**22**	**1**	**2**	**3**	**9**	**12**	**15**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	8	8.3	87	2	3	6	7	24	31	31	1	3.0		3	3	3	3	3	3	3
25-34	3	15.3	114	4	7	17	23	25	25	25	1	1.0		1	1	1	1	1	1	1
35-54	4	5.5	8	3	3	5	8	8	8	8	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	15	8.9	75	3	3	7	8	25	29	31	3	1.7	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	14.7	29	9	10	15	19	20	20	20	2	7.0	32	3	3	7	11	11	11	11
25-34	2	5.0	8	3	3	5	7	7	7	7										
35-54	9	6.8	43	2	3	4	7	18	23	23	2	2.5	1	2	2	2	3	3	3	3
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	14	8.2	45	3	4	5	11	20	22	23	5	4.2	15	2	2	3	5	11	11	11
SUBTOTAL	**29**	**8.6**	**58**	**3**	**4**	**6**	**9**	**22**	**25**	**31**	**8**	**3.3**	**10**	**1**	**1**	**2**	**3**	**9**	**11**	**11**
GRAND TOTAL	**88**	**11.4**	**87**	**3**	**5**	**8**	**16**	**25**	**31**	**43**	**25**	**4.6**	**18**	**1**	**2**	**3**	**7**	**11**	**13**	**16**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17	14	21.2	240	4	12	17	27	44	55	58	3	26.0	169	13	16	26	36	39	39	39
18-24	35	9.9	154	2	3	6	12	20	32	67	11	21.8	763	2	5	13	33	62	92	95
25-34	66	11.5	107	2	5	8	15	28	35	45	35	16.5	320	2	5	11	21	30	54	91
35-54	39	9.0	61	1	4	7	11	21	28	32	37	12.4	274	1	3	7	17	26	46	87
55-74	7	7.4	39	3	4	6	8	18	21	21	4	9.0	55	2	3	7	14	19	19	19
75 +											2	5.5	5	4	4	5	7	7	7	7
ALL AGES	162	11.3	122	2	4	7	15	26	34	56	92	15.2	335	2	4	9	20	32	53	93
B. FEMALE																				
0-12 YRS.																				
13-17	11	15.3	120	3	6	12	23	30	37	38										
18-24	29	11.1	48	2	6	10	17	20	21	26	6	9.7	75	1	4	8	11	24	26	26
25-34	43	11.0	114	2	4	8	16	21	32	54	23	16.1	150	1	4	18	28	34	57	99 +
35-54	64	12.4	209	2	5	8	15	24	59	97	14	11.8	43	4	6	12	17	20	21	21
55-74	18	19.2	227	7	10	13	25	43	55	61	5	7.0	20	4	4	7	14	91	99 +	99 +
75 +	4	9.5	7	7	7	9	11	13	13	13	1	22.0		22	22	22	22	22	22	22
ALL AGES	169	12.7	151	3	6	9	17	24	38	80	49	13.3	101	2	5	11	21	30	39	99 +
SUBTOTAL	**331**	**12.0**	**137**	**2**	**5**	**8**	**16**	**25**	**35**	**67**	**141**	**14.5**	**255**	**2**	**4**	**10**	**21**	**30**	**45**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	35.5	146	18	27	40	43	44	44	44										
13-17	10	21.2	470	3	6	8	36	56	64	64										
18-24	27	10.2	88	1	3	7	13	25	30	38	9	12.8	99	3	6	10	18	29	34	34
25-34	40	9.8	79	2	4	7	9	24	31	38	15	13.7	142	3	5	10	20	34	40	42
35-54	26	8.3	58	2	3	4	10	23	25	25	14	14.1	304	2	5	8	15	44	58	62
55-74	3	22.3	865	2	4	9	44	56	56	56	5	24.8	508	6	9	15	39	61	61	61
75 +																				
ALL AGES	110	11.8	159	2	4	7	16	28	38	59	43	15.0	220	2	5	10	20	36	49	62
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	2	22.5	145	14	14	22	31	31	31	31										
18-24	16	8.5	66	1	4	6	9	20	28	32	5	8.6	25	3	4	9	13	14	14	14
25-34	34	13.3	215	2	4	10	16	30	34	79	5	22.0	243	6	11	14	37	42	42	42
35-54	25	9.3	65	2	3	7	13	18	28	36	9	17.7	131	2	9	17	29	33	33	33
55-74	10	13.1	62	5	7	10	22	24	25	25	2	11.0	98	4	4	11	18	18	18	18
75 +																				
ALL AGES	88	11.4	127	2	4	8	14	25	32	63	21	15.9	138	3	6	14	21	34	38	42
SUBTOTAL	**198**	**11.6**	**145**	**2**	**4**	**7**	**15**	**26**	**36**	**60**	**64**	**15.3**	**190**	**3**	**6**	**10**	**20**	**34**	**42**	**62**
GRAND TOTAL	**529**	**11.9**	**139**	**2**	**4**	**8**	**16**	**26**	**36**	**65**	**205**	**14.8**	**232**	**2**	**5**	**10**	**21**	**34**	**42**	**97**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	8	6	6	8	10	10	10	10										
18-24	2	4.0	18	1	1	4	7	7	7	7										
25-34	3	24.3	552	7	9	15	42	51	51	51										
35-54	7	10.6	39	3	5	11	16	18	18	18										
55-74	8	6.3	35	1	1	3	12	14	15	15	1	3.0		3	3	3	3	3	3	3
75 +	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
ALL AGES	23	9.8	112	1	3	7	14	17	30	51	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-24	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
25-34	6	6.5	19	1	3	7	10	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	9	7.6	64	1	2	5	11	21	26	26	2	3.5	5	2	2	3	5	5	5	5
55-74	6	12.0	81	2	6	11	15	26	27	27	2	11.0		11	11	11	11	11	11	11
75 +	3	16.0	81	7	9	16	23	25	25	25	1	11.0		11	11	11	11	11	11	11
ALL AGES	26	10.4	75	1	3	8	15	26	28	30	7	6.3	21	1	2	5	11	11	11	11
SUBTOTAL	**49**	**10.1**	**90**	**1**	**3**	**7**	**15**	**22**	**27**	**51**	**9**	**5.4**	**19**	**1**	**2**	**3**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	2	5.0	8	3	3	5	7	7	7	7										
35-54	7	15.0	89	3	6	16	24	27	27	27										
55-74	2	36.5	2521	1	1	36	72	72	72	72										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	13	17.1	344	2	4	16	20	36	65	72										
B. FEMALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	2	13.5	113	6	6	13	21	21	21	21										
25-34	5	14.0	68	7	9	11	17	28	28	28										
35-54	5	6.8	14	2	4	7	9	12	12	12										
55-74	4	20.0	64	8	16	24	24	24	24	24										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	18	12.4	68	3	7	10	21	24	27	28										
SUBTOTAL	**31**	**14.4**	**181**	**2**	**6**	**11**	**20**	**26**	**28**	**72**										
GRAND TOTAL	**80**	**11.8**	**127**	**1**	**4**	**10**	**16**	**25**	**28**	**66**	**9**	**5.4**	**19**	**1**	**2**	**3**	**11**	**11**	**11**	**11**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	18.0	450	3	3	18	33	33	33	33										
25-34	6	8.5	27	2	4	8	12	16	16	16	1	4.0		4	4	4	4	4	4	4
35-54	6	7.8	18	2	7	8	9	13	14	14	2	2.5	5	1	1	2	4	4	4	4
55-74	4	9.5	94	4	4	5	15	24	24	24										
75 +	2	4.5	25	1	1	4	8	8	8	8										
ALL AGES	20	9.1	62	2	4	7	11	20	28	33	3	3.0	3	1	1	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	18	8	8	11	14	14	14	14										
18-24																				
25-34	3	8.3	11	6	6	7	11	12	12	12										
35-54	15	10.7	143	1	3	7	14	28	41	45										
55-74	11	15.1	143	4	6	12	21	34	40	41	1	1.0		1	1	1	1	1	1	1
75 +	6	10.5	117	1	2	8	14	28	30	30	1	1.0		1	1	1	1	1	1	1
ALL AGES	37	11.8	118	2	5	8	15	29	37	45	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**57**	**10.8**	**100**	**2**	**4**	**8**	**14**	**27**	**32**	**45**	**5**	**2.2**	**3**	**1**	**1**	**1**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	3.7	1	3	3	3	5	5	5	5										
35-54	2	17.5	5	16	16	17	19	19	19	19	1	1.0		1	1	1	1	1	1	1
55-74	3	19.0	367	6	7	10	33	41	41	41	2	2.0	2	1	1	1	3	3	3	3
75 +																				
ALL AGES	9	11.8	154	3	3	6	17	32	41	41	3	1.7	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	55	99 +	99 +	99 +	99 +	1	29.0		29	29	29	29	29	29	29
35-54	3	11.3	11	9	9	10	14	15	15	15										
55-74	5	23.4	389	7	7	15	40	51	51	51	3	3.7	4	2	2	3	5	6	6	6
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	10	16.4	237	5	8	11	32	71	98	99 +	4	10.0	163	2	2	4	17	29	29	29
SUBTOTAL	**19**	**14.2**	**193**	**3**	**5**	**10**	**17**	**46**	**75**	**99 +**	**7**	**6.4**	**102**	**1**	**1**	**3**	**5**	**24**	**29**	**29**
GRAND TOTAL	**76**	**11.7**	**122**	**2**	**5**	**8**	**15**	**30**	**41**	**87**	**12**	**4.7**	**61**	**1**	**1**	**2**	**4**	**13**	**27**	**29**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	16.0	117	1	8	14	25	32	36	37										
13-17	69	17.6	271	2	6	13	22	39	51	82	5	26.8	367	4	16	22	38	56	56	56
18-24	43	9.9	90	1	2	6	18	24	29	37	9	4.9	19	1	2	3	7	12	15	15
25-34	79	9.0	61	1	3	6	14	20	27	33	18	7.2	47	1	2	5	9	19	22	24
35-54	120	11.2	93	1	4	9	15	24	29	46	30	8.3	74	2	3	5	8	24	30	32
55-74	98	14.6	130	3	6	12	22	32	37	52	14	9.5	103	2	3	5	14	25	33	35
75 +	37	14.8	244	3	5	11	19	26	43	85	10	7.4	67	1	2	4	10	22	22	22
ALL AGES	463	12.8	142	2	4	10	18	27	36	58	86	8.9	98	1	3	5	10	22	31	48
B. FEMALE																				
0-12 YRS.	16	23.6	333	7	11	15	33	48	62	68	3	33.7	303	16	20	34	47	51	51	51
13-17	116	19.4	204	2	10	16	27	38	47	91	18	15.9	210	1	2	13	25	36	46	52
18-24	65	9.8	111	1	3	6	13	22	23	64	19	7.1	35	1	2	5	11	15	20	23
25-34	187	10.2	129	2	3	6	12	25	34	59	43	10.0	76	1	3	8	14	20	31	38
35-54	287	11.6	99	2	4	9	16	24	32	44	102	14.6	157	2	4	12	22	29	33	65
55-74	232	15.9	194	2	6	13	21	32	40	72	49	6.6	36	1	2	5	9	15	20	30
75 +	89	17.9	137	6	9	15	23	33	40	59	21	10.9	67	3	6	7	15	26	27	28
ALL AGES	992	13.9	158	2	5	11	19	30	39	65	255	11.7	125	1	3	9	16	27	31	52
SUBTOTAL	**1455**	**13.6**	**152**	**2**	**4**	**10**	**19**	**29**	**37**	**64**	**341**	**11.0**	**119**	**1**	**3**	**7**	**16**	**26**	**31**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	54	28.7	275	6	17	29	40	54	59	99										
13-17	74	25.2	331	4	11	23	38	51	70	99 +	11	10.2	83	1	2	9	19	24	25	25
18-24	70	9.8	125	2	3	6	12	22	29	66	28	10.3	132	1	2	5	17	26	31	48
25-34	127	8.6	52	2	3	6	12	18	22	32	49	11.3	61	2	5	10	15	24	25	38
35-54	219	10.7	93	2	4	7	14	26	31	40	62	10.6	67	2	4	9	14	22	24	39
55-74	73	16.1	219	2	6	12	23	41	51	93	26	7.9	30	2	3	7	12	13	20	20
75 +	24	15.5	191	2	5	13	20	41	48	49	7	9.1	60	3	4	7	11	22	25	25
ALL AGES	641	14.2	191	2	4	10	20	35	45	73	183	10.3	70	2	3	9	14	22	25	40
B. FEMALE																				
0-12 YRS.	23	33.3	349	5	22	38	44	77	99 +	99 +	1	13.0		13	13	13	13	13	13	13
13-17	117	22.3	328	4	10	16	35	52	64	99 +	17	22.5	461	5	8	14	28	59	74	80
18-24	120	12.2	127	2	4	8	17	27	37	51	28	12.0	129	1	2	9	19	29	36	36
25-34	262	12.1	153	2	4	9	15	26	36	64	66	13.7	165	2	4	9	18	38	42	44
35-54	302	13.1	153	2	5	9	16	29	43	59	70	12.3	178	2	3	8	18	28	39	71
55-74	154	14.6	130	4	7	13	18	27	34	60	20	13.3	130	2	4	7	25	30	32	33
75 +	55	14.6	158	3	5	12	19	34	38	63	11	10.1	47	3	4	8	17	19	20	20
ALL AGES	1033	14.5	188	3	5	11	18	35	45	74	213	13.5	181	2	3	9	19	31	41	68
SUBTOTAL	**1674**	**14.4**	**189**	**2**	**5**	**10**	**19**	**35**	**45**	**74**	**396**	**12.0**	**133**	**2**	**3**	**9**	**16**	**28**	**35**	**48**
GRAND TOTAL	**3129**	**14.0**	**173**	**2**	**5**	**10**	**19**	**32**	**41**	**68**	**737**	**11.5**	**127**	**2**	**3**	**8**	**16**	**27**	**32**	**51**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	21.7	80	14	16	21	24	33	45	46	1	7.0		7	7	7	7	7	7	7
13-17	43	16.7	226	4	5	11	25	39	44	72										
18-24	27	11.4	99	1	4	9	14	24	36	41	2	5.5	25	2	2	5	9	9	9	9
25-34	78	10.3	74	2	4	9	13	19	25	45	18	5.3	19	1	1	4	9	11	13	15
35-54	112	11.4	106	3	6	8	14	23	35	53	15	11.9	77	3	5	11	15	23	31	34
55-74	124	14.7	122	3	6	12	21	29	37	46	15	15.6	161	2	7	11	26	29	42	46
75 +	49	16.8	145	4	8	13	25	35	38	51	4	5.8	24	2	2	4	9	13	13	13
ALL AGES	444	13.5	125	3	6	10	18	29	38	51	55	10.0	88	1	3	8	13	25	29	45
B. FEMALE																				
0-12 YRS.	5	22.2	188	3	14	24	29	41	41	41	1	9.0		9	9	9	9	9	9	9
13-17	61	16.7	244	3	7	13	22	36	41	92	6	10.2	146	1	3	4	17	30	32	32
18-24	49	9.9	78	2	3	7	15	24	32	99 +	7	3.4	11	1	1	2	6	9	9	9
25-34	182	8.8	49	2	4	7	12	18	25	30	33	13.9	264	2	4	8	17	33	61	66
35-54	349	12.8	167	2	4	9	18	27	36	65	44	14.1	190	1	3	10	22	31	45	56
55-74	301	17.2	210	4	7	13	23	36	48	66	28	12.7	209	2	4	7	16	28	54	58
75 +	133	22.2	269	6	11	19	28	44	64	76	17	8.5	29	3	5	7	12	17	18	18
ALL AGES	1080	14.6	190	2	5	11	20	30	40	69	136	12.3	182	2	3	7	17	29	42	66
SUBTOTAL	**1524**	**14.3**	**170**	**3**	**6**	**11**	**19**	**30**	**39**	**65**	**191**	**11.6**	**157**	**2**	**3**	**7**	**15**	**28**	**34**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	24.4	274	7	15	21	28	52	64	68	2	7.0	8	5	5	7	9	9	9	9
13-17	35	18.0	221	4	7	14	27	35	41	76	3	18.3	264	8	8	10	30	37	37	37
18-24	47	8.5	76	1	3	6	12	17	24	42	5	10.0	79	1	4	6	17	23	23	23
25-34	125	11.5	84	2	5	10	15	27	32	38	13	6.4	24	1	2	8	9	12	16	17
35-54	211	11.8	176	3	5	8	15	21	32	77	33	7.2	30	1	3	7	11	14	18	19
55-74	74	14.5	185	3	6	11	19	29	42	76	9	7.6	18	3	4	8	11	14	14	14
75 +	23	15.3	128	4	6	11	26	31	38	41	3	10.7	99	3	4	7	18	22	22	22
ALL AGES	531	12.7	159	2	5	9	16	27	35	67	68	8.0	42	1	3	7	11	16	20	34
B. FEMALE																				
0-12 YRS.	9	20.1	32	15	17	18	24	66	99 +	99 +										
13-17	59	15.6	262	2	5	12	19	36	60	98	6	10.2	264	1	1	2	13	39	42	42
18-24	98	12.3	108	2	6	10	16	24	33	54	18	13.1	203	2	3	8	22	28	46	58
25-34	328	12.2	178	2	4	8	15	25	35	71	37	11.0	173	2	3	6	15	23	33	71
35-54	451	13.1	148	3	5	10	16	29	40	65	51	12.6	113	2	4	10	19	27	30	46
55-74	185	16.1	114	5	9	14	21	28	32	60	22	11.0	95	2	4	8	17	28	31	34
75 +	77	16.3	200	2	7	12	22	40	49	56	3	11.7	69	2	5	16	17	17	17	17
ALL AGES	1207	13.6	159	3	5	11	18	29	39	70	137	11.9	138	2	3	7	17	27	33	60
SUBTOTAL	**1738**	**13.4**	**157**	**3**	**5**	**10**	**17**	**28**	**38**	**70**	**205**	**10.6**	**109**	**2**	**3**	**7**	**14**	**23**	**29**	**51**
GRAND TOTAL	**3262**	**13.8**	**164**	**3**	**5**	**10**	**18**	**29**	**39**	**68**	**396**	**11.1**	**132**	**2**	**3**	**7**	**15**	**27**	**33**	**58**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	6	14.3	100	4	7	12	18	31	32	32										
18-24	42	13.2	105	4	6	10	17	25	38	48	3	5.7	14	3	3	4	8	10	10	10
25-34	75	11.1	80	2	4	8	15	22	27	40	16	16.0	247	3	4	10	24	40	51	55
35-54	112	11.9	128	2	5	8	15	24	31	58	29	18.2	378	3	6	12	22	42	60	90
55-74	54	11.9	119	3	6	9	17	22	24	69	9	4.9	13	1	1	4	8	10	11	11
75 +	10	18.4	171	7	9	17	20	37	52	52										
ALL AGES	300	12.1	112	3	5	9	17	23	31	50	57	14.8	285	3	4	8	17	34	52	88
B. FEMALE																				
0-12 YRS.																				
13-17	8	12.1	53	7	8	10	13	24	29	29										
18-24	43	13.1	161	3	4	9	16	32	46	55	3	7.0	21	3	4	6	10	12	12	12
25-34	109	11.5	92	3	5	8	16	26	32	46	23	9.0	46	3	4	9	12	17	24	31
35-54	259	12.7	124	3	6	9	16	24	36	64	36	8.4	46	2	3	6	12	19	23	25
55-74	166	14.3	99	4	7	13	19	28	33	46	11	16.7	104	3	8	16	26	30	32	32
75 +	24	18.7	244	5	8	13	26	40	57	62	4	13.8	52	5	9	13	18	23	23	23
ALL AGES	609	13.2	119	3	6	10	17	27	35	57	77	10.0	60	2	4	8	14	22	26	32
SUBTOTAL	**909**	**12.8**	**118**	**3**	**6**	**10**	**17**	**25**	**33**	**56**	**134**	**12.1**	**158**	**3**	**4**	**8**	**15**	**28**	**33**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	56.0	578	39	47	73	93	99 +	99 +	99 +										
13-17	8	22.3	169	8	12	18	32	42	45	45	2	20.5	61	15	15	20	26	26	26	26
18-24	22	17.1	393	2	4	11	21	47	64	75	6	19.5	667	2	6	10	17	66	71	71
25-34	46	11.2	113	3	5	7	15	23	30	59	12	13.8	124	3	6	10	17	35	36	36
35-54	50	12.4	286	3	5	7	11	22	58	92	16	16.1	269	3	5	9	23	44	53	57
55-74	18	9.2	47	2	4	7	14	19	24	26	4	18.3	112	6	10	18	26	31	31	31
75 +	2	37.5	1985	6	6	37	69	69	69	69										
ALL AGES	148	13.8	260	3	5	8	16	34	58	92	40	16.3	241	3	6	12	21	35	51	71
B. FEMALE																				
0-12 YRS.	2	27.0	288	15	15	27	39	39	39	39										
13-17																				
18-24	16	17.0	281	4	6	14	18	35	60	71										
25-34	40	10.7	89	2	4	7	16	24	28	46	9	13.8	306	1	3	11	14	41	58	58
35-54	63	12.2	73	3	5	10	16	26	29	35	6	10.8	83	5	7	7	10	27	29	29
55-74	39	12.2	107	3	4	11	17	22	28	57	4	11.5	23	7	7	11	15	17	17	17
75 +	7	23.1	104	13	16	23	25	40	43	43										
ALL AGES	167	12.9	115	3	5	11	17	26	31	55	19	12.4	164	2	6	8	14	24	45	58
SUBTOTAL	**315**	**13.4**	**180**	**3**	**5**	**9**	**17**	**27**	**39**	**74**	**59**	**15.1**	**214**	**3**	**6**	**11**	**17**	**34**	**52**	**70**
GRAND TOTAL	**1224**	**13.0**	**132**	**3**	**5**	**10**	**17**	**26**	**35**	**63**	**193**	**13.0**	**177**	**3**	**5**	**8**	**16**	**30**	**36**	**66**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	4	11.3	74	2	6	10	17	23	23	23										
18-24	10	14.3	129	3	7	9	27	31	34	34										
25-34	17	10.2	55	2	4	7	16	22	22	22	4	7.8	14	2	5	9	10	10	10	10
35-54	41	11.8	158	3	4	8	15	24	57	99 +	5	7.8	65	1	1	6	12	21	21	21
55-74	20	13.6	104	3	5	12	20	27	34	40	2	5.0		5	5	5	5	5	5	5
75 +	5	12.2	35	7	7	10	18	19	19	19	1	5.0		5	5	5	5	5	5	5
ALL AGES	98	12.1	112	3	5	9	18	24	32	83	12	7.1	29	1	3	6	9	13	20	21
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	4	9.0	54	3	3	8	15	18	18	18										
18-24	7	5.3	34	1	1	3	7	15	17	17	3	13.0	171	4	5	7	23	28	28	28
25-34	41	9.0	63	3	5	6	10	17	25	42	8	10.6	74	2	3	10	15	24	27	27
35-54	76	12.6	99	3	6	10	15	25	34	50	11	9.5	42	2	3	9	14	18	23	23
55-74	55	16.5	136	3	7	15	23	33	41	48	3	16.3	104	10	10	11	24	28	28	28
75 +	17	16.5	169	6	8	11	21	37	46	51	1	19.0		19	19	19	19	19	19	19
ALL AGES	201	12.9	113	3	6	10	17	27	36	49	26	11.4	67	2	4	10	15	27	28	28
SUBTOTAL	**299**	**12.6**	**113**	**3**	**6**	**9**	**17**	**26**	**35**	**52**	**38**	**10.0**	**59**	**2**	**4**	**9**	**13**	**22**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	4	30.8	427	12	15	26	46	59	59	59										
18-24	5	17.0	403	3	4	11	23	52	52	52	1	1.0		1	1	1	1	1	1	1
25-34	33	11.7	106	2	5	9	17	24	28	51	1	32.0		32	32	32	32	32	32	32
35-54	25	12.8	158	2	4	9	17	21	37	60	7	9.3	42	2	4	7	13	19	21	21
55-74	10	8.7	32	2	5	8	12	17	19	19										
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	79	13.0	155	2	4	9	17	24	43	60	9	10.9	102	1	3	7	15	28	32	32
B. FEMALE																				
0-12 YRS.																				
13-17	2	24.0	242	13	13	24	35	35	35	35										
18-24	11	13.7	283	1	2	9	14	46	49	49										
25-34	36	11.1	110	1	4	8	15	31	41	99 +	6	9.5	112	1	2	7	9	28	30	30
35-54	58	10.9	75	3	4	9	15	24	28	40	8	14.3	187	2	3	8	29	32	33	33
55-74	23	15.9	193	4	5	14	18	36	51	58	1	1.0		1	1	1	1	1	1	1
75 +	5	15.2	247	1	6	12	20	42	42	42										
ALL AGES	135	12.4	129	2	4	9	16	30	42	64	15	11.5	147	1	2	7	25	30	32	33
SUBTOTAL	**214**	**12.6**	**138**	**2**	**4**	**9**	**17**	**28**	**42**	**59**	**24**	**11.3**	**125**	**1**	**2**	**7**	**17**	**30**	**32**	**33**
GRAND TOTAL	**513**	**12.6**	**123**	**3**	**5**	**9**	**17**	**26**	**36**	**58**	**62**	**10.5**	**83**	**2**	**3**	**8**	**13**	**28**	**30**	**33**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	12.8	264	2	3	6	19	41	41	41										
18-24	11	12.9	190	1	2	8	22	35	40	41	2	4.5	1	4	4	4	5	5	5	5
25-34	23	15.2	147	3	5	11	23	33	38	46	4	8.3	112	1	2	4	14	24	24	24
35-54	22	10.1	52	2	5	9	13	17	26	34	7	11.1	99	1	2	13	15	26	29	29
55-74	18	10.3	108	1	3	6	15	22	34	42	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	79	12.2	121	2	4	8	16	31	38	45	14	8.9	79	1	3	5	13	24	28	29
B. FEMALE																				
0-12 YRS.																				
13-17	4	24.0	786	2	7	14	41	65	65	65										
18-24	10	18.3	254	2	7	13	27	42	51	51	1	5.0		5	5	5	5	5	5	5
25-34	48	11.2	68	3	5	9	14	26	28	32	4	4.8	12	2	2	3	7	10	10	10
35-54	69	12.8	151	3	6	10	15	26	32	75	17	11.1	174	1	2	7	13	31	45	51
55-74	36	15.9	213	6	7	11	17	38	54	66	10	14.5	91	5	6	13	19	28	34	34
75 +	7	26.0	336	7	12	27	31	55	61	61	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	174	14.1	172	3	6	10	17	30	39	66	34	10.8	123	2	4	7	14	24	34	51
SUBTOTAL	**253**	**13.5**	**157**	**3**	**5**	**10**	**17**	**30**	**39**	**65**	**48**	**10.3**	**108**	**2**	**3**	**6**	**14**	**24**	**33**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	16.8	20	12	12	19	20	21	21	21										
18-24	5	8.0	43	4	4	4	11	19	19	19										
25-34	16	7.3	19	3	4	6	8	15	17	18	3	19.0	349	2	5	16	33	39	39	39
35-54	24	11.6	136	2	3	7	17	30	36	47	4	10.0	98	3	3	7	17	24	24	24
55-74	8	24.8	671	5	8	17	29	70	84	84	3	17.3	322	2	5	13	31	37	37	37
75 +																				
ALL AGES	58	12.4	178	3	4	8	18	22	34	81	10	14.9	200	2	3	11	24	38	39	39
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	6	15.3	139	2	3	17	20	32	33	33	4	12.3	50	5	6	11	18	21	21	21
25-34	25	15.4	229	4	5	8	22	47	50	53	2	7.5	25	4	4	7	11	11	11	11
35-54	37	11.8	72	2	6	9	19	25	28	29	8	10.9	44	4	7	9	13	22	25	25
55-74	18	18.1	215	3	7	14	27	43	49	50										
75 +	4	17.3	97	6	9	17	25	29	29	29										
ALL AGES	90	14.5	150	3	6	11	21	30	47	52	14	10.8	40	4	7	9	15	21	24	25
SUBTOTAL	**148**	**13.7**	**161**	**3**	**5**	**9**	**19**	**29**	**37**	**54**	**24**	**12.5**	**105**	**3**	**4**	**10**	**16**	**26**	**38**	**39**
GRAND TOTAL	**401**	**13.6**	**157**	**3**	**5**	**10**	**18**	**30**	**39**	**63**	**72**	**11.0**	**107**	**2**	**4**	**8**	**15**	**24**	**34**	**48**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	39.0	273	20	27	47	49	50	50	50										
13-17	8	21.6	286	1	8	19	34	45	49	49										
18-24	9	17.9	235	1	6	18	22	42	52	52										
25-34	15	13.8	69	5	7	12	16	29	33	34	5	8.4	14	3	5	10	11	12	12	12
35-54	27	11.1	176	1	3	6	16	28	47	50	7	5.9	9	2	3	6	8	10	11	11
55-74	12	15.2	161	2	5	13	20	37	42	43	2	9.5	61	4	4	9	15	15	15	15
75 +																				
ALL AGES	74	15.4	196	2	5	12	20	38	49	52	14	7.3	16	3	4	7	11	12	14	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	19.5	13	17	17	19	22	22	22	22										
18-24	8	17.4	425	3	6	10	18	53	66	66	5	6.6	29	1	2	7	9	15	15	15
25-34	26	10.8	79	2	4	8	18	28	44	99 +	4	7.0	42	1	1	6	12	14	14	14
35-54	65	11.5	99	4	6	9	15	21	24	63	7	7.6	27	2	3	6	11	15	16	16
55-74	32	14.6	98	3	8	14	17	26	33	49	6	10.3	69	2	4	9	12	24	25	25
75 +	4	7.5	23	2	3	8	11	12	12	12	2	5.5	25	2	2	5	9	9	9	9
ALL AGES	137	12.5	109	3	6	10	17	24	31	73	24	7.8	36	2	3	7	12	15	19	25
SUBTOTAL	**211**	**13.5**	**141**	**3**	**5**	**11**	**18**	**29**	**42**	**67**	**38**	**7.6**	**28**	**2**	**3**	**7**	**11**	**15**	**16**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	53.5	481	38	38	53	69	69	69	69										
13-17	4	31.8	469	11	13	32	50	52	52	52										
18-24	13	11.5	44	3	4	14	15	21	22	22	2	3.0	8	1	1	3	5	5	5	5
25-34	19	10.9	106	2	3	6	16	28	33	37	3	5.7	41	1	1	3	10	13	13	13
35-54	24	10.9	81	1	3	8	20	24	26	28	3	8.3	5	6	7	9	10	10	10	10
55-74	8	14.1	113	3	6	12	19	31	35	35										
75 +	2	7.0		7	7	7	7	7	7	7										
ALL AGES	72	13.6	168	2	4	10	18	28	38	65	8	6.0	19	1	2	5	9	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	9	18.6	182	5	12	15	23	41	42	42										
18-24	7	17.6	168	5	10	12	23	39	43	43	3	2.3	6	1	1	1	4	5	5	5
25-34	42	11.2	106	2	4	8	14	23	37	45	4	10.3	31	4	5	10	15	16	16	16
35-54	51	10.9	80	2	4	10	14	26	32	37	7	4.1	16	1	1	2	6	11	12	12
55-74	23	12.7	103	3	5	9	17	23	36	44	4	4.5	6	2	2	4	6	7	7	7
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	132	12.2	105	2	5	10	16	27	37	44	20	5.0	19	1	2	4	6	13	15	16
SUBTOTAL	**204**	**12.7**	**127**	**2**	**4**	**10**	**16**	**28**	**37**	**50**	**28**	**5.3**	**19**	**1**	**2**	**4**	**7**	**13**	**14**	**16**
GRAND TOTAL	**415**	**13.1**	**134**	**2**	**5**	**10**	**17**	**28**	**38**	**57**	**66**	**6.6**	**25**	**1**	**2**	**6**	**10**	**14**	**15**	**24**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	18.6	134	5	9	17	28	34	34	34										
13-17	6	13.3	66	4	4	14	22	22	22	22										
18-24	3	6.7	66	1	1	3	13	16	16	16	2	3.0	2	2	2	3	4	4	4	4
25-34	9	6.3	22	1	3	4	10	13	14	14	3	5.0	13	2	2	4	8	9	9	9
35-54	19	8.1	43	2	4	6	9	19	22	25	1	2.0		2	2	2	2	2	2	2
55-74	11	14.8	148	1	4	10	25	33	35	35	3	4.0	4	2	2	4	5	6	6	6
75 +	5	7.8	17	4	4	7	11	13	13	13										
ALL AGES	58	10.4	78	2	4	8	14	25	29	35	9	3.9	6	2	2	4	5	8	9	9
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	55	99 +	99 +	99 +	99 +										
13-17	15	16.1	264	6	7	11	16	33	60	69										
18-24	14	5.1	6	2	3	5	8	8	9	9	1	1.0		1	1	1	1	1	1	1
25-34	21	7.2	56	1	2	6	9	13	23	35	2	5.5	41	1	1	5	10	10	10	10
35-54	41	10.3	62	2	5	9	12	23	28	29	10	7.9	37	3	4	5	11	18	19	19
55-74	13	13.9	114	2	4	16	19	31	33	34	3	8.0	61	3	3	4	14	17	17	17
75 +	2	36.0	8	34	34	36	38	38	38	38	1	4.0		4	4	4	4	4	4	4
ALL AGES	107	10.7	108	2	4	8	13	27	34	82	17	7.0	35	1	3	4	10	18	19	19
SUBTOTAL	**165**	**10.6**	**97**	**2**	**4**	**8**	**14**	**25**	**33**	**64**	**26**	**5.9**	**27**	**2**	**2**	**4**	**6**	**16**	**18**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	11.0	18	8	8	11	14	14	14	14										
13-17	13	11.1	126	2	3	7	30	37	86	99 +										
18-24	11	9.6	82	1	2	5	15	24	28	28										
25-34	19	7.5	62	2	3	5	9	17	27	34	4	9.0	69	2	4	6	14	21	21	21
35-54	16	11.2	96	2	4	7	17	22	32	37	4	1.5	1	1	1	1	2	3	3	3
55-74	6	18.2	648	1	2	8	21	63	68	68	1	7.0		7	7	7	7	7	7	7
75 +	5	11.2	27	6	7	10	16	18	18	18										
ALL AGES	72	10.5	125	2	4	7	15	28	33	93	9	5.4	41	1	1	3	7	15	21	21
B. FEMALE																				
0-12 YRS.	2	14.0	32	10	10	14	18	18	18	18										
13-17	11	15.3	104	3	9	14	20	29	38	39										
18-24	10	22.1	792	3	6	14	27	63	98	98	6	16.3	276	1	2	13	25	42	44	44
25-34	15	7.5	40	2	4	5	10	17	23	25	4	11.8	114	3	3	10	20	25	25	25
35-54	44	9.8	75	1	3	7	15	22	27	35	7	4.3	7	1	2	4	6	8	8	8
55-74	17	11.2	37	4	7	11	17	20	20	20	5	2.8	2	1	2	3	4	4	4	4
75 +	8	20.4	170	7	11	18	25	41	48	48	1	2.0		2	2	2	2	2	2	2
ALL AGES	107	12.3	151	2	4	10	18	25	28	69	23	8.3	114	1	2	4	8	25	32	44
SUBTOTAL	**179**	**11.6**	**140**	**2**	**4**	**8**	**17**	**25**	**30**	**89**	**32**	**7.5**	**93**	**1**	**2**	**4**	**7**	**22**	**25**	**44**
GRAND TOTAL	**344**	**11.1**	**119**	**2**	**4**	**8**	**16**	**25**	**31**	**70**	**58**	**6.8**	**63**	**1**	**2**	**4**	**7**	**19**	**23**	**42**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	28.0	450	13	13	28	43	43	43	43										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	4	7.8	25	3	4	6	11	15	15	15	2	4.5	5	3	3	4	6	6	6	6
55-74	2	4.0	8	2	2	4	6	6	6	6	2	15.0	242	4	4	15	26	26	26	26
75 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	11	11.7	159	2	4	6	14	33	42	43	4	9.8	118	3	3	5	16	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	4	31.5	556	1	13	35	49	55	55	55	1	4.0		4	4	4	4	4	4	4
18-24	2	12.5	145	4	4	12	21	21	21	21	2	4.5	13	2	2	4	7	7	7	7
25-34	8	8.4	110	1	2	5	9	26	33	33	2	3.5	13	1	1	3	6	6	6	6
35-54	14	9.2	61	1	3	7	15	20	23	24	3	12.3	294	1	2	4	25	32	32	32
55-74	8	14.5	113	3	5	12	25	28	28	28	2	18.0	32	14	14	18	22	22	22	22
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	37	12.6	167	1	3	8	20	28	40	55	10	9.3	107	1	2	5	14	27	32	32
SUBTOTAL	**48**	**12.4**	**162**	**2**	**3**	**7**	**19**	**28**	**43**	**55**	**14**	**9.4**	**102**	**1**	**3**	**5**	**14**	**27**	**31**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	31.3	572	4	13	42	46	48	48	48										
13-17	1	7.0		7	7	53	99 +	99 +	99 +	99 +										
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	3	5.7	30	2	2	3	10	12	12	12										
35-54	7	5.3	13	1	2	4	8	11	11	11										
55-74	2	10.5	13	8	8	10	13	13	13	13										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	18	10.6	170	2	4	7	12	46	77	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	5	15.2	127	3	7	12	24	31	31	31										
25-34	5	11.8	289	2	3	5	16	42	42	42										
35-54	7	12.6	45	4	6	12	17	21	22	22	2	2.0		2	2	2	2	2	2	2
55-74	5	15.2	33	6	13	15	19	21	21	21										
75 +	2	14.0	32	10	10	14	18	18	18	18										
ALL AGES	25	13.4	90	3	6	12	18	22	34	42	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**43**	**12.2**	**123**	**3**	**4**	**9**	**17**	**32**	**44**	**99 +**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**91**	**12.3**	**142**	**2**	**4**	**8**	**18**	**29**	**43**	**81**	**16**	**8.5**	**94**	**1**	**2**	**4**	**10**	**26**	**30**	**32**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +																				
ALL AGES	2	8.0	72	2	2	8	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	2	11.0	32	7	7	11	15	15	15	15										
SUBTOTAL	**4**	**9.5**	**38**	**2**	**4**	**10**	**14**	**15**	**15**	**15**										
GRAND TOTAL	**5**	**8.6**	**32**	**2**	**4**	**7**	**14**	**15**	**15**	**15**										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7	2	45.0	2888	7	7	45	83	83	83	83
35-54	7	6.4	62	1	3	4	5	20	24	24	1	5.0		5	5	5	5	5	5	5
55-74	1	21.0		21	21	21	21	21	21	21										
75 +	2	22.5	925	1	1	22	44	44	44	44	1	7.0		7	7	7	7	7	7	7
ALL AGES	11	10.7	183	1	3	4	17	32	43	44	4	25.5	1470	5	6	7	45	83	83	83
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	7	8.3	50	2	4	8	9	20	23	23	3	13.7	81	7	8	10	20	24	24	24
55-74	9	8.9	22	2	5	9	13	14	14	14	2	3.0	2	2	2	3	4	4	4	4
75 +	8	14.0	70	7	8	9	21	27	28	28	3	8.7	15	5	6	8	12	13	13	13
ALL AGES	27	10.0	46	2	5	8	13	22	25	28	8	9.1	49	3	4	7	11	21	24	24
SUBTOTAL	**38**	**10.2**	**82**	**2**	**4**	**8**	**13**	**24**	**26**	**44**	**12**	**14.6**	**496**	**3**	**5**	**7**	**11**	**42**	**77**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	6.0	18	3	3	6	9	9	9	9	1	4.0		4	4	4	4	4	4	4
25-34	3	5.3	10	2	3	6	7	8	8	8	2	30.5	1405	4	4	30	57	57	57	57
35-54	3	3.3	3	2	2	3	4	5	5	5	5	18.6	1217	2	3	3	23	81	81	81
55-74											1	13.0		13	13	13	13	13	13	13
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	8	4.8	7	2	2	4	7	9	9	9	10	18.3	760	2	3	4	13	69	81	81
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	3.5	1	3	3	3	4	4	4	4
25-34	4	3.8	17	1	1	2	6	10	10	10										
35-54	1	3.0		3	3	3	3	3	3	3	5	13.4	198	1	1	8	28	29	29	29
55-74	3	17.7	135	5	9	20	26	28	28	28	2	18.5	221	8	8	18	29	29	29	29
75 +	6	21.3	541	5	6	7	46	55	56	56										
ALL AGES	14	14.2	302	2	3	6	20	47	54	56	9	12.3	157	1	3	8	28	29	29	29
SUBTOTAL	**22**	**10.8**	**210**	**2**	**3**	**6**	**9**	**33**	**50**	**56**	**19**	**15.5**	**458**	**2**	**3**	**4**	**24**	**46**	**70**	**81**
GRAND TOTAL	**60**	**10.4**	**127**	**2**	**4**	**7**	**12**	**24**	**36**	**55**	**31**	**15.1**	**459**	**2**	**4**	**7**	**13**	**40**	**80**	**83**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS: TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES: 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS: TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES: 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	2	2.5	5	1	1	2	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**3**	**6.3**	**47**	**1**	**2**	**4**	**11**	**14**	**14**	**14**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**5**	**6.0**	**24**	**1**	**3**	**5**	**8**	**14**	**14**	**14**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	12.3	91	5	6	9	19	23	23	23										
25-34	5	5.8	8	2	4	5	8	9	9	9										
35-54	8	12.9	41	3	9	12	18	21	22	22	1	9.0		9	9	9	9	9	9	9
55-74	2	13.0	288	1	1	13	25	25	25	25	2	3.0	8	1	1	2	5	5	5	5
75 +	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
ALL AGES	19	10.4	57	2	5	9	16	23	24	25	4	5.3	10	1	2	5	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	5.2	8	2	3	4	7	9	9	9										
35-54	18	8.6	69	2	3	5	14	23	27	28										
55-74	15	13.0	112	2	4	9	20	30	33	34	2	2.0	2	1	1	2	3	3	3	3
75 +	9	10.8	68	2	4	9	13	25	27	27	2	11.5	181	2	2	11	21	21	21	21
ALL AGES	47	10.1	78	2	4	6	15	25	28	34	4	6.8	90	1	1	2	12	21	21	21
SUBTOTAL	**66**	**10.2**	**70**	**2**	**4**	**7**	**16**	**24**	**27**	**33**	**8**	**6.0**	**44**	**1**	**1**	**4**	**7**	**17**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	38.0	450	23	23	38	53	53	53	53										
18-24	4	7.3	20	4	4	5	10	14	14	14	1	1.0		1	1	1	1	1	1	1
25-34	12	10.8	126	1	4	7	15	26	39	41	2	2.5	5	1	1	2	4	4	4	4
35-54	5	3.0	1	2	2	3	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
55-74	3	10.3	10	7	8	11	12	13	13	13	1	3.0		3	3	3	3	3	3	3
75 +	2	21.5	481	6	6	21	37	37	37	37	1	17.0		17	17	17	17	17	17	17
ALL AGES	28	11.5	166	2	4	6	13	33	42	53	7	4.1	34	1	1	2	4	14	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	10	10.5	71	3	5	8	13	23	31	31										
35-54	12	8.6	43	2	4	6	12	20	20	20	3	10.0	97	2	3	7	17	21	21	21
55-74	10	9.4	52	3	3	7	11	22	22	22	6	11.2	178	1	2	7	13	35	37	37
75 +	4	13.8	42	5	9	14	18	21	21	21	1	23.0		23	23	23	23	23	23	23
ALL AGES	38	10.1	49	3	5	7	15	21	22	31	10	12.0	136	1	2	7	21	30	37	37
SUBTOTAL	**66**	**10.7**	**97**	**3**	**4**	**7**	**14**	**22**	**32**	**51**	**17**	**8.8**	**104**	**1**	**2**	**4**	**14**	**23**	**32**	**37**
GRAND TOTAL	**132**	**10.4**	**84**	**2**	**4**	**7**	**15**	**22**	**28**	**43**	**25**	**7.9**	**84**	**1**	**2**	**4**	**10**	**21**	**26**	**37**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	42.0		42	42	42	42	42	42	42
35-54											1	29.0		29	29	29	29	29	29	29
55-74	2	53.0	2888	15	15	53	91	91	91	91	2	8.5	113	1	1	8	16	16	16	16
75 +																				
ALL AGES	3	37.3	2184	6	8	15	72	91	91	91	4	22.0	309	1	8	22	35	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34	1	23.0		23	23	23	23	23	23	23	1	1.0		1	1	1	1	1	1	1
35-54	6	7.8	67	1	3	4	11	22	23	23	1	10.0		10	10	10	10	10	10	10
55-74	3	14.3	3	13	13	15	15	15	15	15	1	8.0		8	8	8	8	8	8	8
75 +	2	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
ALL AGES	13	9.9	55	3	4	6	15	23	23	23	4	6.0	15	1	3	6	9	10	10	10
SUBTOTAL	**16**	**15.1**	**455**	**3**	**5**	**9**	**15**	**23**	**71**	**91**	**8**	**14.0**	**212**	**1**	**3**	**9**	**22**	**38**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.5	85	4	4	10	17	17	17	17										
25-34	1	26.0		26	26	26	26	26	26	26										
35-54	4	9.8	30	4	5	10	14	15	15	15										
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	8	11.8	58	4	5	11	16	23	26	26										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	18.5	181	9	9	18	28	28	28	28										
35-54	4	2.8	3	1	1	2	4	5	5	5										
55-74	3	28.3	237	19	19	20	39	46	46	46	1	8.0		8	8	8	8	8	8	8
75 +	1	16.0		16	16	16	16	16	16	16	1	8.0		8	8	8	8	8	8	8
ALL AGES	10	14.9	202	1	3	12	20	37	46	46	2	8.0		8	8	8	8	8	8	8
SUBTOTAL	**18**	**13.5**	**134**	**2**	**4**	**11**	**19**	**27**	**39**	**46**	**2**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**34**	**14.2**	**278**	**3**	**5**	**10**	**17**	**26**	**42**	**91**	**10**	**12.8**	**171**	**1**	**5**	**8**	**16**	**35**	**42**	**42**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14	2	5.0	2	4	4	5	6	6	6	6
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	8.8	29	4	4	9	13	14	14	14	3	3.7	6	1	2	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	2	4.0	8	2	2	4	6	6	6	6										
25-34	1	16.0		16	16	16	16	16	16	16	1	7.0		7	7	7	7	7	7	7
35-54	4	8.0	37	2	3	7	13	15	15	15	3	4.7	10	1	2	6	7	7	7	7
55-74	1	4.0		4	4	4	4	4	4	4	4	5.0	10	1	2	5	7	8	8	8
75 +											2	5.5	13	3	3	5	8	8	8	8
ALL AGES	9	7.6	28	2	3	6	12	16	16	16	10	5.2	8	1	3	6	7	8	8	8
SUBTOTAL	**13**	**7.9**	**27**	**2**	**4**	**6**	**13**	**15**	**16**	**16**	**13**	**4.8**	**8**	**1**	**3**	**6**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	3	10.0	63	4	5	7	16	19	19	19										
35-54											4	2.8	1	1	2	3	4	4	4	4
55-74																				
75 +											2	5.0		5	5	5	5	5	5	5
ALL AGES	4	11.5	51	4	5	11	17	19	19	19	6	3.5	2	1	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6	1	5.0		5	5	5	5	5	5	5
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74	2	15.0	2	14	14	15	16	16	16	16	1	3.0		3	3	3	3	3	3	3
75 +	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
ALL AGES	6	8.7	29	2	5	7	14	16	16	16	4	3.0	3	1	1	3	4	5	5	5
SUBTOTAL	**10**	**9.8**	**36**	**3**	**5**	**8**	**16**	**18**	**19**	**19**	**10**	**3.3**	**2**	**1**	**3**	**3**	**5**	**5**	**5**	**5**
GRAND TOTAL	**23**	**8.7**	**31**	**2**	**4**	**7**	**14**	**16**	**17**	**19**	**23**	**4.2**	**5**	**1**	**3**	**4**	**6**	**7**	**8**	**8**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	5.5	41	1	1	5	10	10	10	10										
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1	3	2.0	1	1	1	2	3	3	3	3
ALL AGES	3	4.0	27	1	1	1	8	10	10	10	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	**5**	**4.4**	**16**	**1**	**1**	**3**	**8**	**10**	**10**	**10**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES											3	2.7	4	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
75 +											2	3.0		3	3	3	3	3	3	3
ALL AGES	4	3.8	4	1	2	4	5	6	6	6	3	3.3	1	3	3	3	4	4	4	4
SUBTOTAL	**4**	**3.8**	**4**	**1**	**2**	**4**	**5**	**6**	**6**	**6**	**6**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**9**	**4.1**	**10**	**1**	**1**	**4**	**6**	**9**	**10**	**10**	**9**	**2.7**	**2**	**1**	**2**	**3**	**3**	**5**	**5**	**5**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	7.7	14	5	5	6	10	12	12	12										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	3	8.0	52	2	3	6	13	16	16	16										
55-74	3	11.0	97	3	4	8	18	22	22	22										
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	10	8.4	41	2	4	6	12	19	22	22	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	5	11.2	28	6	8	10	13	20	20	20	1	1.0		1	1	1	1	1	1	1
55-74	4	13.5	396	1	1	5	25	43	43	43	2	4.0	2	3	3	4	5	5	5	5
75 +	2	4.0	8	2	2	4	6	6	6	6	4	3.3	14	1	1	2	5	9	9	9
ALL AGES	12	10.7	129	2	4	8	11	27	41	43	7	3.1	9	1	1	2	4	8	9	9
SUBTOTAL	**22**	**9.6**	**88**	**2**	**4**	**7**	**11**	**21**	**30**	**43**	**9**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	11.5	51	4	5	11	17	19	19	19										
25-34	1	1.0		1	1	1	1	1	1	1	2	6.0	8	4	4	6	8	8	8	8
35-54	3	10.0	93	3	4	6	17	21	21	21	2	5.5	41	1	1	5	10	10	10	10
55-74																				
75 +											2	4.5	1	4	4	4	5	5	5	5
ALL AGES	8	9.6	62	2	3	6	17	20	21	21	6	5.3	11	1	4	5	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	5	12.6	121	2	5	6	24	25	25	25										
35-54	2	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	-	2	2	2
55-74	3	7.3	47	2	3	5	12	15	15	15	1	9.0		9	9	9	9	9	9	9
75 +	2	18.0	392	4	4	18	32	32	32	32										
ALL AGES	13	10.0	108	2	3	5	17	26	31	32	2	5.5	25	2	2	5	9	9	9	9
SUBTOTAL	**21**	**9.9**	**85**	**2**	**3**	**6**	**17**	**24**	**28**	**32**	**8**	**5.4**	**11**	**1**	**3**	**5**	**8**	**10**	**10**	**10**
GRAND TOTAL	**43**	**9.7**	**86**	**2**	**3**	**6**	**14**	**22**	**27**	**43**	**17**	**4.1**	**10**	**1**	**2**	**3**	**6**	**9**	**10**	**10**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES											1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	28.0		28	28	28	28	28	28	28
GRAND TOTAL											1	28.0		28	28	28	28	28	28	28

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	3	2.3	2	1	1	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
18-24	9	3.4	5	1	2	3	5	6	6	6	2	6.0	18	3	3	6	9	9	9	9
25-34	10	3.6	4	1	2	3	4	7	7	7										
35-54	8	4.6	11	1	2	4	7	9	10	10	3	4.7	9	2	2	4	7	8	8	8
55-74	2	10.0	32	6	6	10	14	14	14	14	1	4.0		4	4	4	4	4	4	4
75 +	3	11.7	136	3	4	7	20	25	25	25										
ALL AGES	35	4.7	21	1	2	3	6	8	13	25	7	4.9	6	2	3	4	7	9	9	9
B. FEMALE																					
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	5	7.2	124	1	1	3	10	27	27	27										
18-24	8	3.5	7	1	1	3	6	7	7	7	2	4.5	13	2	2	4	7	7	7	7
25-34	11	8.7	22	4	5	9	11	15	20	20	2	11.5	181	2	2	11	21	21	21	21
35-54	27	6.6	20	2	3	6	10	13	16	18	2	4.5	5	3	3	4	6	6	6	6
55-74	5	20.0	531	6	9	11	24	61	61	61	4	3.8	11	1	1	3	6	8	8	8
75 +	2	2.5	5	1	1	2	4	4	4	4	5	5.6	2	4	5	5	6	8	8	8
ALL AGES	59	7.6	76	1	3	6	10	13	19	58	15	5.6	24	1	2	5	7	8	18	21
SUBTOTAL	**94**	**6.5**	**57**	**1**	**3**	**5**	**7**	**12**	**18**	**46**	**22**	**5.4**	**17**	**2**	**3**	**5**	**7**	**9**	**14**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	3	4.3	6	3	3	3	6	7	7	7										
18-24	12	4.2	8	1	2	3	5	9	11	11	2	1.5	1	1	1	1	2	2	2	2
25-34	21	4.0	10	1	2	3	6	7	10	13	1	3.0		3	3	3	3	3	3	3
35-54	8	6.0	27	2	3	4	7	15	18	18	2	4.5	25	1	1	4	8	8	8	8
55-74	3	3.7	5	1	2	5	5	5	5	5										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	48	4.5	11	1	2	4	6	8	11	18	5	3.0	9	1	1	2	4	8	8	8
B. FEMALE																					
0-12 YRS.																					
13-17	5	9.6	56	2	2	11	15	19	19	19	2	31.5	545	15	15	31	48	48	48	48
18-24	12	7.5	76	1	1	5	8	24	27	28										
25-34	23	6.2	33	1	2	4	10	15	19	22	3	6.0	13	3	3	5	9	10	10	10
35-54	20	4.3	15	1	1	3	6	11	13	14	1	5.0		5	5	5	5	5	5	5
55-74	3	7.0	9	4	5	7	9	10	10	10	1	8.0		8	8	8	8	8	8	8
75 +	1	4.0		4	4	4	4	4	4	4	1	15.0		15	15	15	15	15	15	15
ALL AGES	64	6.1	36	1	2	4	9	14	20	27	8	13.6	214	4	5	9	15	38	48	48
SUBTOTAL	**112**	**5.4**	**26**	**1**	**2**	**4**	**7**	**12**	**17**	**24**	**13**	**9.5**	**157**	**1**	**3**	**5**	**11**	**22**	**43**	**48**
GRAND TOTAL	**206**	**5.9**	**40**	**1**	**2**	**4**	**7**	**12**	**17**	**27**	**35**	**6.9**	**70**	**1**	**3**	**5**	**8**	**15**	**20**	**48**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	25.0	433	1	10	36	37	38	38	38	1	2.0		2	2	2	2	2	2	2
13-17	11	9.4	132	1	2	6	8	31	35	35										
18-24	21	12.6	168	2	5	7	20	41	68	99 +	12	5.9	30	1	1	3	11	14	15	15
25-34	45	9.1	148	2	3	4	10	21	33	67	25	10.8	250	1	3	4	14	22	58	60
35-54	38	10.4	168	1	2	5	15	30	35	60	19	5.4	25	1	2	3	6	15	16	16
55-74	54	10.5	170	2	4	6	13	23	34	80	28	5.7	26	1	2	4	7	15	17	20
75 +	51	8.0	99	2	3	5	8	15	37	51	39	5.5	18	1	3	4	8	12	15	17
ALL AGES	223	10.0	149	2	3	6	11	29	37	71	124	6.6	71	1	2	4	8	15	17	59
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
13-17	10	9.0	84	1	2	4	17	23	25	25	6	18.8	138	2	8	23	27	31	31	31
18-24	12	10.7	114	1	1	8	20	28	29	29	8	4.1	8	1	2	4	6	8	8	8
25-34	44	10.7	159	1	3	5	12	30	40	51	16	4.6	11	1	2	4	7	10	11	12
35-54	67	10.3	73	2	3	7	17	24	27	36	26	5.9	21	2	2	4	7	14	16	16
55-74	87	8.7	52	2	3	7	13	17	25	35	52	5.4	29	1	2	4	7	10	15	32
75 +	94	5.6	16	1	3	5	7	12	14	19	67	5.4	13	2	3	4	7	11	13	17
ALL AGES	315	8.5	67	1	3	6	11	19	27	38	176	5.8	28	1	2	4	7	12	16	30
SUBTOTAL	**538**	**9.1**	**102**	**1**	**3**	**6**	**11**	**21**	**29**	**51**	**300**	**6.1**	**46**	**1**	**2**	**4**	**7**	**13**	**17**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	44.8	75	37	37	43	52	56	56	56										
13-17	7	17.4	456	2	3	7	34	52	54	54	4	22.3	255	1	10	25	34	37	37	37
18-24	27	11.7	182	2	3	7	14	30	39	63	8	12.6	338	2	3	7	11	44	57	57
25-34	40	9.3	206	2	2	5	8	17	54	62	22	7.4	86	1	2	5	7	16	33	41
35-54	38	10.0	160	2	2	5	12	26	41	58	19	6.3	41	1	3	4	7	17	22	25
55-74	24	9.7	91	2	4	7	13	20	36	37	6	7.5	24	1	3	8	11	14	14	14
75 +	16	11.7	341	2	2	6	14	19	60	77	10	4.1	5	1	3	4	5	8	8	8
ALL AGES	156	11.5	218	2	3	6	13	35	49	63	69	8.1	104	1	3	4	8	19	32	54
B. FEMALE																				
0-12 YRS.	1	62.0		62	71	99 +	99 +	99 +	99 +	99 +										
13-17	9	28.2	502	4	6	28	45	60	70	70	4	12.5	114	1	3	13	21	23	23	23
18-24	19	8.9	79	2	3	7	12	20	29	36	5	3.2	6	1	1	3	5	7	7	7
25-34	31	10.3	45	3	5	8	14	22	24	25	15	6.4	25	2	2	5	8	12	18	20
35-54	45	9.2	60	2	4	7	13	17	25	38	12	6.7	17	2	3	6	10	13	13	13
55-74	29	7.1	31	2	3	6	11	18	22	99 +	14	8.8	35	2	4	8	15	17	17	17
75 +	32	13.4	172	3	5	8	16	33	48	53	24	5.5	14	2	3	5	8	10	12	17
ALL AGES	166	11.2	131	2	4	8	14	25	45	99 +	74	6.7	28	1	3	5	10	15	17	22
SUBTOTAL	**322**	**11.3**	**174**	**2**	**3**	**7**	**14**	**28**	**48**	**83**	**143**	**7.4**	**64**	**1**	**3**	**5**	**9**	**16**	**21**	**42**
GRAND TOTAL	**860**	**9.9**	**130**	**2**	**3**	**6**	**13**	**24**	**36**	**63**	**443**	**6.5**	**52**	**1**	**2**	**4**	**8**	**14**	**18**	**37**

INFANTILE AUTISM (299.0)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	29.5	545	13	13	29	46	46	46	46	1	21.0		21	21	21	21	21	21	21
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	1	88.0		88	88	88	88	88	88	88										
35-54																				
55-74																				
75 +																				
ALL AGES	4	37.0	1518	1	7	29	67	88	88	88	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.0		9	9	9	9	9	9	9										
SUBTOTAL	6	27.7	1118	2	9	11	46	84	88	88	1	21.0		21	21	21	21	21	21	21
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
B. FEMALE																				
0-12 YRS.	2	36.0	2	35	35	36	37	37	37	37										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	36.0	2	35	35	36	37	37	37	37										
SUBTOTAL	3	27.7	207	11	17	35	36	37	37	37										
GRAND TOTAL	9	27.7	750	4	9	13	39	71	88	88	1	21.0		21	21	21	21	21	21	21

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	39.5	406	14	18	44	50	65	67	67										
13-17	1	30.0		30	30	30	30	30	30	30										
18-24																				
25-34	1	32.0		32	32	32	32	32	32	32										
35-54																				
55-74																				
75 +																				
ALL AGES	8	37.4	303	15	24	37	48	62	67	67										
B. FEMALE																				
0-12 YRS.	4	38.0	318	14	26	40	49	57	57	57										
13-17	1	21.0		21	21	21	21	21	21	21	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	34.6	296	14	19	39	46	57	57	57	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**13**	**36.3**	**280**	**14**	**20**	**39**	**47**	**59**	**65**	**67**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	31.0	136	14	27	36	43	94	99 +	99 +										
13-17	2	11.0	2	10	10	11	12	12	12	12										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	25.3	185	11	12	30	40	83	99 +	99 +										
B. FEMALE																				
0-12 YRS.	3	42.0	400	22	27	42	57	62	62	62										
13-17	4	21.3	1058	3	4	8	77	99 +	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	30.1	790	3	6	32	66	91	99 +	99 +										
SUBTOTAL	**14**	**27.7**	**456**	**4**	**11**	**30**	**52**	**97**	**99 +**	**99 +**										
GRAND TOTAL	**27**	**31.9**	**372**	**9**	**14**	**34**	**47**	**69**	**99 +**	**99 +**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	16.0	8	14	14	16	18	18	18	18										
13-17																				
18-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	2	16.0	8	14	14	16	18	18	18	18	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	1	27.0		27	27	27	27	27	27	27										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	34.0	98	27	27	34	41	41	41	41										
SUBTOTAL	**4**	**25.0**	**143**	**14**	**16**	**22**	**34**	**41**	**41**	**41**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	2	29.0	578	12	12	29	46	46	46	46										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	29.0	578	12	12	29	46	46	46	46										
SUBTOTAL	**2**	**29.0**	**578**	**12**	**12**	**29**	**46**	**46**	**46**	**46**										
GRAND TOTAL	**6**	**26.3**	**208**	**12**	**14**	**22**	**41**	**45**	**46**	**46**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	2	4.5	25	1	1	4	8	8	8	8	2	1.0		1	1	1	1	1	1	1
18-24	4	16.0	823	1	1	2	31	59	59	59	3	1.7	1	1	1	1	3	3	3	3
25-34	10	2.3	3	1	1	2	3	5	6	6	10	2.4	3	1	1	2	3	5	6	6
35-54	30	3.8	42	1	1	2	3	7	24	29	24	2.6	6	1	1	2	3	5	10	10
55-74	10	4.2	35	1	1	2	3	14	20	20	23	2.4	2	1	2	2	3	4	5	7
75 +	7	3.7	11	1	1	2	6	9	9	9	3	3.3	6	2	2	2	5	6	6	6
ALL AGES	64	4.5	76	1	1	2	4	9	21	55	65	2.4	4	1	1	2	3	5	6	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	3	9.3	209	1	1	1	20	26	26	26
18-24	7	6.1	28	1	2	3	11	14	14	14	7	1.7	2	1	1	1	3	4	4	4
25-34	37	7.5	97	1	1	4	8	19	31	45	13	2.1	1	1	1	2	3	4	4	4
35-54	35	5.7	52	1	1	3	8	15	22	32	47	3.4	22	1	1	2	3	5	12	30
55-74	36	4.8	33	1	1	3	5	16	19	24	46	2.9	5	1	1	2	4	6	7	11
75 +	11	4.8	34	1	2	3	5	14	20	21	28	3.3	16	1	2	2	4	6	8	22
ALL AGES	127	5.9	56	1	1	3	7	17	22	36	144	3.1	16	1	1	2	3	5	7	26
SUBTOTAL	**191**	**5.4**	**63**	**1**	**1**	**2**	**6**	**14**	**22**	**40**	**209**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**6**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	1	32.0		32	32	32	32	32	32	32
18-24	1	1.0		1	1	1	1	1	1	1	6	3.7	19	1	1	2	5	11	12	12
25-34	21	6.2	41	1	2	4	8	15	20	25	8	3.4	2	2	2	3	4	5	5	5
35-54	21	6.2	24	1	3	4	11	13	15	17	16	6.0	81	1	2	3	4	26	29	29
55-74	7	7.1	54	2	2	4	12	19	20	20	7	2.7	3	1	1	2	4	6	6	6
75 +	2	6.0	32	2	2	6	10	10	10	10	1	8.0		8	8	8	8	8	8	8
ALL AGES	53	6.3	32	1	2	4	10	15	17	25	39	5.2	57	1	2	3	5	11	29	32
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	1	46.0		46	46	46	46	46	46	46	4	1.8	1	1	1	1	2	3	3	3
18-24	8	6.1	28	1	2	5	8	15	17	17	3	3.3	3	2	2	3	4	5	5	5
25-34	42	10.2	145	1	2	7	13	24	36	58	21	6.0	38	1	2	5	8	13	20	27
35-54	63	9.7	53	2	4	8	15	18	24	33	29	5.6	65	1	1	2	4	18	22	36
55-74	28	10.9	85	1	3	9	17	22	29	37	23	6.1	78	1	2	4	7	10	28	42
75 +	9	10.7	59	3	5	10	14	23	24	24	8	3.5	10	1	2	3	4	9	11	11
ALL AGES	152	10.3	92	2	3	8	15	22	28	47	88	5.4	51	1	2	3	6	13	20	40
SUBTOTAL	**205**	**9.3**	**79**	**2**	**3**	**7**	**13**	**20**	**25**	**46**	**127**	**5.3**	**53**	**1**	**2**	**3**	**5**	**12**	**22**	**37**
GRAND TOTAL	**396**	**7.4**	**75**	**1**	**2**	**4**	**10**	**18**	**24**	**46**	**336**	**3.8**	**29**	**1**	**1**	**2**	**4**	**7**	**12**	**30**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	4.0	18	1	1	4	7	7	7	7
13-17	1	3.0		3	3	3	3	3	3	3	4	3.5	7	1	1	3	5	7	7	7
18-24	5	2.8	5	1	1	2	4	6	6	6	4	1.8	1	1	1	1	2	3	3	3
25-34	8	10.8	155	1	2	4	18	31	36	36	2	2.5	5	1	1	2	4	4	4	4
35-54	12	3.7	16	1	1	2	3	11	14	14	6	4.3	21	1	2	2	6	12	13	13
55-74	2	1.5	1	1	1	1	2	2	2	2	2	3.5	1	3	3	3	4	4	4	4
75 +	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
ALL AGES	30	5.1	57	1	1	2	4	14	21	36	21	3.3	9	1	1	2	4	7	10	13
B. FEMALE																				
0-12 YRS.	7	9.1	233	1	1	2	11	36	42	42	1	2.0		2	2	2	2	2	2	2
13-17	12	3.7	16	1	1	2	5	10	13	14	9	3.8	47	1	1	1	2	14	22	22
18-24	17	7.6	111	1	2	5	8	17	35	44	6	5.0	17	1	1	4	10	10	10	10
25-34	29	13.5	498	1	2	3	13	34	81	88	14	3.4	8	1	2	3	4	9	10	10
35-54	25	6.8	73	1	3	4	6	19	26	38	23	3.0	6	1	1	2	3	7	9	9
55-74	8	3.6	5	1	2	3	4	7	8	8	8	2.3	4	1	1	2	3	6	7	7
75 +	3	7.7	114	1	1	2	15	20	20	20	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	101	8.4	206	1	2	3	7	21	36	84	63	3.2	12	1	1	2	3	9	10	20
SUBTOTAL	**131**	**7.7**	**172**	**1**	**2**	**3**	**6**	**19**	**34**	**82**	**84**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**10**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	12.3	264	2	2	4	24	31	31	31	1	3.0		3	3	3	3	3	3	3
18-24	5	16.8	354	1	4	5	33	44	44	44	3	3.7	5	1	2	5	5	5	5	5
25-34	13	9.8	227	1	1	3	11	28	49	54	3	17.7	445	4	5	7	33	42	42	42
35-54	7	7.0	66	1	2	3	11	21	23	23	3	1.0		1	1	1	1	1	1	1
55-74											2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	28	10.6	199	1	2	4	16	30	45	54	12	6.3	130	1	1	3	5	17	38	42
B. FEMALE																				
0-12 YRS.											1	49.0		49	49	49	49	49	49	49
13-17	5	14.2	75	1	9	14	22	22	22	22	2	2.5	1	2	2	2	3	3	3	3
18-24	10	14.5	169	3	7	11	15	36	46	46	1	4.0		4	4	4	4	4	4	4
25-34	55	14.1	335	1	3	6	16	43	55	81	14	4.0	7	1	1	4	5	7	9	10
35-54	49	12.2	173	1	3	7	17	34	43	99 +	14	3.4	12	1	1	2	3	9	12	13
55-74	8	6.8	11	3	4	6	10	11	11	11	9	5.4	11	2	3	6	7	10	11	11
75 +	3	5.7	30	2	2	3	10	12	12	12	3	2.3	3	1	1	2	3	4	4	4
ALL AGES	130	12.8	224	2	3	7	15	38	51	85	44	4.9	55	1	2	3	6	9	12	49
SUBTOTAL	**158**	**12.4**	**219**	**1**	**3**	**6**	**15**	**37**	**49**	**80**	**56**	**5.2**	**70**	**1**	**2**	**3**	**5**	**9**	**12**	**49**
GRAND TOTAL	**289**	**10.3**	**202**	**1**	**2**	**4**	**12**	**30**	**43**	**82**	**140**	**4.0**	**35**	**1**	**1**	**2**	**4**	**9**	**10**	**43**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	15.7	39	12	12	12	20	23	23	23										
55-74																				
75 +																				
ALL AGES	5	11.0	66	1	5	12	15	23	23	23	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	3	6.0	48	2	2	2	11	14	14	14										
35-54	4	6.8	43	1	2	5	11	16	16	16	1	4.0		4	4	4	4	4	4	4
55-74	3	8.7	43	3	4	7	14	16	16	16										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	12	6.1	35	1	2	3	11	16	16	16	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**17**	**7.5**	**47**	**1**	**2**	**7**	**13**	**16**	**21**	**23**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	7	7.1	24	1	2	9	10	13	14	14										
35-54											1	10.0		10	10	10	10	10	10	10
55-74	1	6.0		6	6	6	6	6	6	6	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	8	7.0	20	1	3	7	10	13	14	14	2	8.0	8	6	6	8	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	36.0		36	36	36	36	36	36	36										
18-24	2	8.5	61	3	3	8	14	14	14	14										
25-34	5	13.0	57	2	7	15	19	20	20	20	5	8.0	61	2	2	7	11	21	21	21
35-54	4	14.3	66	6	7	13	21	24	24	24	2	14.5	365	1	1	14	28	28	28	28
55-74	5	18.2	74	9	10	17	26	28	28	28										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	18	15.4	83	4	9	14	20	27	33	36	7	9.9	110	1	2	7	18	27	28	28
SUBTOTAL	**26**	**12.8**	**78**	**2**	**6**	**11**	**18**	**26**	**30**	**36**	**9**	**9.4**	**86**	**1**	**2**	**7**	**13**	**25**	**28**	**28**
GRAND TOTAL	**43**	**10.7**	**71**	**1**	**3**	**9**	**16**	**23**	**27**	**36**	**11**	**8.2**	**76**	**1**	**2**	**6**	**9**	**24**	**28**	**28**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17	2	7.5	41	3	3	7	12	12	12	12										
18-24	4	6.0	33	1	1	5	11	11	11	11										
25-34	2	10.5	13	8	8	10	13	13	13	13										
35-54																				
55-74																				
75 +																				
ALL AGES	9	10.1	84	1	2	11	12	24	31	31										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.0	8	6	6	8	10	10	10	10	1	3.0		3	3	3	3	3	3	3
35-54	4	7.8	22	1	4	9	11	12	12	12										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	7	8.7	19	2	6	10	12	14	14	14	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**16**	**9.5**	**53**	**1**	**4**	**10**	**12**	**14**	**26**	**31**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	81.0		81	81	81	81	81	81	81										
13-17																				
18-24																				
25-34	4	6.8	60	1	1	4	12	18	18	18										
35-54	4	9.0	28	4	5	8	13	16	16	16										
55-74																				
75 +																				
ALL AGES	9	16.0	629	1	3	6	16	56	81	81										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	4	13.8	38	5	10	15	18	20	20	20										
55-74	3	10.3	103	4	4	5	18	22	22	22										
75 +	2	9.0	50	4	4	9	14	14	14	14										
ALL AGES	11	10.7	45	4	5	8	15	21	22	22										
SUBTOTAL	**20**	**13.1**	**295**	**3**	**5**	**7**	**16**	**21**	**51**	**81**										
GRAND TOTAL	**36**	**11.5**	**186**	**1**	**5**	**9**	**14**	**20**	**28**	**81**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	22	27.7	194	5	15	30	35	46	51	53	1	1.0		1	1	1	1	1	1	1
13-17	67	21.7	330	4	9	19	28	44	62	88	1	2.0		2	2	2	2	2	2	2
18-24	21	7.0	102	1	2	3	7	20	32	42	5	4.8	13	1	2	5	7	10	10	10
25-34	36	3.9	9	1	2	3	5	8	10	15	4	3.8		3	3	4	4	5	5	5
35-54	49	7.8	46	1	3	6	10	16	25	33	7	8.0	48	1	2	4	15	16	16	16
55-74	18	7.4	18	3	4	7	9	11	17	21	10	3.1	3	1	2	3	5	5	5	5
75 +	3	10.3	61	4	5	8	16	19	19	19	2	4.0		4	4	4	4	4	4	4
ALL AGES	216	13.4	216	2	3	8	20	31	43	71	30	4.6	17	1	2	3	5	12	16	16
B. FEMALE																				
0-12 YRS.	14	25.3	224	5	16	25	34	46	54	56										
13-17	158	18.7	336	3	5	12	25	45	67	84	5	7.6	145	1	1	3	10	29	29	29
18-24	49	7.3	61	1	3	6	9	12	18	49	6	5.5	34	1	1	3	10	14	15	15
25-34	86	6.6	36	1	2	5	9	15	20	27	21	2.9	6	1	1	2	3	5	8	12
35-54	116	8.2	67	1	3	6	10	21	24	41	36	4.4	20	1	2	3	5	10	14	24
55-74	47	10.1	128	1	3	6	13	24	36	53	22	4.4	12	2	2	4	4	9	14	16
75 +	21	11.0	131	2	3	7	14	31	38	42	8	4.6	8	1	3	4	6	9	9	9
ALL AGES	491	12.0	189	2	3	7	15	28	42	72	98	4.3	21	1	2	3	5	9	14	27
SUBTOTAL	**707**	**12.4**	**198**	**2**	**3**	**7**	**16**	**29**	**42**	**72**	**128**	**4.4**	**19**	**1**	**2**	**3**	**5**	**10**	**15**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	88	36.2	208	21	28	35	43	50	58	88										
13-17	165	22.9	345	4	7	19	35	49	59	99 +	5	12.8	195	2	3	8	20	36	36	36
18-24	62	6.4	74	1	2	3	7	15	25	50	9	12.3	176	1	4	7	20	34	42	42
25-34	121	6.2	42	1	2	5	8	11	19	36	8	5.3	31	1	2	4	6	15	18	18
35-54	118	6.4	59	1	2	4	7	16	22	38	17	7.4	61	1	2	4	11	17	25	30
55-74	22	10.6	117	2	3	10	15	20	33	50	6	7.7	52	3	3	5	8	21	22	22
75 +	11	8.1	53	2	3	5	10	21	23	23	3	1.3		1	1	1	2	2	2	2
ALL AGES	587	15.7	284	2	3	8	26	42	49	83	48	8.2	87	1	2	4	9	21	31	42
B. FEMALE																				
0-12 YRS.	36	33.0	236	14	25	32	43	49	62	69										
13-17	215	23.9	326	4	10	20	36	49	58	99	8	14.5	143	3	6	14	26	76	99 +	99 +
18-24	114	8.4	72	2	3	6	11	17	25	46	9	9.9	168	1	2	3	14	33	36	36
25-34	204	8.6	74	1	3	6	12	19	23	43	17	7.2	66	2	2	3	12	20	26	28
35-54	206	9.2	91	1	3	7	13	21	26	46	32	6.0	33	1	2	4	8	15	19	21
55-74	60	10.9	75	2	5	9	15	22	28	42	20	6.9	42	1	3	4	9	19	21	22
75 +	12	9.9	89	2	4	8	11	20	35	37	5	2.8	2	1	2	3	4	5	5	5
ALL AGES	847	13.8	207	2	4	9	18	35	44	67	91	7.4	65	1	2	4	12	21	28	99 +
SUBTOTAL	**1434**	**14.6**	**238**	**2**	**4**	**8**	**21**	**38**	**46**	**68**	**139**	**7.7**	**72**	**1**	**2**	**4**	**11**	**21**	**29**	**99 +**
GRAND TOTAL	**2141**	**13.9**	**225**	**2**	**4**	**8**	**20**	**36**	**45**	**70**	**267**	**6.1**	**50**	**1**	**2**	**3**	**7**	**16**	**21**	**42**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
55-74											1	7.0		7	7	7	7	7	7	7
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	3	7.0	21	3	4	6	10	12	12	12	3	3.7	8	2	2	2	6	7	7	7
SUBTOTAL	**3**	**7.0**	**21**	**3**	**4**	**6**	**10**	**12**	**12**	**12**	**3**	**3.7**	**8**	**2**	**2**	**2**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54											1	4.0		4	4	4	4	4	4	4
55-74											1	2.0		2	2	2	2	2	2	2
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9	3	4.0	4	2	2	4	5	6	6	6
SUBTOTAL	**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**	**4**	**3.5**	**4**	**2**	**2**	**3**	**5**	**6**	**6**	**6**
GRAND TOTAL	**5**	**6.8**	**14**	**3**	**4**	**6**	**10**	**12**	**12**	**12**	**7**	**3.6**	**4**	**2**	**2**	**2**	**5**	**7**	**7**	**7**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	17.5	181	8	8	17	27	27	27	27										
75 +																				
ALL AGES	2	17.5	181	8	8	17	27	27	27	27										
SUBTOTAL	**2**	**17.5**	**181**	**8**	**8**	**17**	**27**	**27**	**27**	**27**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	17.5	181	8	8	17	27	27	27	27										

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	12.0	162	3	3	12	21	21	21	21
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	4	7.0	47	2	2	4	11	17	17	17	1	4.0		4	4	4	4	4	4	4
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	3.0		3	3	3	3	3	3	3	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	7	8.3	39	2	3	6	14	17	17	17	5	7.6	61	2	3	4	11	21	21	21
SUBTOTAL	**8**	**7.8**	**35**	**2**	**3**	**5**	**13**	**16**	**17**	**17**	**5**	**7.6**	**61**	**2**	**3**	**4**	**11**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	7.0	32	3	3	7	11	11	11	11										
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																				
75 +																				
ALL AGES	3	12.7	111	3	5	11	21	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.5	41	6	6	10	15	15	15	15										
25-34	2	5.5	25	2	2	5	9	9	9	9	1	3.0		3	3	3	3	3	3	3
35-54	8	15.8	164	5	7	11	22	38	41	41	2	4.5	13	2	2	4	7	7	7	7
55-74	5	15.2	17	12	12	15	17	22	22	22	2	15.5	365	2	2	15	29	29	29	29
75 +																				
ALL AGES	17	13.8	92	5	8	12	15	28	37	41	5	8.6	134	2	2	3	12	29	29	29
SUBTOTAL	**20**	**13.6**	**91**	**4**	**7**	**12**	**15**	**27**	**35**	**41**	**5**	**8.6**	**134**	**2**	**2**	**3**	**12**	**29**	**29**	**29**
GRAND TOTAL	**28**	**11.9**	**81**	**3**	**5**	**11**	**15**	**23**	**31**	**41**	**10**	**8.1**	**87**	**2**	**2**	**4**	**8**	**25**	**29**	**29**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
13-17	7	12.0	555	1	1	2	8	54	65	65	6	2.0	2	1	1	2	2	5	5	5
18-24	5	3.8	39	1	1	1	5	15	15	15	6	2.0	4	1	1	1	2	6	6	6
25-34	4	1.8	1	1	1	2	2	3	3	3	9	1.3	1	1	1	1	2	3	3	3
35-54	2	3.0	2	2	2	3	4	4	4	4	12	2.2	3	1	1	2	2	4	7	7
55-74	3	4.0	7	2	2	3	6	7	7	7	10	3.3	6	1	1	3	5	7	8	8
75 +	2	4.5	5	3	3	4	6	6	6	6	4	1.8	1	1	1	2	2	3	3	3
ALL AGES	24	5.8	170	1	1	2	4	10	30	65	49	2.1	3	1	1	1	2	5	6	8
B. FEMALE																				
0-12 YRS.	2	6.5	61	1	1	6	12	12	12	12	1	1.0		1	1	1	1	1	1	1
13-17	13	3.3	36	1	1	1	3	8	20	23	16	1.6		1	1	1	2	3	3	3
18-24	5	4.6	17	1	2	2	8	10	10	10	15	1.7	1	1	1	1	2	3	4	4
25-34	4	2.8	8	1	1	2	4	7	7	7	4	3.8	3	1	2	4	5	5	5	5
35-54	5	6.4	88	1	1	3	9	23	23	23	5	3.0	8	1	1	1	5	7	7	7
55-74	6	3.3	3	2	2	3	4	6	6	6	13	4.8	16	1	2	3	9	11	11	11
75 +	11	5.9	18	2	3	4	9	12	15	15	12	4.0	6	1	2	4	6	8	8	8
ALL AGES	46	4.5	27	1	1	3	6	10	17	23	66	2.9	7	1	1	2	4	7	9	11
SUBTOTAL	**70**	**4.9**	**75**	**1**	**1**	**2**	**5**	**10**	**15**	**57**	**115**	**2.6**	**5**	**1**	**1**	**2**	**3**	**6**	**8**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0	8	1	1	2	5	5	5	5										
13-17	10	3.0	2	1	2	3	4	5	5	5	6	5.3	25	1	2	3	10	13	13	13
18-24	20	3.0	7	1	1	2	4	7	9	10	11	2.2	9	1	1	1	2	6	11	11
25-34	37	3.1	8	1	1	2	4	7	9	12	19	2.3	2	1	1	2	3	5	5	5
35-54	39	4.2	39	1	1	2	5	8	17	33	20	2.6	2	1	1	2	3	5	6	7
55-74	6	7.3	48	1	3	5	10	19	20	20	4	2.3	1	1	1	2	3	4	4	4
75 +	4	9.3	30	2	5	10	13	15	15	15	5	9.2	94	1	2	4	16	24	24	24
ALL AGES	118	3.9	21	1	1	2	5	8	11	27	65	3.2	14	1	1	2	3	5	11	22
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	17	6.9	46	1	2	5	11	17	22	24	8	1.9	2	1	1	1	2	4	5	5
18-24	18	2.6	4	1	1	2	4	5	7	8	14	2.0	2	1	1	1	2	4	5	5
25-34	31	4.2	13	1	2	3	6	8	14	15	23	1.8	1	1	1	1	2	4	4	4
35-54	35	5.1	21	1	2	3	7	12	14	22	19	3.1	3	1	1	3	5	6	7	7
55-74	5	4.6	17	1	1	4	7	11	11	11	9	4.0	4	2	2	5	6	6	6	6
75 +	4	11.8	15	8	8	11	15	17	17	17	11	4.5	14	1	2	4	6	10	14	14
ALL AGES	110	4.9	22	1	2	3	6	12	15	23	85	2.7	5	1	1	2	4	5	6	12
SUBTOTAL	**228**	**4.4**	**22**	**1**	**1**	**3**	**6**	**9**	**14**	**24**	**150**	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**7**	**14**
GRAND TOTAL	**298**	**4.5**	**34**	**1**	**1**	**3**	**5**	**10**	**14**	**24**	**265**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24											1	48.0		48	48	48	48	48	48	48
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	4	5.3	61	1	1	1	9	17	17	17	1	48.0		48	48	48	48	48	48	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**5.3**	**61**	**1**	**1**	**1**	**9**	**17**	**17**	**17**	**1**	**48.0**		**48**	**48**	**48**	**48**	**48**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.5	1	11	11	11	12	12	12	12										
25-34	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
35-54	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	5	6.2	25	1	2	4	11	12	12	12	2	4.0	8	2	2	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	83.0		83	83	83	83	83	83	83										
35-54	2	5.5	5	4	4	5	7	7	7	7	1	3.0		3	3	3	3	3	3	3
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	4	25.8	1457	4	5	8	46	83	83	83	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**9**	**14.9**	**666**	**2**	**4**	**7**	**11**	**55**	**83**	**83**	**3**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**6**	**6**
GRAND TOTAL	**13**	**11.9**	**482**	**1**	**2**	**4**	**11**	**30**	**73**	**83**	**4**	**14.8**	**492**	**2**	**2**	**4**	**27**	**48**	**48**	**48**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12	3	25.0	412	3	9	29	39	43	43	43
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	9.3	31	3	5	12	13	13	13	13	3	25.0	412	3	9	29	39	43	43	43
SUBTOTAL	**4**	**7.5**	**34**	**2**	**2**	**7**	**12**	**13**	**13**	**13**	**4**	**19.8**	**382**	**3**	**3**	**16**	**36**	**43**	**43**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	3	29.3	463	15	18	54	99 +	99 +	99 +	99 +										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	5	5.4	7	3	3	5	7	9	9	9										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	12	14.4	306	3	4	8	46	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.	2	46.5	313	34	34	46	59	59	59	59										
13-17	4	17.8	42	12	13	16	22	27	27	27										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	6	5.8	11	3	4	5	7	11	12	12	2	12.5	25	9	9	12	16	16	16	16
35-54	6	3.7	12	1	1	2	5	9	10	10										
55-74																				
75 +																				
ALL AGES	19	11.7	213	1	3	5	14	31	48	59	2	12.5	25	9	9	12	16	16	16	16
SUBTOTAL	**31**	**12.7**	**243**	**1**	**3**	**7**	**18**	**55**	**94**	**99 +**	**2**	**12.5**	**25**	**9**	**9**	**12**	**16**	**16**	**16**	**16**
GRAND TOTAL	**35**	**12.1**	**220**	**1**	**3**	**7**	**16**	**52**	**85**	**99 +**	**6**	**17.3**	**251**	**3**	**4**	**12**	**29**	**42**	**43**	**43**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	6.0	9	3	4	6	8	9	9	9	2	5.0	32	1	1	5	9	9	9	9
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	4	6.0	6	3	4	6	8	9	9	9	3	4.0	19	1	1	2	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	36.0		36	36	36	36	36	36	36										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	5.3	15	1	2	7	8	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	6	11.3	174	1	1	7	15	34	36	36	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**10**	**9.2**	**106**	**1**	**3**	**7**	**9**	**25**	**36**	**36**	**5**	**3.2**	**11**	**1**	**1**	**2**	**4**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24	5	8.8	65	2	3	4	17	19	19	19										
25-34	4	9.5	154	2	2	4	16	28	28	28										
35-54	4	11.8	149	1	1	10	22	26	26	26										
55-74																				
75 +																				
ALL AGES	14	10.2	93	2	2	4	18	26	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	2	10.0	162	1	1	10	19	19	19	19										
35-54																				
55-74	3	6.7	6	4	5	7	8	9	9	9										
75 +																				
ALL AGES	6	7.3	41	1	4	6	9	18	19	19										
SUBTOTAL	**20**	**9.4**	**75**	**1**	**3**	**5**	**17**	**23**	**27**	**28**										
GRAND TOTAL	**30**	**9.3**	**83**	**1**	**3**	**6**	**15**	**23**	**28**	**36**	**5**	**3.2**	**11**	**1**	**1**	**2**	**4**	**9**	**9**	**9**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.5	5	4	4	5	7	7	7	7	1	5.0		5	5	5	5	5	5	5
25-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	5	4.8	4	2	3	5	6	7	7	7	2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	19.0	627	1	1	10	36	55	55	55										
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	7	13.4	363	1	3	6	14	47	55	55	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**12**	**9.8**	**219**	**1**	**3**	**5**	**7**	**28**	**51**	**55**	**4**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	34.5	1625	6	6	34	63	63	63	63	1	2.0		2	2	2	2	2	2	2
18-24	4	5.0	11	3	3	4	7	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	5	2.8	1	2	2	3	3	4	4	4										
35-54	4	3.5	9	1	1	3	6	7	7	7										
55-74																				
75 +																				
ALL AGES	15	7.8	239	1	2	3	6	10	50	63	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	11.0	162	2	2	11	20	20	20	20	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.0	162	2	2	11	20	20	20	20	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**17**	**8.2**	**220**	**1**	**2**	**3**	**6**	**18**	**48**	**63**	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**29**	**8.9**	**212**	**1**	**3**	**4**	**7**	**19**	**55**	**63**	**7**	**2.4**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	41.0		41	41	41	41	41	41	41										
75 +																				
ALL AGES	3	14.7	519	1	1	2	31	41	41	41	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17											1	58.0		58	58	58	58	58	58	58
18-24																				
25-34																				
35-54											1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES											2	33.5	1201	9	9	33	58	58	58	58
SUBTOTAL	3	14.7	519	1	1	2	31	41	41	41	3	23.0	931	2	4	9	46	58	58	58
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	3	4.3	1	4	4	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4										
SUBTOTAL	5	4.0	1	3	3	4	4	5	5	5	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	8	8.0	179	1	2	4	5	30	41	41	4	18.0	721	2	2	6	33	58	58	58

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	2	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	22.0		22	22	22	22	22	22	22
13-17																				
18-24																				
25-34	2	3.0	2	2	2	3	4	4	4	4										
35-54	1	7.0		7	7	7	7	7	7	7	2	8.5	85	2	2	8	15	15	15	15
55-74																				
75 +																				
ALL AGES	3	4.3	7	2	2	4	6	7	7	7	3	13.0	103	2	5	15	20	22	22	22
SUBTOTAL	**6**	**2.8**	**6**	**1**	**1**	**2**	**4**	**7**	**7**	**7**	**4**	**10.3**	**98**	**2**	**2**	**9**	**18**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	4.0		4	4	4	4	4	4	4
35-54	2	2.5	5	1	1	2	4	4	4	4	2	5.0	32	1	1	4	9	9	9	9
55-74																				
75 +																				
ALL AGES	3	2.0	3	1	1	1	3	4	4	4	4	3.8	14	1	1	2	6	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	9.0	98	2	2	9	16	16	16	16										
25-34	4	2.5	2	1	1	2	3	4	4	4	1	4.0		4	4	4	4	4	4	4
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	8	4.1	24	1	2	3	4	12	16	16	2	6.0	8	4	4	6	8	8	8	8
SUBTOTAL	**11**	**3.5**	**19**	**1**	**1**	**2**	**4**	**9**	**15**	**16**	**6**	**4.5**	**12**	**1**	**1**	**4**	**8**	**9**	**9**	**9**
GRAND TOTAL	17	3.3	13	1	1	2	4	6	13	16	10	6.8	48	1	2	4	9	18	22	22

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	2.5	1	2	2	2	3	3	3	3
25-34	2	18.0	32	14	14	18	22	22	22	22										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	13.0	91	3	6	14	20	22	22	22	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	3	9.7	99	2	3	6	17	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	4	8.3	74	2	3	5	13	21	21	21										
SUBTOTAL	**7**	**10.3**	**74**	**2**	**3**	**6**	**19**	**22**	**22**	**22**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	3	6.7	25	2	3	6	10	12	12	12	1	7.0		7	7	7	7	7	7	7
25-34	5	3.6	6	1	2	3	5	7	7	7	2	12.0		12	12	12	12	12	12	12
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	10	4.4	11	1	2	3	6	9	12	12	3	10.3	9	7	8	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	8.7	21	5	5	7	12	14	14	14	2	1.5	1	1	1	1	2	2	2	2
25-34	2	4.5	5	3	3	4	6	6	6	6	1	21.0		21	21	21	21	21	21	21
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	7	8.1	19	3	5	7	12	14	14	14	4	6.3	96	1	1	2	11	21	21	21
SUBTOTAL	**17**	**5.9**	**17**	**2**	**3**	**5**	**7**	**13**	**14**	**14**	**7**	**8.0**	**56**	**1**	**1**	**7**	**12**	**19**	**21**	**21**
GRAND TOTAL	**24**	**7.2**	**35**	**2**	**3**	**5**	**10**	**15**	**21**	**22**	**9**	**6.8**	**48**	**1**	**2**	**3**	**12**	**17**	**21**	**21**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	1	2	2	2	3	3	3	3										
18-24	5	1.4		1	1	1	2	2	2	2										
25-34	5	3.0	6	1	1	3	4	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	3	3.3	5	1	2	4	5	5	5	5										
55-74																				
75 +																				
ALL AGES	15	2.5	3	1	1	2	3	5	6	7	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
SUBTOTAL	**17**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**7**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	51	99 +	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
18-24	12	3.2	4	1	1	3	4	7	7	7										
25-34	7	3.9	14	1	1	1	8	9	9	9	1	11.0		11	11	11	11	11	11	11
35-54	6	1.5		1	1	1	2	2	2	2	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	26	3.0	6	1	1	2	4	8	23	99 +	3	6.0	25	1	2	6	10	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54											1	9.0		9	9	9	9	9	9	9
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	3	6.3	45	2	2	3	11	14	14	14	2	7.0	8	5	5	7	9	9	9	9
SUBTOTAL	**29**	**3.3**	**10**	**1**	**1**	**2**	**4**	**9**	**14**	**99 +**	**5**	**6.4**	**15**	**1**	**4**	**6**	**9**	**11**	**11**	**11**
GRAND TOTAL	**46**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**10**	**99 +**	**6**	**5.5**	**17**	**1**	**1**	**5**	**9**	**11**	**11**	**11**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	39.0	555	12	28	35	47	77	77	77										
13-17	1	2.0		2	2	2	2	2	2	2	1	36.0		36	36	36	36	36	36	36
18-24	10	3.0	6	1	1	2	5	7	8	8	2	1.0		1	1	1	1	1	1	1
25-34	16	5.2	54	1	1	3	5	13	25	30	1	5.0		5	5	5	5	5	5	5
35-54	9	4.9	20	1	1	4	7	12	13	13										
55-74	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	42	8.5	209	1	1	3	6	31	36	77	5	8.8	234	1	1	1	13	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	6	27.2	1118	2	5	15	76	97	99 +	99 +	2	6.0	8	4	4	6	8	8	8	8
18-24	32	9.9	156	1	2	5	12	36	37	49	3	20.0	1083	1	1	1	44	58	58	58
25-34	39	6.8	50	1	2	4	9	16	24	29	5	7.4	85	1	1	1	15	21	21	21
35-54	19	7.0	34	2	3	5	9	16	20	22	3	2.7	4	1	1	2	4	5	5	5
55-74	2	4.0	18	1	1	4	7	7	7	7										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	99	9.0	156	1	3	5	11	21	37	92	13	9.0	253	1	1	2	9	28	52	58
SUBTOTAL	**141**	**8.9**	**170**	**1**	**2**	**4**	**10**	**24**	**36**	**86**	**18**	**8.9**	**235**	**1**	**1**	**2**	**8**	**31**	**49**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	53.6	1247	14	28	68	91	99	99 +	99 +										
13-17	9	14.9	360	2	4	6	17	47	61	61	1	8.0		8	8	8	8	8	8	8
18-24	12	8.3	43	1	4	6	12	19	21	21	4	12.0	109	1	5	10	19	26	26	26
25-34	32	5.1	17	1	2	3	10	11	12	15	4	12.5	170	1	1	11	23	27	27	27
35-54	19	5.5	42	1	1	3	6	17	21	23	4	9.8	46	6	6	7	13	20	20	20
55-74	2	8.0	50	3	3	8	13	13	13	13										
75 +																				
ALL AGES	79	9.9	265	1	2	5	11	22	55	97	13	11.2	83	1	5	8	20	26	27	27
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	9	13.4	398	1	3	5	23	81	99 +	99 +	1	21.0		21	21	21	21	21	21	21
18-24	40	8.1	123	1	3	4	7	18	35	54	7	2.7	3	1	1	2	4	5	5	5
25-34	70	7.5	47	2	3	5	10	17	24	31	8	5.3	14	1	2	4	8	11	12	12
35-54	51	5.4	30	1	3	4	7	11	13	35	9	10.2	35	3	5	10	14	18	20	20
55-74	3	6.3	11	4	4	5	9	10	10	10										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	175	7.4	75	1	3	4	9	17	24	60	25	7.0	34	1	2	5	11	15	20	21
SUBTOTAL	**254**	**8.2**	**134**	**1**	**3**	**4**	**10**	**18**	**28**	**91**	**38**	**8.4**	**54**	**1**	**2**	**6**	**12**	**20**	**24**	**27**
GRAND TOTAL	**395**	**8.4**	**147**	**1**	**2**	**4**	**10**	**19**	**34**	**90**	**56**	**8.6**	**108**	**1**	**2**	**5**	**12**	**21**	**27**	**57**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	44.0		44	44	44	44	44	44	44										
18-24	4	4.0	23	1	1	2	7	11	11	11	1	32.0		32	32	32	32	32	32	32
25-34	3	8.0	61	3	3	4	14	17	17	17	1	3.0		3	3	3	3	3	3	3
35-54	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74	1	1.0		1	1	1	1	1	1	1	1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	10	8.9	179	1	1	3	11	30	44	44	4	12.5	194	2	2	8	22	32	32	32
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	6	5.3	36	1	2	3	5	16	17	17										
25-34	4	4.0	9	1	2	3	6	8	8	8	1	10.0		10	10	10	10	10	10	10
35-54	2	8.0	2	7	7	8	9	9	9	9	1	6.0		6	6	6	6	6	6	6
55-74	2	8.5	113	1	1	8	16	16	16	16	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	14	5.8	27	1	2	4	8	16	17	17	4	5.3	12	2	2	4	8	10	10	10
SUBTOTAL	**24**	**7.1**	**88**	**1**	**2**	**4**	**8**	**17**	**25**	**44**	**8**	**8.9**	**103**	**2**	**2**	**5**	**11**	**26**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	32.3	869	3	11	27	53	72	72	72	1	1.0		1	1	1	1	1	1	1
18-24	5	4.4	12	1	1	5	7	9	9	9										
25-34	7	3.4	2	1	3	3	5	5	5	5	1	16.0		16	16	16	16	16	16	16
35-54	7	3.0	8	1	1	2	6	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	23	8.5	248	1	1	3	7	22	48	72	3	6.3	71	1	1	2	12	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	4	11.3	113	3	5	7	17	27	27	27										
18-24	7	2.1	5	1	1	1	2	6	7	7	1	21.0		21	21	21	21	21	21	21
25-34	8	5.0	95	1	1	2	3	21	29	29	4	6.0	19	2	3	5	9	12	12	12
35-54	4	6.8	25	1	3	6	10	13	13	13	1	25.0		25	25	25	25	25	25	25
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	24	5.3	59	1	1	2	7	14	28	29	7	10.4	86	2	3	6	19	24	25	25
SUBTOTAL	**47**	**6.9**	**150**	**1**	**1**	**3**	**7**	**18**	**30**	**72**	**10**	**9.2**	**77**	**1**	**2**	**5**	**16**	**23**	**25**	**25**
GRAND TOTAL	**71**	**7.0**	**127**	**1**	**1**	**3**	**7**	**17**	**29**	**66**	**18**	**9.1**	**82**	**2**	**2**	**5**	**13**	**24**	**29**	**32**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.0	128	1	1	9	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**9.0**	**128**	**1**	**1**	**9**	**17**	**17**	**17**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	14.0		14	14	14	14	14	14	14
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	**2**	**17.5**	**221**	**7**	**7**	**17**	**28**	**28**	**28**	**28**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
GRAND TOTAL	**4**	**13.3**	**138**	**1**	**4**	**12**	**22**	**28**	**28**	**28**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	1	6.0		6	6	6	6	6	6	6	4	2.8	1	2	2	3	3	4	4	4
35-54	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	2	3.5	13	1	1	3	6	6	6	6	6	3.5	2	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											5	9.0		9	9	9	9	9	9	9
25-34											42	7.5	9	2	9	9	9	9	9	9
35-54											39	7.4	9	2	9	9	9	9	9	10
55-74											2	9.5	1	9	9	9	10	10	10	10
75 +																				
ALL AGES											88	7.6	8	2	9	9	9	9	9	10
SUBTOTAL	2	3.5	13	1	1	3	6	6	6	6	**94**	**7.3**	**9**	**2**	**5**	**9**	**9**	**9**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	3.5	13	1	1	3	6	6	6	6	94	7.3	9	2	5	9	9	9	9	10

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	2.0	2	1	1	2	3	3	3	3
55-74	5	2.6	1	2	2	2	3	4	4	4	11	2.5	3	1	1	2	3	5	7	7
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	5	2.6	1	2	2	2	3	4	4	4	14	2.6	3	1	1	2	3	5	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	5	2.6	1	2	2	2	3	4	4	4	14	2.6	3	1	1	2	3	5	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	5	2.6	1	2	2	2	3	4	4	4	16	2.4	3	1	1	2	3	5	6	7

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	4	1.8	2	1	1	1	3	4	4	4	4	1.3		1	1	1	2	2	2	2
18-24	10	4.8	53	1	1	2	5	15	25	25	11	4.9	68	1	1	2	5	15	28	29
25-34	41	4.1	30	1	1	2	4	11	17	28	35	5.3	72	1	1	2	4	24	29	30
35-54	114	5.2	51	1	2	3	5	10	27	33	88	5.4	65	1	2	2	5	19	28	36
55-74	49	7.2	67	1	2	4	8	21	27	37	62	5.0	36	1	2	3	5	9	23	27
75 +	12	6.5	59	1	2	4	7	18	27	28	11	3.7	10	1	1	2	6	8	11	11
ALL AGES	231	5.4	51	1	2	3	5	14	26	33	212	5.1	53	1	1	2	5	11	27	31
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	2	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
18-24	8	1.6	3	1	1	1	1	5	6	6	8	1.3		1	1	1	2	2	2	2
25-34	10	2.8	3	1	1	3	4	5	6	6	19	3.8	28	1	1	2	4	9	17	23
35-54	17	2.5	4	1	1	2	3	6	7	7	31	3.7	25	1	1	2	4	6	11	28
55-74	21	4.1	19	1	2	3	5	7	14	21	36	5.9	41	1	2	3	7	20	22	23
75 +	5	5.0	3	4	4	4	6	8	8	8										
ALL AGES	63	3.1	9	1	1	2	4	6	7	19	97	4.3	30	1	1	2	5	10	21	26
SUBTOTAL	**294**	**4.9**	**43**	**1**	**2**	**3**	**5**	**9**	**23**	**31**	**309**	**4.8**	**46**	**1**	**1**	**2**	**5**	**11**	**23**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	10	8.4	184	1	1	3	8	29	45	45	5	21.0	311	2	3	27	34	41	41	41
18-24	31	8.2	87	1	2	4	9	26	27	29	32	15.5	121	2	4	18	24	28	33	37
25-34	145	8.6	110	1	2	4	8	29	30	32	135	11.5	115	1	2	5	21	28	31	35
35-54	275	8.5	95	1	2	4	10	28	30	34	287	10.2	101	2	3	4	21	27	28	35
55-74	136	9.3	77	2	3	6	12	22	29	35	130	8.9	84	2	3	5	11	25	28	38
75 +	25	8.6	68	1	2	7	12	21	24	32	11	8.2	25	2	3	9	10	16	18	18
ALL AGES	622	8.7	93	1	2	4	11	27	30	34	600	10.5	105	2	3	5	21	27	29	37
B. FEMALE																				
0-12 YRS.																				
13-17	7	5.4	5	2	4	5	7	9	9	9	5	8.6	162	1	2	2	13	31	31	31
18-24	11	4.3	69	1	1	1	3	15	28	29	11	7.4	74	1	1	5	7	23	27	27
25-34	52	7.8	75	1	2	4	9	23	29	30	49	12.7	116	1	3	10	23	28	28	33
35-54	92	8.5	103	1	2	3	11	28	29	33	103	9.7	98	1	2	4	21	24	27	33
55-74	55	8.1	62	1	2	5	10	20	28	30	53	10.0	102	2	3	5	17	28	30	41
75 +	2	3.5	13	1	1	3	6	6	6	6	10	5.2	18	1	2	4	7	12	15	15
ALL AGES	219	7.9	80	1	2	4	9	27	29	30	231	10.1	100	1	2	5	21	26	28	33
SUBTOTAL	**841**	**8.5**	**90**	**1**	**2**	**4**	**10**	**27**	**29**	**33**	**831**	**10.4**	**103**	**1**	**3**	**5**	**21**	**27**	**29**	**36**
GRAND TOTAL	**1135**	**7.6**	**80**	**1**	**2**	**4**	**8**	**25**	**29**	**32**	**1140**	**8.9**	**94**	**1**	**2**	**4**	**14**	**26**	**28**	**34**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	17	33.6	65	21	30	34	38	44	47	49	13	24.5	264	2	10	28	31	52	52	52
18-24	51	20.2	98	3	13	24	27	30	35	36	59	16.9	130	2	3	21	28	29	29	30
25-34	188	20.6	132	3	10	25	28	32	35	44	243	16.9	130	2	4	21	28	29	29	33
35-54	431	18.5	126	2	6	22	28	31	34	37	478	16.0	131	2	4	20	28	29	30	32
55-74	202	19.3	108	4	8	22	28	30	33	37	265	12.2	109	1	3	9	21	28	29	32
75 +	22	14.0	98	4	6	9	25	27	30	32	28	10.5	58	3	4	10	14	20	28	31
ALL AGES	911	19.4	123	3	7	23	28	31	34	38	1086	15.3	129	2	3	15	28	29	30	33
B. FEMALE																				
0-12 YRS.																				
13-17	24	29.0	276	1	15	34	41	48	51	57	5	19.4	147	1	10	26	28	29	29	29
18-24	12	19.3	193	2	4	25	30	35	37	37	15	14.9	162	1	3	10	28	29	32	33
25-34	55	17.5	133	2	5	21	28	30	31	36	62	16.4	110	2	4	20	28	29	30	31
35-54	150	15.6	129	2	4	18	27	28	30	36	135	17.9	120	3	5	21	28	29	30	33
55-74	100	16.9	106	3	6	21	26	29	31	35	123	17.3	115	2	6	20	28	29	31	33
75 +	10	18.0	148	2	5	22	28	31	32	32	14	12.9	131	1	3	8	22	28	32	33
ALL AGES	351	17.4	143	2	5	21	28	31	35	45	354	17.1	119	2	4	20	28	29	30	33
SUBTOTAL	**1262**	**18.8**	**131**	**3**	**6**	**22**	**28**	**31**	**34**	**40**	**1440**	**15.7**	**128**	**2**	**4**	**16**	**28**	**29**	**30**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	58	99+	99+	99+	99+	1	3.0		3	3	3	3	3	3	3
13-17	125	31.6	210	12	21	34	43	45	54	69	103	28.9	197	9	20	28	40	45	55	60
18-24	138	19.8	118	3	10	23	28	30	34	43	147	19.2	89	3	15	21	28	29	31	38
25-34	415	18.4	115	3	7	21	28	29	32	39	371	19.1	101	3	9	21	28	29	30	38
35-54	453	17.3	123	2	5	20	28	29	32	41	344	15.5	105	2	4	19	23	28	29	34
55-74	176	15.4	115	3	5	14	25	30	32	41	99	13.3	89	3	4	13	21	27	29	32
75 +	19	14.2	85	3	5	14	21	28	29	29	7	10.0	153	2	2	4	16	31	34	34
ALL AGES	1327	18.9	146	3	7	21	28	31	37	50	1072	18.3	124	3	7	21	28	29	33	45
B. FEMALE																				
0-12 YRS.																				
13-17	76	30.7	244	10	21	33	44	45	53	75	60	27.6	192	6	20	27	41	44	50	57
18-24	56	18.1	138	2	5	22	28	30	32	44	59	19.5	70	3	15	21	26	28	29	30
25-34	158	17.7	136	2	5	21	27	30	32	39	161	18.3	104	3	6	21	28	29	31	36
35-54	169	17.6	128	3	5	21	28	29	32	40	114	16.4	137	3	4	20	28	30	31	41
55-74	72	16.7	120	2	6	19	25	28	33	45	58	15.6	109	2	5	18	23	30	31	36
75 +	17	12.5	47	5	5	12	17	21	24	26	6	13.7	174	2	2	11	28	29	29	29
ALL AGES	548	19.2	166	3	6	22	28	33	41	52	458	18.8	133	3	6	21	28	30	36	45
SUBTOTAL	**1875**	**19.0**	**151**	**3**	**7**	**21**	**28**	**32**	**38**	**50**	**1530**	**18.4**	**129**	**3**	**6**	**21**	**28**	**30**	**34**	**45**
GRAND TOTAL	**3137**	**18.9**	**144**	**3**	**6**	**21**	**28**	**32**	**36**	**46**	**2970**	**17.1**	**130**	**2**	**4**	**20**	**28**	**29**	**31**	**43**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	10.7	79	5	5	6	17	21	21	21	5	7.0	66	1	2	5	10	21	21	21
25-34	17	10.5	91	1	3	6	20	25	28	30	22	12.4	95	1	3	11	18	28	29	29
35-54	22	9.0	48	2	4	7	12	20	23	26	24	12.8	198	2	3	6	21	30	48	55
55-74	4	16.8	79	5	10	18	23	26	26	26	3	5.7	52	1	1	2	11	14	14	14
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	46	10.3	69	2	4	7	19	23	26	30	55	11.7	134	1	3	7	18	28	29	54
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	5	4.6	1	3	4	5	5	6	6	6
25-34	17	13.0	165	1	2	7	27	30	35	37	11	16.6	125	1	7	21	27	28	28	28
35-54	17	15.1	82	3	6	15	22	26	29	30	9	12.2	234	1	2	4	24	37	43	43
55-74	4	8.0	7	4	6	9	10	10	10	10	7	6.7	75	1	3	4	6	22	26	26
75 +																				
ALL AGES	39	13.2	111	2	4	9	22	28	31	37	32	11.3	138	1	3	5	24	27	28	43
SUBTOTAL	**85**	**11.6**	**90**	**2**	**4**	**7**	**21**	**26**	**28**	**35**	**87**	**11.6**	**133**	**1**	**3**	**6**	**20**	**28**	**29**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	10	10.0	78	3	5	6	10	26	29	29	3	12.7	179	3	4	7	23	28	28	28
25-34	49	14.4	116	3	4	9	25	29	30	32	54	12.9	130	1	3	6	22	30	32	39
35-54	56	8.9	70	2	4	6	9	25	28	32	39	10.0	87	2	4	6	13	27	30	31
55-74	8	13.0	123	3	4	7	24	29	29	29	4	12.8	51	6	7	11	18	22	22	22
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	124	11.6	95	3	4	7	22	28	29	32	100	11.7	112	2	3	6	21	28	31	37
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-24	12	10.0	74	2	5	7	13	25	28	29	4	14.5	132	4	5	13	24	28	28	28
25-34	53	12.4	122	3	5	7	20	28	35	43	20	12.3	95	2	4	12	20	24	31	36
35-54	51	9.8	86	3	4	5	13	27	29	41	13	12.9	96	3	4	12	20	28	30	30
55-74	4	23.0	129	6	17	28	29	30	30	30	4	9.3	76	2	2	7	16	21	21	21
75 +																				
ALL AGES	121	11.5	105	3	4	7	18	28	30	43	41	12.4	91	3	4	12	20	27	29	36
SUBTOTAL	**245**	**11.5**	**101**	**3**	**4**	**7**	**20**	**28**	**29**	**41**	**141**	**11.9**	**105**	**2**	**4**	**7**	**21**	**28**	**31**	**36**
GRAND TOTAL	**330**	**11.5**	**98**	**3**	**4**	**7**	**20**	**28**	**29**	**38**	**228**	**11.8**	**115**	**2**	**3**	**7**	**21**	**28**	**30**	**43**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	23.0	8	21	21	23	25	25	25	25	4	13.8	94	6	7	10	20	28	28	28
35-54											1	10.0		10	10	10	10	10	10	10
55-74	1	12.0		12	12	12	12	12	12	12	4	12.5	126	1	3	12	22	24	24	24
75 +																				
ALL AGES	4	15.5	88	4	8	16	23	25	25	25	9	12.8	84	3	6	10	21	26	28	28
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	5	7.6	16	3	4	7	11	13	13	13	1	6.0		6	6	6	6	6	6	6
35-54	3	17.3	334	1	4	14	31	37	37	37	3	15.7	159	6	7	11	25	30	30	30
55-74	8	21.4	406	2	7	17	28	55	64	64	3	9.3	35	5	5	7	14	16	16	16
75 +	2	2.5	5	1	1	2	4	4	4	4	2	4.5	25	1	1	4	8	8	8	8
ALL AGES	18	14.8	264	1	3	11	21	36	53	64	11	8.8	66	2	4	6	10	22	29	30
SUBTOTAL	**22**	**14.9**	**228**	**2**	**4**	**12**	**21**	**34**	**48**	**64**	**20**	**10.6**	**74**	**2**	**5**	**7**	**14**	**26**	**29**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	12.0	63	6	7	9	18	21	21	21										
25-34	6	14.5	95	1	6	16	23	25	25	25	7	8.7	28	4	4	8	13	17	17	17
35-54	19	16.1	116	3	7	14	28	29	30	30	9	15.3	162	3	4	11	28	32	34	34
55-74	2	25.5	25	22	22	25	29	29	29	29	5	14.2	187	1	5	6	28	30	30	30
75 +	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
ALL AGES	31	15.6	103	3	6	14	26	29	30	30	22	12.6	115	3	4	7	21	29	32	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	33.0		33	33	33	33	33	33	33										
25-34	14	14.9	74	5	8	14	23	27	28	29	10	16.8	145	5	7	12	31	34	36	36
35-54	28	16.3	151	2	5	15	27	30	37	45	14	13.5	111	3	5	8	22	28	30	31
55-74	15	23.9	149	8	14	24	29	43	47	49	7	15.3	136	4	5	9	26	31	32	32
75 +	2	21.0	98	14	14	21	28	28	28	28	2	9.5	41	5	5	9	14	14	14	14
ALL AGES	60	18.3	139	3	8	17	28	30	39	49	33	14.6	118	4	5	9	24	31	32	36
SUBTOTAL	**91**	**17.4**	**127**	**3**	**8**	**16**	**27**	**29**	**33**	**47**	**55**	**13.8**	**115**	**4**	**5**	**8**	**23**	**31**	**32**	**36**
GRAND TOTAL	**113**	**16.9**	**146**	**3**	**7**	**14**	**26**	**30**	**36**	**55**	**75**	**13.0**	**104**	**3**	**5**	**8**	**21**	**30**	**31**	**35**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-17	1	33.0		33	33	33	33	33	33	33	5	8.0	144	1	1	2	12	29	29	29
18-24	31	15.6	133	2	3	18	27	29	31	34	44	17.8	98	3	9	20	28	28	29	29
25-34	74	15.9	137	2	3	18	28	29	30	35	70	20.3	97	3	14	22	28	29	30	32
35-54	15	13.8	113	2	5	12	26	29	29	29	31	16.0	112	3	4	19	27	29	29	29
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	122	16.0	139	2	3	16	28	29	32	39	151	18.2	106	2	7	21	28	29	29	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	21	15.0	204	1	2	16	24	34	45	46	16	17.1	134	1	4	19	28	29	30	30
25-34	32	14.2	130	2	2	13	25	28	29	30	36	16.9	125	3	3	20	28	29	29	32
35-54	8	18.4	166	2	5	22	28	33	35	35	9	21.2	115	3	17	26	28	30	30	30
55-74																				
75 +																				
ALL AGES	62	14.8	157	2	2	15	25	29	32	46	61	17.6	123	2	3	21	28	29	30	32
SUBTOTAL	**184**	**15.6**	**145**	**2**	**3**	**16**	**27**	**29**	**32**	**45**	**212**	**18.0**	**111**	**2**	**6**	**21**	**28**	**29**	**29**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	19.4	661	1	3	11	27	60	82	82	8	16.1	174	2	6	12	27	35	38	38
18-24	87	17.6	144	2	4	18	28	31	32	42	87	18.5	124	2	7	21	28	29	31	43
25-34	230	18.8	116	2	6	23	28	29	30	39	170	17.4	110	2	5	21	28	29	29	30
35-54	73	16.0	110	3	4	18	26	28	30	31	52	18.9	92	3	14	21	28	29	30	33
55-74	3	18.3	194	3	8	22	28	30	30	30	1	25.0		25	25	25	25	25	25	25
75 +																				
ALL AGES	402	18.0	134	2	5	22	28	29	31	40	318	17.9	113	2	7	21	28	29	30	35
B. FEMALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17	11	23.4	300	4	6	18	42	47	48	48	6	33.3	168	14	27	35	44	45	45	45
18-24	48	14.1	108	3	4	14	24	28	29	35	26	20.2	106	4	13	22	27	30	33	45
25-34	88	15.2	122	3	5	14	27	29	30	34	57	17.8	112	2	5	21	28	29	29	30
35-54	19	12.6	121	2	4	9	21	27	35	41	9	8.9	132	2	3	5	8	28	38	38
55-74																				
75 +																				
ALL AGES	166	15.1	133	3	5	13	26	29	32	46	99	18.5	133	3	5	21	28	29	35	45
SUBTOTAL	**568**	**17.2**	**134**	**2**	**5**	**19**	**28**	**29**	**31**	**42**	**417**	**18.1**	**115**	**2**	**6**	**21**	**28**	**29**	**30**	**43**
GRAND TOTAL	**752**	**16.8**	**137**	**2**	**4**	**18**	**27**	**29**	**31**	**43**	**629**	**18.0**	**116**	**2**	**6**	**21**	**28**	**29**	**30**	**39**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	23	24.6	184	4	14	22	36	40	45	47	9	20.7	182	3	4	29	30	34	35	35
18-24	5	23.0	37	16	17	26	27	29	29	29	6	27.2	70	17	21	27	28	41	42	42
25-34	3	18.7	232	1	7	27	28	28	28	28	8	22.5	102	7	19	22	29	34	36	36
35-54	3	22.0	127	9	14	28	29	29	29	29	7	22.7	102	4	21	28	29	29	29	29
55-74																				
75 +																				
ALL AGES	34	23.6	153	4	15	26	35	39	43	47	30	22.9	116	3	20	27	29	34	36	42
B. FEMALE																				
0-12 YRS.																				
13-17	2	39.5	41	35	35	39	44	44	44	44	1	29.0		29	29	29	29	29	29	29
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	10.0	133	1	2	6	19	23	23	23	3	28.0	1	27	27	28	29	29	29	29
35-54																				
55-74																				
75 +																				
ALL AGES	6	19.2	310	1	6	15	35	43	44	44	4	28.3	3	27	27	28	29	29	29	29
SUBTOTAL	**40**	**22.9**	**174**	**3**	**13**	**24**	**35**	**39**	**44**	**47**	**34**	**23.6**	**101**	**3**	**21**	**28**	**29**	**33**	**36**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	32.0		32	32	32	32	32	32	32
13-17	73	34.9	268	11	26	35	44	55	62	77	61	30.4	137	16	21	30	40	45	47	58
18-24	30	25.3	131	9	19	28	30	38	44	52	27	23.6	102	5	21	28	29	34	37	42
25-34	22	20.3	126	3	9	27	28	29	33	39	18	25.1	25	17	22	27	28	30	30	30
35-54	7	22.4	89	8	16	26	27	33	34	34	4	29.5	30	22	26	30	33	35	35	35
55-74																				
75 +																				
ALL AGES	132	29.6	239	8	19	29	39	48	57	70	111	27.9	111	16	21	28	34	42	45	54
B. FEMALE																				
0-12 YRS.											1	41.0		41	41	41	41	41	41	41
13-17	16	28.3	207	9	17	32	35	45	54	58	15	32.7	97	21	24	32	38	46	53	56
18-24	3	15.3	128	3	7	18	23	25	25	25	3	11.0	217	2	2	3	22	28	28	28
25-34	6	26.7	42	15	28	28	28	33	34	34	3	32.7	7	29	30	34	35	35	35	35
35-54	2	13.0	98	6	6	13	20	20	20	20	3	25.3	24	20	22	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	27	25.3	174	7	16	28	33	39	48	58	25	29.6	132	20	23	31	36	41	48	56
SUBTOTAL	**159**	**28.9**	**228**	**8**	**18**	**28**	**37**	**47**	**56**	**68**	**136**	**28.2**	**115**	**16**	**21**	**28**	**34**	**42**	**45**	**56**
GRAND TOTAL	**199**	**27.7**	**221**	**6**	**17**	**28**	**36**	**45**	**53**	**68**	**170**	**27.3**	**114**	**15**	**21**	**28**	**33**	**41**	**45**	**55**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											3	24.3	372	7	10	21	39	45	45	45
18-24	9	25.0	68	12	25	28	30	30	30	30	16	11.7	77	2	4	8	20	21	27	30
25-34	4	10.8	157	1	2	6	19	29	29	29	34	14.4	126	3	4	11	28	30	33	33
35-54	3	22.7	23	18	19	22	26	28	28	28	7	16.9	195	1	2	21	29	32	32	32
55-74																				
75 +																				
ALL AGES	16	21.0	109	4	13	26	29	30	30	30	60	14.5	129	2	4	11	22	30	32	44
B. FEMALE																				
0-12 YRS.																				
13-17											2	6.5	13	4	4	6	9	9	9	9
18-24	2	31.0	8	29	29	31	33	33	33	33	15	17.9	127	3	4	21	28	28	30	30
25-34	4	11.5	130	3	4	7	19	28	28	28	10	13.9	133	2	3	13	26	27	28	28
35-54	4	9.0	178	2	2	3	16	29	29	29	2	24.5	25	21	21	24	28	28	28	28
55-74																				
75 +																				
ALL AGES	10	14.4	181	2	3	7	29	31	33	33	29	16.2	122	3	4	21	27	28	28	30
SUBTOTAL	**26**	**18.5**	**140**	**2**	**4**	**24**	**29**	**30**	**31**	**33**	**89**	**15.0**	**128**	**2**	**4**	**14**	**27**	**30**	**32**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.5	113	2	2	9	17	17	17	17	4	22.3	139	6	13	25	31	33	33	33
18-24	28	21.8	121	3	14	25	28	30	33	47	19	18.7	151	1	4	21	28	33	36	38
25-34	38	14.7	131	1	3	14	27	29	30	31	38	14.4	111	2	4	14	23	28	32	37
35-54	12	16.2	112	5	7	12	28	30	31	31	9	15.0	116	3	5	11	26	28	28	28
55-74																				
75 +																				
ALL AGES	80	17.3	131	2	5	19	28	30	31	42	70	16.1	124	2	4	17	26	30	33	38
B. FEMALE																				
0-12 YRS.																				
13-17	4	26.3	705	2	3	24	49	54	54	54	3	36.3	69	29	30	35	42	45	45	45
18-24	20	17.6	165	3	4	24	28	30	35	40	10	19.0	150	3	7	23	28	33	37	37
25-34	32	12.3	113	2	4	6	23	29	30	30	21	15.8	153	2	3	18	27	30	35	40
35-54	6	17.8	76	5	11	20	25	26	26	26	5	16.4	127	2	7	18	24	31	31	31
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	63	15.3	163	2	4	10	27	30	34	53	39	18.3	162	2	4	21	28	33	39	45
SUBTOTAL	**143**	**16.4**	**146**	**2**	**5**	**15**	**28**	**30**	**31**	**47**	**109**	**16.9**	**137**	**2**	**4**	**20**	**28**	**31**	**35**	**42**
GRAND TOTAL	**169**	**16.7**	**146**	**2**	**5**	**18**	**28**	**30**	**30**	**46**	**198**	**16.1**	**131**	**2**	**4**	**16**	**27**	**30**	**33**	**42**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	6.0	50	1	1	6	11	11	11	11
18-24											1	28.0		28	28	28	28	28	28	28
25-34											1	28.0		28	28	28	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES											4	17.0	178	1	6	19	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	13.0		13	13	13	13	13	13	13
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	13.0		13	13	13	13	13	13	13
SUBTOTAL											**5**	**16.2**	**137**	**1**	**8**	**13**	**28**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	36.0		36	36	36	36	36	36	36
18-24	3	22.7	420	3	7	21	38	44	44	44	3	17.3	144	4	8	21	25	27	27	27
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	17.3	397	1	2	12	32	44	44	44	4	22.0	182	4	12	24	31	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	3	44.0		44	44	44	44	44	44	44										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	44.0		44	44	44	44	44	44	44										
SUBTOTAL	**7**	**28.7**	**405**	**1**	**7**	**44**	**44**	**44**	**44**	**44**	**4**	**22.0**	**182**	**4**	**12**	**24**	**31**	**36**	**36**	**36**
GRAND TOTAL	**7**	**28.7**	**405**	**1**	**7**	**44**	**44**	**44**	**44**	**44**	**9**	**18.8**	**145**	**2**	**9**	**21**	**28**	**33**	**36**	**36**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17	3	18.3	242	7	8	12	30	36	36	36										
18-24											1	28.0		28	28	28	28	28	28	28
25-34	2	13.5	1	13	13	13	14	14	14	14	2	15.0	338	2	2	15	28	28	28	28
35-54	1	8.0		8	8	8	8	8	8	8	5	16.4	141	4	7	12	28	30	30	30
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	8	18.9	133	7	10	13	30	35	36	36	8	17.5	147	3	6	20	28	29	30	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	2	19.0	242	8	8	19	30	30	30	30										
25-34	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
35-54	4	15.8	68	9	11	13	21	28	28	28	2	26.5	5	25	25	26	28	28	28	28
55-74	1	4.0		4	4	4	4	4	4	4	1	29.0		29	29	29	29	29	29	29
75 +																				
ALL AGES	9	12.6	99	3	5	9	17	29	30	30	4	21.5	139	4	14	26	28	29	29	29
SUBTOTAL	**17**	**15.5**	**120**	**4**	**8**	**13**	**28**	**32**	**35**	**36**	**12**	**18.8**	**137**	**3**	**6**	**26**	**28**	**29**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	33.8	354	8	28	31	43	61	63	63	2	12.0	128	4	4	12	20	20	20	20
18-24											1	1.0		1	1	1	1	1	1	1
25-34	4	15.0	138	3	6	13	24	30	30	30	2	2.5	1	2	2	2	3	3	3	3
35-54	5	21.0	117	10	11	21	30	35	35	35										
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	16	23.3	263	5	9	24	31	42	57	63	5	6.0	63	1	2	3	8	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23	1	2.0		2	2	2	2	2	2	2
18-24	2	2.0	2	1	1	1	3	3	3	3	1	11.0		11	11	11	11	11	11	11
25-34	2	11.0	2	10	10	11	12	12	12	12										
35-54	5	16.0	140	1	5	21	25	28	28	28	4	11.3	123	2	3	8	19	27	27	27
55-74	3	8.3	10	5	6	9	10	11	11	11	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	13	11.8	86	1	4	10	21	25	27	28	7	9.0	77	2	3	5	11	24	27	27
SUBTOTAL	**29**	**18.2**	**210**	**3**	**6**	**12**	**28**	**34**	**44**	**63**	**12**	**7.8**	**66**	**1**	**2**	**4**	**11**	**22**	**26**	**27**
GRAND TOTAL	**46**	**17.2**	**175**	**3**	**7**	**12**	**28**	**33**	**37**	**63**	**24**	**13.3**	**129**	**2**	**3**	**9**	**27**	**28**	**29**	**30**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	29.9	19	23	27	29	34	35	35	35	2	33.5	25	30	30	33	37	37	37	37
18-24	9	24.6	91	9	23	27	28	35	39	39	1	33.0		33	33	33	33	33	33	33
25-34	24	21.4	100	5	14	27	28	29	31	32	6	11.5	236	1	1	3	27	34	35	35
35-54	9	19.4	111	3	13	25	28	29	29	29	6	26.2	24	17	27	28	28	30	30	30
55-74																				
75 +																				
ALL AGES	49	22.8	97	4	17	27	28	32	34	39	15	21.7	179	1	7	28	30	35	36	37
B. FEMALE																				
0-12 YRS.																				
13-17	2	32.5	1	32	32	32	33	33	33	33	1	24.0		24	24	24	24	24	24	24
18-24	5	28.4	98	14	24	29	32	42	42	42	2	24.0	32	20	20	24	28	28	28	28
25-34	13	16.9	123	4	6	19	28	29	30	30	3	11.7	253	1	2	4	23	30	30	30
35-54	3	25.3	39	19	21	26	30	31	31	31	7	15.7	250	2	4	8	25	41	45	45
55-74	1	37.0		37	37	37	37	37	37	37										
75 +																				
ALL AGES	24	22.5	128	6	12	28	30	33	38	42	13	16.7	190	2	4	19	27	33	43	45
SUBTOTAL	**73**	**22.7**	**105**	**5**	**16**	**27**	**29**	**32**	**35**	**41**	**28**	**19.4**	**183**	**1**	**4**	**25**	**29**	**34**	**38**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	15	29.9	107	16	23	34	35	38	45	47	1	29.0		29	29	29	29	29	29	29
18-24	17	20.9	101	4	13	27	28	31	32	32	1	28.0		28	28	28	28	28	28	28
25-34	33	22.9	58	10	20	27	28	29	29	31	11	21.3	96	3	19	24	28	29	29	29
35-54	20	18.7	123	3	5	22	28	29	31	32	8	18.5	133	1	8	23	28	28	28	28
55-74																				
75 +																				
ALL AGES	85	22.8	98	5	16	27	29	33	35	44	21	20.9	104	2	18	26	28	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	10	25.5	209	3	15	33	35	39	43	43	4	34.8	114	28	29	30	41	51	51	51
18-24	6	22.5	97	5	23	26	28	29	29	29	1	1.0		1	1	1	1	1	1	1
25-34	9	9.7	67	1	3	6	16	22	25	25	5	11.6	69	4	5	8	20	22	22	22
35-54	2	19.0	98	12	12	19	26	26	26	26	4	18.5	150	6	8	19	29	30	30	30
55-74											2	22.5	61	17	17	22	28	28	28	28
75 +																				
ALL AGES	27	19.1	164	3	6	19	29	35	37	43	16	19.8	184	4	7	20	29	30	45	51
SUBTOTAL	**112**	**21.9**	**116**	**4**	**14**	**26**	**29**	**34**	**35**	**45**	**37**	**20.4**	**136**	**2**	**9**	**24**	**28**	**30**	**30**	**51**
GRAND TOTAL	**185**	**22.2**	**112**	**4**	**15**	**27**	**29**	**34**	**35**	**43**	**65**	**20.0**	**152**	**2**	**6**	**24**	**28**	**30**	**35**	**50**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	28.3	112	12	21	30	35	41	43	43	8	24.3	312	2	6	29	37	46	47	47
18-24	17	27.0	40	22	27	28	29	32	37	39	21	25.9	66	13	27	28	29	32	35	36
25-34	20	18.6	96	3	10	22	28	28	29	29	26	19.2	123	3	6	25	28	29	30	31
35-54	8	18.0	75	5	12	18	25	28	28	28	4	22.0	178	2	15	28	29	29	29	29
55-74																				
75 +	2	3.5	5	2	2	3	5	5	5	5										
ALL AGES	55	21.9	106	5	13	27	28	32	35	43	59	22.5	131	3	14	28	29	30	36	47
B. FEMALE																				
0-12 YRS.																				
13-17	6	32.2	32	22	31	34	35	38	38	38	6	25.7	246	2	18	28	29	47	49	49
18-24	11	23.6	191	1	15	28	34	38	43	43	6	19.8	193	1	3	28	29	29	29	29
25-34	10	19.7	99	3	14	23	28	28	28	28	9	24.9	89	9	25	28	28	32	35	35
35-54	4	15.8	183	3	4	16	27	28	28	28	7	27.4	52	15	28	29	30	33	34	34
55-74	2	25.0	18	22	22	25	28	28	28	28	2	8.5	61	3	3	8	14	14	14	14
75 +																				
ALL AGES	33	23.1	137	3	16	28	31	35	38	43	30	23.5	138	2	18	28	29	32	35	49
SUBTOTAL	**88**	**22.4**	**114**	**3**	**15**	**27**	**28**	**34**	**36**	**43**	**89**	**22.8**	**134**	**3**	**16**	**28**	**29**	**30**	**35**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17	47	26.9	167	6	16	32	35	42	45	99 +	19	26.5	331	4	13	27	40	57	58	58
18-24	39	20.6	122	2	11	26	29	32	34	36	20	25.0	156	4	21	28	29	30	45	61
25-34	55	22.6	77	8	16	27	29	30	34	36	16	27.6	6	26	27	28	29	29	29	29
35-54	8	20.8	79	7	15	21	28	30	31	31	7	25.7	86	10	28	28	30	32	32	32
55-74											1	20.0		20	20	20	20	20	20	20
75 +																				
ALL AGES	149	23.3	123	6	15	27	31	35	38	54	64	26.0	155	6	21	28	29	37	56	61
B. FEMALE																				
0-12 YRS.																				
13-17	28	30.4	196	6	22	35	36	46	54	56	7	32.3	604	7	9	29	57	59	59	59
18-24	10	23.6	102	5	25	28	29	31	32	32	4	11.0	86	2	3	11	19	19	19	19
25-34	17	25.1	53	16	22	28	29	31	34	35	4	22.0	161	3	15	28	29	29	29	29
35-54	5	23.0	345	4	5	27	34	49	49	49										
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	60	27.1	155	6	21	29	35	38	48	56	16	23.3	373	3	7	19	29	58	59	59
SUBTOTAL	**209**	**24.4**	**134**	**6**	**16**	**28**	**32**	**36**	**41**	**55**	**80**	**25.5**	**193**	**5**	**18**	**28**	**29**	**42**	**57**	**60**
GRAND TOTAL	**297**	**23.8**	**129**	**5**	**15**	**28**	**31**	**35**	**39**	**54**	**169**	**24.1**	**162**	**3**	**17**	**28**	**29**	**33**	**47**	**59**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33	3	10.0	91	1	3	9	17	20	20	20
18-24	2	17.0	288	5	5	17	29	29	29	29	7	16.9	156	1	3	22	28	28	28	28
25-34	2	9.5	85	3	3	9	16	16	16	16	2	28.0		28	28	28	28	28	28	28
35-54											7	15.0	143	1	4	14	27	28	28	28
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	6	15.0	177	3	4	10	29	33	33	33	19	16.3	132	1	4	20	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	10.0		10	10	10	10	10	10	10
25-34	3	21.0	196	7	10	21	31	35	35	35	5	18.4	162	4	5	26	28	29	29	29
35-54	1	12.0		12	12	12	12	12	12	12	5	4.2	44	1	1	1	5	16	16	16
55-74											1	4.0		4	4	4	4	4	4	4
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	5	17.4	122	7	11	12	24	35	35	35	12	10.6	125	1	2	5	21	28	29	29
SUBTOTAL	**11**	**16.1**	**139**	**4**	**5**	**12**	**27**	**34**	**35**	**35**	**31**	**14.1**	**133**	**1**	**2**	**10**	**28**	**28**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											8	20.4	257	2	4	23	35	37	37	37
18-24	1	10.0		10	10	10	10	10	10	10	1	39.0		39	39	39	39	39	39	39
25-34	4	5.8	4	3	4	6	7	8	8	8	11	21.7	98	7	12	28	29	30	32	32
35-54	6	10.0	48	4	5	8	12	21	22	22	2	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	11	8.5	29	4	5	7	11	16	22	22	22	20.3	179	3	6	24	32	37	38	39
B. FEMALE																				
0-12 YRS.																				
13-17											2	38.5	1	38	38	38	39	39	39	39
18-24	2	4.0	2	3	3	4	5	5	5	5	4	22.8	33	15	18	24	27	28	28	28
25-34	5	9.2	100	4	4	5	11	27	27	27	6	14.8	118	3	6	14	23	28	29	29
35-54	3	2.7	8	1	1	1	5	6	6	6	2	21.0	512	5	5	21	37	37	37	37
55-74											1	33.0		33	33	33	33	33	33	33
75 +																				
ALL AGES	10	6.2	57	1	3	4	6	17	27	27	15	22.1	158	5	9	23	32	38	39	39
SUBTOTAL	**21**	**7.4**	**41**	**2**	**4**	**5**	**8**	**16**	**24**	**27**	**37**	**21.1**	**164**	**3**	**7**	**23**	**32**	**37**	**38**	**39**
GRAND TOTAL	**32**	**10.4**	**89**	**3**	**4**	**6**	**12**	**28**	**33**	**35**	**68**	**17.9**	**160**	**1**	**5**	**21**	**28**	**33**	**37**	**39**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4	5	1.0		1	1	1	1	1	1	1
13-17	26	1.2		1	1	1	1	2	2	3	37	1.9	21	1	1	1	1	2	3	29
18-24	16	3.1	49	1	1	1	1	6	22	29	30	2.0	24	1	1	1	1	2	2	28
25-34	19	2.8	38	1	1	1	2	3	17	28	31	2.8	27	1	1	1	2	5	10	29
35-54	36	5.6	55	1	1	3	5	21	25	26	26	2.3	3	1	1	1	3	5	6	8
55-74	11	2.2	4	1	1	1	3	5	7	7	23	2.7	7	1	1	2	4	4	8	13
75 +	10	4.1	16	1	1	2	6	10	13	13	4	2.5	2	1	1	2	3	4	4	4
ALL AGES	120	3.4	32	1	1	1	3	7	19	28	156	2.3	16	1	1	1	2	4	5	29
B. FEMALE																				
0-12 YRS.											2	1.0		1	1	1	1	1	1	1
13-17	17	1.3	1	1	1	1	1	2	3	4	30	1.5	7	1	1	1	1	1	2	15
18-24	7	1.7	4	1	1	1	1	5	6	6	11	1.3		1	1	1	1	2	3	3
25-34	15	3.3	38	1	1	1	1	14	20	22	12	3.3	60	1	1	1	1	9	25	28
35-54	19	5.8	88	1	1	1	4	26	27	28	16	2.0	3	1	1	1	2	5	6	7
55-74	12	1.9	2	1	1	1	3	4	4	4	5	2.0	2	1	1	1	3	4	4	4
75 +	4	3.0	3	1	2	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
ALL AGES	74	3.1	33	1	1	1	2	5	20	28	77	1.9	12	1	1	1	1	3	5	24
SUBTOTAL	**194**	**3.3**	**32**	**1**	**1**	**1**	**3**	**6**	**20**	**28**	**233**	**2.1**	**15**	**1**	**1**	**1**	**2**	**4**	**5**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	18	9.3	116	1	1	4	16	27	31	33	13	16.2	416	1	1	2	33	45	56	59
18-24	32	4.8	59	1	1	2	4	15	27	28	14	15.1	160	1	2	14	28	28	29	29
25-34	32	7.5	91	1	1	2	13	26	27	28	25	12.0	161	1	1	3	28	29	30	32
35-54	49	6.8	72	1	1	2	10	23	26	28	30	11.6	181	1	1	2	28	30	31	31
55-74	9	10.9	82	1	3	6	20	23	24	24	8	6.1	112	1	1	2	4	24	32	32
75 +	2	8.0	32	4	4	8	12	12	12	12	2	5.5	25	2	2	5	9	9	9	9
ALL AGES	142	7.1	79	1	1	3	10	25	27	29	93	12.2	193	1	1	3	28	30	32	51
B. FEMALE																				
0-12 YRS.																				
13-17	24	10.3	260	1	1	2	7	44	45	46	16	12.3	220	1	1	3	28	34	38	40
18-24	13	5.6	69	1	2	3	5	14	29	32	16	5.7	95	1	1	1	3	27	29	29
25-34	23	4.3	44	1	1	2	4	12	24	27	12	2.8	8	1	1	2	3	7	10	11
35-54	30	4.2	47	1	1	2	3	11	16	35	23	4.9	65	1	1	1	3	15	28	29
55-74	10	4.1	29	1	1	2	4	13	18	18	6	6.2	114	1	1	2	3	25	28	28
75 +	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
ALL AGES	101	5.8	101	1	1	2	4	17	34	45	74	6.4	104	1	1	2	4	28	31	39
SUBTOTAL	**243**	**6.6**	**88**	**1**	**1**	**2**	**7**	**24**	**28**	**44**	**167**	**9.6**	**162**	**1**	**1**	**2**	**22**	**29**	**32**	**41**
GRAND TOTAL	**437**	**5.1**	**66**	**1**	**1**	**2**	**4**	**18**	**26**	**35**	**400**	**5.2**	**90**	**1**	**1**	**1**	**3**	**28**	**29**	**34**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
GRAND TOTAL											1	4.0		4	4	4	4	4	4	4

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	9	23.9	161	6	12	28	31	40	40	40	2	14.0	2	13	13	14	15	15	15	15
18-24	1	28.0		28	28	28	28	28	28	28	1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	2	28.0		28	28	28	28	28	28	28										
55-74																				
75 +																				
ALL AGES	12	24.9	122	7	20	28	28	39	40	40	3	10.3	42	3	5	13	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	3	31.3	324	20	20	22	44	52	52	52	1	32.0		32	32	32	32	32	32	32
18-24																				
25-34	1	28.0		28	28	28	28	28	28	28										
35-54																				
55-74																				
75 +																				
ALL AGES	4	30.5	217	20	21	25	40	52	52	52	1	32.0		32	32	32	32	32	32	32
SUBTOTAL	**16**	**26.3**	**139**	**9**	**21**	**28**	**28**	**40**	**48**	**52**	**4**	**15.8**	**143**	**3**	**8**	**14**	**23**	**32**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	28	26.8	197	8	21	25	33	46	53	64	3	35.0	76	29	29	31	41	45	45	45
18-24	7	12.7	136	1	3	6	24	26	27	27	3	14.0	127	1	6	20	21	21	21	21
25-34	4	19.3	312	2	4	19	34	36	36	36	4	10.0	85	1	2	9	17	21	21	21
35-54	2	16.0	288	4	4	16	28	28	28	28	2	5.0	2	4	4	5	6	6	6	6
55-74																				
75 +																				
ALL AGES	42	22.7	219	4	7	23	29	44	49	64	12	16.4	195	1	4	17	25	35	44	45
B. FEMALE																				
0-12 YRS.																				
13-17	6	16.7	121	1	6	20	21	30	31	31	6	29.2	321	2	13	36	42	46	46	46
18-24	2	24.5	685	6	6	24	43	43	43	43										
25-34	1	3.0		3	3	3	3	3	3	3	3	12.3	186	4	4	5	22	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	9	16.9	200	2	5	20	24	38	43	43	9	23.6	316	2	5	28	39	44	46	46
SUBTOTAL	**51**	**21.7**	**216**	**3**	**6**	**21**	**29**	**43**	**47**	**64**	**21**	**19.5**	**247**	**1**	**4**	**20**	**32**	**43**	**45**	**46**
GRAND TOTAL	**67**	**22.8**	**199**	**4**	**9**	**24**	**28**	**42**	**48**	**62**	**25**	**18.9**	**226**	**1**	**4**	**15**	**31**	**42**	**45**	**46**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	2.3	6	1	1	1	4	5	5	5	4	3.3	10	1	1	2	5	8	8	8
18-24	3	1.3		1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	8	1.6	2	1	1	1	2	4	5	5	6	2.7	7	1	1	1	3	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**10**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**5**	**5**	**7**	**2.4**	**7**	**1**	**1**	**1**	**3**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	2	1.0		1	1	1	1	1	1	1	2	11.5	85	5	5	11	18	18	18	18
25-34	3	2.7	2	1	1	3	4	4	4	4	1	21.0		21	21	21	21	21	21	21
35-54																				
55-74																				
75 +																				
ALL AGES	5	2.0	2	1	1	1	3	4	4	4	4	11.3	93	1	2	11	19	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	3	2.7	2	1	1	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	6	3.5	2	1	3	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**11**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**5**	**5**	**9.6**	**85**	**1**	**2**	**5**	**19**	**21**	**21**	**21**
GRAND TOTAL	**21**	**2.2**	**2**	**1**	**1**	**1**	**3**	**5**	**5**	**5**	**12**	**5.4**	**48**	**1**	**1**	**2**	**6**	**19**	**21**	**21**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54											2	6.5	25	3	3	6	10	10	10	10
55-74	2	15.5	313	3	3	15	28	28	28	28	1	9.0		9	9	9	9	9	9	9
75 +											2	15.0	72	9	9	15	21	21	21	21
ALL AGES	2	15.5	313	3	3	15	28	28	28	28	6	9.2	43	3	3	9	10	20	21	21
SUBTOTAL	**2**	**15.5**	**313**	**3**	**3**	**15**	**28**	**28**	**28**	**28**	**6**	**9.2**	**43**	**3**	**3**	**9**	**10**	**20**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	3	14.7	148	4	6	12	24	28	28	28	1	1.0		1	1	1	1	1	1	1
35-54	2	3.5	1	3	3	3	4	4	4	4	1	16.0		16	16	16	16	16	16	16
55-74											1	4.0		4	4	4	4	4	4	4
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	6	8.7	103	1	3	4	12	26	28	28	4	7.3	41	1	2	6	12	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
35-54	1	1.0		1	1	1	1	1	1	1	3	17.0	631	2	2	3	35	46	46	46
55-74											1	12.0		12	12	12	12	12	12	12
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	2	4.0	18	1	1	4	7	7	7	7	6	13.5	278	2	3	8	14	43	46	46
SUBTOTAL	**8**	**7.5**	**81**	**1**	**2**	**4**	**9**	**23**	**28**	**28**	**10**	**11.0**	**179**	**1**	**3**	**6**	**14**	**31**	**46**	**46**
GRAND TOTAL	**10**	**9.1**	**109**	**1**	**3**	**4**	**12**	**28**	**28**	**28**	**16**	**10.3**	**123**	**2**	**3**	**8**	**13**	**20**	**38**	**46**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	2	3.0	8	1	1	2	5	5	5	5
35-54	4	3.3	4	1	2	3	5	6	6	6	4	10.8	139	1	3	7	18	28	28	28
55-74																				
75 +																				
ALL AGES	5	2.8	4	1	1	3	4	6	6	6	7	7.1	93	1	1	5	7	24	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	2	3.5	13	1	1	3	6	6	6	6
35-54	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	3	1.7	1	1	1	1	2	3	3	3	4	3.3	4	1	2	3	5	6	6	6
SUBTOTAL	**8**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**	**11**	**5.7**	**61**	**1**	**1**	**3**	**6**	**16**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	5	10.8	122	1	2	5	21	26	26	26	4	19.8	78	7	14	22	25	28	28	28
35-54	3	1.0		1	1	1	1	1	1	1	3	1.7		1	1	2	2	2	2	2
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	9	6.4	88	1	1	1	8	23	26	26	8	10.8	126	1	2	5	22	26	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	27.0		27	27	27	27	27	27	27
25-34	1	21.0		21	21	21	21	21	21	21	1	28.0		28	28	28	28	28	28	28
35-54											1	25.0		25	25	25	25	25	25	25
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21	3	26.7		25	25	27	28	28	28	28
SUBTOTAL	**10**	**7.9**	**99**	**1**	**1**	**2**	**19**	**23**	**26**	**26**	**11**	**15.1**	**144**	**1**	**2**	**22**	**26**	**28**	**28**	**28**
GRAND TOTAL	**18**	**5.4**	**62**	**1**	**1**	**2**	**5**	**20**	**24**	**26**	**22**	**10.4**	**121**	**1**	**2**	**5**	**22**	**28**	**28**	**28**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	11.5	221	1	1	11	22	22	22	22
18-24	5	2.4	2	1	1	3	3	4	4	4	10	12.7	115	1	1	16	21	25	29	29
25-34	11	5.5	69	1	1	1	5	22	23	23	26	10.4	132	1	1	3	23	27	28	29
35-54	7	3.0	8	1	1	1	5	7	8	8	7	14.1	133	1	3	13	25	27	28	28
55-74											2	13.5	313	1	1	13	26	26	26	26
75 +																				
ALL AGES	23	4.1	35	1	1	1	4	11	22	23	47	11.6	126	1	1	5	23	27	28	29
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-24	2	6.0	32	2	2	6	10	10	10	10	4	16.5	176	1	5	18	27	29	29	29
25-34	8	5.3	117	1	1	1	2	23	32	32	15	9.9	132	1	1	4	19	27	32	34
35-54	1	1.0		1	1	1	1	1	1	1	3	6.7	44	1	2	5	12	14	14	14
55-74																				
75 +																				
ALL AGES	12	4.9	80	1	1	2	3	17	30	32	23	10.2	126	1	1	5	19	27	31	34
SUBTOTAL	**35**	**4.4**	**49**	**1**	**1**	**1**	**4**	**10**	**22**	**32**	**70**	**11.2**	**123**	**1**	**1**	**5**	**23**	**27**	**29**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	3	12.7	155	4	5	7	22	27	27	27	3	17.7	832	1	1	1	38	51	51	51
18-24	14	11.4	119	1	2	6	21	26	28	28	9	13.8	187	1	1	8	27	29	30	30
25-34	24	10.5	107	1	2	6	20	27	29	29	24	11.4	130	1	1	6	23	28	29	29
35-54	13	6.5	65	1	2	3	7	18	28	30	14	13.7	138	2	2	12	23	29	33	34
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	55	9.8	99	1	2	6	19	27	29	30	51	12.6	165	1	1	6	26	28	30	51
B. FEMALE																				
0-12 YRS.																				
13-17	3	10.3	87	4	4	6	17	21	21	21	4	11.5	414	1	1	1	22	42	42	42
18-24	8	10.9	200	1	1	5	19	34	35	35	9	14.1	385	1	1	4	23	47	59	59
25-34	23	7.2	54	2	3	4	9	21	23	25	10	6.6	96	1	1	2	5	25	26	26
35-54	7	8.7	89	1	1	8	10	25	28	28	3	14.7	181	1	4	15	25	28	28	28
55-74																				
75 +																				
ALL AGES	41	8.4	85	1	3	4	10	23	30	35	26	10.9	234	1	1	2	21	29	45	59
SUBTOTAL	**96**	**9.2**	**92**	**1**	**2**	**5**	**14**	**26**	**29**	**34**	**77**	**12.0**	**187**	**1**	**1**	**4**	**24**	**28**	**33**	**57**
GRAND TOTAL	**131**	**7.9**	**85**	**1**	**1**	**4**	**9**	**25**	**28**	**33**	**147**	**11.6**	**156**	**1**	**1**	**5**	**23**	**28**	**29**	**51**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											3	11.3	291	1	1	2	24	31	31	31
25-34	1	1.0		1	1	1	1	1	1	1	2	3.0	8	1	1	3	5	5	5	5
35-54	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	6	7.2	138	1	1	2	5	28	31	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	3	12.7	225	3	3	5	24	30	30	30										
35-54	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	4	9.8	184	1	1	4	17	30	30	30	2	5.5	13	3	3	5	8	8	8	8
SUBTOTAL	**6**	**7.0**	**129**	**1**	**1**	**2**	**5**	**27**	**30**	**30**	**8**	**6.8**	**101**	**1**	**2**	**3**	**6**	**24**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20	1	8.0		8	8	8	8	8	8	8
18-24	2	9.0	32	5	5	9	13	13	13	13	3	4.0	27	1	1	1	8	10	10	10
25-34	3	11.0	171	2	3	5	21	26	26	26	4	14.5	340	3	4	6	25	42	42	42
35-54	3	12.3	172	2	3	8	22	27	27	27	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	9	12.0	100	2	4	8	21	27	27	27	9	9.1	162	1	3	5	9	29	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6	2	21.0	722	2	2	21	40	40	40	40
18-24	1	2.0		2	2	2	2	2	2	2	4	10.0	146	3	3	5	17	28	28	28
25-34	8	6.5	78	1	2	4	5	21	28	28	7	12.7	101	1	4	10	23	24	24	24
35-54	1	10.0		10	10	10	10	10	10	10	2	13.5	181	4	4	13	23	23	23	23
55-74																				
75 +																				
ALL AGES	11	6.4	57	1	2	5	6	17	27	28	15	13.2	151	2	3	6	23	28	37	40
SUBTOTAL	**20**	**8.9**	**81**	**2**	**3**	**5**	**11**	**26**	**27**	**28**	**24**	**11.7**	**151**	**1**	**3**	**6**	**22**	**29**	**41**	**42**
GRAND TOTAL	**26**	**8.5**	**87**	**1**	**2**	**5**	**10**	**27**	**28**	**30**	**32**	**10.4**	**141**	**1**	**3**	**5**	**16**	**29**	**39**	**42**

ANTIDEPRESSANT ABUSE (305.8)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																						
35-54											1	1.0		1	1	1	1	1	1	1
55-74																						
75 +																						
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	8	26.3	281	3	11	31	38	47	48	48	6	19.2	456	1	2	13	29	53	56	56
18-24	7	20.3	189	1	6	27	31	32	32	32	7	9.4	89	1	2	3	18	21	22	22
25-34	8	8.1	95	1	2	3	13	24	26	26	10	15.6	243	1	2	9	31	36	40	40
35-54	2	2.5	1	2	2	2	3	3	3	3	3	12.0	117	3	4	9	20	24	24	24
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	26	16.3	233	1	2	11	31	32	45	48	27	13.9	220	1	2	5	24	32	42	56
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	5	38.6	802	2	16	44	56	76	76	76	6	10.7	310	1	1	3	10	42	46	46
18-24	1	2.0		2	2	2	2	2	2	2	2	16.0	288	4	4	16	28	28	28	28
25-34	7	4.7	47	1	1	2	4	17	20	20	6	4.7	22	1	2	3	5	13	14	14
35-54	7	3.1	9	1	1	1	5	8	8	8	4	2.5	3	1	1	2	4	5	5	5
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	20	12.5	426	1	1	2	14	47	63	76	23	6.3	111	1	2	3	5	17	34	46
SUBTOTAL	**46**	**14.7**	**311**	**1**	**2**	**5**	**27**	**43**	**48**	**76**	**50**	**10.4**	**181**	**1**	**2**	**3**	**17**	**30**	**40**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	14.0	249	1	2	7	26	39	41	41	7	20.7	545	1	2	5	41	52	55	55
18-24	12	16.0	241	2	3	12	25	43	46	47	6	10.5	188	1	2	2	25	30	31	31
25-34	14	9.1	61	3	4	7	12	23	28	29	7	4.4	6	1	2	5	7	7	7	7
35-54	7	9.1	29	2	6	9	13	16	17	17	6	3.5	6	1	1	3	5	7	7	7
55-74	4	11.0	144	1	1	9	21	25	25	25										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	45	11.8	136	1	3	7	16	29	41	47	26	10.0	222	1	2	4	7	37	45	55
B. FEMALE																				
0-12 YRS.											1	30.0		30	30	30	30	30	30	30
13-17	6	18.7	1094	2	3	5	10	78	86	86	5	21.8	254	2	10	21	33	44	44	44
18-24	3	1.3		1	1	1	2	2	2	2	3	19.7	144	6	10	24	28	29	29	29
25-34	9	11.7	99	1	4	11	16	26	33	33	7	10.0	112	2	3	5	17	27	29	29
35-54	7	10.0	125	1	1	5	18	28	30	30	5	4.0	9	1	1	5	6	8	8	8
55-74	2	16.5	421	2	2	16	31	31	31	31										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	27	12.0	313	1	2	5	16	31	41	86	22	13.3	160	1	4	6	24	30	36	44
SUBTOTAL	**72**	**11.9**	**198**	**1**	**2**	**7**	**16**	**30**	**40**	**77**	**48**	**11.5**	**192**	**1**	**2**	**5**	**21**	**31**	**42**	**55**
GRAND TOTAL	**118**	**13.0**	**242**	**1**	**2**	**6**	**20**	**32**	**44**	**79**	**98**	**10.9**	**186**	**1**	**2**	**4**	**19**	**31**	**41**	**56**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54											3	4.7	4	3	3	4	6	7	7	7
55-74																				
75 +																				
ALL AGES	3	6.0	49	1	1	3	11	14	14	14	4	4.3	3	3	3	4	5	7	7	7
SUBTOTAL	**5**	**5.4**	**28**	**1**	**2**	**3**	**9**	**14**	**14**	**14**	**4**	**4.3**	**3**	**3**	**3**	**4**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	7.0		7	7	7	7	7	7	7
55-74	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	2	5.0	8	3	3	5	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34											2	2.5	1	2	2	2	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES											3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**5**	**3.2**	**5**	**1**	**2**	**3**	**4**	**7**	**7**	**7**
GRAND TOTAL	**7**	**4.1**	**24**	**1**	**1**	**2**	**6**	**13**	**14**	**14**	**9**	**3.7**	**4**	**1**	**2**	**3**	**5**	**7**	**7**	**7**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	2	1.0		1	1	1	1	1	1	1	3	2.0	1	1	1	2	3	3	3	3
35-54	4	2.5	3	1	1	2	4	5	5	5	3	1.3		1	1	1	2	2	2	2
55-74	2	3.5	5	2	2	3	5	5	5	5	7	2.1	2	1	1	2	2	4	5	5
75 +											2	3.0	8	1	1	3	5	5	5	5
ALL AGES	9	2.4	3	1	1	2	3	5	5	5	17	2.0	2	1	1	2	2	4	5	5
B. FEMALE																				
0-12 YRS.											2	1.0		1	1	1	1	1	1	1
13-17											1	1.0		1	1	1	1	1	1	1
18-24											1	2.0		2	2	2	2	2	2	2
25-34	2	2.0	2	1	1	2	3	3	3	3	5	1.8	1	1	1	2	2	3	3	3
35-54	3	1.0		1	1	1	1	1	1	1	12	2.7	4	1	1	2	4	5	7	7
55-74	8	2.5	5	1	1	1	4	6	6	6	9	2.6	6	1	1	1	3	7	8	8
75 +	2	2.5	1	2	2	2	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	15	2.1	3	1	1	1	3	5	6	6	32	2.3	3	1	1	2	3	5	7	8
SUBTOTAL	**24**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**6**	**6**	**49**	**2.2**	**3**	**1**	**1**	**2**	**3**	**5**	**5**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24											1	2.0		2	2	2	2	2	2	2
25-34											4	2.3	3	1	1	2	3	5	5	5
35-54	1	1.0		1	1	1	1	1	1	1	3	5.0	28	1	1	3	9	11	11	11
55-74	2	1.5	1	1	1	1	2	2	2	2	3	1.3		1	1	1	2	2	2	2
75 +											2	3.5	13	1	1	3	6	6	6	6
ALL AGES	4	1.5		1	1	1	2	2	2	2	13	2.8	9	1	1	2	3	7	10	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-24	1	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
25-34	3	3.7	8	2	2	2	6	7	7	7	1	3.0		3	3	3	3	3	3	3
35-54	2	8.5	61	3	3	8	14	14	14	14	3	2.0	1	1	1	2	3	3	3	3
55-74	2	2.0		2	2	2	2	2	2	2	3	2.0	1	1	1	2	3	3	3	3
75 +	1	3.0		3	3	3	3	3	3	3	5	3.8	3	2	2	4	5	6	6	6
ALL AGES	10	4.2	15	2	2	3	5	10	14	14	15	2.7	2	1	2	2	3	5	6	6
SUBTOTAL	**14**	**3.4**	**12**	**1**	**2**	**2**	**3**	**8**	**13**	**14**	**28**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**7**	**11**
GRAND TOTAL	**38**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**14**	**77**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
55-74											3	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	6	1.5	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	13.0		13	13	13	13	13	13	13
55-74	1	1.0		1	1	1	1	1	1	1	3	4.7	9	2	2	4	7	8	8	8
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	4	6.8	23	2	3	6	10	13	13	13
SUBTOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**	**10**	**3.6**	**16**	**1**	**1**	**2**	**4**	**10**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	2	7.5	5	6	6	7	9	9	9	9
55-74	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	3	5.3	17	1	2	6	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
75 +											2	3.0	8	1	1	2	5	5	5	5
ALL AGES	1	3.0		3	3	3	3	3	3	3	4	2.0	4	1	1	1	3	5	5	5
SUBTOTAL	**3**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**7**	**3.4**	**11**	**1**	**1**	**1**	**6**	**8**	**9**	**9**
GRAND TOTAL	**6**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**17**	**3.5**	**13**	**1**	**1**	**2**	**5**	**9**	**12**	**13**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											5	2.0	1	1	1	2	2	3	3	3
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	2	2.5	5	1	1	2	4	4	4	4
35-54	2	2.5	5	1	1	2	4	4	4	4	3	3.7	9	1	1	3	6	7	7	7
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
ALL AGES	5	4.0	5	1	2	4	5	7	7	7	11	2.5	3	1	1	2	3	5	7	7
B. FEMALE																				
0-12 YRS.	3	1.7		1	1	2	2	2	2	2	2	4.0	18	1	1	4	7	7	7	7
13-17											3	2.0		2	2	2	2	2	2	2
18-24	3	4.7	4	3	3	4	6	7	7	7	2	3.5	1	3	3	3	4	4	4	4
25-34	2	4.0		4	4	4	4	4	4	4	4	3.3	2	2	2	3	4	5	5	5
35-54	4	4.3	20	1	1	2	7	11	11	11	1	2.0		2	2	2	2	2	2	2
55-74	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
75 +											2	6.0	2	5	5	6	7	7	7	7
ALL AGES	13	3.6	8	1	2	3	4	8	10	11	15	3.7	4	2	2	3	5	7	7	7
SUBTOTAL	**18**	**3.7**	**7**	**1**	**2**	**3**	**4**	**7**	**9**	**11**	**26**	**3.2**	**4**	**1**	**2**	**2**	**4**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	2.0		2	2	2	2	2	2	2
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	2	16.5	365	3	3	16	30	30	30	30	3	2.7	1	2	2	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											2	2.5	1	2	2	2	3	3	3	3
18-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
55-74	1	7.0		7	7	7	7	7	7	7	3	4.3	9	1	2	6	6	6	6	6
75 +											2	7.0	18	4	4	7	10	10	10	10
ALL AGES	2	4.5	13	2	2	4	7	7	7	7	9	4.9	7	1	3	6	6	9	10	10
SUBTOTAL	**4**	**10.5**	**174**	**2**	**2**	**5**	**18**	**30**	**30**	**30**	**12**	**4.3**	**7**	**1**	**2**	**4**	**6**	**7**	**10**	**10**
GRAND TOTAL	**22**	**5.0**	**37**	**1**	**2**	**3**	**5**	**8**	**19**	**30**	**38**	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**7**	**10**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																						
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
GRAND TOTAL	2	2.5	5	1	1	2	4	4	4	4	1	3.0		3	3	3	3	3	3	3

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	7.5	1	7	7	7	8	8	8	8
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	7.5	1	7	7	7	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	3.5	5	2	2	3	5	5	5	5
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											3	2.7	4	1	1	2	4	5	5	5
SUBTOTAL											**5**	**4.6**	**9**	**1**	**2**	**5**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	45.0		45	45	45	45	45	45	45										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	2	24.0	882	3	3	24	45	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**3**	**17.7**	**560**	**3**	**3**	**5**	**35**	**45**	**45**	**45**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**3**	**17.7**	**560**	**3**	**3**	**5**	**35**	**45**	**45**	**45**	**6**	**4.5**	**8**	**1**	**2**	**4**	**7**	**8**	**8**	**8**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	2	3.5	13	1	1	3	6	6	6	6										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	11.0		11	11	11	11	11	11	11	1	4.0		4	4	4	4	4	4	4
55-74											2	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	5	4.4	18	1	1	3	7	11	11	11	4	3.0	1	2	2	3	4	4	4	4
SUBTOTAL	**5**	**4.4**	**18**	**1**	**1**	**3**	**7**	**11**	**11**	**11**	**4**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	4	4.5	3	3	3	4	6	7	7	7	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54	2	15.0	32	11	11	15	19	19	19	19										
55-74											2	3.0		3	3	3	3	3	3	3
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	3	13.7	20	11	11	11	17	19	19	19	3	3.0		3	3	3	3	3	3	3
SUBTOTAL	**7**	**8.4**	**33**	**3**	**4**	**7**	**11**	**17**	**19**	**19**	**4**	**2.8**		**2**	**2**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**12**	**6.8**	**28**	**1**	**3**	**5**	**11**	**14**	**18**	**19**	**8**	**2.9**		**2**	**2**	**3**	**3**	**4**	**4**	**4**

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	14.0	50	9	9	14	19	19	19	19	1	5.0		5	5	5	5	5	5	5
18-24																				
25-34	3	3.7	2	2	2	4	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	5	7.8	46	2	3	5	11	19	19	19	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	49.0		49	49	49	49	49	49	49
13-17	17	26.4	270	5	9	27	41	47	53	55	15	30.2	702	5	8	24	43	65	88	96
18-24	17	20.6	335	2	4	19	34	49	54	55	21	15.5	687	2	2	3	9	59	80	94
25-34	15	28.0	611	3	7	23	40	48	85	97	8	9.3	84	1	2	7	15	24	26	26
35-54	3	14.3	188	5	6	8	24	30	30	30	3	16.0	507	3	3	3	32	42	42	42
55-74	3	9.3	122	2	2	4	17	22	22	22										
75 +																				
ALL AGES	56	23.8	379	3	6	22	39	47	54	94	48	19.8	616	2	3	6	31	56	71	96
SUBTOTAL	**61**	**22.5**	**370**	**3**	**5**	**20**	**38**	**46**	**53**	**92**	**49**	**19.5**	**607**	**2**	**3**	**5**	**30**	**55**	**69**	**96**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	26.0		26	26	26	26	26	26	26
13-17	1	28.0		28	28	28	28	28	28	28	1	10.0		10	10	10	10	10	10	10
18-24											1	16.0		16	16	16	16	16	16	16
25-34	1	13.0		13	13	13	13	13	13	13	1	17.0		17	17	17	17	17	17	17
35-54																				
55-74																				
75 +																				
ALL AGES	3	28.7	253	13	17	28	41	45	45	45	4	17.3	41	10	13	16	21	26	26	26
B. FEMALE																				
0-12 YRS.	2	32.5	313	20	20	32	45	45	45	45	5	10.0	188	1	1	1	19	32	32	32
13-17	20	21.8	190	5	12	20	29	42	46	50	13	21.5	351	1	5	22	30	69	93	99 +
18-24	26	17.9	234	2	3	14	26	43	47	49	15	24.7	683	2	8	15	40	84	95	99 +
25-34	24	19.7	277	4	5	14	34	37	47	66	15	25.8	482	4	8	25	33	50	78	87
35-54	12	19.3	260	3	9	15	34	61	93	99 +	6	17.7	149	2	10	17	28	32	33	33
55-74	1	16.0		16	16	16	16	16	16	16	2	7.5	5	6	6	7	9	9	9	9
75 +																				
ALL AGES	85	19.8	234	2	6	16	30	43	49	88	56	21.6	428	1	6	15	32	61	86	99 +
SUBTOTAL	**88**	**20.1**	**235**	**2**	**6**	**16**	**31**	**44**	**49**	**87**	**60**	**21.3**	**403**	**2**	**6**	**16**	**30**	**55**	**86**	**99 +**
GRAND TOTAL	**149**	**21.1**	**289**	**3**	**6**	**18**	**34**	**44**	**50**	**97**	**109**	**20.5**	**490**	**2**	**3**	**14**	**30**	**55**	**85**	**99 +**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	2.0	2	1	1	2	3	3	3	3
13-17																				
18-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	3.3	7	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	3	3.3	7	1	1	3	5	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	27.2	141	12	19	24	37	42	42	42										
13-17	2	13.0	72	7	7	13	19	19	19	19										
18-24											1	23.0		23	23	23	23	23	23	23
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	8	20.9	172	6	9	20	30	40	42	42	1	23.0		23	23	23	23	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	8	20.9	172	6	9	20	30	40	42	42	1	23.0		23	23	23	23	23	23	23
GRAND TOTAL	9	18.8	190	3	6	19	27	40	42	42	4	8.3	100	1	2	4	14	23	23	23

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34	2	1.0		1	1	1	1	1	1	1										
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	3	1.3		1	1	1	2	2	2	2	4	2.0	1	1	1	2	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	2	3.5	5	2	2	3	5	5	5	5	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	5	2.2	3	1	1	2	3	5	5	5	5	2.6	3	1	1	3	4	5	5	5

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9	1	40.0		40	40	40	40	40	40	40
13-17																				
18-24																				
25-34	1	29.0		29	29	29	29	29	29	29	1	6.0		6	6	6	6	6	6	6
35-54	3	39.3	620	25	25	25	57	68	68	68										
55-74											1	29.0		29	29	29	29	29	29	29
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	31.2	482	9	21	25	39	68	68	68	4	19.8	308	4	5	17	34	40	40	40
B. FEMALE																				
0-12 YRS.	5	13.6	76	6	6	11	21	26	26	26	6	20.0	514	2	3	8	49	49	49	49
13-17	26	20.8	153	2	9	25	30	33	40	42	9	26.2	254	6	18	26	32	51	56	56
18-24	36	28.3	158	9	18	30	39	43	47	52	13	35.2	306	4	25	40	49	55	56	56
25-34	24	26.3	251	4	16	26	36	42	53	71	5	17.6	219	1	3	20	30	35	35	35
35-54	19	25.8	182	6	17	26	33	40	48	54	6	22.5	420	4	6	17	35	53	55	55
55-74	2	32.0	98	25	25	32	39	39	39	39	2	14.5	265	3	3	14	26	26	26	26
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	113	24.9	188	5	14	26	33	40	44	60	41	26.0	337	3	6	26	41	54	55	56
SUBTOTAL	**118**	**25.2**	**197**	**5**	**14**	**26**	**33**	**40**	**45**	**69**	**45**	**25.4**	**333**	**3**	**6**	**26**	**40**	**53**	**55**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	18.0	8	16	16	18	20	20	20	20										
18-24	2	3.5	1	3	3	3	4	4	4	4	4	33.5	827	2	11	31	55	69	69	69
25-34	5	20.8	322	4	5	19	33	47	47	47	1	39.0		39	39	39	39	39	39	39
35-54	2	43.0	32	39	39	43	47	47	47	47	2	42.0	8	40	40	42	44	44	44	44
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	12	19.8	289	3	4	17	34	47	47	47	7	36.7	433	6	25	40	43	64	69	69
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30	3	32.0	559	5	14	42	47	49	49	49
13-17	38	24.5	310	3	12	21	41	46	54	67	31	29.7	412	6	15	25	41	59	73	81
18-24	88	27.0	263	7	14	26	39	44	55	77	35	32.2	262	15	20	32	41	56	75	99 +
25-34	63	30.0	222	12	14	31	40	44	50	74	35	25.9	278	4	10	23	42	43	47	62
35-54	47	31.3	157	12	24	36	42	44	45	49	26	25.5	282	4	6	28	41	44	48	50
55-74	4	31.8	364	3	21	41	42	42	42	42	4	29.0	452	2	16	30	42	54	54	54
75 +	2	4.0	2	3	3	4	5	5	5	5										
ALL AGES	243	28.1	245	7	14	30	40	44	49	68	134	28.6	309	5	15	29	42	49	60	84
SUBTOTAL	**255**	**27.7**	**249**	**5**	**14**	**29**	**40**	**44**	**48**	**67**	**141**	**29.0**	**315**	**5**	**15**	**29**	**42**	**49**	**62**	**83**
GRAND TOTAL	**373**	**26.9**	**234**	**5**	**14**	**27**	**40**	**43**	**47**	**68**	**186**	**28.1**	**322**	**4**	**13**	**28**	**42**	**50**	**56**	**81**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	32.0		32	32	32	32	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	32.0		32	32	32	32	32	32	32										
GRAND TOTAL	1	32.0		32	32	32	32	32	32	32										

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	21.0	648	3	3	21	39	39	39	39										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	21.0	648	3	3	21	39	39	39	39										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**4**	**11.8**	**329**	**2**	**2**	**3**	**21**	**39**	**39**	**39**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	35.0	163	21	25	38	44	46	46	46	1	21.0		21	21	21	21	21	21	21
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	35.0	163	21	25	38	44	46	46	46	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**35.0**	**163**	**21**	**25**	**38**	**44**	**46**	**46**	**46**	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**
GRAND TOTAL	**7**	**21.7**	**375**	**2**	**3**	**21**	**39**	**45**	**46**	**46**	**2**	**12.5**	**145**	**4**	**4**	**12**	**21**	**21**	**21**	**21**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
18-24											3	1.7		1	1	2	2	2	2	2
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	1.0		1	1	1	1	1	1	1	5	2.2	2	1	1	2	3	4	4	4
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	12	1.8	1	1	1	2	2	3	4	4
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	7	2.6	3	1	1	3	3	5	6	6										
18-24	6	3.0	4	1	1	3	4	6	6	6	5	2.2	1	1	1	2	3	4	4	4
25-34	5	13.0	160	1	2	8	26	28	28	28	7	2.4	2	1	1	2	4	5	5	5
35-54	5	2.2	3	1	1	2	3	5	5	5	15	2.8	3	1	1	3	4	5	6	6
55-74	5	2.2	1	1	2	2	3	3	3	3	4	1.3		1	1	1	2	2	2	2
75 +	2	14.5	365	1	1	14	28	28	28	28	1	2.0		2	2	2	2	2	2	2
ALL AGES	30	5.1	58	1	1	2	4	16	28	28	33	2.4	2	1	1	2	4	4	5	6
SUBTOTAL	**33**	**4.7**	**55**	**1**	**1**	**2**	**4**	**11**	**27**	**28**	**45**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	1	2.0		2	2	2	2	2	2	2	3	3.3	2	2	2	4	4	4	4	4
35-54	3	4.0	12	2	2	2	7	8	8	8	6	2.2	1	1	1	2	3	4	4	4
55-74																				
75 +																				
ALL AGES	4	3.5	9	2	2	2	5	8	8	8	10	2.6	1	1	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18	4	2.8	1	2	2	3	3	4	4	4
25-34	5	4.4	8	2	3	3	6	9	9	9	4	4.0	5	2	2	3	5	7	7	7
35-54	8	7.0	28	1	2	7	10	15	17	17	6	3.8	6	2	2	3	5	8	8	8
55-74	4	5.0	11	1	2	5	7	9	9	9	2	5.0	2	4	4	5	6	6	6	6
75 +	1	15.0		15	15	15	15	15	15	15	2	2.5	5	1	1	2	4	4	4	4
ALL AGES	20	8.7	91	1	3	6	10	17	30	43	18	3.6	4	2	2	3	4	7	8	8
SUBTOTAL	**24**	**7.8**	**81**	**2**	**2**	**5**	**9**	**17**	**25**	**43**	**28**	**3.3**	**3**	**1**	**2**	**3**	**4**	**6**	**7**	**8**
GRAND TOTAL	**57**	**6.0**	**67**	**1**	**2**	**3**	**7**	**17**	**27**	**42**	**73**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**8**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
55-74	2	3.5	13	1	1	3	6	6	6	6	1	2.0		2	2	2	2	2	2	2
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	5	3.6	3	1	2	4	5	6	6	6	3	4.0	7	2	2	3	6	7	7	7
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	4.0	5	1	2	4	5	6	6	6	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**3.8**	**3**	**1**	**3**	**4**	**5**	**6**	**6**	**6**	**4**	**3.3**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	3	12.3	387	1	1	1	26	35	35	35										
55-74	2	5.5	13	3	3	5	8	8	8	8										
75 +											3	4.7	8	3	3	3	7	8	8	8
ALL AGES	5	9.6	210	1	1	3	15	35	35	35	5	3.4	7	1	2	3	4	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	4	2.8	1	2	2	3	3	4	4	4	1	3.0		3	3	3	3	3	3	3
55-74	3	3.7	5	1	2	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
75 +	2	6.5	5	5	5	6	8	8	8	8	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	10	4.9	14	1	2	4	5	11	14	14	5	2.6	3	1	1	3	4	5	5	5
SUBTOTAL	**15**	**6.5**	**74**	**1**	**2**	**4**	**7**	**14**	**30**	**35**	**10**	**3.0**	**5**	**1**	**1**	**3**	**3**	**6**	**8**	**8**
GRAND TOTAL	**24**	**5.5**	**48**	**1**	**2**	**4**	**6**	**9**	**20**	**35**	**14**	**3.1**	**5**	**1**	**1**	**3**	**3**	**7**	**8**	**8**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	1.0		1	1	1	1	1	1	1	4	2.3	1	1	1	2	3	4	4	4
55-74	1	1.0		1	1	1	1	1	1	1	5	3.6	13	1	2	2	5	10	10	10
75 +											2	1.5	1	1	1	1	2	2	2	2
ALL AGES	3	1.0		1	1	1	1	1	1	1	14	2.6	6	1	1	2	3	5	9	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24											3	2.7	2	1	1	3	4	4	4	4
25-34	2	2.5	5	1	1	2	4	4	4	4	4	8.5	118	1	1	5	16	24	24	24
35-54	7	2.6	2	1	1	3	3	5	5	5	17	2.6	5	1	1	2	3	6	8	9
55-74	1	1.0		1	1	1	1	1	1	1	11	2.3	3	1	1	2	3	5	6	6
75 +											3	3.0	3	2	2	2	4	5	5	5
ALL AGES	11	2.3	2	1	1	2	3	4	5	5	39	3.1	16	1	1	2	3	7	9	24
SUBTOTAL	**14**	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**5**	**5**	**53**	**3.0**	**13**	**1**	**1**	**2**	**3**	**6**	**9**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	3	4.3	18	1	1	3	7	9	9	9
35-54	1	4.0		4	4	4	4	4	4	4	3	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	7	2.4	9	1	1	1	3	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	2	5.5	25	2	2	5	9	9	9	9	2	1.5	1	1	1	1	2	2	2	2
35-54	5	4.6	11	1	2	4	7	9	9	9	10	1.8	1	1	1	1	3	4	4	4
55-74	3	19.0	292	3	6	17	32	37	37	37	4	2.3	1	1	1	2	3	4	4	4
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	11	8.5	111	1	2	4	9	25	36	37	18	2.0	2	1	1	2	3	4	5	5
SUBTOTAL	**13**	**7.5**	**99**	**1**	**2**	**4**	**9**	**21**	**34**	**37**	**25**	**2.1**	**4**	**1**	**1**	**1**	**3**	**4**	**6**	**9**
GRAND TOTAL	**27**	**4.7**	**54**	**1**	**1**	**2**	**4**	**9**	**20**	**37**	**78**	**2.7**	**10**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1	3	2.7		2	2	3	3	3	3	3

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											2	4.5	5	3	3	4	6	6	6	6
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											3	3.3	7	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	1	7.0		7	7	7	7	7	7	7	3	3.3	7	1	1	3	5	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	1	7.0		7	7	7	7	7	7	7	4	3.3	4	1	2	3	5	6	6	6

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	34.0	18	31	31	34	37	37	37	37	1	2.0		2	2	2	2	2	2	2
13-17	3	3.0	4	1	1	3	4	5	5	5										
18-24	2	6.0	50	1	1	6	11	11	11	11										
25-34	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	5	10.8	287	1	2	4	14	41	41	41	4	1.3		1	1	1	2	2	2	2
55-74	2	2.5	1	2	2	2	3	3	3	3										
75 +																				
ALL AGES	16	9.4	188	1	2	3	8	36	40	41	6	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	37.0	1922	6	6	37	68	68	68	68										
13-17	11	10.5	65	1	3	11	16	21	26	27	1	1.0		1	1	1	1	1	1	1
18-24	4	27.3	2165	1	2	5	52	97	97	97	2	3.5	1	3	3	3	4	4	4	4
25-34	6	8.2	41	3	3	6	10	19	20	20	2	2.0	2	1	1	2	3	3	3	3
35-54	8	6.9	91	1	1	3	8	24	29	29	7	3.3	3	1	2	3	4	6	7	7
55-74	4	1.3		1	1	1	2	2	2	2	8	3.1	5	1	1	2	5	7	7	7
75 +	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
ALL AGES	36	11.4	370	1	2	5	12	26	56	97	21	3.0	3	1	2	3	4	6	7	7
SUBTOTAL	**52**	**10.8**	**310**	**1**	**2**	**4**	**11**	**30**	**41**	**96**	**27**	**2.6**	**3**	**1**	**1**	**2**	**3**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	51.0	675	16	35	59	79	96	99 +	99 +										
13-17	6	5.3	11	1	4	5	6	10	11	11	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	9	4.8	24	1	1	2	7	13	15	15	1	1.0		1	1	1	1	1	1	1
35-54	9	5.0	19	1	1	3	8	12	12	12	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	31	15.4	530	1	2	6	13	63	85	99 +	3	1.7	1	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	40.7	838	11	26	55	84	99 +	99 +	99 +	1	25.0		25	25	25	25	25	25	25
13-17	10	8.1	75	1	3	5	14	22	29	29	1	1.0		1	1	1	1	1	1	1
18-24	12	10.6	130	1	3	6	16	30	35	36										
25-34	19	9.3	81	1	3	6	10	28	29	29	6	2.7		2	2	3	3	3	3	3
35-54	11	4.8	10	1	2	4	6	10	11	11	5	2.0	1	1	1	2	3	3	3	3
55-74	2	4.5	25	1	1	4	8	8	8	8	2	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	57	10.0	153	1	3	6	11	29	40	97	15	3.6	36	1	1	2	3	3	20	25
SUBTOTAL	**88**	**11.9**	**288**	**1**	**3**	**6**	**11**	**38**	**69**	**99 +**	**18**	**3.3**	**30**	**1**	**1**	**2**	**3**	**3**	**16**	**25**
GRAND TOTAL	**140**	**11.5**	**294**	**1**	**2**	**5**	**11**	**32**	**63**	**99 +**	**45**	**2.9**	**14**	**1**	**1**	**2**	**3**	**4**	**7**	**25**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	1	11	11	11	12	12	12	12										
SUBTOTAL	**2**	**11.5**	**1**	**11**	**11**	**11**	**12**	**12**	**12**	**12**	**2**	**4.0**	**18**	**1**	**1**	**4**	**7**	**7**	**7**	**7**
GRAND TOTAL	**3**	**8.3**	**31**	**2**	**4**	**11**	**12**	**12**	**12**	**12**	**4**	**3.0**	**7**	**1**	**1**	**2**	**5**	**7**	**7**	**7**

ACUTE STRESS REACT NOS (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	1	2.0		2	2	2	2	2	2	2	2	2.5	5	1	1	2	4	4	4	4
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	5	2.8	4	1	1	2	5	5	5	5	4	2.0	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
25-34	5	4.4	21	1	1	3	7	12	12	12										
35-54	4	4.5	26	1	1	2	7	12	12	12										
55-74	3	4.7	30	1	1	2	9	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	13	4.2	20	1	1	2	6	12	12	12	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**18**	**3.8**	**15**	**1**	**1**	**2**	**5**	**12**	**12**	**12**	**6**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	4	1.5	1	1	1	1	2	3	3	3										
35-54	3	3.0	7	1	1	2	5	6	6	6										
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	9	2.0	3	1	1	1	2	5	6	6	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.0	32	1	1	5	9	9	9	9										
18-24	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
25-34	2	6.0	50	1	1	5	11	11	11	11										
35-54	2	7.0	72	1	1	7	13	13	13	13	2	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	7	5.4	29	1	1	2	10	13	13	13	5	3.0	1	2	2	3	3	4	4	4
SUBTOTAL	**16**	**3.5**	**16**	**1**	**1**	**2**	**4**	**11**	**12**	**13**	**6**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**4**
GRAND TOTAL	**34**	**3.7**	**15**	**1**	**1**	**2**	**5**	**11**	**12**	**13**	**12**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	17.8	277	2	7	16	22	40	60	62	2	3.5	5	2	2	3	5	5	5	5
13-17	39	5.7	33	1	2	3	7	12	20	26	18	16.3	222	1	6	13	19	39	53	59
18-24	45	3.5	27	1	1	2	3	7	14	26	8	3.3	11	1	1	2	4	9	11	11
25-34	56	3.2	7	1	1	2	4	7	9	14	13	3.0	11	1	1	2	4	7	12	13
35-54	58	4.0	19	1	1	2	6	10	14	21	14	5.6	26	1	2	5	7	10	18	21
55-74	12	5.8	26	2	3	4	7	14	17	18	3	5.0	21	1	2	4	8	10	10	10
75 +	7	9.3	36	4	5	6	12	19	21	21	4	4.5	3	2	3	5	6	6	6	6
ALL AGES	228	4.9	42	1	1	3	6	12	17	26	62	7.7	103	1	2	5	10	18	25	57
B. FEMALE																				
0-12 YRS.	21	9.5	41	2	6	9	11	19	24	27	1	38.0		38	38	38	38	38	38	38
13-17	134	7.7	60	1	2	4	11	18	24	33	32	15.8	234	1	4	12	22	46	52	54
18-24	87	2.9	6	1	1	2	4	7	8	10	12	4.3	12	1	2	3	5	9	13	14
25-34	81	4.8	28	1	1	3	5	12	18	24	17	3.6	5	1	2	3	4	7	9	9
35-54	114	4.9	25	1	1	3	7	12	15	25	31	2.8	5	1	1	2	4	6	7	10
55-74	20	6.4	37	1	1	4	11	15	18	21	9	3.3	5	1	2	3	5	7	7	7
75 +	8	7.0	11	3	4	7	9	11	12	12	3	1.7	1	1	1	1	2	3	3	3
ALL AGES	465	5.6	36	1	1	3	8	14	18	28	105	7.4	117	1	2	3	7	20	31	53
SUBTOTAL	**693**	**5.4**	**38**	**1**	**1**	**3**	**7**	**13**	**18**	**27**	**167**	**7.5**	**111**	**1**	**2**	**4**	**8**	**19**	**29**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	12.5	33	4	10	13	16	19	19	19	1	26.0		26	26	26	26	26	26	26
13-17	46	7.4	49	1	2	5	9	21	22	24	6	4.0	10	1	2	3	4	9	10	10
18-24	92	4.3	26	1	1	3	5	10	13	29	17	4.5	22	1	1	2	8	12	14	15
25-34	127	4.6	20	1	2	3	6	11	15	21	18	5.0	17	1	2	5	7	12	14	14
35-54	102	5.5	19	1	2	4	8	12	15	20	17	6.3	46	1	2	4	8	18	21	22
55-74	19	3.5	7	1	1	3	5	8	9	9	7	4.6	20	1	1	2	7	12	13	13
75 +	8	4.8	6	2	3	4	6	9	10	10										
ALL AGES	400	5.1	26	1	2	3	7	11	17	22	66	5.4	31	1	1	3	8	14	16	25
B. FEMALE																				
0-12 YRS.	2	19.5	1	19	19	19	20	20	20	20	1	9.0		9	9	9	9	9	9	9
13-17	103	9.0	149	1	2	5	12	21	29	71	9	8.2	30	1	3	9	12	16	16	16
18-24	86	4.2	21	1	1	3	5	9	12	26	13	5.5	38	1	2	3	7	13	22	24
25-34	169	4.7	25	1	1	3	6	10	14	22	26	4.6	29	1	2	3	5	9	14	28
35-54	163	5.7	39	1	2	4	7	12	18	33	18	6.0	30	2	3	4	7	17	20	20
55-74	23	6.7	37	2	3	5	8	14	20	28	2	7.5	1	7	7	7	8	8	8	8
75 +	3	11.0	4	9	9	11	12	13	13	13	1	3.0		3	3	3	3	3	3	3
ALL AGES	549	5.9	55	1	2	3	7	13	19	33	70	5.7	30	1	2	4	7	11	19	27
SUBTOTAL	**949**	**5.6**	**43**	**1**	**2**	**3**	**7**	**13**	**18**	**29**	**136**	**5.6**	**30**	**1**	**2**	**4**	**8**	**13**	**17**	**26**
GRAND TOTAL	**1642**	**5.5**	**41**	**1**	**2**	**3**	**7**	**13**	**18**	**28**	**303**	**6.6**	**76**	**1**	**2**	**4**	**8**	**15**	**22**	**50**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	18.0	75	7	11	18	26	28	29	29										
13-17	9	7.6	27	1	2	9	11	14	16	16										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	5.5	5	4	4	5	7	7	7	7	2	3.5	5	2	2	3	5	5	5	5
35-54	2	6.5	13	4	4	6	9	9	9	9										
55-74	3	9.0	109	2	2	4	17	21	21	21	2	13.0	162	4	4	13	22	22	22	22
75 +	2	6.0	8	4	4	6	8	8	8	8	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	31	11.2	75	2	4	9	16	26	28	29	6	6.5	59	2	2	4	5	20	22	22
B. FEMALE																				
0-12 YRS.	5	18.8	65	10	14	18	22	32	32	32										
13-17	20	15.1	139	2	7	14	19	34	43	45										
18-24	8	6.6	41	1	2	4	10	17	19	19										
25-34	6	4.3	8	2	2	3	6	9	9	9	1	7.0		7	7	7	7	7	7	7
35-54	10	5.0	8	1	2	5	7	9	9	9	3	13.7	135	1	5	16	22	24	24	24
55-74	6	9.0	45	3	4	6	17	18	18	18	2	4.0	2	3	3	4	5	5	5	5
75 +	3	8.0	19	3	5	10	11	11	11	11	3	5.0	9	2	3	5	7	8	8	8
ALL AGES	58	10.4	88	2	3	8	16	19	30	45	9	7.9	56	1	3	5	10	21	24	24
SUBTOTAL	**89**	**10.7**	**82**	**2**	**4**	**9**	**16**	**22**	**28**	**43**	**15**	**7.3**	**54**	**2**	**2**	**5**	**8**	**22**	**23**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	22.3	16	18	19	21	25	28	28	28										
13-17	8	8.9	57	2	3	6	14	21	22	22										
18-24	6	4.5	11	1	3	3	7	10	10	10	1	3.0		3	3	3	3	3	3	3
25-34	9	7.0	37	1	2	5	12	16	17	17	2	15.5	421	1	1	15	30	30	30	30
35-54	17	7.1	57	1	2	5	10	14	25	31	1	5.0		5	5	5	5	5	5	5
55-74	4	10.0	13	6	7	10	13	14	14	14	2	4.5	5	3	3	4	6	6	6	6
75 +	1	16.0		16	16	16	16	16	16	16	1	24.0		24	24	24	24	24	24	24
ALL AGES	49	8.7	57	1	3	6	13	19	23	31	7	10.3	136	1	3	5	19	29	30	30
B. FEMALE																				
0-12 YRS.	2	15.0	242	4	4	15	26	26	26	26	1	4.0		4	4	4	4	4	4	4
13-17	14	18.2	564	3	4	10	23	34	81	94	7	21.1	327	2	6	22	30	48	52	52
18-24	11	10.1	70	1	1	9	18	20	20	20	2	5.0	18	2	2	5	8	8	8	8
25-34	14	6.9	71	1	2	4	7	22	28	30	5	10.6	113	3	4	7	15	29	29	29
35-54	19	8.5	72	1	3	7	11	22	30	32	1	3.0		3	3	3	3	3	3	3
55-74	9	16.6	239	5	7	9	20	44	51	51										
75 +	3	12.3	94	2	5	14	19	21	21	21										
ALL AGES	72	11.7	196	1	3	7	17	26	32	84	16	13.6	215	2	3	7	25	31	46	52
SUBTOTAL	**121**	**10.5**	**141**	**1**	**3**	**7**	**15**	**23**	**29**	**63**	**23**	**12.6**	**186**	**2**	**3**	**6**	**23**	**30**	**38**	**52**
GRAND TOTAL	**210**	**10.6**	**115**	**1**	**3**	**8**	**16**	**23**	**28**	**47**	**38**	**10.5**	**138**	**2**	**3**	**5**	**16**	**29**	**31**	**52**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	12.9	58	6	8	10	16	26	28	28										
13-17	11	3.4	13	1	2	2	3	9	14	14	7	4.1	7	1	2	4	6	8	8	8
18-24	12	2.5	5	1	1	2	3	6	8	8	4	14.5	626	1	1	2	27	52	52	52
25-34	17	3.5	12	1	1	1	6	7	12	14	3	10.3	105	3	4	6	18	22	22	22
35-54	22	7.4	47	1	3	5	8	19	24	25	3	2.3	3	1	1	2	3	4	4	4
55-74	4	6.0	5	4	4	5	7	9	9	9	2	3.5	13	1	1	3	6	6	6	6
75 +	2	3.0		3	3	3	3	3	3	3										
ALL AGES	75	5.5	32	1	1	3	7	14	18	27	19	6.9	142	1	2	3	6	16	38	52
B. FEMALE																				
0-12 YRS.	7	26.3	396	4	6	27	46	50	50	50										
13-17	41	8.2	61	1	3	6	11	18	24	35	5	11.2	447	1	1	2	14	49	49	49
18-24	25	3.2	9	1	1	2	4	9	10	12	2	6.0	32	2	2	6	10	10	10	10
25-34	27	5.9	70	1	1	3	7	13	19	43	5	6.8	25	3	3	5	10	15	15	15
35-54	42	5.1	31	1	1	3	7	12	15	29	8	6.5	89	1	2	2	7	23	29	29
55-74	14	7.4	60	1	2	4	10	19	25	27	11	3.7	7	1	2	3	5	8	9	9
75 +	4	4.3	6	1	2	4	6	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	160	6.8	77	1	2	4	9	16	26	47	32	6.2	91	1	2	3	6	11	28	49
SUBTOTAL	**235**	**6.4**	**63**	**1**	**2**	**4**	**8**	**15**	**23**	**44**	**51**	**6.5**	**107**	**1**	**2**	**3**	**6**	**12**	**29**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	15.8	189	3	4	12	24	37	42	42	1	29.0		29	29	29	29	29	29	29
13-17	21	8.5	90	2	3	4	12	25	32	35	3	7.7	114	1	1	2	15	20	20	20
18-24	19	2.0	2	1	1	1	3	4	5	6	1	1.0		1	1	1	1	1	1	1
25-34	27	5.9	88	1	1	3	7	10	23	49	12	4.8	7	2	3	5	6	9	9	9
35-54	29	6.3	51	1	2	3	7	16	24	30	11	8.0	43	2	5	6	9	17	25	26
55-74	9	7.9	41	3	4	4	12	19	20	20	3	4.0	9	1	2	4	6	7	7	7
75 +	2	13.5	41	9	9	13	18	18	18	18										
ALL AGES	115	6.8	75	1	2	4	7	18	25	44	31	6.8	46	1	3	5	8	15	26	29
B. FEMALE																				
0-12 YRS.	3	17.3	496	4	4	5	33	43	43	43										
13-17	47	10.3	89	1	3	7	15	26	31	37	3	21.3	62	15	16	19	27	30	30	30
18-24	32	4.5	23	1	1	3	6	10	17	21	4	10.0	167	1	2	5	18	29	29	29
25-34	49	5.7	27	1	2	4	7	15	18	19	11	6.6	49	1	1	5	9	19	21	21
35-54	58	4.8	16	2	3	3	5	12	14	18	9	6.6	20	2	3	6	8	14	17	17
55-74	11	9.4	53	2	3	8	17	20	20	20	2	8.5	41	4	4	8	13	13	13	13
75 +	3	6.0	1	5	5	6	7	7	7	7	2	12.0	162	3	3	12	21	21	21	21
ALL AGES	203	6.7	49	1	2	4	8	18	20	35	31	8.9	69	1	3	6	14	21	29	30
SUBTOTAL	**318**	**6.7**	**59**	**1**	**2**	**4**	**8**	**18**	**22**	**39**	**62**	**7.9**	**57**	**1**	**3**	**5**	**9**	**20**	**27**	**30**
GRAND TOTAL	**553**	**6.6**	**60**	**1**	**2**	**4**	**8**	**17**	**23**	**42**	**113**	**7.2**	**80**	**1**	**2**	**4**	**8**	**19**	**28**	**50**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	10.8	47	2	5	11	17	46	92	99+										
18-24	2	2.5	5	1	1	2	4	4	4	4	1	12.0		12	12	12	12	12	12	12
25-34	2	1.0		1	1	1	1	1	1	1										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	16	8.1	48	1	2	6	14	22	73	99+	2	6.5	61	1	1	6	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	26	12.0	226	2	3	7	11	35	47	65	1	2.0		2	2	2	2	2	2	2
18-24	4	3.5	6	1	1	5	29	99+	99+	99+	1	5.0		5	5	5	5	5	5	5
25-34	2	3.0	2	2	2	3	4	4	4	4										
35-54	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	34	9.9	187	2	3	6	10	36	59	99+	3	2.7	4	1	1	2	4	5	5	5
SUBTOTAL	**50**	**9.3**	**142**	**1**	**3**	**6**	**11**	**31**	**63**	**99+**	**5**	**4.2**	**22**	**1**	**1**	**2**	**7**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	11.3	103	5	5	6	19	23	23	23	1	1.0		1	1	1	1	1	1	1
13-17	13	10.2	47	1	4	12	15	19	21	21	1	4.0		4	4	4	4	4	4	4
18-24	3	3.3	11	1	1	2	6	7	7	7	3	10.0	243	1	1	1	21	28	28	28
25-34	8	3.4	16	1	1	2	3	10	13	13	2	7.0	72	1	1	6	13	13	13	13
35-54	1	2.0		2	2	2	2	2	2	2	1	17.0		17	17	17	17	17	17	17
55-74	1	21.0		21	21	21	21	21	21	21										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	30	7.7	50	1	2	4	13	20	21	23	8	8.3	102	1	1	2	15	25	28	28
B. FEMALE																				
0-12 YRS.	4	10.0	91	3	4	6	16	24	24	24										
13-17	18	12.3	279	3	3	7	15	25	55	73										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	2.7	8	1	1	1	5	6	6	6										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	28	9.9	202	2	3	5	11	23	32	73										
SUBTOTAL	**58**	**8.8**	**122**	**1**	**2**	**5**	**13**	**21**	**24**	**69**	**8**	**8.3**	**102**	**1**	**1**	**2**	**15**	**25**	**28**	**28**
GRAND TOTAL	**108**	**9.0**	**130**	**1**	**2**	**5**	**12**	**22**	**36**	**99+**	**13**	**6.7**	**71**	**1**	**1**	**2**	**12**	**19**	**26**	**28**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	21.9	392	3	8	14	32	54	62	62										
13-17	29	9.6	94	1	2	3	15	21	26	41	5	11.2	235	2	3	3	17	38	38	38
18-24	10	1.4	1	1	1	1	1	3	4	4	4	4.8	38	1	1	2	8	14	14	14
25-34	15	3.9	32	1	1	2	4	8	19	23	4	6.3	15	2	3	6	9	11	11	11
35-54	8	6.6	8	3	5	6	8	11	12	12	1	3.0		3	3	3	3	3	3	3
55-74	4	4.0	3	2	3	4	5	6	6	6										
75 +																				
ALL AGES	74	8.0	114	1	2	3	12	20	29	57	14	7.4	94	2	2	3	10	16	33	38
B. FEMALE																				
0-12 YRS.	7	13.9	299	1	3	8	15	44	51	51	1	41.0		41	41	41	41	41	41	41
13-17	47	12.6	192	1	3	8	18	25	36	79	6	6.2	22	1	3	6	6	14	15	15
18-24	27	2.7	8	1	1	2	3	5	8	14	1	5.0		5	5	5	5	5	5	5
25-34	24	3.4	12	1	1	2	4	7	11	17	2	9.5	5	8	8	9	11	11	11	11
35-54	11	5.4	34	1	1	2	7	15	19	19	1	5.0		5	5	5	5	5	5	5
55-74	11	8.3	168	1	1	3	9	24	44	46										
75 +	2	4.0	2	3	3	4	5	5	5	5										
ALL AGES	129	7.8	122	1	2	3	9	19	26	57	11	9.7	122	2	5	6	10	25	40	41
SUBTOTAL	**203**	**7.9**	**118**	**1**	**2**	**3**	**10**	**19**	**26**	**56**	**25**	**8.4**	**103**	**2**	**3**	**5**	**10**	**15**	**39**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	26.0	196	8	22	37	99+	99+	99+	99+	2	22.5	761	3	3	22	42	42	42	42
13-17	29	14.6	336	1	4	9	17	28	61	86	2	4.0	2	3	3	4	5	5	5	5
18-24	25	4.5	15	1	2	3	6	13	13	13	12	9.3	62	1	3	7	14	23	24	24
25-34	33	5.5	35	1	1	3	7	16	18	21	17	9.2	56	2	3	7	14	21	23	23
35-54	14	5.3	25	1	1	4	7	13	17	18	9	4.7	9	1	3	4	6	10	10	10
55-74	7	5.3	11	2	2	5	8	10	10	10	1	16.0		16	16	16	16	16	16	16
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	116	8.7	145	1	2	5	11	24	42	99+	43	8.8	73	2	3	5	12	22	23	42
B. FEMALE																				
0-12 YRS.	6	22.0	569	5	5	14	26	63	67	67										
13-17	52	14.6	300	2	4	9	19	31	61	89	4	23.5	1046	1	1	11	45	70	70	70
18-24	29	3.3	17	1	1	1	3	9	14	17	8	7.5	17	3	5	6	10	14	15	15
25-34	36	6.6	86	1	2	3	6	15	28	45	14	8.9	199	2	3	5	7	21	48	56
35-54	38	5.8	27	1	2	4	9	12	14	26	4	5.5	26	1	1	4	9	12	12	12
55-74	6	4.2	14	1	1	3	7	10	10	10										
75 +	2	13.5	13	11	11	13	16	16	16	16	1	2.0		2	2	2	2	2	2	2
ALL AGES	169	8.9	160	1	2	5	11	21	29	66	31	9.7	230	1	2	5	8	19	54	70
SUBTOTAL	**285**	**8.8**	**154**	**1**	**2**	**5**	**11**	**22**	**32**	**96**	**74**	**9.2**	**136**	**2**	**3**	**5**	**12**	**21**	**24**	**67**
GRAND TOTAL	**488**	**8.4**	**140**	**1**	**2**	**4**	**11**	**20**	**30**	**83**	**99**	**9.0**	**127**	**2**	**3**	**5**	**11**	**20**	**32**	**63**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	35.8	724	6	20	32	42	78	93	93	1	7.0		7	7	7	7	7	7	7
13-17	8	8.4	20	2	5	9	10	14	16	16	2	1.0		1	1	1	1	1	1	1
18-24	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	4	4.0	15	1	1	3	7	9	9	9										
35-54	8	6.5	56	1	2	4	7	19	24	24	2	6.5	41	2	2	6	11	11	11	11
55-74																				
75 +																				
ALL AGES	29	14.6	382	1	3	8	18	39	45	93	6	4.2	16	1	1	2	7	11	11	11
B. FEMALE																				
0-12 YRS.	2	39.5	85	33	33	39	46	46	46	46	2	13.5	113	6	6	13	21	21	21	21
13-17	17	11.6	157	1	3	5	16	35	40	41	5	10.0	301	1	2	3	13	41	41	41
18-24	5	1.8	2	1	1	1	2	4	4	4	3	15.7	644	1	1	1	34	45	45	45
25-34	8	13.3	306	2	3	5	23	42	43	43										
35-54	7	7.0	26	1	2	7	12	13	13	13	3	6.0	61	1	1	2	12	15	15	15
55-74	1	1.0		1	1	1	1	1	1	1	2	10.0	72	4	4	10	16	16	16	16
75 +																				
ALL AGES	40	11.1	183	1	2	4	14	39	42	46	15	10.8	211	1	1	3	16	41	44	45
SUBTOTAL	**69**	**12.6**	**265**	**1**	**2**	**6**	**14**	**39**	**43**	**84**	**21**	**8.9**	**162**	**1**	**1**	**3**	**12**	**29**	**43**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	33.3	649	2	18	38	43	98	99+	99+	1	38.0		38	38	38	38	38	38	38
13-17	12	11.6	169	3	4	8	13	26	47	50										
18-24	2	3.5	5	2	2	3	5	5	5	5	2	5.0	2	4	4	5	6	6	6	6
25-34	6	3.0	16	1	1	1	3	10	11	11	1	14.0		14	14	14	14	14	14	14
35-54	22	6.0	35	1	2	4	8	14	21	23	4	14.0	406	1	2	5	25	44	44	44
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	57	12.6	300	1	2	5	14	40	48	99+	8	14.8	277	2	4	6	26	42	44	44
B. FEMALE																				
0-12 YRS.	8	25.6	583	6	8	18	34	67	77	77	3	43.3	1455	2	14	51	70	77	77	77
13-17	46	16.8	326	3	5	13	20	43	65	99+	3	6.0	48	2	2	2	11	14	14	14
18-24	9	10.8	143	1	2	7	16	31	37	37	2	4.0	18	1	1	4	7	7	7	7
25-34	27	10.8	173	2	2	7	12	32	46	52	3	7.0	39	2	3	5	12	14	14	14
35-54	27	10.3	89	1	3	8	15	25	32	32	2	12.5	113	5	5	12	20	20	20	20
55-74											2	22.5	685	4	4	22	41	41	41	41
75 +																				
ALL AGES	117	14.1	248	2	3	10	18	34	49	98	15	16.5	504	2	2	5	19	51	70	77
SUBTOTAL	**174**	**13.6**	**264**	**1**	**3**	**8**	**17**	**38**	**49**	**99**	**23**	**15.9**	**410**	**2**	**3**	**6**	**19**	**45**	**60**	**77**
GRAND TOTAL	**243**	**13.3**	**264**	**1**	**3**	**8**	**16**	**38**	**45**	**97**	**44**	**12.5**	**299**	**1**	**2**	**5**	**15**	**42**	**47**	**77**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
13-17	6	9.0	61	1	6	7	8	22	24	24	3	6.3	71	1	1	2	12	16	16	16
18-24	2	1.5	1	1	1	1	2	2	2	2	1	10.0		10	10	10	10	10	10	10
25-34	10	2.2	4	1	1	2	3	5	7	7										
35-54	10	2.7	2	1	1	3	3	5	6	6	1	1.0		1	1	1	1	1	1	1
55-74											1	1.0		1	1	1	1	1	1	1
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	29	3.8	20	1	1	3	4	8	9	24	8	4.8	29	1	1	2	7	14	16	16
B. FEMALE																				
0-12 YRS.	2	22.0	162	13	13	22	31	31	31	31										
13-17	13	2.9	11	1	1	2	3	7	12	13	6	3.0	3	1	2	3	4	6	6	6
18-24	8	2.4	2	1	1	2	3	5	5	5	4	2.3	3	1	1	2	3	5	5	5
25-34	8	3.3	4	1	1	3	5	6	6	6	2	6.5	41	2	2	6	11	11	11	11
35-54	12	3.8	9	1	1	3	6	9	9	9	2	4.5	5	3	3	4	6	6	6	6
55-74	6	11.0	102	1	3	9	16	26	27	27										
75 +	4	8.5	50	2	2	8	14	16	16	16										
ALL AGES	53	5.2	40	1	1	3	5	14	16	31	14	3.5	8	1	2	3	5	7	10	11
SUBTOTAL	**82**	**4.7**	**33**	**1**	**1**	**3**	**5**	**13**	**16**	**30**	**22**	**4.0**	**15**	**1**	**1**	**3**	**5**	**10**	**13**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	7.0		7	7	7	7	7	7	7
13-17	6	2.7	1	1	2	3	3	4	4	4	2	3.0	2	2	2	3	4	4	4	4
18-24	15	2.6	12	1	1	1	3	5	12	14	2	4.0	18	1	1	4	7	7	7	7
25-34	37	3.4	25	1	1	2	3	6	15	26	3	4.3	17	2	2	2	7	9	9	9
35-54	29	2.3	2	1	1	2	3	5	6	6	6	5.3	85	1	1	2	3	22	24	24
55-74	2	2.5	5	1	1	2	4	4	4	4										
75 +	2	3.5	1	3	3	3	4	4	4	4										
ALL AGES	91	2.9	13	1	1	2	3	5	6	22	14	4.7	38	1	1	2	7	10	21	24
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	13	6.1	35	1	2	4	8	15	20	21	3	9.0	112	1	2	5	17	21	21	21
18-24	22	3.0	6	1	2	2	3	6	9	10	2	1.0		1	1	1	1	1	1	1
25-34	36	3.5	8	1	2	3	4	6	7	17	7	2.7	5	1	1	2	4	6	7	7
35-54	34	4.7	20	1	2	4	6	10	12	24	2	4.5	1	4	4	4	5	5	5	5
55-74	6	4.5	4	2	3	4	6	7	7	7	2	6.0	50	1	1	6	11	11	11	11
75 +	3	5.0	4	3	3	5	6	7	7	7	1	7.0		7	7	7	7	7	7	7
ALL AGES	115	4.3	14	1	2	3	5	7	13	22	17	4.5	26	1	1	3	6	10	17	21
SUBTOTAL	**206**	**3.6**	**15**	**1**	**1**	**3**	**4**	**6**	**12**	**22**	**31**	**4.6**	**30**	**1**	**1**	**2**	**6**	**10**	**20**	**24**
GRAND TOTAL	**288**	**3.9**	**20**	**1**	**1**	**3**	**5**	**7**	**13**	**25**	**53**	**4.3**	**24**	**1**	**1**	**2**	**5**	**10**	**15**	**24**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	38.0		38	38	38	38	38	38	38										
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	38.0		38	38	38	38	38	38	38	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**2**	**21.5**	**545**	**5**	**5**	**21**	**38**	**38**	**38**	**38**	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	2	9.5	13	7	7	9	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**9.5**	**13**	**7**	**7**	**9**	**12**	**12**	**12**	**12**										
GRAND TOTAL	**4**	**15.5**	**234**	**5**	**6**	**9**	**25**	**38**	**38**	**38**	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							. TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45	1	11.0		11	11	11	11	11	11	11
18-24	2	3.5	1	3	3	3	4	4	4	4	2	7.0	8	5	5	7	9	9	9	9
25-34	2	15.5	313	3	3	15	28	28	28	28	2	7.0	72	1	1	7	13	13	13	13
35-54	2	7.0		7	7	7	7	7	7	7										
55-74	2	11.0		11	11	11	11	11	11	11										
75 +	3	8.3	34	5	5	5	13	15	15	15	6	4.3	9	1	2	4	6	9	9	9
ALL AGES	12	12.0	157	3	4	7	13	33	43	45	11	5.9	17	1	2	5	9	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	6.0		6	6	6	6	6	6	6	2	6.0		6	6	6	6	6	6	6
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
55-74	3	2.7		2	2	3	3	3	3	3	2	10.5	85	4	4	10	17	17	17	17
75 +	3	2.7		2	2	3	3	3	3	3	5	6.2	52	2	3	3	8	19	19	19
ALL AGES	9	3.1	2	2	2	3	4	5	6	6	10	6.9	36	2	3	5	6	18	19	19
SUBTOTAL	**21**	**8.2**	**107**	**2**	**3**	**4**	**8**	**20**	**36**	**45**	**21**	**6.4**	**25**	**2**	**3**	**5**	**9**	**15**	**18**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	32.5	181	23	23	32	42	42	42	42										
13-17	4	13.8	282	5	5	6	22	39	39	39	1	26.0		26	26	26	26	26	26	26
18-24	2	8.5	61	3	3	8	14	14	14	14	1	18.0		18	18	18	18	18	18	18
25-34	3	5.0	12	3	3	3	8	9	9	9	2	4.0	2	3	3	4	5	5	5	5
35-54	3	17.0	172	5	7	15	27	31	31	31										
55-74	7	11.0	89	1	6	8	14	27	30	30	2	4.5	5	3	3	4	6	6	6	6
75 +	2	4.0	18	1	1	4	7	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	23	12.5	148	2	5	8	15	33	40	42	7	9.1	85	3	3	5	15	24	26	25
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24	2	4.5	25	1	1	4	8	8	8	8										
25-34	1	15.0		15	15	57	99 +	99 +	99 +	99 +	2	15.5	1	15	15	15	16	16	16	16
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	5	13.0	93	2	8	14	27	93	99 +	99 +	3	10.7	69	1	4	15	16	16	16	16
SUBTOTAL	**28**	**12.6**	**134**	**2**	**5**	**8**	**17**	**36**	**45**	**99 +**	**10**	**9.6**	**72**	**2**	**3**	**5**	**16**	**22**	**26**	**26**
GRAND TOTAL	**49**	**10.7**	**125**	**2**	**3**	**6**	**15**	**30**	**42**	**99 +**	**31**	**7.4**	**41**	**2**	**3**	**5**	**11**	**17**	**19**	**26**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	1.4	1	1	1	1	1	3	4	4	25	1.7	2	1	1	1	2	3	6	8
13-17	6	1.3		1	1	1	2	2	2	2	12	1.2		1	1	1	1	2	2	2
18-24	2	2.5	5	1	1	2	4	4	4	4	13	8.0	97	1	1	3	12	27	29	29
25-34	9	7.0	69	1	2	5	7	20	28	28	7	5.0	46	1	1	3	5	17	20	20
35-54	5	5.6	49	1	2	3	7	18	18	18	11	12.4	423	1	1	3	12	50	62	63
55-74	7	2.4	1	1	2	3	3	3	3	3	10	2.9	4	1	1	2	5	6	6	6
75 +	5	3.6	3	2	2	3	5	6	6	6	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	42	3.6	24	1	1	2	4	7	12	28	80	4.6	88	1	1	1	3	10	23	56
B. FEMALE																				
0-12 YRS.	7	1.1		1	1	1	1	2	2	2	14	1.1		1	1	1	1	2	2	2
13-17	6	1.8	1	1	1	2	2	3	3	3	4	2.3	3	1	1	2	3	5	5	5
18-24	9	3.0	19	1	1	1	3	10	14	14	12	2.3	2	1	1	2	3	4	5	5
25-34	7	4.9	13	1	2	4	8	11	11	11	12	3.5	9	1	1	3	4	8	11	11
35-54	6	2.7	7	1	1	2	2	7	8	8	13	4.0	21	1	1	2	4	13	15	15
55-74	6	3.0	3	1	2	3	4	6	6	6	7	2.3		2	2	2	2	4	4	4
75 +	5	4.0	12	2	2	2	5	10	10	10	6	3.2	3	1	2	3	4	6	6	6
ALL AGES	46	2.9	9	1	1	2	3	8	10	14	68	2.7	7	1	1	2	3	5	7	15
SUBTOTAL	**88**	**3.2**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**24**	**148**	**3.7**	**52**	**1**	**1**	**2**	**3**	**6**	**14**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	2	17.5	113	10	10	17	25	25	25	25	1	2.0		2	2	51	99 +	99 +	99 +	99 +
25-34	4	24.5	278	10	12	20	37	47	47	47	3	29.3	587	7	12	26	48	55	55	55
35-54	2	5.5	5	4	4	5	7	7	7	7	1	6.0		6	6	6	6	6	6	6
55-74											3	3.3	7	1	1	3	5	6	6	6
75 +	3	7.3	21	3	4	7	11	12	12	12	1	7.0		7	7	7	7	7	7	7
ALL AGES	12	14.2	166	4	5	10	19	33	45	47	9	12.6	307	1	3	6	26	77	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.0		2	2	2	2	2	2	2										
25-34	2	8.0	72	2	2	8	14	14	14	14	3	2.3	1	2	2	2	3	3	3	3
35-54	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
55-74	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
75 +	2	7.0	18	4	4	7	10	10	10	10										
ALL AGES	8	5.0	20	2	2	3	7	13	14	14	6	2.7	3	1	2	2	3	6	6	6
SUBTOTAL	**20**	**10.5**	**125**	**2**	**3**	**7**	**13**	**26**	**37**	**47**	**15**	**8.6**	**202**	**1**	**2**	**4**	**7**	**52**	**86**	**99 +**
GRAND TOTAL	**108**	**4.6**	**43**	**1**	**1**	**2**	**4**	**10**	**15**	**36**	**163**	**4.1**	**67**	**1**	**1**	**2**	**3**	**7**	**17**	**62**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74											3	8.0	63	2	3	5	14	17	17	17
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	2	4.0	8	2	2	4	6	6	6	6	3	8.0	63	2	3	5	14	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54	2	10.0	162	1	1	10	19	19	19	19										
55-74	2	5.5	5	4	4	5	7	7	7	7	2	2.5	1	2	2	2	3	3	3	3
75 +	1	7.0		7	7	7	7	7	7	7	1	9.0		9	9	9	9	9	9	9
ALL AGES	6	6.5	45	1	1	5	7	18	19	19	3	4.7	14	2	2	3	7	9	9	9
SUBTOTAL	**8**	**5.9**	**34**	**1**	**2**	**5**	**7**	**15**	**19**	**19**	**6**	**6.3**	**35**	**2**	**2**	**4**	**9**	**16**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	26.0	1389	3	4	6	53	69	69	69										
35-54																				
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	3	26.0	1389	3	4	6	53	69	69	69	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	3	7.7	36	2	3	7	12	14	14	14										
SUBTOTAL	**6**	**16.8**	**672**	**2**	**3**	**6**	**14**	**63**	**69**	**69**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**14**	**10.6**	**308**	**1**	**2**	**6**	**7**	**24**	**59**	**69**	**7**	**6.6**	**29**	**2**	**2**	**5**	**9**	**15**	**17**	**17**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4										
13-17	5	14.0	174	2	6	10	20	36	36	36	1	3.0		3	3	3	3	3	3	3
18-24	3	5.0	37	1	1	2	9	12	12	12										
25-34																				
35-54	5	3.2	3	1	2	3	5	5	5	5	4	4.0	3	2	3	4	5	6	6	6
55-74	16	11.6	239	1	2	6	14	37	51	56	13	5.6	21	2	3	5	6	10	18	20
75 +	28	7.9	28	2	4	7	11	18	25	99 +	29	7.0	48	1	3	5	9	14	23	33
ALL AGES	59	8.7	98	1	3	6	11	20	37	96	47	6.3	36	2	3	4	7	12	20	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	34.0		34	34	34	34	34	34	34	2	14.0	8	12	12	14	16	16	16	16
35-54	8	9.0	43	2	5	6	14	19	20	20	1	76.0		76	76	76	76	76	76	76
55-74	24	6.3	27	1	2	5	10	14	15	18	12	7.7	12	3	5	7	11	12	13	13
75 +	30	7.8	56	2	3	6	9	15	21	39	29	6.2	20	2	3	5	7	13	17	19
ALL AGES	63	7.8	53	1	3	6	10	16	20	38	44	8.5	129	2	3	6	10	15	18	76
SUBTOTAL	**122**	**8.3**	**73**	**1**	**3**	**6**	**10**	**18**	**26**	**68**	**91**	**7.4**	**80**	**2**	**3**	**5**	**9**	**14**	**19**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	7	11.9	117	3	3	4	23	27	27	27	3	6.3	3	5	5	6	7	8	8	8
35-54	11	6.4	38	2	3	3	8	17	21	21	1	1.0		1	1	1	1	1	1	1
55-74	6	5.7	35	1	2	3	7	16	17	17	8	3.9	4	1	2	4	5	7	7	7
75 +	8	6.5	5	4	5	6	7	10	11	11	5	25.0	734	7	8	13	36	72	72	72
ALL AGES	33	7.4	46	2	3	4	8	18	24	27	17	10.4	281	1	4	6	8	22	55	72
B. FEMALE																				
0-12 YRS.																				
13-17	2	12.5	41	8	8	12	17	17	17	17										
18-24	1	10.0		10	10	10	10	10	10	10	1	15.0		15	15	15	15	15	15	15
25-34	2	12.0	242	1	1	11	23	23	23	23										
35-54	6	10.8	133	2	4	6	13	31	33	33	1	10.0		10	10	10	10	10	10	10
55-74	13	10.2	162	1	3	4	12	31	37	38	5	5.2	16	1	2	3	9	10	10	10
75 +	12	9.0	37	3	4	8	13	17	21	22	6	4.2	3	2	3	4	6	7	7	7
ALL AGES	36	10.1	95	2	3	6	14	28	32	38	13	5.8	18	2	3	4	9	11	14	15
SUBTOTAL	**69**	**8.8**	**73**	**2**	**3**	**6**	**11**	**23**	**29**	**37**	**30**	**8.4**	**168**	**1**	**3**	**5**	**9**	**14**	**24**	**72**
GRAND TOTAL	**191**	**8.5**	**73**	**2**	**3**	**6**	**11**	**19**	**29**	**49**	**121**	**7.6**	**102**	**2**	**3**	**5**	**9**	**14**	**19**	**73**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	22.4	143	4	27	28	28	93	99+	99+										
13-17	16	16.6	269	2	4	13	21	36	57	65										
18-24	5	8.6	33	2	3	9	13	16	16	16	4	2.5	3	1	1	2	4	5	5	5
25-34	17	3.9	22	1	1	2	4	12	16	17	6	3.3	13	1	1	1	8	8	8	8
35-54	21	5.4	40	1	1	3	6	16	19	22	12	2.6	5	1	1	2	3	7	8	8
55-74	7	10.0	168	2	4	6	8	33	39	39	8	5.6	6	2	3	6	7	9	9	9
75 +	7	7.6	47	3	4	5	7	20	23	23	3	2.7	2	1	1	3	4	4	4	4
ALL AGES	78	9.3	126	1	2	5	15	27	33	90	33	3.5	7	1	1	2	6	8	8	9
B. FEMALE																				
0-12 YRS.	4	44.3	1409	14	21	32	67	99	99	99+	1	15.0		15	15	15	15	15	15	15
13-17	24	14.0	125	4	5	11	25	33	53	99+	8	3.9	14	1	1	2	5	10	12	12
18-24	14	3.1	11	1	1	2	4	7	11	12	14	11.9	159	1	2	4	25	28	36	38
25-34	37	5.4	32	1	1	3	8	11	16	29	41	19.2	335	4	7	14	23	50	68	73
35-54	55	10.2	157	1	2	5	11	29	38	53	67	13.6	222	1	2	10	22	31	36	83
55-74	29	10.1	125	2	4	6	12	22	27	56	21	9.3	70	2	4	6	10	23	28	32
75 +	18	10.6	99	1	4	7	12	25	32	36	6	4.3	4	2	3	4	6	7	7	7
ALL AGES	181	10.0	158	1	2	6	12	27	36	85	158	13.5	220	1	3	8	19	30	39	73
SUBTOTAL	**259**	**9.8**	**148**	**1**	**2**	**5**	**12**	**27**	**36**	**95**	**191**	**11.7**	**199**	**1**	**2**	**7**	**16**	**29**	**35**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	33.1	61	22	30	35	40	82	99+	99+	1	7.0		7	7	7	7	7	7	7
13-17	20	26.5	438	4	8	20	42	54	69	76	4	6.0	18	3	3	5	9	12	12	12
18-24	22	11.7	380	2	4	6	11	22	56	94	9	9.3	72	1	2	5	17	22	22	22
25-34	40	4.4	12	1	2	3	6	10	12	14	20	6.2	29	1	1	4	11	15	15	16
35-54	41	5.8	43	1	2	3	7	13	22	30	21	5.7	37	1	2	4	6	14	22	24
55-74	13	8.9	222	1	2	4	8	21	50	57	10	5.2	15	2	3	3	7	12	13	13
75 +	4	3.8		3	3	4	4	5	5	5	4	3.0	2	2	2	3	4	5	5	5
ALL AGES	147	10.7	224	1	2	5	11	33	43	94	69	6.1	33	1	2	4	8	15	21	24
B. FEMALE																				
0-12 YRS.	2	35.0	2048	3	3	35	67	67	67	67										
13-17	41	16.3	162	2	5	16	23	34	39	57	5	5.6	16	1	2	6	9	10	10	10
18-24	36	5.5	44	1	2	4	7	11	13	38	9	4.7	14	1	2	3	7	11	12	12
25-34	66	7.9	54	1	3	5	10	21	25	31	42	8.2	82	1	2	4	11	23	30	35
35-54	59	10.5	239	1	2	4	13	24	59	69	35	8.0	100	1	2	5	9	23	28	49
55-74	17	9.9	39	3	6	7	14	18	23	25	17	8.2	170	1	2	4	7	19	43	55
75 +	5	2.8	3	1	1	3	4	5	5	5	4	3.3	2	1	2	3	4	5	5	5
ALL AGES	226	10.0	143	1	3	6	14	24	33	62	112	7.6	88	1	2	4	8	21	29	51
SUBTOTAL	**373**	**10.2**	**176**	**1**	**3**	**5**	**12**	**25**	**39**	**69**	**181**	**7.0**	**68**	**1**	**2**	**4**	**8**	**16**	**23**	**45**
GRAND TOTAL	**632**	**10.0**	**165**	**1**	**2**	**5**	**12**	**26**	**37**	**71**	**372**	**9.4**	**141**	**1**	**2**	**5**	**12**	**24**	**30**	**63**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	16.9	364	2	4	7	34	46	47	47										
13-17	9	10.8	89	3	4	7	17	26	31	31	1	1.0		1	1	50	99+	99+	99+	99+
18-24	6	18.3	598	3	4	6	26	61	65	65										
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	2	19.5	545	3	3	19	36	36	36	36										
55-74																				
75 +																				
ALL AGES	25	14.6	288	3	3	7	20	42	51	65	2	1.0		1	1	1	75	99+	99+	99+
B. FEMALE																				
0-12 YRS.	5	5.0	5	3	3	5	6	8	8	8										
13-17	5	20.0	160	7	12	20	40	94	99+	99+										
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	27.5	841	7	7	27	48	48	48	48										
35-54																				
55-74																				
75 +																				
ALL AGES	13	14.8	203	3	6	10	22	53	90	99+										
SUBTOTAL	**38**	**14.7**	**252**	**3**	**4**	**7**	**21**	**45**	**57**	**99+**	**2**	**1.0**		**1**	**1**	**1**	**75**	**99+**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	27.5	412	4	9	29	46	52	55	55										
13-17	32	15.7	329	3	5	8	22	43	54	83	7	41.0	1232	7	16	84	99+	99+	99+	99+
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	45	18.1	359	3	5	9	23	46	55	83	8	36.1	1248	5	8	84	99+	99+	99+	99+
B. FEMALE																				
0-12 YRS.	4	36.3	303	17	24	45	67	99+	99+	99+										
13-17	7	12.1	57	3	7	10	19	21	21	21	3	27.0	1	26	27	28	99+	99+	99+	99+
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	11	20.9	274	5	9	19	36	69	96	99+	4	20.8	154	4	26	27	99+	99+	99+	99+
SUBTOTAL	**56**	**18.6**	**340**	**3**	**5**	**10**	**25**	**49**	**56**	**99**	**12**	**31.0**	**893**	**4**	**13**	**58**	**99+**	**99+**	**99+**	**99+**
GRAND TOTAL	**94**	**17.0**	**306**	**3**	**5**	**9**	**24**	**47**	**56**	**99+**	**14**	**26.7**	**875**	**2**	**8**	**48**	**99+**	**99+**	**99+**	**99+**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	16.6	377	1	5	7	27	49	49	49										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	6	14.5	328	1	4	6	20	46	49	49										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	4.5	1	4	4	4	5	5	5	5										
SUBTOTAL	**8**	**12.0**	**256**	**2**	**4**	**5**	**13**	**40**	**49**	**49**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	6	16.7	296	3	5	7	34	42	43	43										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	14.9	269	3	4	7	27	41	43	43										
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.0	2	3	3	4	5	5	5	5										
18-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**12.4**	**227**	**3**	**4**	**5**	**14**	**39**	**43**	**43**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**17**	**12.2**	**226**	**3**	**4**	**5**	**11**	**41**	**47**	**49**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	15.8	389	2	5	10	59	99+	99+	99+										
13-17	20	14.4	142	2	4	10	22	33	36	39										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	24	14.6	169	2	4	10	25	39	59	99+										
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	27	13.1	233	1	2	9	18	45	66	99+	1	44.0		44	44	44	44	44	44	44
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	28	12.7	229	1	3	9	18	43	64	99+	2	24.5	761	5	5	24	44	44	44	44
SUBTOTAL	**52**	**13.6**	**198**	**2**	**3**	**9**	**20**	**40**	**60**	**99+**	**2**	**24.5**	**761**	**5**	**15**	**44**	**86**	**99+**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	12.0	63	3	9	10	13	25	28	28										
13-17	25	15.9	478	2	3	8	17	41	65	98	1	5.0		5	5	5	5	5	5	5
18-24	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	33	14.6	380	2	3	9	15	34	52	98	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	13.5	41	9	9	13	18	18	18	18	1	5.0		5	5	5	5	5	5	5
13-17	28	11.8	115	2	4	8	17	25	28	52	2	15.0	162	6	10	24	81	99+	99+	99+
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	30	11.9	109	3	4	9	17	24	25	52	3	11.7	113	5	5	15	62	99+	99+	99+
SUBTOTAL	**63**	**13.3**	**249**	**2**	**4**	**9**	**17**	**29**	**45**	**92**	**5**	**8.6**	**75**	**3**	**5**	**6**	**24**	**92**	**99+**	**99+**
GRAND TOTAL	**115**	**13.4**	**225**	**2**	**3**	**9**	**18**	**33**	**51**	**99+**	**7**	**13.1**	**238**	**4**	**5**	**6**	**58**	**99+**	**99+**	**99+**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	37.7	289	18	32	47	74	99 +	99 +	99 +	1	3.0		3	3	3	3	3	3	3
13-17	5	14.4	274	1	2	5	28	39	39	39	4	8.8	219	1	1	2	16	31	31	31
18-24	1	2.0		2	2	2	2	2	2	2	2	7.0	72	1	1	7	13	13	13	13
25-34	3	8.3	31	3	4	8	12	14	14	14	1	1.0		1	1	1	1	1	1	1
35-54	4	13.0	79	4	6	12	20	24	24	24	1	33.0		33	33	33	33	33	33	33
55-74																				
75 +																				
ALL AGES	16	16.5	253	2	4	14	28	48	82	99 +	9	9.6	176	1	1	2	17	32	33	33
B. FEMALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4	1	34.0		34	34	34	34	34	34	34
13-17	4	17.5	406	1	2	12	32	45	45	45										
18-24																				
25-34	4	11.8	379	1	1	2	22	41	41	41										
35-54	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	12	10.8	253	1	2	3	12	42	45	45	2	17.5	545	1	1	17	34	34	34	34
SUBTOTAL	**28**	**14.0**	**254**	**1**	**3**	**5**	**24**	**46**	**51**	**99 +**	**11**	**11.0**	**206**	**1**	**1**	**2**	**26**	**33**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	23.8	192	6	16	22	32	44	44	44										
13-17	11	26.1	393	2	8	26	43	54	59	60	2	47.0	50	42	42	47	52	52	52	52
18-24	6	7.2	35	1	3	5	13	16	16	16										
25-34	8	7.6	33	1	2	7	12	16	17	17	5	11.2	47	3	4	13	17	18	18	18
35-54	2	12.5	265	1	1	12	24	24	24	24										
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	33	16.9	245	1	5	13	24	45	50	60	7	21.4	346	3	7	17	36	50	52	52
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	4	24.5	340	2	11	25	38	46	46	46										
18-24	2	6.0	18	3	3	6	9	9	9	9	1	5.0		5	5	5	5	5	5	5
25-34	3	22.3	644	3	5	13	41	51	51	51	1	19.0		19	19	19	19	19	19	19
35-54											2	12.5	145	4	4	12	21	21	21	21
55-74																				
75 +																				
ALL AGES	10	19.0	316	2	3	13	30	48	51	51	4	12.3	79	4	4	12	20	21	21	21
SUBTOTAL	**43**	**17.4**	**255**	**2**	**4**	**13**	**25**	**46**	**50**	**60**	**11**	**18.1**	**252**	**4**	**5**	**17**	**20**	**46**	**51**	**52**
GRAND TOTAL	**71**	**16.1**	**252**	**1**	**3**	**10**	**24**	**46**	**50**	**91**	**22**	**14.5**	**233**	**1**	**2**	**9**	**21**	**36**	**46**	**52**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	9.0	128	1	1	9	17	17	17	17										
13-17											1	10.0		10	10	10	10	10	10	10
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.0	128	1	1	9	17	17	17	17	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	29.0	72	23	23	29	35	35	35	35										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	29.0	72	23	23	29	35	35	35	35										
SUBTOTAL	**4**	**19.0**	**200**	**1**	**9**	**20**	**29**	**35**	**35**	**35**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	2	15.5	5	14	14	15	17	17	17	17										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	15.5	5	14	14	15	17	17	17	17	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	3	4.7	16	1	2	4	8	9	9	9										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	4	4.5	11	1	2	4	7	9	9	9										
SUBTOTAL	**6**	**8.2**	**39**	**1**	**4**	**7**	**14**	**17**	**17**	**17**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**10**	**12.5**	**120**	**1**	**4**	**11**	**17**	**29**	**35**	**35**	**2**	**6.5**	**25**	**3**	**3**	**6**	**10**	**10**	**10**	**10**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	6	24.3	517	2	6	18	44	56	57	57										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	21.6	482	3	5	8	40	54	57	57										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	2	8.5	25	5	5	8	12	12	12	12	1	10.0		10	10	10	10	10	10	10
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	6.0	31	1	2	5	10	12	12	12	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**10**	**16.9**	**385**	**1**	**5**	**7**	**29**	**50**	**57**	**57**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	8.0	54	2	3	3	16	16	16	16										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	7	6.3	44	1	2	3	13	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2	2	23.5	613	6	6	23	41	41	41	41
18-24																				
25-34	2	5.5	1	5	5	5	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	4	3.5	6	1	1	3	5	6	6	6	2	23.5	613	6	6	23	41	41	41	41
SUBTOTAL	**11**	**5.3**	**30**	**1**	**2**	**3**	**6**	**16**	**16**	**16**	**2**	**23.5**	**613**	**6**	**6**	**23**	**41**	**41**	**41**	**41**
GRAND TOTAL	**21**	**10.8**	**224**	**1**	**2**	**5**	**13**	**35**	**50**	**57**	**3**	**19.0**	**367**	**6**	**7**	**10**	**33**	**41**	**41**	**41**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	17.9	272	4	4	12	20	45	53	55	2	10.0	72	4	4	10	16	16	16	16
13-17	9	11.1	75	1	3	13	18	63	99+	99+	5	29.4	615	6	13	19	45	69	69	69
18-24	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	26	14.0	188	2	4	12	20	43	62	99+	8	21.5	483	4	5	16	28	59	69	69
B. FEMALE																				
0-12 YRS.	3	18.3	68	9	12	22	23	24	24	24	3	1.7		1	1	2	2	2	2	2
13-17	18	14.4	104	3	7	12	18	27	35	41	1	1.0		1	1	1	1	1	1	1
18-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54	3	7.3	103	1	1	2	15	19	19	19										
55-74	1	11.0		11	11	11	11	11	11	11	1	38.0		38	38	38	38	38	38	38
75 +																				
ALL AGES	26	13.7	94	2	7	11	19	26	30	41	5	8.8	267	1	1	2	11	38	38	38
SUBTOTAL	**52**	**13.8**	**140**	**2**	**5**	**11**	**19**	**29**	**44**	**99**	**13**	**16.6**	**413**	**1**	**2**	**6**	**23**	**44**	**64**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	21.4	418	4	5	13	39	52	54	54	1	5.0		5	5	5	5	5	5	5
13-17	27	17.7	556	2	5	11	16	72	98	99+	9	19.0	365	2	3	11	31	48	58	58
18-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54																				
55-74																				
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	35	18.2	504	3	5	11	19	53	94	99+	11	16.5	323	2	4	7	29	43	57	58
B. FEMALE																				
0-12 YRS.	4	20.3	320	2	9	17	31	45	45	45										
13-17	36	20.6	424	4	6	13	28	63	73	99+	6	40.3	552	11	26	37	56	74	76	76
18-24																				
25-34																				
35-54											1	10.0		10	10	10	10	10	10	10
55-74																				
75 +																				
ALL AGES	40	20.5	408	4	6	14	28	60	71	99+	7	36.0	589	9	14	34	52	72	76	76
SUBTOTAL	**75**	**19.4**	**449**	**3**	**6**	**13**	**23**	**56**	**81**	**99+**	**18**	**24.1**	**493**	**3**	**6**	**18**	**34**	**57**	**69**	**76**
GRAND TOTAL	**127**	**17.1**	**328**	**3**	**6**	**12**	**20**	**47**	**67**	**99+**	**31**	**21.0**	**457**	**2**	**4**	**11**	**34**	**57**	**68**	**76**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	36.0	61	27	30	40	41	41	41	41										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	36.0	61	27	30	40	41	41	41	41										
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
SUBTOTAL	**4**	**32.3**	**93**	**21**	**24**	**33**	**40**	**41**	**41**	**41**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17	4	29.0	296	9	18	28	40	51	51	51										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	31.8	261	9	22	29	45	51	51	51										
B. FEMALE																				
0-12 YRS.	3	26.3	332	7	12	29	39	43	43	43										
13-17	1	19.0		19	19	19	19	19	19	19										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	24.5	233	7	13	24	36	43	43	43										
SUBTOTAL	**9**	**28.6**	**230**	**8**	**16**	**29**	**43**	**48**	**51**	**51**										
GRAND TOTAL	**13**	**29.7**	**182**	**9**	**20**	**29**	**41**	**45**	**50**	**51**										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.0	2	2	2	3	4	4	4	4										
SUBTOTAL	2	**3.0**	2	2	2	3	4	4	4	4										
GRAND TOTAL	2	**3.0**	2	2	2	3	4	4	4	4										

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	**2**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**										
GRAND TOTAL	**3**	**19.0**	**243**	**1**	**8**	**28**	**28**	**28**	**28**	**28**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	27	25.2	149	11	16	24	37	41	43	46	6	13.0	55	3	8	13	21	21	21	21
13-17	15	15.3	134	2	6	15	20	36	40	42	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	42	21.6	166	5	12	19	31	41	42	46	7	11.6	60	2	4	12	19	21	21	21
B. FEMALE																				
0-12 YRS.	11	27.1	342	3	13	20	46	50	51	51										
13-17	29	12.4	80	2	3	12	20	25	27	30	7	21.6	267	4	10	21	42	83	99 +	99 +
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	40	16.4	191	2	4	13	23	39	48	51	7	21.6	267	4	10	21	42	83	99 +	99 +
SUBTOTAL	**82**	**19.1**	**181**	**2**	**9**	**17**	**27**	**41**	**44**	**50**	**14**	**16.6**	**178**	**3**	**8**	**13**	**27**	**44**	**86**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	53	33.8	243	12	22	34	44	53	69	99										
13-17	42	26.4	330	3	11	23	38	53	56	81	7	27.7	713	2	6	30	59	89	99 +	99 +
18-24	3	12.7	20	10	10	10	16	18	18	18	1	17.0		17	17	17	17	17	17	17
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	98	30.0	292	8	18	29	42	53	57	91	8	26.4	624	2	8	17	57	85	99 +	99 +
B. FEMALE																				
0-12 YRS.	18	28.6	140	12	19	28	39	43	45	46	2	13.5	25	10	10	13	17	17	17	17
13-17	54	24.4	329	5	13	21	37	55	63	99	13	29.7	390	6	14	25	40	58	68	70
18-24	2	9.0	98	2	2	9	16	16	16	16										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	74	25.0	284	5	13	21	37	49	59	95	15	27.5	371	6	14	25	35	55	66	70
SUBTOTAL	**172**	**27.8**	**296**	**6**	**14**	**26**	**42**	**50**	**58**	**95**	**23**	**27.1**	**435**	**5**	**11**	**23**	**51**	**64**	**79**	**99 +**
GRAND TOTAL	**254**	**25.0**	**274**	**4**	**12**	**22**	**38**	**46**	**55**	**82**	**37**	**23.1**	**358**	**3**	**10**	**17**	**40**	**60**	**86**	**99 +**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	22.3	124	7	14	22	28	41	42	42	3	18.7	934	1	1	1	41	54	54	54
13-17	6	28.8	293	14	15	22	43	55	56	56	1	21.0		21	21	21	21	21	21	21
18-24											1	8.0		8	8	8	8	8	8	8
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	26	23.2	167	7	14	22	28	42	46	56	5	17.0	495	1	1	8	29	54	54	54
B. FEMALE																				
0-12 YRS.	6	37.3	884	4	10	37	52	81	84	84										
13-17	3	14.7	64	6	8	16	20	22	22	22										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	29.8	694	4	9	22	46	71	84	84										
SUBTOTAL	**35**	**24.9**	**295**	**7**	**14**	**22**	**30**	**44**	**55**	**84**	**5**	**17.0**	**495**	**1**	**1**	**8**	**29**	**54**	**54**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	44	33.0	311	13	17	30	46	63	70	99 +	4	25.0	233	7	13	25	37	42	42	42
13-17	17	25.6	281	5	9	34	40	47	48	49	1	6.0		6	6	6	6	6	6	6
18-24	2	14.0	162	5	5	14	23	23	23	23	1	16.0		16	16	16	16	16	16	16
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	64	30.0	316	9	14	30	43	51	65	96	6	20.3	203	6	7	17	32	41	42	42
B. FEMALE																				
0-12 YRS.	2	17.5	1	17	17	17	18	18	18	18	1	28.0		28	28	28	28	28	28	28
13-17	5	12.8	193	3	3	4	23	34	34	34	1	5.0		5	5	5	5	5	5	5
18-24	2	10.5	13	8	8	10	13	13	13	13										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	11	12.6	89	3	4	13	18	26	33	34	2	16.5	265	5	5	16	28	28	28	28
SUBTOTAL	**75**	**27.5**	**317**	**6**	**13**	**25**	**41**	**50**	**64**	**93**	**8**	**19.4**	**184**	**5**	**6**	**17**	**30**	**39**	**42**	**42**
GRAND TOTAL	**110**	**26.6**	**312**	**6**	**13**	**23**	**41**	**49**	**63**	**90**	**13**	**18.5**	**273**	**1**	**6**	**16**	**29**	**44**	**52**	**54**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3										

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES											2	8.0	72	2	2	8	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	2	8.0	72	2	2	8	14	14	14	14
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4	2	8.0	72	2	2	8	14	14	14	14

Appendix

APPENDIX 1

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	71	22.5	36,849	20.1	177	23.5	20,503	28.6
North Central	121	38.4	78,113	42.7	218	28.9	21,405	29.9
South	49	15.6	27,196	14.8	143	19.0	10,653	14.9
West	74	23.5	41,026	22.4	215	28.6	19,031	26.6
U.S.	315	100.0	183,184	100.0	753	100.0	71,592	100.0

APPENDIX 2

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes (Summary Table)	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
293.82	Organic hallucinosis syndrome	25
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295: 0 Unspecified state 1 Subchronic state 2 Chronic state 3 Subchronic state with acute exacerbation 4 Chronic state with acute exacerbation 5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree, without mention of psychotic behavior 4 Severe degree, specified as with psychotic behavior 5 In partial or unspecified remission 6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.4	Psychogenic paranoid psychosis	61
298.8	Other and unspecified reactive psychosis	62
298.9	Unspecified psychosis	63
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	64
299.8	Other specified early childhood psychoses	65
299.9	Unspecified childhood psychosis	66
300	**Neurotic disorders**	
300.0	Anxiety states	67
300.00	Anxiety state, unspecified	67
300.01	Panic disorder	67
300.02	Generalized anxiety disorder	67
300.09	Other anxiety states	67
300.1	Hysteria	68
300.10	Hysteria, unspecified	68
300.11	Conversion disorder	68
300.12	Psychogenic amnesia	68
300.13	Psychogenic fugue	68
300.14	Multiple personality	68
300.15	Dissociative disorder or reaction, unspecified	68
300.16	Factitious illness with psychological symptoms	68
300.19	Other and unspecified factitious illness	68
300.2	Phobic disorders	69
300.20	Phobia, unspecified	69
300.21	Agoraphobia with panic attacks	69
300.22	Agoraphobia without mention of panic attacks	69
300.23	Social phobia	69
300.29	Other isolated or simple phobias	69
300.3	Obsessive-compulsive disorders	70
300.4	Neurotic depression	71
300.5	Neurasthenia	72
300.6	Depersonalization syndrome	73
300.7	Hypochondriasis	74
300.8	Other neurotic disorders	75

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
300.81	Somatization disorder	75
300.89	Other neurotic disorders	75
300.9	Unspecified neurotic disorder	76
301	**Personality disorders**	
301.0	Paranoid personality disorder	77
301.1	Affective personality disorder	78
301.10	Affective personality disorder, unspecified	78
301.11	Chronic hypomanic personality disorder	78
301.12	Chronic depressive personality disorder	78
301.13	Cyclothymic disorder	78
301.2	Schizoid personality disorder	79
301.20	Schizoid personality disorder, unspecified	79
301.21	Introverted personality	79
301.22	Schizotypal personality	79
301.3	Explosive personality disorder	80
301.4	Compulsive personality disorder	81
301.5	Histrionic personality disorder	82
301.50	Histrionic personality disorder, unspecified	82
301.51	Chronic factitious illness with physical symptoms	82
301.59	Other histrionic personality disorder	82
301.6	Dependent personality disorder	83
301.7	Antisocial personality disorder	84
301.8	Other personality disorders	85
301.81	Narcissistic personality	85
301.82	Avoidant personality	85
301.83	Borderline personality	85
301.84	Passive-aggressive personality	85
301.89	Other personality disorders	85
301.9	Unspecified personality disorder	86
302	**Sexual deviations and disorders**	
302.2	Pedophilia	87
302.5	Trans-sexualism	88
302.50	Trans-sexualism with unspecified sexual history	88
302.51	Trans-sexualism with asexual history	88
302.52	Trans-sexualism with homosexual history	88
302.53	Trans-sexualism with heterosexual history	88
302.7	Psychosexual dysfunction	89
302.70	Psychosexual dysfunction, unspecified	89
302.71	Psychosexual dysfunction with inhibited sexual desire	89
302.72	Psychosexual dysfunction with inhibited sexual excitement	89
302.73	Psychosexual dysfunction with inhibited female orgasm	89
302.74	Psychosexual dysfunction with inhibited male orgasm	89
302.75	Psychosexual dysfunction with premature ejaculation	89
302.76	Psychosexual dysfunction with functional dyspareunia	89
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	89
302.8	Other specified psychosexual disorders	90
302.81	Fetishism	90
302.82	Voyeurism	90
302.83	Sexual masochism	90
302.84	Sexual sadism	90
302.85	Gender identity disorder of adolescent or adult life	90
302.89	Other specified psychosexual disorders	90

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
302.9	Unspecified psychosexual disorder	91
303	**Alcohol dependence syndrome** Fifth-digit subclassification for use with 303: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
303.0	Acute alcoholic intoxication	92
303.9	Other and unspecified alcohol dependence	93
304	**Drug dependence** Fifth-digit subclassification for use with 304: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
304.0	Opioid type dependence	94
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	95
304.2	Cocaine dependence	96
304.3	Cannabis dependence	97
304.4	Amphetamine and other psychostimulant dependence	98
304.5	Hallucinogen dependence	99
304.6	Other specified drug dependence	100
304.7	Combinations of opioid type drug with any other drug dependence	101
304.8	Combinations of drug dependence excluding opioid type drug	102
304.9	Unspecified drug dependence	103
305	**Nondependent abuse of drugs** Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
305.0	Alcohol abuse	104
305.1	Tobacco use disorder	105
305.2	Cannabis abuse	106
305.3	Hallucinogen abuse	107
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	108
305.5	Opioid abuse	109
305.6	Cocaine abuse	110
305.7	Amphetamine or related acting sympathomimetic abuse	111
305.8	Antidepressant type abuse	112
305.9	Other, mixed, or unspecified drug abuse	113
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	114
306.1	Respiratory malfunction arising from mental factors	115
306.2	Cardiovascular malfunction arising from mental factors	116
306.3	Skin disorder arising from mental factors	117
306.4	Gastrointestinal malfunction arising from mental factors	118
306.5	Genitourinary malfunction arising from mental factors	119
306.50	Psychogenic genitourinary malfunction, unspecified	119
306.51	Psychogenic vaginismus	119

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
306.52	Psychogenic dysmenorrhea	119
306.53	Psychogenic dysuria	119
306.59	Other genitourinary malfunction arising from mental factors	119
306.6	Endocrine disorder arising from mental factors	120
306.8	Other specified psychophysiological malfunction	121
306.9	Unspecified psychophysiological malfunction	122
307	**Special symptoms or syndromes, not elsewhere classified**	
307.1	Anorexia nervosa	123
307.2	Tics	124
307.20	Tic disorder, unspecified	124
307.21	Transient tic disorder of childhood	124
307.22	Chronic motor tic disorder	124
307.23	Gilles de la Tourette's disorder	124
307.4	Specific disorders of sleep of nonorganic origin	125
307.40	Nonorganic sleep disorder, unspecified	125
307.41	Transient disorder of initiating or maintaining sleep	125
307.42	Persistent disorder of initiating or maintaining sleep	125
307.43	Transient disorder of initiating or maintaining wakefulness	125
307.44	Persistent disorder of initiating or maintaining wakefulness	125
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	125
307.46	Somnambulism or night terrors	125
307.47	Other dysfunctions of sleep stages or arousal from sleep	125
307.48	Repetitive intrusions of sleep	125
307.49	Other specific disorders of sleep of nonorganic origin	125
307.5	Other and unspecified disorders of eating	126
307.50	Eating disorder, unspecified	126
307.51	Bulimia	126
307.52	Pica	126
307.53	Psychogenic rumination	126
307.54	Psychogenic vomiting	126
307.59	Other disorders of eating	126
307.6	Enuresis	127
307.7	Encopresis	128
307.8	Psychalgia	129
307.80	Psychogenic pain, site unspecified	129
307.81	Tension headache	129
307.89	Other psychalgia	129
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	130
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	131
308.1	Predominant disturbance of consciousness	132
308.2	Predominant psychomotor disturbance	133
308.3	Other acute reactions to stress	134
308.4	Mixed disorders as reaction to stress	135
308.9	Unspecified acute reaction to stress	136
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	137
309.1	Adjustment reaction with prolonged depressive reaction	138
309.2	Adjustment reaction with predominant disturbance of other emotions	139
309.21	Separation anxiety disorder	139
309.22	Emancipation disorder of adolescence and early adult life	139

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
309.23	Specific academic or work inhibition	139
309.24	Adjustment reaction with anxious mood	139
309.28	Adjustment reaction with mixed emotional features	139
309.29	Other adjustment reactions with predominant disturbance of other emotions	139
309.3	Adjustment reaction with predominant disturbance of conduct	140
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	141
309.8	Other specified adjustment reactions	142
309.81	Prolonged posttraumatic stress disorder	142
309.82	Adjustment reaction with physical symptoms	142
309.83	Adjustment reaction with withdrawal	142
309.89	Other specified adjustment reactions	142
309.9	Unspecified adjustment reaction	143
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	144
310.1	Organic personality syndrome	145
310.2	Postconcussion syndrome	146
310.8	Other specified nonpsychotic mental disorders following organic brain damage	147
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	148
311	**Depressive disorder, not elsewhere classified**	149
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	150
312.1	Undersocialized conduct disorder, unaggressive type	151
312.2	Socialized conduct disorder	152
312.3	Disorders of impulse control, not elsewhere classified	153
312.30	Impulse control disorder, unspecified	153
312.31	Pathological gambling	153
312.32	Kleptomania	153
312.33	Pyromania	153
312.34	Intermittent explosive disorder	153
312.35	Isolated explosive disorder	153
312.39	Other disorders of impulse control	153
312.4	Mixed disturbance of conduct and emotions	154
312.8	Other specified disturbances of conduct, not elsewhere classified	155
312.9	Unspecified disturbance of conduct	156
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	157
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	158
313.21	Shyness disorder of childhood	158
313.22	Introverted disorder of childhood	158
313.23	Elective mutism specific to childhood and adolescence	158
313.3	Relationship problems specific to childhood and adolescence	159
313.8	Other or mixed emotional disturbances of childhood or adolescence	160
313.81	Oppositional disorder of childhood or adolescence	160
313.82	Identity disorder of childhood or adolescence	160

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	Description	Page Number
313.83	Academic underachievement disorder of childhood or adolescence	160
313.89	Other emotional disturbances of childhood or adolescence	160
313.9	Unspecified emotional disturbance of childhood or adolescence	161
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	162
314.00	Attention deficit disorder of childhood without mention of hyperactivity	162
314.01	Attention deficit disorder of childhood with hyperactivity	162
314.1	Hyperkinesis of childhood with developmental delay	163
314.9	Unspecified hyperkinetic syndrome of childhood	164

APPENDIX 3

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	160
Acute alcoholic intoxication	303.0	92
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0-308.9	131-136
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0-309.9	137-143
Adjustment reaction with anxious mood	309.24	139
Adjustment reaction with brief depressive reaction	309.0	137
Adjustment reaction with mixed emotional features	309.28	139
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	141
Adjustment reaction with physical symptoms	309.82	142
Adjustment reaction with predominant disturbance of other emotions	309.2	139
Adjustment reaction with predominant disturbance of conduct	309.3	140
Adjustment reaction with prolonged depressive reaction	309.1	138
Adjustment reaction with withdrawal	309.83	142
Affective personality disorder	301.1	78
Affective personality disorder, unspecified	301.10	78
Affective psychoses	296.0-296.9	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	69
Agoraphobia without mention of panic attacks	300.22	69
Alcohol abuse	305.0	104
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0-303.9	92-93
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0-291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	98
Amphetamine or related acting sympathomimetic abuse	305.7	111
Anorexia nervosa	307.1	123
Antidepressant type abuse	305.8	112
Antisocial personality disorder	301.7	84
Anxiety state, unspecified	300.00	67
Anxiety states	300.0	67
Arteriosclerotic dementia	290.4	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delirium	290.41	7
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	162
Attention deficit disorder of childhood without mention of hyperactivity	314.00	162
Attention deficit disorder of childhood with hyperactivity	314.01	162
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	85
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	95
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	108
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	85
Bulimia	307.51	126
Cannabis abuse	305.2	106
Cannabis dependence	304.3	97
Cardiovascular malfunction arising from mental factors	306.2	116
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	78
Chronic factitious illness with physical symptoms	301.51	82
Chronic hypomanic personality disorder	301.11	78
Chronic motor tic disorder	307.22	124
Cocaine abuse	305.6	110
Cocaine dependence	304.2	96
Combinations of drug dependence excluding opioid type drug	304.8	102
Combinations of opioid type drug with any other drug dependence	304.7	101
Compulsive personality disorder	301.4	81
Conversion disorder	300.11	68
Cyclothymic disorder	301.13	78
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	83
Depersonalization syndrome	300.6	73
Depressive disorder, not elsewhere classified	311	149
Depressive type psychosis	298.0	57
Disorders of impulse control, not elsewhere classified	312.3	153
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	68
Disturbance of conduct, not elsewhere classified	312.0-312.9	150-156
Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	157-161

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Drug dependence	304.0-304.9	94-103
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	126
Elective mutism specific to childhood and adolescence	313.23	158
Emancipation disorder of adolescence and early adult life	309.22	139
Encopresis	307.7	128
Endocrine disorder arising from mental factors	306.6	120
Enuresis	307.6	127
Excitative type psychosis	298.1	58
Explosive personality disorder	301.3	80
Factitious illness with psychological symptoms	300.16	68
Fetishism	302.81	90
Frontal lobe syndrome	310.0	144
Gastrointestinal malfunction arising from mental factors	306.4	118
Gender identity disorder of adolescent or adult life	302.85	90
Generalized anxiety disorder	300.02	67
Genitourinary malfunction arising from mental factors	306.5	119
Gilles de la Tourette's disorder	307.23	124
Hallucinogen abuse	305.3	107
Hallucinogen dependence	304.5	99
Histrionic personality disorder	301.5	82
Histrionic personality disorder, unspecified	301.50	82
Hyperkinesis of childhood with developmental delay	314.1	163
Hyperkinetic syndrome of childhood	314.0-314.9	162-164
Hypochondriasis	300.7	74
Hysteria	300.1	68
Hysteria, unspecified	300.10	68
Identity disorder of childhood or adolescence	313.82	160
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	153
Infantile autism	299.0	64
Intermittent explosive disorder	312.34	153
Introverted disorder of childhood	313.22	158
Introverted personality	301.21	79
Isolated explosive disorder	312.35	153

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Kleptomania	312.32	153
Latent schizophrenia	295.5	36
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Mixed disorders as reaction to stress	308.4	135
Mixed disturbance of conduct and emotions	312.4	154
Multiple personality	300.14	68
Musculoskeletal malfunction arising from mental factors	306.0	114
Narcissistic personality	301.81	85
Neurasthenia	300.5	72
Neurotic depression	300.4	71
Neurotic disorders	300.0-300.9	67-76
Nondependent abuse of drugs	305.0-305.9	104-113
Fifth-digit subclassification for use with 305:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	125
Obsessive-compulsive disorders	300.3	70
Opioid abuse	305.5	109
Opioid type dependence	304.0	94
Oppositional disorder of childhood or adolescence	313.81	160
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	145
Other acute reactions to stress	308.3	134
Other adjustment reactions with predominant disturbance of other emotions	309.29	139
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	93
Other and unspecified disorders of eating	307.5	126
Other and unspecified factitious illness	300.19	68
Other and unspecified reactive psychosis	298.8	62
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	130
Other anxiety states	300.09	67
Other disorders of eating	307.59	126
Other disorders of impulse control	312.39	153
Other dysfunctions of sleep stages or arousal from sleep	307.47	125
Other emotional disturbances of childhood or adolescence	313.89	160
Other genitourinary malfunction arising from mental factors	306.59	119
Other histrionic personality disorder	301.59	82
Other isolated or simple phobias	300.29	69
Other manic-depressive psychosis	296.89	49
Other neurotic disorders	300.8	75

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Other neurotic disorders	300.89	75
Other nonorganic psychoses	298.0-298.9	57-63
Other or mixed emotional disturbances of childhood or adolescence	313.8	160
Other organic psychotic conditions (chronic)	294.0-294.9	27-30
Other personality disorders	301.8	85
Other personality disorders	301.89	85
Other psychalgia	307.89	129
Other specific disorders of sleep of nonorganic origin	307.49	125
Other specified adjustment reactions	309.8	142
Other specified adjustment reactions	309.89	142
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	155
Other specified drug dependence	304.6	100
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	65
Other specified nonpsychotic mental disorders following organic brain damage	310.8	147
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	121
Other specified psychosexual disorders	302.8	90
Other specified psychosexual disorders	302.89	90
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	113
Overanxious disorder specific to childhood and adolescence	313.0	157
Panic disorder	300.01	67
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	77
Paranoid state, simple	297.0	51
Paranoid states	297.0-297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	85
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	153
Pedophilia	302.2	87
Persistent disorder of initiating or maintaining sleep	307.42	125
Persistent disorder of initiating or maintaining wakefulness	307.44	125
Personality disorders	301.0-301.9	77-86
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	125
Phobia, unspecified	300.20	69
Phobic disorders	300.2	69
Physiological malfunction arising from mental factors	306.0-306.9	114-122
Pica	307.52	126
Postconcussion syndrome	310.2	146
Predominant disturbance of consciousness	308.1	132
Predominant disturbance of emotions	308.0	131
Predominant psychomotor disturbance	308.2	133

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	142
Psychalgia	307.8	129
Psychogenic amnesia	300.12	68
Psychogenic dysmenorrhea	306.52	119
Psychogenic dysuria	306.53	119
Psychogenic fugue	300.13	68
Psychogenic genitourinary malfunction, unspecified	306.50	119
Psychogenic pain, site unspecified	307.80	129
Psychogenic paranoid psychosis	298.4	61
Psychogenic rumination	307.53	126
Psychogenic vaginismus	306.51	119
Psychogenic vomiting	307.54	126
Psychoses with origin specific to childhood	299.0-299.9	64-66
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	89
Psychosexual dysfunction with inhibited sexual desire	302.71	89
Psychosexual dysfunction with inhibited sexual excitement	302.72	89
Psychosexual dysfunction with inhibited female orgasm	302.73	89
Psychosexual dysfunction with inhibited male orgasm	302.74	89
Psychosexual dysfunction with premature ejaculation	302.75	89
Psychosexual dysfunction with functional dyspareunia	302.76	89
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	89
Psychosexual dysfunction, unspecified	302.70	89
Pyromania	312.33	153
Reactive confusion	298.2	59
Relationship problems specific to childhood and adolescence	313.3	159
Repetitive intrusions of sleep	307.48	125
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	115
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	79
Schizoid personality disorder, unspecified	301.20	79
Schizophrenic disorders	295.0-295.9	31-40
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	79
Senile and presenile organic psychotic conditions	290.0-290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	158
Separation anxiety disorder	309.21	139
Sexual deviations and disorders	302.2-302.9	87-91
Sexual masochism	302.83	90
Sexual sadism	302.84	90
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	158
Simple type schizophrenia	295.0	31
Skin disorder arising from mental factors	306.3	117
Social phobia	300.23	69
Socialized conduct disorder	312.2	152
Somatization disorder	300.81	75
Somnambulism or night terrors	307.46	125
Special symptoms or syndromes, not elsewhere classified	307.1-307.9	123-130
Specific academic or work inhibition	309.23	139
Specific disorders of sleep of nonorganic origin	307.4	125
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	144-148
Subacute delirium	293.1	24
Tension headache	307.81	129
Tic disorder, unspecified	307.20	124
Tics	307.2	124
Tobacco use disorder	305.1	105
Trans-sexualism	302.5	88
Trans-sexualism with asexual history	302.51	88
Trans-sexualism with heterosexual history	302.53	88
Trans-sexualism with homosexual history	302.52	88
Trans-sexualism with unspecified sexual history	302.50	88
Transient disorder of initiating or maintaining sleep	307.41	125
Transient disorder of initiating or maintaining wakefulness	307.43	125
Transient organic psychotic conditions	293.0-293.9	23-26
Transient tic disorder of childhood	307.21	124
Undersocialized conduct disorder, aggressive type	312.0	150
Undersocialized conduct disorder, unaggressive type	312.1	151
Unspecified acute reaction to stress	308.9	136
Unspecified adjustment reaction	309.9	143
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	66
Unspecified disturbance of conduct	312.9	156
Unspecified drug dependence	304.9	103
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	161
Unspecified hyperkinetic syndrome of childhood	314.9	164
Unspecified neurotic disorder	300.9	76
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	148
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	86
Unspecified psychophysiological malfunction	306.9	122

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSIS CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified psychosexual disorder	302.9	91
Unspecified psychosis	298.9	63
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	90

Appendix 4

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.* It was developed in response to a need expressed by medical records administrators for a standard means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal agencies). This crosswalk has been specifically developed to facilitate such coding, and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association, and is available through the APA Office of Research.

INSTRUCTIONS

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code, and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*. *ICD-9-CM* is the more inclusive system, however, since one of its primary purpose is to serve as a complete list of medical terms to assist in the coding of medical records. There are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote 1 for general notes about the crosswalk.

---

*Developed by J. Thompson and H. A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.